

Siva Ram Murthy Chebiyyam

List of Publications by Citations

Source:
<https://exaly.com/author-pdf/2889592/siva-ram-murthy-chebiyyam-publications-by-citations.pdf>
Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87 papers	886 citations	14 h-index	26 g-index
101 ext. papers	1,115 ext. citations	3.9 avg, IF	4.65 L-index

#	Paper	IF	Citations
87	Node Placement Algorithm for Deployment of Two-Tier Wireless Mesh Networks 2007 ,		131
86	Task allocation algorithms for maximizing reliability of distributed computing systems. <i>IEEE Transactions on Computers</i> , 1997 , 46, 719-724	2.5	86
85	A New Approach for Scheduling of Parallelizable Tasks in Real-Time Multiprocessor Systems. <i>Real-Time Systems</i> , 1998 , 15, 39-60	1.3	44
84	Improving Delay and Energy Efficiency of Vehicular Networks Using Mobile Femto Access Points. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 1496-1505	6.8	43
83	A Reinforcement Learning Framework for Path Selection and Wavelength Selection in Optical Burst Switched Networks. <i>IEEE Journal on Selected Areas in Communications</i> , 2007 , 25, 18-26	14.2	42
82	Virtual Source Based Multicast Routing in WDM Optical Networks. <i>Photonic Network Communications</i> , 2001 , 3, 213-226	1.7	30
81	Adaptive FEC-Based Packet Loss Resilience Scheme for Supporting Voice Communication over Ad hoc Wireless Networks. <i>IEEE Transactions on Mobile Computing</i> , 2008 , 7, 1184-1199	4.6	27
80	Loss classification in optical burst switching networks using machine learning techniques: improving the performance of TCP. <i>IEEE Journal on Selected Areas in Communications</i> , 2008 , 26, 45-54	14.2	26
79	Breathe to Save Energy: Assigning Downlink Transmit Power and Resource Blocks to LTE Enabled IoT Networks. <i>IEEE Communications Letters</i> , 2016 , 20, 1607-1610	3.8	24
78	A Q-Learning Framework for User QoE Enhanced Self-Organizing Spectrally Efficient Network Using a Novel Inter-Operator Proximal Spectrum Sharing. <i>IEEE Journal on Selected Areas in Communications</i> , 2016 , 34, 2887-2901	14.2	23
77	Coverage and Rate Analysis for Facilitating Machine-to-Machine Communication in LTE-A Networks Using Device-to-Device Communication. <i>IEEE Transactions on Mobile Computing</i> , 2017 , 16, 3014-3027	4.6	20
76	Energy Efficient and Scalable Search in Dense Wireless Sensor Networks. <i>IEEE Transactions on Computers</i> , 2009 , 58, 812-826	2.5	19
75	A preferred link based routing protocol for wireless ad hoc networks. <i>Journal of Communications and Networks</i> , 2002 , 4, 14-21	4.1	19
74	The More the Merrier: Enhancing Reliability of 5G Communication Services With Guaranteed Delay. <i>IEEE Networking Letters</i> , 2019 , 1, 52-55	2.8	14
73	Joint placement and sleep scheduling of grid-connected solar powered road side units in vehicular networks 2014 ,		14
72	An Adaptive Channel Reconfiguration Algorithm for Multi-Channel Multi-Radio Wireless Mesh Networks. <i>IEEE Transactions on Wireless Communications</i> , 2010 , 9, 3064-3071	9.6	14
71	A first step toward autonomic optical burst switched networks. <i>IEEE Journal on Selected Areas in Communications</i> , 2006 , 24, 94-105	14.2	14

70	Real-time traffic support for ad hoc wireless networks		14
69	Virtual source based multicast routing in WDM networks with sparse light splitting		13
68	A Novel Distributed Q-Learning Based Resource Reservation Framework for Facilitating D2D Content Access Requests in LTE-A Networks. <i>IEEE Transactions on Network and Service Management</i> , 2018 , 15, 718-731	4.8	12
67	Exploiting an Optimal User Association Strategy for Interference Management in HetNets. <i>IEEE Communications Letters</i> , 2014 , 18, 1799-1802	3.8	12
66	A Complete Framework to Support Controlled Burst Retransmission in Optical Burst Switching Networks. <i>IEEE Journal on Selected Areas in Communications</i> , 2008 , 26, 65-73	14.2	12
65	Parallel opportunistic routing in IoT networks 2016 ,		11
64	Performance Evaluation of Joint Placement and Sleep Scheduling of Grid-Connected Solar Powered Road Side Units in Vehicular Networks. <i>IEEE Transactions on Green Communications and Networking</i> , 2018 , 2, 1197-1209	4	11
63	An Energy Efficient Cell Selection Framework for Femtocell Networks With Limited Backhaul Link Capacity. <i>IEEE Systems Journal</i> , 2018 , 12, 1969-1980	4.3	10
62	Performance Modeling of Delay-Tolerant Network Routing via Queueing Petri Nets. <i>IEEE Transactions on Mobile Computing</i> , 2014 , 13, 1816-1828	4.6	10
61	Design and Dimensioning of a WDM Mesh Network to Groom Dynamically Varying Traffic. <i>Photonic Network Communications</i> , 2004 , 7, 179-191	1.7	10
60	Energy Efficient Assignment of Events in Wireless Sensor and Mobile Actor Networks 2006 ,		9
59	A Pragmatic Relay Placement Approach in 3-D Space and Q-Learning-Based Transmission Scheme for Reliable Factory Automation Applications. <i>IEEE Systems Journal</i> , 2018 , 12, 823-833	4.3	8
58	Increasing Energy Efficiency via Transmit Power Spreading in Dense Femto Cell Networks. <i>IEEE Systems Journal</i> , 2018 , 12, 971-980	4.3	8
57	Enhancing the performance of HetNets via linear regression estimation of Range Expansion Bias 2013 ,		8
56	An energy efficient cell selection scheme for femtocell network with spreading 2015 ,		8
55	Resilient and Latency-Aware Orchestration of Network Slices Using Multi-Connectivity in MEC-Enabled 5G Networks. <i>IEEE Transactions on Network and Service Management</i> , 2021 , 18, 2502-2514	4.8	8
54	Design and stochastic geometric analysis of an efficient Q-Learning based physical resource block allocation scheme to maximize the spectral efficiency of Device-to-Device overlaid cellular networks. <i>Computer Networks</i> , 2017 , 119, 71-85	5.4	7
53	Buffer Dimensioning of DTN Replication-Based Routing Nodes. <i>IEEE Communications Letters</i> , 2013 , 17, 123-126	3.8	7

52	Performance modeling of routing in delay-tolerant networks with node heterogeneity 2012 ,		7
51	An efficient TDMA-based variable interval multichannel MAC protocol for vehicular networks. <i>Wireless Networks</i> , 2016 , 22, 1365-1380	2.5	6
50	A Probabilistic Framework for Protocol Conversions in IIoT Networks With Heterogeneous Gateways. <i>IEEE Communications Letters</i> , 2017 , 21, 2456-2459	3.8	6
49	A reliable data transport protocol for partitioned actors in Wireless Sensor and Actor Networks 2010 ,		6
48	Efficient Spectrum Slicing in 5G Networks: An Overlapping Coalition Formation Approach. <i>IEEE Transactions on Mobile Computing</i> , 2020 , 19, 1299-1316	4.6	6
47	Robust Demand-Driven Video Multicast over Ad hoc Wireless Networks 2006 ,		5
46	Techniques for Interference Mitigation Using Cooperative Resource Partitioning in Multitier LTE HetNets. <i>IEEE Systems Journal</i> , 2018 , 12, 843-853	4.3	4
45	A novel fairness-driven approach for heterogeneous gatewaysXlink scheduling in IoT networks 2017 ,		4
44	Performance modeling of Delay Tolerant Network routing via Queueing Petri Nets 2012 ,		4
43	Analysis of Burst Segmentation in Optical Burst Switching Networks Considering Path Correlation. <i>Journal of Lightwave Technology</i> , 2009 , 27, 5563-5570	4	4
42	Reliable Placement of Service Function Chains and Virtual Monitoring Functions With Minimal Cost in Softwarized 5G Networks. <i>IEEE Transactions on Network and Service Management</i> , 2021 , 18, 1491-1507	4.8	4
41	Discrete Breathing: An Energy Efficient Resource Scheduling for Future Wireless Networks. <i>IEEE Transactions on Green Communications and Networking</i> , 2019 , 3, 275-287	4	3
40	On minimizing the system information age in vehicular ad-hoc networks via efficient scheduling and piggybacking. <i>Wireless Networks</i> , 2016 , 22, 1625-1639	2.5	3
39	Modeling TCP over Ad hoc Wireless Networks using Multi-dimensional Markov Chains 2006 ,		3
38	Reinforcement Learning Based Path Selection and Wavelength Selection in Optical Burst Switched Networks 2006 ,		3
37	QoS Based Survivable Logical Topology Design in WDM Optical Networks. <i>Photonic Network Communications</i> , 2004 , 7, 193-206	1.7	3
36	Distributed Slice Mobility Attack: A Novel Targeted Attack Against Network Slices of 5G Networks. <i>IEEE Networking Letters</i> , 2021 , 3, 5-9	2.8	3
35	Efficient coverage management of pico cells in HetNets via spectrum slicing, cell biasing, and transmit power spreading. <i>Wireless Networks</i> , 2018 , 24, 3099-3112	2.5	2

34	Performance modeling of message-driven based energy-efficient routing in delay-tolerant networks with individual node selfishness 2013 ,		2
33	Cross-Layer User Pairing for CSM in IEEE 802.16 Networks. <i>IEEE Communications Letters</i> , 2011 , 15, 515-518	1.7	2
32	A stochastic model for the behavior of multiple TCP NewReno sources over optical burst switching network. <i>Photonic Network Communications</i> , 2011 , 22, 109-122	1.7	2
31	Integrating traffic estimation and dynamic channel reconfiguration in Wireless Mesh Networks 2009 ,		2
30	The influence of QoS routing on the achievable capacity in TDMA based Ad hoc wireless networks. <i>Wireless Networks</i> , 2010 , 16, 291-310	2.5	2
29	A novel learning based solution for efficient data transport in heterogeneous wireless networks. <i>Wireless Networks</i> , 2010 , 16, 1777-1798	2.5	2
28	A Markov Chain Model for TCP NewReno Over Optical Burst Switching Networks 2007 ,		2
27	Network lifetime driven MAC protocols for ad hoc wireless networks. <i>Wireless Networks</i> , 2008 , 14, 929-945	1.7	2
26	Design and Performance Evaluation of Meghadoot - A Hybrid Wireless Network Architecture 2006 ,		2
25	Preferred Link Based Distributed Adaptive Routing in Wavelength Routed Optical Network. <i>Photonic Network Communications</i> , 2004 , 7, 17-35	1.7	2
24	A constant time string shuffle algorithm on reconfigurable meshes. <i>International Journal of Computer Mathematics</i> , 1998 , 68, 251-259	1.2	2
23	A Routing Framework With Protocol Conversions Across Multiradio IoT Platforms. <i>IEEE Internet of Things Journal</i> , 2021 , 8, 4417-4432	10.7	2
22	Convex Hull Inspired Distributed Controller Placement for Assisting D2D Transfers in LTE-A Networks 2017 ,		1
21	Learn to Breathe: An Energy Efficient Inter-Operator Proximal Spectrum Sharing. <i>IEEE Transactions on Green Communications and Networking</i> , 2020 , 4, 631-646	4	1
20	A case for preamble compression in multi-clock-rate sampling devices for energy efficient idle listening. <i>Wireless Networks</i> , 2018 , 24, 1593-1608	2.5	1
19	Resource Spreading for Improved Spectral and Energy Efficiency of mmWave D2D-Enabled Cellular Networks 2019 ,		1
18	An efficient preamble compression for multi clock-rate sampling wireless devices 2013 ,		1
17	Modelling co-operative MAC layer misbehaviour in IEEE 802.11 ad hoc networks with heterogeneous loads 2008 ,		1

16	A link layer adaptive pacing scheme for improving performance of Wireless Mesh Networks 2007 ,		1
15	Learning-TCP: a novel learning automata based reliable transport protocol for ad hoc wireless networks		1
14	A Framework for Differentiated Survivable Optical Virtual Private Networks. <i>Photonic Network Communications</i> , 2002 , 4, 457-487	1.7	1
13	Dynamic Establishment of Segmented Protection Paths in Single and Multi-Fiber WDM Mesh Networks. <i>Photonic Network Communications</i> , 2005 , 9, 77-98	1.7	1
12	Application Semantics and Seamlessness Based Admission Control Policy for Multimedia Mobile Networks. <i>Multimedia Tools and Applications</i> , 1999 , 9, 7-28	2.5	1
11	A faster algorithm for sorting on mesh-connected computers with multiple broadcasting using fewer processors. <i>International Journal of Computer Mathematics</i> , 1993 , 48, 15-20	1.2	1
10	A Novel Matching Theory-Based Data Offloading Framework for a Fog Network With Selfish and Rational Nodes. <i>IEEE Networking Letters</i> , 2021 , 1-1	2.8	1
9	DSM Attack Resistant Slice Selection in 5G. <i>IEEE Wireless Communications Letters</i> , 2021 , 10, 1469-1473	5.9	1
8	Packet Generation Schemes and Network Latency Implications in SDN-enabled 5G C-RANs: Queuing Model Based Analysis 2019 ,		1
7	Modeling the Impact of Control Plane Losses on the Performance of Optical Burst Switched Core Node. <i>IEEE Communications Letters</i> , 2010 , 14, 1071-1073	3.8	0
6	Dynamic Virtual Topology Reconfiguration Algorithms for Groomed WDM Networks. <i>Photonic Network Communications</i> , 2005 , 9, 181-195	1.7	0
5	Exploiting Small World Networks for Energy Efficiency in Network of Multi-Clock-Rate Wireless Devices. <i>INAE Letters</i> , 2017 , 2, 49-54	0.7	
4	A fault tolerant systolic mesh for linear system solution. <i>International Journal of Computer Mathematics</i> , 1998 , 67, 315-332	1.2	
3	A NEW MODIFIED GRAM-SCHMIDT ORTHOGONAL MATRIX FACTORIZATION BASED ALGORITHM FOR PARALLEL SOLUTION OF LINEAR EQUATIONS. <i>International Journal of Parallel, Emergent and Distributed Systems</i> , 1995 , 6, 39-52		
2	Modeling and simulation of dynamic job scheduling in multiprocessor systems. <i>International Journal of Computer Mathematics</i> , 1995 , 58, 221-247	1.2	
1	TWO-SIDED ELIMINATION ALGORITHM FOR PARALLEL SOLUTION OF LINEAR EQUATIONS USING HOUSEHOLDER REDUCTIONS. <i>International Journal of Parallel, Emergent and Distributed Systems</i> , 1994 , 3, 287-309		