Qun Cheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/288967/publications.pdf

Version: 2024-02-01

840776 752698 20 499 11 20 h-index citations g-index papers 21 21 21 806 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Sex differences in the prevalence and adverse outcomes of sarcopenia and sarcopenic obesity in community dwelling elderly in East China using the AWGS criteria. BMC Endocrine Disorders, 2019, 19, 109.	2.2	97
2	A cross-sectional study of loss of muscle mass corresponding to sarcopenia in healthy Chinese men and women: reference values, prevalence, and association with bone mass. Journal of Bone and Mineral Metabolism, 2014, 32, 78-88.	2.7	94
3	Prevalence of Sarcopenia and Its Relationship with Sites of Fragility Fractures in Elderly Chinese Men and Women. PLoS ONE, 2015, 10, e0138102.	2.5	64
4	Age and sex effects on the association between body composition and bone mineral density in healthy Chinese men and women. Menopause, 2012, 19, 448-455.	2.0	44
5	East meets West: current practices and policies in the management of musculoskeletal aging. Aging Clinical and Experimental Research, 2019, 31, 1351-1373.	2.9	32
6	PTH1-34 improves bone healing by promoting angiogenesis and facilitating MSCs migration and differentiation in a stabilized fracture mouse model. PLoS ONE, 2019, 14, e0226163.	2.5	26
7	Factors associated to serum 25-hydroxyvitamin D levels among older adult populations in urban and suburban communities in Shanghai, China. BMC Geriatrics, 2017, 17, 246.	2.7	21
8	Eldecalcitol increases bone mineral density in Chinese osteoporotic patients without vitamin D or calcium supplementation. Journal of Bone and Mineral Metabolism, 2019, 37, 1036-1047.	2.7	14
9	Circulating TGF- \hat{l}^21 levels are negatively correlated with sclerostin levels in early postmenopausal women. Clinica Chimica Acta, 2016, 455, 87-92.	1.1	13
10	Plasma homocysteine level is a risk factor for osteoporotic fractures in elderly patients. Clinical Interventions in Aging, 2016, Volume 11, 1117-1121.	2.9	12
11	Levels of serum sclerostin, FGF-23, and intact parathyroid hormone in postmenopausal women treated with calcitriol. Clinical Interventions in Aging, 2018, Volume 13, 2367-2374.	2.9	12
12	Calcifediol (25-hydroxyvitamin D) improvement and calcium-phosphate metabolism of alendronate sodium/vitamin D3 combination in Chinese women with postmenopausal osteoporosis: a post hoc efficacy analysis and safety reappraisal. BMC Musculoskeletal Disorders, 2018, 19, 210.	1.9	12
13	Epidemiological and clinical study of hip fracture in hospitalized elderly patients in Shanghai, China. Archives of Osteoporosis, 2019, 14, 37.	2.4	12
14	Age and sex effects on the relationship between body composition and hip geometric structure in males and females from East China. Archives of Osteoporosis, 2018, 13, 79.	2.4	9
15	ZEB1 Mediates Bone Marrow Mesenchymal Stem Cell Osteogenic Differentiation Partly via Wnt/β-Catenin Signaling. Frontiers in Molecular Biosciences, 2021, 8, 682728.	3.5	9
16	Serum concentrations of oxytocin, DHEA and follistatin are associated with osteoporosis or sarcopenia in community-dwelling postmenopausal women. BMC Geriatrics, 2021, 21, 542.	2.7	9
17	MicroRNAs in Serum Exosomes as Circulating Biomarkers for Postmenopausal Osteoporosis. Frontiers in Endocrinology, 2022, 13, 819056.	3.5	8
18	Association between bone turnover markers, BMD and height loss of cemented vertebrae after percutaneous vertebroplasty in patients with osteoporotic vertebral compression fractures. Journal of Orthopaedic Surgery and Research, 2022, 17, 202.	2.3	5

Qun Cheng

#	Article	IF	CITATIONS
19	Bone Marrow–derived Endothelial Progenitor Cells Are Associated with Bone Mass and Strength. Journal of Rheumatology, 2018, 45, 1696-1704.	2.0	4
20	Efficacy of Yigu® versus Aclasta® in Chinese postmenopausal women with osteoporosis: a multicenter prospective study. Archives of Osteoporosis, 2022, 17, 14.	2.4	2