

Giovanni Corrao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2890550/giovanni-corrao-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216
papers

10,406
citations

49
h-index

98
g-index

232
ext. papers

12,074
ext. citations

4.9
avg, IF

6.44
L-index

#	Paper	IF	Citations
216	A meta-analysis of alcohol consumption and the risk of 15 diseases. <i>Preventive Medicine</i> , 2004 , 38, 613-9	4.3	765
215	Prognostic value of ambulatory and home blood pressures compared with office blood pressure in the general population: follow-up results from the Pressioni Arteriose Monitorate e Loro Associazioni (PAMELA) study. <i>Circulation</i> , 2005 , 111, 1777-83	16.7	754
214	Renin-Angiotensin-Aldosterone System Blockers and the Risk of Covid-19. <i>New England Journal of Medicine</i> , 2020 , 382, 2431-2440	59.2	709
213	Alcohol and coronary heart disease: a meta-analysis. <i>Addiction</i> , 2000 , 95, 1505-23	4.6	594
212	Mortality in patients with coeliac disease and their relatives: a cohort study. <i>Lancet, The</i> , 2001 , 358, 356-61	41	451
211	Long-term prognostic value of blood pressure variability in the general population: results of the Pressioni Arteriose Monitorate e Loro Associazioni Study. <i>Hypertension</i> , 2007 , 49, 1265-70	8.5	279
210	Independent and combined action of hepatitis C virus infection and alcohol consumption on the risk of symptomatic liver cirrhosis. <i>Hepatology</i> , 1998 , 27, 914-9	11.2	250
209	Exploring the dose-response relationship between alcohol consumption and the risk of several alcohol-related conditions: a meta-analysis. <i>Addiction</i> , 1999 , 94, 1551-73	4.6	234
208	Blood pressure variability and organ damage in a general population: results from the PAMELA study (Pressioni Arteriose Monitorate E Loro Associazioni). <i>Hypertension</i> , 2002 , 39, 710-4	8.5	228
207	Clinical characteristics and risk factors associated with COVID-19 severity in patients with haematological malignancies in Italy: a retrospective, multicentre, cohort study. <i>Lancet Haematology,the</i> , 2020 , 7, e737-e745	14.6	223
206	Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1413-9	27.4	219
205	Flexible meta-regression functions for modeling aggregate dose-response data, with an application to alcohol and mortality. <i>American Journal of Epidemiology</i> , 2004 , 159, 1077-86	3.8	207
204	Cancer risk associated with use of metformin and sulfonylurea in type 2 diabetes: a meta-analysis. <i>Oncologist</i> , 2012 , 17, 813-22	5.7	201
203	Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1-11	2.6	198
202	Better compliance to antihypertensive medications reduces cardiovascular risk. <i>Journal of Hypertension</i> , 2011 , 29, 610-8	1.9	196
201	Metabolic syndrome in the Pressioni Arteriose Monitorate E Loro Associazioni (PAMELA) study: daily life blood pressure, cardiac damage, and prognosis. <i>Hypertension</i> , 2007 , 49, 40-7	8.5	194
200	Discontinuation of and changes in drug therapy for hypertension among newly-treated patients: a population-based study in Italy. <i>Journal of Hypertension</i> , 2008 , 26, 819-24	1.9	156

199	Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study. <i>BMJ, The</i> , 2016 , 354, i4857	5.9	138
198	Duration of postoperative delirium is an independent predictor of 6-month mortality in older adults after hip fracture. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1335-40	5.6	120
197	Alcohol drinking and pancreatic cancer risk: a meta-analysis of the dose-risk relation. <i>International Journal of Cancer</i> , 2010 , 126, 1474-86	7.5	120
196	Alcohol drinking and esophageal squamous cell carcinoma with focus on light-drinkers and never-smokers: a systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2011 , 129, 2473-84	7.5	118
195	Coffee, caffeine, and the risk of liver cirrhosis. <i>Annals of Epidemiology</i> , 2001 , 11, 458-65	6.4	113
194	Reduced discontinuation of antihypertensive treatment by two-drug combination as first step. Evidence from daily life practice. <i>Journal of Hypertension</i> , 2010 , 28, 1584-90	1.9	111
193	Long-term effect of high dose omega-3 fatty acid supplementation for secondary prevention of cardiovascular outcomes: A meta-analysis of randomized, placebo controlled trials [corrected]. <i>Atherosclerosis Supplements</i> , 2013 , 14, 243-51	1.7	109
192	Cancer risk for patients using thiazolidinediones for type 2 diabetes: a meta-analysis. <i>Oncologist</i> , 2013 , 18, 148-56	5.7	101
191	Intestinal permeability test as a predictor of clinical course in Crohn's disease. <i>American Journal of Gastroenterology</i> , 1999 , 94, 2956-2960	0.7	94
190	Cardiovascular protection by initial and subsequent combination of antihypertensive drugs in daily life practice. <i>Hypertension</i> , 2011 , 58, 566-72	8.5	93
189	Evidence of tendinitis provoked by fluoroquinolone treatment: a case-control study. <i>Drug Safety</i> , 2006 , 29, 889-96	5.1	92
188	Pain relief following percutaneous vertebroplasty: results of a series of 283 consecutive patients treated in a single institution. <i>CardioVascular and Interventional Radiology</i> , 2007 , 30, 441-7	2.7	80
187	Meta-analysis of alcohol intake in relation to risk of liver cirrhosis. <i>Alcohol and Alcoholism</i> , 1998 , 33, 381-92	9.5	80
186	Assessing the physical healthcare gap among patients with severe mental illness: large real-world investigation from Italy. <i>BJPsych Open</i> , 2021 , 7,	5	78
185	Statins and the risk of diabetes: evidence from a large population-based cohort study. <i>Diabetes Care</i> , 2014 , 37, 2225-32	14.6	72
184	Autoimmune thyroid disease and celiac disease in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 37, 63-6	2.8	70
183	Prevalence and incidence of psoriatic arthritis: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 28-34	5.3	64
182	Results of a retrospective database analysis of adherence to statin therapy and risk of nonfatal ischemic heart disease in daily clinical practice in Italy. <i>Clinical Therapeutics</i> , 2010 , 32, 300-10	3.5	64

181	Electronic healthcare databases for active drug safety surveillance: is there enough leverage? <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 611-21	2.6	63
180	Incidence of inflammatory bowel disease in Italy: a nationwide population-based study. Gruppo Italiano per lo Studio del Colon e del Retto (GISC). <i>International Journal of Epidemiology</i> , 1996 , 25, 1044-52	7.8	63
179	Random-effects meta-regression models for studying nonlinear dose-response relationship, with an application to alcohol and esophageal squamous cell carcinoma. <i>Statistics in Medicine</i> , 2010 , 29, 2679-87	3.3	62
178	Diabetes mellitus and cancer risk in a network of case-control studies. <i>Nutrition and Cancer</i> , 2012 , 64, 643-51	2.8	59
177	Attributable risk for symptomatic liver cirrhosis in Italy. Collaborative Groups for the Study of Liver Diseases in Italy. <i>Journal of Hepatology</i> , 1998 , 28, 608-14	13.4	59
176	Gliadin immune reactivity is associated with overt and latent enteropathy in relatives of celiac patients. <i>Gastroenterology</i> , 1992 , 103, 1517-22	13.3	59
175	Burden of new hospitalization for heart failure: a population-based investigation from Italy. <i>European Journal of Heart Failure</i> , 2014 , 16, 729-36	12.3	58
174	Statins and primary liver cancer: a meta-analysis of observational studies. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 229-34	2	58
173	Adherence with antihypertensive drug therapy and the risk of heart failure in clinical practice. <i>Hypertension</i> , 2015 , 66, 742-9	8.5	52
172	Hypertension, antihypertensive therapy and renal-cell cancer: a meta-analysis. <i>Current Drug Safety</i> , 2007 , 2, 125-33	1.4	52
171	Generating evidence from computerized healthcare utilization databases. <i>Hypertension</i> , 2015 , 65, 490-8	8.5	51
170	Alcohol consumption and prostate cancer risk: a meta-analysis of the dose-risk relation. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 350-9	2	50
169	Menopause hormone replacement therapy and cancer risk: an Italian record linkage investigation. <i>Annals of Oncology</i> , 2008 , 19, 150-5	10.3	50
168	Sympathetic Neural Overdrive in the Obese and Overweight State. <i>Hypertension</i> , 2019 , 74, 349-358	8.5	49
167	Job strain and blood pressure in employed men and women: a pooled analysis of four northern Italian population samples. <i>Psychosomatic Medicine</i> , 2003 , 65, 558-63	3.7	48
166	Factors involved in the discontinuation of antihypertensive drug therapy: an analysis from real life data. <i>Journal of Hypertension</i> , 2014 , 32, 1708-15; discussion 1716	1.9	47
165	Lipid lowering drugs prescription and the risk of peripheral neuropathy: an exploratory case-control study using automated databases. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 1047-51	5.1	45
164	Developing and validating a novel multisource comorbidity score from administrative data: a large population-based cohort study from Italy. <i>BMJ Open</i> , 2017 , 7, e019503	3	43

163	Early cardiovascular protection by initial two-drug fixed-dose combination treatment vs. monotherapy in hypertension. <i>European Heart Journal</i> , 2018 , 39, 3654-3661	9.5	42
162	Effect of macrolide and fluoroquinolone antibacterials on the risk of ventricular arrhythmia and cardiac arrest: an observational study in Italy using case-control, case-crossover and case-time-control designs. <i>Drug Safety</i> , 2009 , 32, 159-67	5.1	40
161	Antihypertensive Medications, Loop Diuretics, and Risk of Hip Fracture in the Elderly: A Population-Based Cohort Study of 81,617 Italian Patients Newly Treated Between 2005 and 2009. <i>Drugs and Aging</i> , 2015 , 32, 927-36	4.7	39
160	Alcohol-attributable and alcohol-preventable mortality in Italy. A balance in 1983 and 1996. <i>European Journal of Public Health</i> , 2002 , 12, 214-23	2.1	39
159	Exploring the role of diet in modifying the effect of known disease determinants: application to risk factors of liver cirrhosis. <i>American Journal of Epidemiology</i> , 1995 , 142, 1136-46	3.8	39
158	Alcohol drinking and epithelial ovarian cancer risk. a systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2012 , 125, 758-63	4.9	38
157	The Role of European Healthcare Databases for Post-Marketing Drug Effectiveness, Safety and Value Evaluation: Where Does Italy Stand?. <i>Drug Safety</i> , 2019 , 42, 347-363	5.1	38
156	Aging in Italy: The Need for New Welfare Strategies in an Old Country. <i>Gerontologist, The</i> , 2016 , 56, 383-90		35
155	Trastuzumab-related cardiotoxicity in early breast cancer: a cohort study. <i>Oncologist</i> , 2013 , 18, 795-801	5.7	35
154	Mother's education and the risk of several neonatal outcomes: an evidence from an Italian population-based study. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 221	3.2	34
153	Initial Antihypertensive Treatment Strategies and Therapeutic Inertia. <i>Hypertension</i> , 2018 , 72, 846-853	8.5	33
152	Long-term use of statins reduces the risk of hospitalization for dementia. <i>Atherosclerosis</i> , 2013 , 230, 171-6	3.1	32
151	Heterogeneity in antihypertensive treatment discontinuation between drugs belonging to the same class. <i>Journal of Hypertension</i> , 2011 , 29, 1012-8	1.9	32
150	Short- and long-term mortality and hospital readmissions among patients with new hospitalization for heart failure: A population-based investigation from Italy. <i>International Journal of Cardiology</i> , 2015 , 181, 81-7	3.2	31
149	Are generic and brand-name statins clinically equivalent? Evidence from a real data-base. <i>European Journal of Internal Medicine</i> , 2014 , 25, 745-50	3.9	31
148	Blood pressure control in hypertension. Pros and cons of available treatment strategies. <i>Journal of Hypertension</i> , 2017 , 35, 225-233	1.9	30
147	Gender differences in the association between education and the incidence of cardiovascular events in Northern Italy. <i>European Journal of Public Health</i> , 2011 , 21, 762-7	2.1	29
146	Two-Drug Combinations as First-Step Antihypertensive Treatment. <i>Circulation Research</i> , 2019 , 124, 1113-1123	5.7	28

145	Stopping Smoking Reduces Mortality in Low-Dose Computed Tomography Screening Participants. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 693-699	8.9	28
144	Alcohol consumption and micronutrient intake as risk factors for liver cirrhosis: a case-control study. The Provincial Group for the study of Chronic Liver Disease. <i>Annals of Epidemiology</i> , 1998 , 8, 154-9	6.4	28
143	Trastuzumab for HER2+ metastatic breast cancer in clinical practice: Cardiotoxicity and overall survival. <i>European Journal of Cancer</i> , 2016 , 52, 41-9	7.5	27
142	A validation study of a new classification algorithm to identify rheumatoid arthritis using administrative health databases: case-control and cohort diagnostic accuracy studies. Results from the RECORD linkage On Rheumatic Diseases study of the Italian Society for Rheumatology. <i>BMJ Open</i> , 2015 , 5, e006029	3	26
141	Generating signals of drug-adverse effects from prescription databases and application to the risk of arrhythmia associated with antibacterials. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 31-40	2.6	26
140	The lag-time approach improved drug-outcome association estimates in presence of protopathic bias. <i>Journal of Clinical Epidemiology</i> , 2016 , 78, 101-107	5.7	25
139	Multiple outcomes associated with the use of metformin and sulphonylureas in type 2 diabetes: a population-based cohort study in Italy. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 289-99	2.8	25
138	Similarity between generic and brand-name antihypertensive drugs for primary prevention of cardiovascular disease: evidence from a large population-based study. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 933-9	4.6	24
137	Statins use and the risk of all and subtype hematological malignancies: a meta-analysis of observational studies. <i>Cancer Medicine</i> , 2015 , 4, 770-80	4.8	23
136	Limited reproducibility of MUCH and WUCH: evidence from the ELSA study. <i>European Heart Journal</i> , 2020 , 41, 1565-1571	9.5	23
135	Medication persistence and the use of generic and brand-name blood pressure-lowering agents. <i>Journal of Hypertension</i> , 2014 , 32, 1146-53; discussion 1153	1.9	22
134	Effectiveness of trastuzumab in first-line HER2+ metastatic breast cancer after failure in adjuvant setting: a controlled cohort study. <i>Oncologist</i> , 2014 , 19, 1209-15	5.7	22
133	Short-acting inhaled beta-2-agonists increased the mortality from chronic obstructive pulmonary disease in observational designs. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 92-7	5.7	22
132	Is the Risk of Preterm Birth and Low Birth Weight Affected by the Use of Antidepressant Agents during Pregnancy? A Population-Based Investigation. <i>PLoS ONE</i> , 2016 , 11, e0168115	3.7	22
131	Big Data in Head and Neck Cancer. <i>Current Treatment Options in Oncology</i> , 2018 , 19, 62	5.4	22
130	Protective effects of antihypertensive treatment in patients aged 85 years or older. <i>Journal of Hypertension</i> , 2017 , 35, 1432-1441	1.9	21
129	Incretin-Based Therapies and the Short-term Risk of Pancreatic Cancer: Results From Two Retrospective Cohort Studies. <i>Diabetes Care</i> , 2018 , 41, 286-292	14.6	21
128	Baseline and postoperative C-reactive protein levels predict mortality in operable lung cancer. <i>European Journal of Cancer</i> , 2017 , 79, 90-97	7.5	20

127	Cost-effectiveness of enhancing adherence to therapy with statins in the setting of primary cardiovascular prevention. Evidence from an empirical approach based on administrative databases. <i>Atherosclerosis</i> , 2011 , 217, 479-85	3.1	20
126	Management of antihypertensive drugs in three European countries. <i>Journal of Hypertension</i> , 2009 , 27, 1917-22	1.9	20
125	Alcohol consumption and non-cirrhotic chronic hepatitis: a case-control study. <i>International Journal of Epidemiology</i> , 1991 , 20, 1037-42	7.8	20
124	Use of antidepressant medication in pregnancy and adverse neonatal outcomes: A population-based investigation. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1100-1108	2.6	19
123	Exploring the combined action of lifetime alcohol intake and chronic hepatotropic virus infections on the risk of symptomatic liver cirrhosis. Collaborative Groups for the Study of Liver Diseases in Italy. <i>European Journal of Epidemiology</i> , 1998 , 14, 447-56	12.1	19
122	Persistence with oral and transdermal hormone replacement therapy and hospitalisation for cardiovascular outcomes. <i>Maturitas</i> , 2007 , 57, 315-24	5	19
121	Alcohol drinking and risk of leukemia-a systematic review and meta-analysis of the dose-risk relation. <i>Cancer Epidemiology</i> , 2014 , 38, 339-45	2.8	18
120	User-only design to assess drug effectiveness in clinical practice: application to bisphosphonates and secondary prevention of fractures. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 859-67	2.6	18
119	The measure of life-time alcohol consumption in patients with cirrhosis: reproducibility and clinical relevance. <i>Liver</i> , 1995 , 15, 202-8		18
118	Renin-angiotensin-system inhibitors and all-cause mortality in patients with COVID-19: a systematic review and meta-analysis of observational studies. <i>Journal of Hypertension</i> , 2021 , 39, 784-794	1.9	17
117	Statin use and risk of cataract: A nested case-control study within a healthcare database. <i>Atherosclerosis</i> , 2016 , 251, 153-158	3.1	15
116	Long term survival of HER2-positive early breast cancer treated with trastuzumab-based adjuvant regimen: a large cohort study from clinical practice. <i>Breast</i> , 2014 , 23, 573-8	3.6	15
115	Effectiveness of oral bisphosphonates for primary prevention of osteoporotic fractures: evidence from the AIFA-BEST observational study. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1129-37	2.8	15
114	High-potency statins increase the risk of acute kidney injury: evidence from a large population-based study. <i>Atherosclerosis</i> , 2014 , 234, 224-9	3.1	15
113	Persistence with inhaled corticosteroids reduces the risk of exacerbation among adults with asthma: A real-world investigation. <i>Respirology</i> , 2016 , 21, 1034-40	3.6	15
112	Effectiveness of adherence to recommended clinical examinations of diabetic patients in preventing diabetes-related hospitalizations. <i>International Journal for Quality in Health Care</i> , 2019 , 31, 464-472	1.9	14
111	Metformin, other antidiabetic drugs, and endometrial cancer risk: a nested case-control study within Italian healthcare utilization databases. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 225-231 ²		13
110	Use of antidepressants during pregnancy and neonatal outcomes: An umbrella review of meta-analyses of observational studies. <i>Journal of Psychiatric Research</i> , 2020 , 124, 99-108	5.2	13

109	External adjustment for unmeasured confounders improved drug-outcome association estimates based on health care utilization data. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1190-9	5.7	13
108	Tutorial: strategies addressing detection bias were reviewed and implemented for investigating the statins-diabetes association. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 480-8	5.7	12
107	Use of proton pump inhibitors and risk of ischemic events in the general population. <i>Atherosclerosis</i> , 2018 , 277, 123-129	3.1	12
106	Clinical significance of diabetes likely induced by statins: Evidence from a large population-based cohort. <i>Diabetes Research and Clinical Practice</i> , 2017 , 133, 60-68	7.4	12
105	A strong negative association between alcohol consumption and the risk of hepatocellular carcinoma in cirrhotic patients. A case-control study. <i>European Journal of Epidemiology</i> , 1994 , 10, 251-7	12.1	12
104	Exposure to statins is associated to fracture risk reduction in elderly people with cardiovascular disease: evidence from the AIFA-I-GrADE observational project. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 775-784	2.6	11
103	Inappropriate pharmacological treatment in older adults affected by cardiovascular disease and other chronic comorbidities: a systematic literature review to identify potentially inappropriate prescription indicators. <i>Clinical Interventions in Aging</i> , 2017 , 12, 1761-1778	4	11
102	Nutrient intakes, nutritional patterns and the risk of liver cirrhosis: an explorative case-control study. <i>European Journal of Epidemiology</i> , 2004 , 19, 861-9	12.1	11
101	Good adherence to therapy with statins reduces the risk of adverse clinical outcomes even among very elderly. Evidence from an Italian real-life investigation. <i>European Journal of Internal Medicine</i> , 2018 , 47, 25-31	3.9	10
100	Routine quality care assessment of schizophrenic disorders using information systems. <i>International Journal for Quality in Health Care</i> , 2016 , 28, 728-733	1.9	10
99	Incidence of cardiovascular events in Italian patients with early discontinuations of antihypertensive, lipid-lowering, and antidiabetic treatments. <i>American Journal of Hypertension</i> , 2012 , 25, 549-55	2.3	10
98	Effectiveness of First-Line Bevacizumab in Metastatic Colorectal Cancer: The Observational Cohort Study GRETA. <i>Oncologist</i> , 2019 , 24, 358-365	5.7	10
97	NSAIDs utilization for musculoskeletal indications in elderly patients with cerebro/cardiovascular disease. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 637-643	2.8	9
96	One-stage and two-stage meta-analysis of individual participant data led to consistent summarized evidence: lessons learned from combining multiple databases. <i>Journal of Clinical Epidemiology</i> , 2018 , 95, 19-27	5.7	9
95	Cost-effectiveness of enhancing adherence to therapy with blood pressure-lowering drugs in the setting of primary cardiovascular prevention. <i>Value in Health</i> , 2013 , 16, 318-24	3.3	9
94	Baseline and Postoperative C-reactive Protein Levels Predict Long-Term Survival After Lung Metastasectomy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 869-875	3.1	9
93	Management and Survival of Pleural Mesothelioma: A Record Linkage Study. <i>Respiration</i> , 2018 , 95, 405-413	3.7	8
92	Adherence to Antidepressants and Mortality in Elderly Patients with Cardiovascular Disease. <i>Clinical Drug Investigation</i> , 2018 , 38, 593-602	3.2	8

91	Incidence, Predictors, and Clinical Implications of Discontinuing Therapy with Inhaled Long-Acting Bronchodilators among Patients with Chronic Obstructive Pulmonary Disease. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016 , 13, 540-6	2	8
90	A new population-based risk stratification tool was developed and validated for predicting mortality, hospital admissions, and health care costs. <i>Journal of Clinical Epidemiology</i> , 2019 , 116, 62-71	5.7	8
89	Is Switching from Oral Antidiabetic Therapy to Insulin Associated with an Increased Fracture Risk?. <i>Clinical Orthopaedics and Related Research</i> , 2020 , 478, 992-1003	2.2	8
88	Sex differences in the adherence of antihypertensive drugs: a systematic review with meta-analyses. <i>BMJ Open</i> , 2020 , 10, e036418	3	8
87	Respiratory drugs and macrolides prevent asthma exacerbations: A real-world investigation. <i>Respiratory Medicine</i> , 2016 , 119, 7-12	4.6	8
86	Building reliable evidence from real-world data: Needs, methods, cautiousness and recommendations. <i>Pulmonary Pharmacology and Therapeutics</i> , 2018 , 53, 61-67	3.5	8
85	Comorbidity-adjusted relative survival in newly hospitalized heart failure patients: A population-based study. <i>International Journal of Cardiology</i> , 2017 , 243, 385-388	3.2	7
84	Bisphosphonates and cardiovascular risk in elderly patients with previous cardiovascular disease: a population-based nested case-control study in Italy. <i>Therapeutic Advances in Drug Safety</i> , 2019 , 10, 2042098619838138	3.5	7
83	Antihypertensive Treatment in Elderly Frail Patients: Evidence From a Large Italian Database. <i>Hypertension</i> , 2020 , 76, 442-449	8.5	7
82	Number of lung resections performed and long-term mortality rates of patients after lung cancer surgery: evidence from an Italian investigation. <i>European Journal of Cardio-thoracic Surgery</i> , 2020 , 58, 70-77	3	7
81	Do apolipoproteins improve coronary risk prediction in subjects with metabolic syndrome? Insights from the North Italian Brianza cohort study. <i>Atherosclerosis</i> , 2014 , 236, 175-81	3.1	7
80	Cost-effectiveness of enhancing adherence with oral bisphosphonates treatment in osteoporotic women: an empirical approach based on healthcare utilisation databases. <i>BMJ Open</i> , 2014 , 4, e003758	3	7
79	Do patterns of mental healthcare predict treatment failure in young people with schizophrenia? Evidence from an Italian population-based cohort study. <i>BMJ Open</i> , 2015 , 5, e007140	3	7
78	Measuring multimorbidity inequality across Italy through the multisource comorbidity score: a nationwide study. <i>European Journal of Public Health</i> , 2020 , 30, 916-921	2.1	7
77	Cardiovascular Outcomes and Mortality Associated With Discontinuing Statins in Older Patients Receiving Polypharmacy. <i>JAMA Network Open</i> , 2021 , 4, e2113186	10.4	7
76	Hip Fracture Surgery and Survival in Centenarians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1514-1518	6.4	7
75	Real World Data on the Utilization Pattern and Safety Profile of Infliximab Originator Versus Biosimilars in Italy: A Multiregional Study. <i>BioDrugs</i> , 2018 , 32, 607-617	7.9	7
74	Preventing recurrent acute otitis media with Streptococcus salivarius 24SMB and Streptococcus oralis 89a five months intermittent treatment: An observational prospective cohort study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 132, 109921	1.7	6

73	Drug treatment and adherence of subjects . <i>Atherosclerosis</i> , 2016 , 254, 172-178	3.1	6
72	Bleeding events attributable to concurrent use of warfarin and other medications in high-risk elderly: meta-analysis and Italian population-based investigation. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 1061-1070	2.8	6
71	Oral bisphosphonates do not increase the risk of severe upper gastrointestinal complications: a nested case-control study. <i>BMC Gastroenterology</i> , 2014 , 14, 5	3	6
70	Combining evidence from multiple electronic health care databases: performances of one-stage and two-stage meta-analysis in matched case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1213-1219	2.6	6
69	Clinical relevance of clonal hematopoiesis in persons aged 80 years. <i>Blood</i> , 2021 , 138, 2093-2105	2.2	6
68	Effectiveness and Costs Associated to Adding Cetuximab or Bevacizumab to Chemotherapy as Initial Treatment in Metastatic Colorectal Cancer: Results from the Observational FABIO Project. <i>Cancers</i> , 2020 , 12,	6.6	6
67	Inflammatory status and lung function predict mortality in lung cancer screening participants. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 289-295	2	6
66	Adherence of Elderly Patients with Cardiovascular Disease to Statins and the Risk of Exacerbation of Chronic Obstructive Pulmonary Disease: Evidence from an Italian Real-World Investigation. <i>Drugs and Aging</i> , 2018 , 35, 1099-1108	4.7	6
65	Incretin-based drugs and risk of acute pancreatitis: A nested-case control study within a healthcare database. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 243-9	7.4	5
64	Antidepressants and the Risk of Cardiovascular Events in Elderly Affected by Cardiovascular Disease: A Real-Life Investigation From Italy. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 112-121	1.7	5
63	Use of Nimesulide During Early Pregnancy and the Risk of Congenital Malformations: A Population-Based Study from Italy. <i>Advances in Therapy</i> , 2018 , 35, 981-992	4.1	5
62	HF progression among outpatients with HF in a community setting. <i>International Journal of Cardiology</i> , 2019 , 277, 140-146	3.2	5
61	Use of antidepressant serotonergic medications and cardiac valvulopathy: a nested case-control study in the health improvement network (THIN) database. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 536-44	3.8	5
60	Exploring the effect of transient exposure on the risk of acute events by means of time-window designs: an application to fluoroquinolone antibacterials and arrhythmia. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 31-7	2.6	5
59	Risk of severe upper gastrointestinal complications among oral bisphosphonate users. <i>PLoS ONE</i> , 2013 , 8, e73159	3.7	5
58	A simple informative intervention in primary care increases statin adherence. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 227-34	2.8	5
57	Management, prognosis and predictors of unfavourable outcomes in patients newly hospitalized for transient ischemic attack: a real-world investigation from Italy. <i>BMC Neurology</i> , 2017 , 17, 12	3.1	4
56	Calcium Channel Blockers in Secondary Cardiovascular Prevention and Risk of Acute Events: Real-World Evidence from Nested Case-Control Studies on Italian Hypertensive Elderly. <i>Clinical Drug Investigation</i> , 2017 , 37, 1165-1174	3.2	4

55	Effectiveness and Healthcare Cost of Adding Trastuzumab to Standard Chemotherapy for First-Line Treatment of Metastatic Gastric Cancer: A Population-Based Cohort Study. <i>Cancers</i> , 2020 , 12,	6.6	4
54	Issues concerning the use of hormone replacement therapy and risk of fracture: a population-based, nested case-control study. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 123-9	3.8	4
53	A Systematic Review of Case-Identification Algorithms Based on Italian Healthcare Administrative Databases for Three Relevant Diseases of the Cardiovascular System: Acute Myocardial Infarction, Ischemic Heart Disease, and Stroke. <i>Epidemiologia E Prevenzione</i> , 2019 , 43, 37-50	1.1	4
52	Availability of Real-World Data in Italy: A Tool to Navigate Regional Healthcare Utilization Databases. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17,	4.6	4
51	All-cause mortality and antipsychotic use among elderly persons with high baseline cardiovascular and cerebrovascular risk: a multi-center retrospective cohort study in Italy. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2019 , 15, 179-188	5.5	4
50	Thirty-day mortality and five-year survival in thoracic surgery: "real-world" assessment of outcomes from a single-institution audit. <i>Tumori</i> , 2018 , 104, 96-104	1.7	4
49	Development and validation of a clinical risk score to predict the risk of SARS-CoV-2 infection from administrative data: A population-based cohort study from Italy. <i>PLoS ONE</i> , 2021 , 16, e0237202	3.7	4
48	Adherence to clinical evaluations in women with pre-existing diabetes during pregnancy: A call to action from an Italian real-life investigation. <i>Diabetes Research and Clinical Practice</i> , 2019 , 154, 1-8	7.4	3
47	Alcohol and liver cirrhosis: old questions and weakly explored opportunities. <i>Addiction</i> , 2000 , 95, 1267-70; author reply 1271-2	4.6	3
46	Undocumented migrants during the COVID-19 pandemic: socio-economic determinants, clinical features and pharmacological treatment. <i>Journal of Public Health Research</i> , 2020 , 9, 1852	2.2	3
45	Statin treatment reduces the risk of death among elderly frail patients: evidence from a large population-based cohort. <i>European Journal of Preventive Cardiology</i> , 2020 ,	3.9	3
44	Sex-differences in factors and outcomes associated with adherence to statin therapy in primary care: Need for customisation strategies. <i>Pharmacological Research</i> , 2020 , 155, 104514	10.2	3
43	Women discontinue antihypertensive drug therapy more than men. Evidence from an Italian population-based study. <i>Journal of Hypertension</i> , 2020 , 38, 142-149	1.9	3
42	Warning of Immortal Time Bias When Studying Drug Safety in Pregnancy: Application to Late Use of Antibiotics and Preterm Delivery. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
41	Adherence to Treatment by Initial Antihypertensive Mono and Combination Therapies. <i>American Journal of Hypertension</i> , 2021 , 34, 1083-1091	2.3	3
40	Does the mental health system provide effective coverage to people with schizophrenic disorder? A self-controlled case series study in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	3
39	Comparing medication persistence among patients with type 2 diabetes using sodium-glucose cotransporter 2 inhibitors or glucagon-like peptide-1 receptor agonists in real-world setting. <i>Diabetes Research and Clinical Practice</i> , 2021 , 180, 109035	7.4	3
38	A pragmatic controlled trial to improve the appropriate prescription of drugs in adult outpatients: design and rationale of the EDU.RE.DRUG study. <i>Primary Health Care Research and Development</i> , 2020 , 21,	1.6	2

37	Rehospitalization for pneumonia after first pneumonia admission: Incidence and predictors in a population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0235468	3.7	2
36	Cardiovascular diseases monitoring: lessons from population-based registries to address future opportunities and challenges in Europe. <i>Archives of Public Health</i> , 2018 , 76, 31	2.6	2
35	Targeting blood pressure in the management of total cardiovascular risk. <i>European Heart Journal Supplements</i> , 2009 , 11, F27-F32	1.5	2
34	Stratification of the risk of developing severe or lethal Covid-19 using a new score from a large Italian population: a population-based cohort study. <i>BMJ Open</i> , 2021 , 11, e053281	3	2
33	Balancing cardiovascular benefit and diabetogenic harm of therapy with statins: Real-world evidence from Italy. <i>Diabetes Research and Clinical Practice</i> , 2020 , 164, 108197	7.4	2
32	Development and validation of a clinical risk score to predict the risk of SARS-CoV-2 infection from administrative data: a population-based cohort study from Italy		2
31	Better adherence with out-of-hospital healthcare improved long-term prognosis of acute coronary syndromes: Evidence from an Italian real-world investigation. <i>International Journal of Cardiology</i> , 2020 , 318, 14-20	3.2	2
30	A probabilistic bias analysis for misclassified categorical exposures, with application to oral anti-hyperglycaemic drugs. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1443-1450	2.6	2
29	Association between the cumulative exposure to bisphosphonates and hospitalization for atherosclerotic cardiovascular events: A population-based study. <i>Atherosclerosis</i> , 2020 , 301, 1-7	3.1	2
28	Cost-Effectiveness of Posthospital Management of Acute Coronary Syndrome: A Real-World Investigation From Italy.. <i>Value in Health</i> , 2022 , 25, 185-193	3.3	2
27	Adherence to Lipid-Lowering Treatment by Single-Pill Combination of Statin and Ezetimibe. <i>Advances in Therapy</i> , 2021 , 38, 5270-5285	4.1	2
26	Adherence to recommendations and clinical outcomes of patients hospitalized for stroke: the role of the admission ward-a real-life investigation from Italy. <i>Neurological Sciences</i> , 2019 , 40, 1433-1442	3.5	1
25	Influence of adherence with guideline-driven recommendations on survival in women operated for breast cancer: Real-life evidence from Italy. <i>Breast</i> , 2020 , 53, 51-58	3.6	1
24	Improved Prognostic Prediction in Never-Smoker Lung Cancer Patients by Integration of a Systemic Inflammation Marker with Tumor Immune Contexture Analysis. <i>Cancers</i> , 2020 , 12,	6.6	1
23	Persistence of protection against SARS-CoV-2 clinical outcomes up to 9 months since vaccine completion: a retrospective observational analysis in Lombardy, Italy.. <i>Lancet Infectious Diseases</i> , 2022 ,	25.5	1
22	Change in healthcare during Covid-19 pandemic was assessed through observational designs. <i>Journal of Clinical Epidemiology</i> , 2021 , 142, 45-53	5.7	1
21	Association between Adherence with Recommended Antenatal Care in Low-Risk, Uncomplicated Pregnancy, and Maternal and Neonatal Adverse Outcomes: Evidence from Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18,	4.6	1
20	Cost-effectiveness of the adherence with recommendations for clinical monitoring of patients with diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3111-3121	4.5	1

19	Coping with COVID: risk and resilience factors for mental health in a German representative panel study.. <i>Psychological Medicine</i> , 2022 , 1-11	6.9	1
18	Protective action of natural and induced immunization against the occurrence of delta or alpha variants of SARS-CoV-2 infection: a test-negative case-control study.. <i>BMC Medicine</i> , 2022 , 20, 52	11.4	0
17	Effects of the early phase of the COVID-19 pandemic on natural and ART-mediated birth rates in Lombardy Region, Northern Italy. <i>Reproductive BioMedicine Online</i> , 2021 , 43, 765-767	4	0
16	Misleading meta-analyses of observational studies may generate unjustified alarms: The case of medications for nausea and vomiting in pregnancy. <i>Pharmacological Research</i> , 2021 , 163, 105229	10.2	0
15	Trend of medically induced monozygotic twin deliveries according to age, parity, and type of assisted reproductive technique during the period 2007-2017 in Lombardy Region, Northern Italy: a population-based study. <i>Journal of Assisted Reproduction and Genetics</i> , 2021 , 38, 2341-2347	3.4	0
14	The quality of mental health care delivered to patients with schizophrenia and related disorders in the Italian mental health system. The QUADIM project: a multi-regional Italian investigation based on healthcare utilisation databases.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e15	5.1	0
13	The role of maternal age on the risk of preterm birth among singletons and multiples: a retrospective cohort study in Lombardy, Northern Italy.. <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 234	3.2	0
12	The future of research in hematology: Integration of conventional studies with real-world data and artificial intelligence.. <i>Blood Reviews</i> , 2021 , 100914	11.1	0
11	Monitoring quality of care in acute myocardial infarction patients using retrospective registry data. <i>International Journal for Quality in Health Care</i> , 2018 , 30, 344-350	1.9	
10	Adherence to Antihypertensive and Cardiovascular Preventive Treatment: The Contribution of the Lombardy Database. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 43-56	0.1	
9	Corrigendum to "Incretin-based drugs and risk of acute pancreatitis: A nested-case control study within a healthcare database" [Diabetes Res. Clin. Pract. 108 (2) (2015) 243-249]. <i>Diabetes Research and Clinical Practice</i> , 2017 , 125, 68	7.4	
8	Reply to: "Statins probably do not cause cataracts". <i>Atherosclerosis</i> , 2016 , 254, 311-312	3.1	
7	Real-world data: how they can help to improve quality of care. <i>Global & Regional Health Technology Assessment</i> , 8 , 134-139	0.2	
6	Rehospitalization for pneumonia after first pneumonia admission: Incidence and predictors in a population-based cohort study 2020 , 15, e0235468		
5	Rehospitalization for pneumonia after first pneumonia admission: Incidence and predictors in a population-based cohort study 2020 , 15, e0235468		
4	Rehospitalization for pneumonia after first pneumonia admission: Incidence and predictors in a population-based cohort study 2020 , 15, e0235468		
3	Rehospitalization for pneumonia after first pneumonia admission: Incidence and predictors in a population-based cohort study 2020 , 15, e0235468		
2	Rehospitalization for pneumonia after first pneumonia admission: Incidence and predictors in a population-based cohort study 2020 , 15, e0235468		

- 1 Rehospitalization for pneumonia after first pneumonia admission: Incidence and predictors in a population-based cohort study **2020**, 15, e0235468