## Georg E Matt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/289122/publications.pdf

Version: 2024-02-01

110	7,641	42	85
papers	citations	h-index	g-index
110	110	110	7117 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Mood-congruent recall of affectively toned stimuli: A meta-analytic review. Clinical Psychology Review, 1992, 12, 227-255.	6.0	586
2	Neurocognitive Effects of Methamphetamine: A Critical Review and Meta-analysis. Neuropsychology Review, 2007, 17, 275-297.	2.5	570
3	A Randomized Comparison of Group Cognitive-Behavioral Therapy and Group Interpersonal Psychotherapy for the Treatment of Overweight Individuals With Binge-Eating Disorder. Archives of General Psychiatry, 2002, 59, 713.	13.8	511
4	A quantitative meta-analysis of neurocognitive functioning in posttraumatic stress disorder Psychological Bulletin, 2015, 141, 105-140.	5.5	383
5	Thirdhand Tobacco Smoke: Emerging Evidence and Arguments for a Multidisciplinary Research Agenda. Environmental Health Perspectives, 2011, 119, 1218-1226.	2.8	355
6	Households contaminated by environmental tobacco smoke: sources of infant exposures. Tobacco Control, 2004, 13, 29-37.	1.8	354
7	The effects of psychological therapies under clinically representative conditions: A meta-analysis Psychological Bulletin, 2000, 126, 512-529.	5.5	318
8	Beliefs About the Health Effects of "Thirdhand―Smoke and Home Smoking Bans. Pediatrics, 2009, 123, e74-e79.	1.0	254
9	Evaluation of Psychopathological Conditions in Children With Heavy Prenatal Alcohol Exposure. Pediatrics, 2007, 119, e733-e741.	1.0	237
10	Efficacy of Maintenance Treatment Approaches for Childhood Overweight. JAMA - Journal of the American Medical Association, 2007, 298, 1661.	3.8	232
11	Thirdhand Smoke: New Evidence, Challenges, and Future Directions. Chemical Research in Toxicology, 2017, 30, 270-294.	1.7	178
12	Evidence that therapy works in clincally representative conditions Journal of Consulting and Clinical Psychology, 1997, 65, 355-365.	1.6	172
13	When smokers move out and non-smokers move in: residential thirdhand smoke pollution and exposure. Tobacco Control, 2011, 20, e1-e1.	1.8	168
14	Pupillary and reaction time measures of sustained processing of negative information in depression. Biological Psychiatry, 2001, 49, 624-636.	0.7	153
15	Effect of counselling mothers on their children's exposure to environmental tobacco smoke: randomised controlled trial. BMJ: British Medical Journal, 2000, 321, 337-342.	2.4	146
16	Social Support from Friends and Psychological Distress Among Elderly Persons: Moderator Effects of Age. Journal of Health and Social Behavior, 1993, 34, 187.	2.7	142
17	The Influence of Living Alone on Depression in Elderly Persons. Journal of Aging and Health, 1992, 4, 3-18.	0.9	132
18	Cigarette Smoke Toxins Deposited on Surfaces: Implications for Human Health. PLoS ONE, 2014, 9, e86391.	1.1	125

#	Article	IF	CITATIONS
19	Measuring environmental tobacco smoke exposure in infants and young children through urine cotinine and memory-based parental reports: empirical findings and discussion. Tobacco Control, 1999, 8, 282-289.	1.8	106
20	Environmental Tobacco Smoke as a Source of Polycyclic Aromatic Hydrocarbons in Settled Household Dust. Environmental Science &	4.6	103
21	Asthma Management and Environmental Tobacco Smoke Exposure Reduction in Latino Children: A Controlled Trial. Pediatrics, 2002, 110, 946-956.	1.0	92
22	Post-Traumatic Stress Reactions Following the March 11, 2004 Terrorist Attacks in a Madrid Community Sample: A Cautionary Note about the Measurement of Psychological Trauma. Spanish Journal of Psychology, 2006, 9, 61-74.	1.1	88
23	Counseling to reduce children's secondhand smoke exposure and help parents quit smoking: A controlled trial. Nicotine and Tobacco Research, 2009, 11, 1383-1394.	1.4	85
24	Affective Interference: An Explanation for Negative Attention Biases in Dysphoria?. Cognitive Therapy and Research, 2002, 26, 73-87.	1.2	75
25	Residual tobacco smoke pollution in used cars for sale: Air, dust, and surfaces. Nicotine and Tobacco Research, 2008, 10, 1467-1475.	1.4	75
26	Measuring secondhand smoke exposure in babies: The reliability and validity of mother reports in a sample of low-income families Health Psychology, 2000, 19, 232-241.	1.3	72
27	What meta-analyses have and have not taught us about psychotherapy effects: A review and future directions. Clinical Psychology Review, 1997, 17, 1-32.	6.0	71
28	Thirdhand smoke and exposure in California hotels: non-smoking rooms fail to protect non-smoking hotel guests from tobacco smoke exposure. Tobacco Control, 2014, 23, 264-272.	1.8	71
29	Effects of Emerging Alcohol and Marijuana Use Behaviors on Adolescents' Neuropsychological Functioning Over Four Years. Journal of Studies on Alcohol and Drugs, 2015, 76, 738-748.	0.6	68
30	When smokers quit: exposure to nicotine and carcinogens persists from thirdhand smoke pollution. Tobacco Control, 2017, 26, 548-556.	1.8	68
31	Pretreatment and process predictors of outcome in interpersonal and cognitive behavioral psychotherapy for binge eating disorder Journal of Consulting and Clinical Psychology, 2007, 75, 645-651.	1.6	67
32	Wipe Sampling for Nicotine as a Marker of Thirdhand Tobacco Smoke Contamination on Surfaces in Homes, Cars, and Hotels. Nicotine and Tobacco Research, 2013, 15, 1555-1563.	1.4	58
33	Children's Exposure to Secondhand and Thirdhand Smoke Carcinogens and Toxicants in Homes of Hookah Smokers. Nicotine and Tobacco Research, 2014, 16, 961-975.	1.4	57
34	Thirdhand smoke contamination in hospital settings: assessing exposure risk for vulnerable paediatric patients: TableÂ1. Tobacco Control, 2016, 25, 619-623.	1.8	53
35	Measuring Secondhand Smoke Exposure in Children: An Ecological Measurement Approach. Journal of Pediatric Psychology, 2007, 33, 156-175.	1.1	52
36	Decision rules for selecting effect sizes in meta-analysis: A review and reanalysis of psychotherapy outcome studies Psychological Bulletin, 1989, 105, 106-115.	5.5	50

#	Article	IF	Citations
37	Learning and Memory in Adolescent Moderate, Binge, and Extremeâ€Binge Drinkers. Alcoholism: Clinical and Experimental Research, 2016, 40, 1895-1904.	1.4	49
38	Earlier Alcohol Use Onset Predicts Poorer Neuropsychological Functioning in Young Adults. Alcoholism: Clinical and Experimental Research, 2017, 41, 2082-2092.	1.4	49
39	Nicotine levels in silicone wristband samplers worn by children exposed to secondhand smoke and electronic cigarette vapor are highly correlated with child's urinary cotinine. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 733-741.	1.8	47
40	Preliminary evidence that high levels of nicotine on children's hands may contribute to overall tobacco smoke exposure. Tobacco Control, 2018, 27, 217-219.	1.8	45
41	Effects of sleep on substance use in adolescents: a longitudinal perspective. Addiction Biology, 2018, 23, 750-760.	1.4	45
42	Towards an understanding of self-reports of sleep. Journal of Sleep Research, 2002, 11, 229-236.	1.7	44
43	Thirdhand Smoke: State of the Science and a Call for Policy Expansion. Public Health Reports, 2016, 131, 233-238.	1.3	43
44	A relative bilingual advantage in switching with preparation: Nuanced explorations of the proposed association between bilingualism and task switching Journal of Experimental Psychology: General, 2017, 146, 1527-1550.	1,5	42
45	The Ethnic Mentor Undergraduate Program: A Brief Description and Preliminary Findings. Journal of Multicultural Counseling and Development, 1995, 23, 116-126.	0.6	39
46	The variability of urinary cotinine levels in young children: Implications for measuring ETS exposure. Nicotine and Tobacco Research, 2007, 9, 83-92.	1.4	38
47	Behavioral counseling for reducing children's ETS exposure: Implementation in community clinics. Nicotine and Tobacco Research, 2004, 6, 1061-1074.	1.4	36
48	Latino Children with Asthma: Rates and Risks for Medical Care Utilization. Journal of Asthma, 2004, 41, 147-157.	0.9	33
49	Assessment of Dietary Intakes of Filipino-Americans: Implications for Food Frequency Questionnaire Design. Journal of Nutrition Education and Behavior, 2011, 43, 505-510.	0.3	31
50	Towards smoke-free rental cars: an evaluation of voluntary smoking restrictions in California. Tobacco Control, 2013, 22, 201-207.	1.8	31
51	Benzene Uptake in Hookah Smokers and Non-smokers Attending Hookah Social Events: Regulatory Implications. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2793-2809.	1.1	31
52	A Casino goes smoke free: a longitudinal study of secondhand and thirdhand smoke pollution and exposure. Tobacco Control, 2018, 27, 643-649.	1.8	30
53	Persistent tobacco smoke residue in multiunit housing: Legacy of permissive indoor smoking policies and challenges in the implementation of smoking bans. Preventive Medicine Reports, 2020, 18, 101088.	0.8	30
54	Residual Tobacco Smoke in Used Cars: Futile Efforts and Persistent Pollutants. Nicotine and Tobacco Research, 2010, 12, 1029-1036.	1.4	28

#	Article	IF	CITATIONS
55	Letter to the Editor Regarding: "An Imperative Need for Research on the Role of Environmental Factors in Transmission of Novel Coronavirus (COVID-19)―—Secondhand and Thirdhand Smoke As Potential Sources of COVID-19. Environmental Science & Echnology, 2020, 54, 5309-5310.	4.6	28
56	Thirdhand Smoke in the Homes of Medically Fragile Children: Assessing the Impact of Indoor Smoking Levels and Smoking Bans. Nicotine and Tobacco Research, 2016, 18, 1290-1298.	1.4	27
57	Nicotine on Children's Hands: Limited Protection of Smoking Bans and Initial Clinical Findings. Tobacco Use Insights, 2019, 12, 1179173X1882349.	0.7	27
58	Providing Coaching and Cotinine Results to Preteens to Reduce Their Secondhand Smoke Exposure. Chest, 2011, 140, 681-689.	0.4	26
59	Tobacco smoke is a likely source of lead and cadmium in settled house dust. Journal of Trace Elements in Medicine and Biology, 2021, 63, 126656.	1.5	26
60	Toward a Simplified Measure of Asthma Severity for Applied Research. Journal of Asthma, 1997, 34, 291-303.	0.9	22
61	Differential associations of hand nicotine and urinary cotinine with children's exposure to tobacco smoke and clinical outcomes. Environmental Research, 2021, 202, 111722.	3.7	21
62	Nicotine, Cotinine, and Tobacco-Specific Nitrosamines Measured in Children's Silicone Wristbands in Relation to Secondhand Smoke and E-cigarette Vapor Exposure. Nicotine and Tobacco Research, 2021, 23, 592-599.	1.4	20
63	Modifiable Predictors of Supported Employment Outcomes Among People With Severe Mental Illness. Psychiatric Services, 2019, 70, 782-792.	1.1	19
64	Remediating Thirdhand Smoke Pollution in Multiunit Housing: Temporary Reductions and the Challenges of Persistent Reservoirs. Nicotine and Tobacco Research, 2021, 23, 364-372.	1.4	19
65	Altered microbiomes in thirdhand smoke-exposed children and their home environments. Pediatric Research, 2021, 90, 1153-1160.	1.1	19
66	Tobacco use and asking prices of used cars: prevalence, costs, and new opportunities for changing smoking behavior. Tobacco Induced Diseases, 2008, 4, 2.	0.3	18
67	Improving self-reports of drug-use: numeric estimates as fuzzy sets. Addiction, 2003, 98, 1239-1247.	1.7	17
68	Anxiety, Depressed Mood, Self-Esteem, and Traumatic Stress Symptoms among Distant Witnesses of the 9/11 Terrorist Attacks: Transitory Responses and Psychological Resilience. Spanish Journal of Psychology, 2008, 11, 503-515.	1.1	17
69	Parent quit attempts after counseling to reduce children's secondhand smoke exposure and promote cessation: Main and moderating relationships. Nicotine and Tobacco Research, 2009, 11, 1395-1406.	1.4	16
70	Evaluation of urinarytrans-3′-hydroxycotinine as a biomarker of children's environmental tobacco smoke exposure. Biomarkers, 2006, 11, 507-523.	0.9	15
71	Thirdhand smoke associations with the gut microbiomes of infants admitted to a neonatal intensive care unit: An observational study. Environmental Research, 2021, 197, 111180.	3.7	15
72	The effects of widowhood on social support from significant others. Journal of Community Psychology, 1992, 20, 309-325.	1.0	14

#	Article	IF	CITATIONS
73	Using Recall Cues to Improve Measurement of Dietary Intakes with a Food Frequency Questionnaire in an Ethnically Diverse Population: An Exploratory Study. Journal of the American Dietetic Association, 2006, 106, 1209-1217.	1.3	13
74	Contribution of thirdhand smoke to overall tobacco smoke exposure in pediatric patients: study protocol. BMC Public Health, 2019, 19, 491.	1.2	13
75	A systematic review of the use of silicone wristbands for environmental exposure assessment, with a focus on polycyclic aromatic hydrocarbons (PAHs). Journal of Exposure Science and Environmental Epidemiology, 2022, 32, 244-258.	1.8	13
76	Exploring Biases in Self-Reported Exercising Behavior: Heuristics Based on Recency, Frequency, and Preference. Perceptual and Motor Skills, 1999, 88, 126-128.	0.6	12
77	Recall Strategies Used by Respondents to Complete a Food Frequency Questionnaire: An Exploratory Study. Journal of the American Dietetic Association, 2006, 106, 430-433.	1.3	12
78	The Association of Environmental Tobacco Smoke Exposure and Inflammatory Markers in Hospitalized Children. International Journal of Environmental Research and Public Health, 2019, 16, 4625.	1.2	12
79	Identifying clinical syndromes in a community sample of elderly persons Psychological Assessment, 1992, 4, 174-184.	1.2	11
80	Randomised controlled trial of real-time feedback and brief coaching to reduce indoor smoking. Tobacco Control, 2019, 29, tobaccocontrol-2018-054717.	1.8	11
81	Prevalence and Income-Related Disparities in Thirdhand Smoke Exposure to Children. JAMA Network Open, 2022, 5, e2147184.	2.8	11
82	What respondents recall about walking and what self-report items elicit about walking. Preventive Medicine, 2004, 38, 227-236.	1.6	10
83	Describing the frequency of marijuana use: Fuzziness and context-dependent interpretation of frequency expressions. Evaluation and Program Planning, 1994, 17, 357-369.	0.9	9
84	Association between Residential Tobacco Smoking Bans, Smoke Exposure, and Pulmonary Function: A Survey of Latino Children with Asthma. Pediatric Asthma, Allergy and Immunology, 2003, 16, 305-317.	0.2	9
85	Electronic Health Record Classification of Tobacco Smoke Exposure and Cotinine Levels in Hospitalized Pediatric Patients. Hospital Pediatrics, 2019, 9, 659-664.	0.6	9
86	Thirdhand Smoke Contamination and Infant Nicotine Exposure in a Neonatal Intensive Care Unit: An Observational Study. Nicotine and Tobacco Research, 2021, 23, 373-382.	1.4	8
87	Comparison of Levels of Three Tobacco Smoke Exposure Biomarkers in Children of Smokers. International Journal of Environmental Research and Public Health, 2021, 18, 11803.	1.2	8
88	Hotel smoking policies and their implementation: a survey of California hotel managers. Tobacco Induced Diseases, 2017, 15, 40.	0.3	7
89	Serum Cotinine and Hemoglobin A1c Among a National Sample of Adolescents Without Known Diabetes. Nicotine and Tobacco Research, 2018, 20, 474-481.	1.4	7
90	Cotton pillows: A novel field method for assessment of thirdhand smoke pollution. Environmental Research, 2019, 168, 206-210.	3.7	7

#	Article	IF	Citations
91	Hand Nicotine and Cotinine In Children Exposed to Cigars: A Pilot Study. Tobacco Regulatory Science (discontinued), 2021, 7, 170-176.	0.2	7
92	The War On Fraud and Error in the Food Stamp Program. Evaluation Review, 1993, 17, 4-26.	0.4	6
93	A Second Reporter Matters. American Journal of Preventive Medicine, 2011, 40, 572-575.	1.6	6
94	Comparison of Liquid Chromatography Mass Spectrometry and Enzyme-Linked Immunosorbent Assay Methods to Measure Salivary Cotinine Levels in Ill Children. International Journal of Environmental Research and Public Health, 2020, 17, 1157.	1.2	6
95	Medical staff contributions to thirdhand smoke contamination in a neonatal intensive care unit. Tobacco Induced Diseases, 2019, 17, 37.	0.3	6
96	Comparing Classes of Psychotherapeutic Interventions. Journal of Cross-Cultural Psychology, 1993, 24, 5-25.	1.0	5
97	Analyzing attrition in a community-based literacy program. Evaluation and Program Planning, 1997, 20, 421-431.	0.9	5
98	HIGH SCHOOL STUDY HABITS AND EARLY COLLEGE ACHIEVEMENT. Psychological Reports, 1991, 69, 91.	0.9	5
99	Anxiety, depressed mood, self-esteem, and traumatic stress symptoms among distant witnesses of the 9/11 terrorist attacks: transitory responses and psychological resilience. Spanish Journal of Psychology, 2008, 11, 503-15.	1.1	5
100	Evaluation of a Social Media Campaign Designed to Increase Awareness of Thirdhand Smoke among California Adults. Health Communication, 2023, 38, 437-446.	1.8	4
101	Generalizability Theory. , 2015, , 834-838.		3
102	Timing of breast cancer surgery, menstrual phase, and prognosis: Systematic review and meta-analysis. Critical Reviews in Oncology/Hematology, 2016, 102, 1-14.	2.0	3
103	A framework for measurement and harmonization of pediatric multiple sclerosis etiologic research studies: The Pediatric MS Tool-Kit. Multiple Sclerosis Journal, 2019, 25, 1170-1177.	1.4	3
104	Collecting Hand Wipe Samples to Assess Thirdhand Smoke Exposure. Frontiers in Public Health, 2021, 9, 770505.	1.3	3
105	Thirdhand Smoke Knowledge, Attitudes, and Behavior: Development of Reliable and Valid Self-report Measures. Nicotine and Tobacco Research, 2021, , .	1.4	2
106	EXPLORING BIASES IN SELF-REPORTED EXERCISING BEHAVIOR- HEURISTICS BASED ON RECENCY, FREQUENCY AND PREFERENCE. Perceptual and Motor Skills, 1999, 88, 126.	0.6	2
107	Handwashing Results in Incomplete Nicotine Removal from Fingers of Individuals who Smoke: A Randomized Controlled Experiment. American Journal of Perinatology, 2022, 39, 1634-1642.	0.6	2
108	When Is It Appropriate to Scream Fire in a Crowded Theater or Public Housing?. American Journal of Preventive Medicine, 2013, 44, 93-95.	1.6	1

#	Article	IF	CITATIONS
109	Comment regarding categorization of Third-hand smoke exposure in "Third-hand Exposure at Homes: Assessment Using Salivary Cotinine― Environmental Research, 2021, 195, 110595.	3.7	1
110	Nicotine in thirdhand smoke residue predicts relapse from smoking cessation: A pilot study. Addictive Behaviors, 2019, 98, 106041.	1.7	0