

Kenichi Furuya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2892869/publications.pdf>

Version: 2024-02-01

47
papers

441
citations

840776

11
h-index

752698

20
g-index

47
all docs

47
docs citations

47
times ranked

780
citing authors

#	ARTICLE	IF	CITATIONS
1	Different Prognostic Implications of Aquaporin-1 and Aquaporin-5 Expression among Different Histological Types of Ovarian Carcinoma. <i>Pathology and Oncology Research</i> , 2020, 26, 263-271.	1.9	10
2	Measurement of blood-oxygen saturation using a photoacoustic technique in the rabbit hypoxemia model. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 269-279.	1.6	11
3	A case of spontaneous ovarian hyperstimulation syndrome after vaginal delivery. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 1022-1024.	0.9	2
4	Significant relationship between the LAT1 expression pattern and chemoresistance in ovarian clear cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 701-710.	2.8	18
5	Response to correspondence "Prophylactic use of Bakri balloon for placenta previa surgery: A simple procedure to prevent balloon prolapse". <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 440.	1.3	1
6	Thrombotic events induce the worse prognosis in ovarian carcinomas and frequently develop in ovarian clear cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1273-1283.	2.2	14
7	Analysis of prophylactic Bakri balloon tamponade failure in patients with placenta previa. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 159-163.	1.3	13
8	A rare case of Coombs-negative autoimmune haemolytic anaemia in pregnancy. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 541-542.	0.9	0
9	Addition of bevacizumab to gemcitabine for platinum-resistant recurrent ovarian cancer: a retrospective analysis. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 809-814.	2.3	7
10	Size of uterine leiomyoma is a predictor for massive haemorrhage during caesarean delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 223, 60-63.	1.1	17
11	A case of refeeding syndrome in pregnancy with anorexia nervosa. <i>Obstetric Medicine</i> , 2018, 11, 95-97.	1.1	5
12	Efficacy of combination chemotherapy using irinotecan and nedaplatin for patients with recurrent and refractory endometrial carcinomas: preliminary analysis and literature review. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 111-117.	2.3	9
13	Seromucinous component in endometrioid endometrial carcinoma as a histological predictor of prognosis. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e20.	2.2	7
14	Pregnancy with "mimicking placenta previa and large cervical leiomyoma" caused by incarcerated retroverted uterus. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2018, 57, 616-617.	1.3	3
15	Multiple placental surface cysts with intracystic hemorrhaging: A case report and review of the literature. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1346-1349.	1.3	2
16	Pregnancy with asymptomatic uterine complete rupture after uterine artery embolization for postpartum hemorrhage. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 538-540.	1.3	6
17	Response to letter to the editor "Prophylactic use of Bakri balloon for reduction of hemorrhage at cesarean for placenta previa: addition and clarification". <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 615-615.	1.7	0
18	Ovarian serous carcinomas acquire cisplatin resistance and increased invasion through downregulation of the high-temperature-required protein A2 (HtrA2), following repeated treatment with cisplatin. <i>Medical Oncology</i> , 2017, 34, 201.	2.5	7

#	ARTICLE	IF	CITATIONS
19	Effect of routine rapid insertion of Bakri balloon tamponade on reducing hemorrhage from placenta previa during and after cesarean section. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 469-474.	1.7	25
20	Response to Correspondence "Asymptomatic uterine rupture detected at cesarean section: Some different viewpoints" <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 872.	1.3	0
21	Inhibition of autophagy protein LC3A as a therapeutic target in ovarian clear cell carcinomas. <i>Journal of Gynecologic Oncology</i> , 2017, 28, e33.	2.2	14
22	Bevacizumab, eribulin, and oxaliplatin in patients with platinum-resistant ovarian carcinomas: A phase II study with biomarker analysis.. <i>Journal of Clinical Oncology</i> , 2017, 35, 5550-5550.	1.6	0
23	Relation between Birth Weight and Intraoperative Hemorrhage during Cesarean Section in Pregnancy with Placenta Previa. <i>PLoS ONE</i> , 2016, 11, e0167332.	2.5	5
24	Appropriate timing of blood sampling for blood gas analysis in the ventilated rabbit. <i>Journal of Surgical Research</i> , 2016, 206, 325-336.	1.6	6
25	Successful resuscitation of amniotic fluid embolism applying a new classification and management strategy. <i>JA Clinical Reports</i> , 2015, 1, 1.	0.7	4
26	High Expression of p62 Protein Is Associated with Poor Prognosis and Aggressive Phenotypes in Endometrial Cancer. <i>American Journal of Pathology</i> , 2015, 185, 2523-2533.	3.8	42
27	Combination therapy with temsirolimus and trabectedin for recurrent clear cell carcinoma of the ovary: A phase II study with biomarker analysis.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5583-5583.	1.6	3
28	Weekly administration of bevacizumab, eribulin, and oxaliplatin in patients with platinum-resistant ovarian carcinomas: A phase II study with biomarker analysis.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5603-5603.	1.6	0
29	Assessment of noninvasive, percutaneous hemoglobin measurement in pregnant and early postpartum women. <i>Medical Devices: Evidence and Research</i> , 2014, 7, 11.	0.8	9
30	High Expression of SQSTM1/p62 Protein Is Associated with Poor Prognosis in Epithelial Ovarian Cancer. <i>Acta Histochemica Et Cytochemica</i> , 2014, 47, 295-301.	1.6	44
31	Combination chemotherapy with temsirolimus and trabectedin for recurrent clear cell carcinoma of the ovary: A phase II single arm clinical trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 5517-5517.	1.6	3
32	Weekly administration of bevacizumab, eribulin, and oxaliplatin in patients with platinum-resistant and refractory ovarian carcinomas: A phase II study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 5566-5566.	1.6	1
33	Effects of temozolomide and bevacizumab in patients with pretreated relapsed uterine leiomyosarcoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, 5603-5603.	1.6	0
34	Clear cell histology as a poor prognostic factor for advanced epithelial ovarian cancer: a single institutional case series through central pathologic review. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 37.	2.2	38
35	Effects of temozolomide combined with bevacizumab in patients with relapsed uterine sarcoma.. <i>Journal of Clinical Oncology</i> , 2013, 31, e21520-e21520.	1.6	0
36	Combination chemotherapy with temsirolimus and trabectedin in patients with heavily pretreated clear cell carcinoma of the ovary.. <i>Journal of Clinical Oncology</i> , 2013, 31, e16519-e16519.	1.6	0

#	ARTICLE	IF	CITATIONS
37	Effects of weekly bevacizumab and gemcitabine/oxaliplatin with or without dasatinib on heavily pretreated patients with recurrent or persistent cervical cancer.. Journal of Clinical Oncology, 2012, 30, e15579-e15579.	1.6	1
38	Mid-Trimester Therapeutic Abortion by Vaginal Suppository of 16, 16-Dimethyl-Trans- $\hat{1}$ 2 -Prostaglandin E1. Asia-Oceania Journal of Obstetrics and Gynaecology, 2010, 11, 163-167.	0.0	1
39	Clinical Significance of UDP-Glucuronosyltransferase 1A1*6 for Toxicities of Combination Chemotherapy with Irinotecan and Cisplatin in Gynecologic Cancers. Oncology, 2009, 76, 315-321.	1.9	56
40	Effect of paclitaxel on vascular endothelial growth factor (VEGF) and interleukin (IL)-8 in serum of patients with recurrent ovarian cancer: a comparison of weekly vs triweekly regimens. Targeted Oncology, 2006, 1, 86-89.	3.6	10
41	Abstract of Poster Presentation. Human Cell, 2005, 18, 43-65.	2.7	0
42	Immunological and endocrinological studies on lymphocyte subpopulation and medical treatment for infertility in patients with endometriosis. Molecular and Cellular Endocrinology, 2003, 202, 195-199.	3.2	11
43	Correlation between the Stimulatory Effect of Oxytocin on the Formation of Inositol Phosphates and the Oxytocin Receptor Level in the Pregnant Rabbit Myometrium. Journal of Obstetrics and Gynaecology Research, 1996, 22, 497-506.	1.3	2
44	A Case of 17.ALPHA.-Hydroxylase Deficiency with Retained Menstruation.. Endocrine Journal, 1994, 41, 213-218.	1.6	15
45	Changes in the Plasma Prostaglandin F $\hat{2}$ & Metabolite before and during Spontaneous Labor and Labor Induced by Amniotomy, Oxytocin and Prostaglandin E $\hat{2}$. Endocrinologia Japonica, 1987, 34, 153-159.	0.5	9
46	Programmed Induction of Labor for Primiparous Women to Ensure Daytime Delivery. Asia-Oceania Journal of Obstetrics and Gynaecology, 1987, 13, 405-415.	0.0	8
47	Differences in Human Plasma Oxytocin, Prostaglandin E1 E2 and F $\hat{2}$ $\hat{1}$ Levels between Spontaneous and Amniotomy-induced Labors. Asia-Oceania Journal of Obstetrics and Gynaecology, 1984, 10, 513-520.	0.0	2