

Liang Ding

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2894527/publications.pdf>

Version: 2024-02-01

35
papers

1,974
citations

304743

22
h-index

377865

34
g-index

35
all docs

35
docs citations

35
times ranked

3020
citing authors

#	ARTICLE	IF	CITATIONS
1	Carcinoma-associated fibroblasts promote the stemness and chemoresistance of colorectal cancer by transferring exosomal lncRNA H19. <i>Theranostics</i> , 2018, 8, 3932-3948.	10.0	494
2	Exosomal miR-146a Contributes to the Enhanced Therapeutic Efficacy of Interleukin-1 β -Primed Mesenchymal Stem Cells Against Sepsis. <i>Stem Cells</i> , 2017, 35, 1208-1221.	3.2	364
3	A novel stromal lncRNA signature reprograms fibroblasts to promote the growth of oral squamous cell carcinoma via lncRNA-CAF/interleukin-33. <i>Carcinogenesis</i> , 2018, 39, 397-406.	2.8	136
4	Anti-inflammatory effects of curcumin are associated with down regulating microRNA-155 in LPS-treated macrophages and mice. <i>Pharmaceutical Biology</i> , 2017, 55, 1263-1273.	2.9	99
5	Long Non-Coding RNA MALAT1 Promotes Proliferation, Angiogenesis, and Immunosuppressive Properties of Mesenchymal Stem Cells by Inducing VEGF and IDO. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 2780-2791.	2.6	86
6	Microlocalization of CD68+ tumor-associated macrophages in tumor stroma correlated with poor clinical outcomes in oral squamous cell carcinoma patients. <i>Tumor Biology</i> , 2015, 36, 5291-5298.	1.8	74
7	Epiregulin reprograms cancer-associated fibroblasts and facilitates oral squamous cell carcinoma invasion via JAK2-STAT3 pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 274.	8.6	69
8	Midkine derived from cancer-associated fibroblasts promotes cisplatin-resistance via up-regulation of the expression of lncRNA ANRIL in tumour cells. <i>Scientific Reports</i> , 2017, 7, 16231.	3.3	64
9	The TLR3 Agonist Inhibit Drug Efflux and Sequentially Consolidates Low-Dose Cisplatin-Based Chemoimmunotherapy while Reducing Side Effects. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 1068-1079.	4.1	60
10	MiR-30a increases MDSC differentiation and immunosuppressive function by targeting SOCS3 in mice with B cell lymphoma. <i>FEBS Journal</i> , 2017, 284, 2410-2424.	4.7	54
11	ST2 promotes IFN γ induced autophagy by activating the JAK1-STAT1 signaling pathway in B cells. <i>European Journal of Immunology</i> , 2015, 45, 2377-2388.	2.9	35
12	Notch-Hes-1 axis controls TLR7-mediated autophagic death of macrophage via induction of P62 in mice with lupus. <i>Cell Death and Disease</i> , 2016, 7, e2341-e2341.	6.3	33
13	MiR-30a attenuates immunosuppressive functions of IL-1 β -elicited mesenchymal stem cells via targeting TAB3. <i>FEBS Letters</i> , 2015, 589, 3899-3907.	2.8	32
14	Diminished CD68+ Cancer-Associated Fibroblast Subset Induces Regulatory T-Cell (Treg) Infiltration and Predicts Poor Prognosis of Oral Squamous Cell Carcinoma Patients. <i>American Journal of Pathology</i> , 2020, 190, 886-899.	3.8	32
15	LF-MF inhibits iron metabolism and suppresses lung cancer through activation of P53-miR-34a-E2F1/E2F3 pathway. <i>Scientific Reports</i> , 2017, 7, 749.	3.3	30
16	STING Negatively Regulates Double-Stranded DNA-Activated JAK1-STAT1 Signaling via SHP-1/2 in B Cells. <i>Molecules and Cells</i> , 2015, 38, 441-451.	2.6	29
17	Transient receptor potential ankyrin 1 (trpa1) mediates il-1 β -induced apoptosis in rat chondrocytes via calcium overload and mitochondrial dysfunction. <i>Journal of Inflammation</i> , 2018, 15, 27.	3.4	27
18	Serum CCL2 and CCL3 as potential biomarkers for the diagnosis of oral squamous cell carcinoma. <i>Tumor Biology</i> , 2014, 35, 10539-10546.	1.8	25

#	ARTICLE	IF	CITATIONS
19	The regional function of cGAS/STING signal in multiple organs: One of culprit behind systemic lupus erythematosus?. <i>Medical Hypotheses</i> , 2015, 85, 846-849.	1.5	25
20	Myeloid-Derived Suppressor Cells Induce Podocyte Injury Through Increasing Reactive Oxygen Species in Lupus Nephritis. <i>Frontiers in Immunology</i> , 2018, 9, 1443.	4.8	25
21	Tensile force-induced PDGF-BB/PDGFR β signals in periodontal ligament fibroblasts activate JAK2/STAT3 for orthodontic tooth movement. <i>Scientific Reports</i> , 2020, 10, 11269.	3.3	25
22	Distinct expression patterns of Toll-like receptor 7 in tumour cells and fibroblast-like cells in oral squamous cell carcinoma. <i>Histopathology</i> , 2015, 67, 730-739.	2.9	23
23	Cancer-associated fibroblasts promote tumor progression by lncRNA-mediated RUNX2/GDF10 signaling in oral squamous cell carcinoma. <i>Molecular Oncology</i> , 2022, 16, 780-794.	4.6	19
24	Design and synthesis of 2-styryl of 5-Nitroimidazole derivatives and antimicrobial activities as FabH inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2014, 76, 387-396.	5.5	16
25	mTOR inhibitor INK128 attenuates systemic lupus erythematosus by regulating inflammation-induced CD11b+Gr1+ cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 1-13.	3.8	16
26	Serum IL-17F combined with VEGF as potential diagnostic biomarkers for oral squamous cell carcinoma. <i>Tumor Biology</i> , 2015, 36, 2523-2529.	1.8	15
27	Lipid Droplet-Related PLIN2 in CD68+ Tumor-Associated Macrophage of Oral Squamous Cell Carcinoma: Implications for Cancer Prognosis and Immunotherapy. <i>Frontiers in Oncology</i> , 2022, 12, 824235.	2.8	13
28	<p>Aberrant Expression Of PDCD4/eIF4A1 Signal Predicts Postoperative Recurrence For Early-Stage Oral Squamous Cell Carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 9553-9562.	1.9	10
29	Tumor-infiltrating lymphocyte-derived MLL2 independently predicts disease-free survival for patients with early-stage oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2020, 49, 126-136.	2.7	10
30	FC-99 ameliorates sepsis-induced liver dysfunction by modulating monocyte/macrophage differentiation via Let-7a related monocytes apoptosis. <i>Oncotarget</i> , 2018, 9, 14959-14976.	1.8	9
31	Identification and Validation of PLOD2 as an Adverse Prognostic Biomarker for Oral Squamous Cell Carcinoma. <i>Biomolecules</i> , 2021, 11, 1842.	4.0	9
32	Tumor cell-derived TGF β ² at tumor center independently predicts recurrence and poor survival in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2019, 48, 696-704.	2.7	7
33	CD38 Multi-Functionality in Oral Squamous Cell Carcinoma: Prognostic Implications, Immune Balance, and Immune Checkpoint. <i>Frontiers in Oncology</i> , 2021, 11, 687430.	2.8	6
34	Accumulation of CD208+ Mature Dendritic Cells Does Not Correlate With Survival Time in Oral Squamous Cell Carcinoma Patients. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014, 72, 2178-2185.	1.2	3
35	Functional Heterogeneity of Reelin in the Oral Squamous Cell Carcinoma Microenvironment. <i>Frontiers in Oncology</i> , 2021, 11, 692390.	2.8	0