

# Yan Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2894627/publications.pdf>

Version: 2024-02-01

72  
papers

1,641  
citations

279798  
23  
h-index

330143  
37  
g-index

74  
all docs

74  
docs citations

74  
times ranked

1941  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Updating the diagnosis, classification and assessment of rosacea: recommendations from the global <sc>ROS</sc> acea <sc>CO</sc> nsensus ( <sc>ROSCO</sc> ) panel. British Journal of Dermatology, 2017, 176, 431-438.                                       | 1.5 | 177       |
| 2  | The Prevalence of Vitiligo: A Meta-Analysis. PLoS ONE, 2016, 11, e0163806.  | 2.5 | 130       |
| 3  | Efficacy and Safety of Intense Pulsed Light in Treatment of Melasma in Chinese Patients. Dermatologic Surgery, 2008, 34, 693-701.   | 0.8 | 92        |
| 4  | Protective effects of green tea extracts on photoaging and photomunosuppression. Skin Research and Technology, 2009, 15, 338-345.   | 1.6 | 67        |
| 5  | Immunohistological Evaluation of Skin Responses After Treatment Using a Fractional Ultrapulse Carbon Dioxide Laser on Back Skin. Dermatologic Surgery, 2011, 37, 1141-1149.   | 0.8 | 54        |
| 6  | Triple combination treatment with fractional CO<sub>2</sub>laser plus topical betamethasone solution and narrowband ultraviolet B for refractory vitiligo: a prospective, randomized half-body, comparative study. Dermatologic Therapy, 2015, 28, 131-134. | 1.7 | 48        |
| 7  | Efficacy and Safety of Intense Pulsed Light in Treatment of Melasma in Chinese Patients. Dermatologic Surgery, 2008, 34, 693-701.   | 0.8 | 44        |
| 8  | Resveratrate protects human skin from damage due to repetitive ultraviolet irradiation. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 345-350.  | 2.4 | 44        |
| 9  | Androgen receptor gene polymorphisms and risk for androgenetic alopecia: a meta-analysis. Clinical and Experimental Dermatology, 2012, 37, 104-111.   | 1.3 | 40        |
| 10 | Paeoniflorin Resists H2O2-Induced Oxidative Stress in Melanocytes by JNK/Nrf2/HO-1 Pathway. Frontiers in Pharmacology, 2020, 11, 536.   | 3.5 | 39        |
| 11 | The application of nanoemulsion in dermatology: an overview. Journal of Drug Targeting, 2013, 21, 321-327.  | 4.4 | 38        |
| 12 | Antimicrobial photodynamic therapy in skin wound healing: A systematic review of animal studies. International Wound Journal, 2020, 17, 285-299.  | 2.9 | 37        |
| 13 | Association between the HLA-B*15:02 allele and carbamazepine-induced Stevens-Johnson syndrome/toxic epidermal necrolysis in Han individuals of northeastern China. Pharmacological Reports, 2013, 65, 1256-1262.  | 3.3 | 36        |
| 14 | Association of ABCB1, CYP3A4, EPHX1, FAS, SCN1A, MICA, and BAG6 polymorphisms with the risk of carbamazepine-induced Stevens-Johnson syndrome/toxic epidermal necrolysis in Chinese Han patients with epilepsy. Epilepsia, 2014, 55, 1301-1306.             | 5.1 | 36        |
| 15 | Antioxidants add protection to a broad-spectrum sunscreen. Clinical and Experimental Dermatology, 2011, 36, 178-187.  | 1.3 | 33        |
| 16 | Prevalence and risk of metabolic syndrome in patients with systemic lupus erythematosus: A meta-analysis. International Journal of Rheumatic Diseases, 2017, 20, 917-928.   | 1.9 | 31        |
| 17 | Application of a New Intense Pulsed Light Device in the Treatment of Photoaging Skin in Asian Patients. Dermatologic Surgery, 2008, 34, 1459-1464.  | 0.8 | 30        |
| 18 | Fractional CO2 lasers contribute to the treatment of stable non-segmental vitiligo. European Journal of Dermatology, 2016, 26, 592-598.   | 0.6 | 30        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Combination of intense pulsed light and fractional CO <sub>2</sub> laser treatments for patients with acne with inflammatory and scarring lesions. <i>Clinical and Experimental Dermatology</i> , 2013, 38, 344-351.                                    | 1.3 | 29        |
| 20 | Skin phototyping in a Chinese female population: analysis of four hundred and four cases from four major cities of China. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2006, 22, 184-188.  | 1.5 | 28        |
| 21 | A split-face study of intense pulsed light on photoaging skin in Chinese population. <i>Lasers in Surgery and Medicine</i> , 2010, 42, 185-191.   | 2.1 | 28        |
| 22 | A Pilot Study of Intense Pulsed Light in the Treatment of Riehl's Melanosis. <i>Dermatologic Surgery</i> , 2011, 37, 119-122.   | 0.8 | 28        |
| 23 | Treatment of 308-nm excimer laser on vitiligo: A systemic review of randomized controlled trials. <i>Journal of Dermatological Treatment</i> , 2015, 26, 347-353.   | 2.2 | 28        |
| 24 | Hidden Victims of Childhood Vitiligo: Impact on Parents' Mental Health and Quality of Life. <i>Acta Dermato-Venereologica</i> , 2015, 95, 322-325.  | 1.3 | 25        |
| 25 | Treatment of dissecting cellulitis of the scalp with 10% ALA-PDT. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 332-338.  | 2.1 | 24        |
| 26 | Treatment of vitiligo with NB-UVB: A systematic review. <i>Journal of Dermatological Treatment</i> , 2015, 26, 340-346.   | 2.2 | 23        |
| 27 | Evidence-based review of photodynamic therapy in the treatment of acne. <i>European Journal of Dermatology</i> , 2014, 24, 444-456.   | 0.6 | 22        |
| 28 | Application of a New Intense Pulsed Light Device in the Treatment of Photoaging Skin in Asian Patients. <i>Dermatologic Surgery</i> , 2008, 34, 1459-1464.  | 0.8 | 21        |
| 29 | Glutathione Peroxidase Level in Patients with Vitiligo: A Meta-Analysis. <i>BioMed Research International</i> , 2016, 2016, 1-11.   | 1.9 | 21        |
| 30 | Topical photodynamic therapy with 5-aminolevulinic acid in Chinese patients with Rosacea. <i>Journal of Cosmetic and Laser Therapy</i> , 2019, 21, 196-200.   | 0.9 | 21        |
| 31 | Meta-analysis of the association between vitiligo and the level of superoxide dismutase or malondialdehyde. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 21-29.   | 1.3 | 18        |
| 32 | UVA Induced Oxidative Stress Was Inhibited by Paeoniflorin/Nrf2 Signaling or PLIN2. <i>Frontiers in Pharmacology</i> , 2020, 11, 736.   | 3.5 | 18        |
| 33 | Treatment of neck port-wine stain with intense pulsed light in Chinese population. <i>Journal of Cosmetic and Laser Therapy</i> , 2013, 15, 85-90.  | 0.9 | 17        |
| 34 | Exome sequencing identifies <i>FATP1</i> mutation in Melkersson-Rosenthal syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e230-e232.  | 2.4 | 17        |
| 35 | Treatment of Infraorbital Dark Circles Using a Low-Fluence Q-Switched 1,064-nm Laser. <i>Dermatologic Surgery</i> , 2011, 37, 797-803.  | 0.8 | 16        |
| 36 | Ablative fractional CO <sub>2</sub> laser aided delivery of long-acting glucocorticoid in the treatment of acral vitiligo: a multicenter, prospective, self-bilateral controlled study. <i>Journal of Dermatological Treatment</i> , 2019, 30, 320-327. | 2.2 | 16        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The Prevalence of Thyroid Disorders in Patients With Vitiligo: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2018, 9, 803.   | 3.5 | 15        |
| 38 | A multicentre, randomized, split face and/or neck comparison of 308nm excimer laser and 0.1% tacrolimus ointment for stable vitiligo plus intramuscular slow-releasing betamethasone for active vitiligo. <i>British Journal of Dermatology</i> , 2019, 181, 210-211. | 1.5 | 15        |
| 39 | Fractional Er:YAG laser assisting topical betamethasone solution in combination with NB-UVB for resistant non-segmental vitiligo. <i>Lasers in Medical Science</i> , 2017, 32, 1571-1577.   | 2.1 | 14        |
| 40 | Treatment of Erythromelanosis Follicularis Faciei et Colli Using a Dual-Wavelength Laser System: A Split-Face Treatment. <i>Dermatologic Surgery</i> , 2010, 36, 1344-1347.   | 0.8 | 13        |
| 41 | A Chinese experience of fractional Ultrapulsed CO <sub>2</sub> laser for skin rejuvenation. <i>Journal of Cosmetic and Laser Therapy</i> , 2010, 12, 250-255.   | 0.9 | 13        |
| 42 | Association of Apolipoprotein B polymorphisms with vitiligo risk: a meta-analysis. <i>Clinical and Experimental Dermatology</i> , 2015, 40, 794-803.  | 1.3 | 13        |
| 43 | Advances in scarless foetal wound healing and prospects for scar reduction in adults. <i>Cell Proliferation</i> , 2020, 53, e12916.   | 5.3 | 13        |
| 44 | Triple-combination treatment with oral α-lipoic acid, betamethasone injection, and NB-UVB for non-segmental progressive vitiligo. <i>Journal of Cosmetic and Laser Therapy</i> , 2016, 18, 182-185.   | 0.9 | 11        |
| 45 | Meta-analysis demonstrates no association between p53 codon 72 polymorphism and prostate cancer risk. <i>Genetics and Molecular Research</i> , 2011, 10, 2924-2933.   | 0.2 | 10        |
| 46 | Association between HLA-Cw*0602 polymorphism and psoriasis risk: a meta-analysis. <i>Genetics and Molecular Research</i> , 2011, 10, 3109-3120.   | 0.2 | 10        |
| 47 | Infrared-induced adult colloid milium treated with fractionated CO <sub>2</sub> laser. <i>Dermatologic Therapy</i> , 2014, 27, 68-70.   | 1.7 | 8         |
| 48 | The tumour necrosis factor-α 308G>A genetic polymorphism may contribute to the pathogenesis of acne: a meta-analysis. <i>Clinical and Experimental Dermatology</i> , 2015, 40, 682-687.   | 1.3 | 8         |
| 49 | A Retrospective Study of a Chinese Traditional Medicine YIKEER in the Treatment of Verruca Patients in Liaoning District. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-8.   | 1.2 | 8         |
| 50 | Treatment of psoriasis with interleukin-12/23 monoclonal antibody: a systematic review. <i>European Journal of Dermatology</i> , 2012, 22, 72-82.   | 0.6 | 7         |
| 51 | Meta-analysis demonstrates association between Arg72Pro polymorphism in the P53 gene and susceptibility to keloids in the Chinese population. <i>Genetics and Molecular Research</i> , 2012, 11, 1701-1711.   | 0.2 | 7         |
| 52 | Topical photodynamic therapy with 5-aminolaevulinic acid for condylomata acuminata on the distal urethra. <i>Clinical and Experimental Dermatology</i> , 2012, 37, 302-303.   | 1.3 | 7         |
| 53 | UVA influenced the SIRT1-miR-27a-5p-MAD2-MMP1/COL1/BCL2 axis in human skin primary fibroblasts. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10027-10041.  | 3.6 | 7         |
| 54 | Identification of novel candidate genes in rosacea by bioinformatic methods. <i>Cytokine</i> , 2021, 141, 155444.   | 3.2 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Combination of fractional QSRL and IPL for melasma treatment in Chinese population. Journal of Cosmetic and Laser Therapy, 2017, 19, 13-17.   | 0.9 | 6         |
| 56 | Randomized clinical trial of combined therapy with oral $\alpha$ -lipoic acid and $\alpha$ -MSA for nonsegmental stable vitiligo. Dermatologic Therapy, 2021, 34, e14610.   | 1.7 | 6         |
| 57 | Topical calcipotriol/betamethasone dipropionate for psoriasis vulgaris: A systematic review. Indian Journal of Dermatology, Venereology and Leprology, 2016, 82, 135.   | 0.6 | 5         |
| 58 | Protective Effects of Cyclooxygenase-2 Inhibitors on Narrow-band Ultraviolet B-irradiated Epidermal Langerhans Cells and Thy-1+Dendritic Epidermal T Cells in Mice. Photochemistry and Photobiology, 2008, 84, 484-488. | 2.5 | 4         |
| 59 | Severe generalized pustular psoriasis treated with mycophenolate mofetil. Journal of Dermatology, 2011, 38, 603-605.  | 1.2 | 4         |
| 60 | Comprehensive survey of vitiligo patients in the northeast of China using a predesigned questionnaire. Journal of Dermatology, 2018, 45, 39-45.   | 1.2 | 4         |
| 61 | The assessment of psychology, quality of life in acne patients and evaluation of ALA-PDT for moderate to severe acne. Photodiagnosis and Photodynamic Therapy, 2021, 33, 102099.  | 2.6 | 4         |
| 62 | Association of -619C/T polymorphism in CDSN gene and psoriasis risk: a meta-analysis. Genetics and Molecular Research, 2011, 10, 3632-3640.   | 0.2 | 3         |
| 63 | Lack of association between EGF +61A>G polymorphism and melanoma susceptibility in Caucasians: A HuGE review and meta-analysis. Gene, 2013, 515, 359-366.   | 2.2 | 3         |
| 64 | A retrospective study of FQSRL and IPL in the treatment of Café-au-lait macule. Journal of Dermatological Treatment, 2021, 32, 544-547.   | 2.2 | 3         |
| 65 | An exploratory split-face study of a dual-wavelength laser system on erythromelanosis follicularis faciei in Chinese population. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 1286-1291.   | 2.4 | 2         |
| 66 | Application of <i>Phellodendron amurense</i> facial mask for slight to moderate acne vulgaris. Clinical and Experimental Dermatology, 2018, 43, 928-930.  | 1.3 | 2         |
| 67 | Topical arbidol for the treatment of verruca plantar: A case report. Dermatologic Therapy, 2020, 33, e14497.  | 1.7 | 1         |
| 68 | A retrospective study of neck rejuvenation using a noninsulated microneedle radiofrequency in Chinese subjects. Lasers in Medical Science, 2021, 36, 1261-1266.   | 2.1 | 1         |
| 69 | Green Tea Polyphenols and Skin Protection. , 2013, , 923-931.   |     | 0         |
| 70 | Local Hyperthermia Affects Murine Contact Hypersensitivity around Elicitation Phase. Annals of Dermatology, 2018, 30, 107.  | 0.9 | 0         |
| 71 | Clinical Application of Intense Pulsed Light in Asian Patients. , 2009, , 263-276.  |     | 0         |
| 72 | Multifactorial Diseases with Immunological Involvement. , 2017, , 221-258.  |     | 0         |