

Yan Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2894627/publications.pdf>

Version: 2024-02-01

72
papers

1,641
citations

279487

23
h-index

329751

37
g-index

74
all docs

74
docs citations

74
times ranked

1941
citing authors

#	ARTICLE	IF	CITATIONS
1	A retrospective study of FQSL and IPL in the treatment of Café-au-lait macule. <i>Journal of Dermatological Treatment</i> , 2021, 32, 544-547.	1.1	3
2	A retrospective study of neck rejuvenation using a noninsulated microneedle radiofrequency in Chinese subjects. <i>Lasers in Medical Science</i> , 2021, 36, 1261-1266.	1.0	1
3	The assessment of psychology, quality of life in acne patients and evaluation of ALA-PDT for moderate to severe acne. <i>Photodiagnosis and Photodynamic Therapy</i> , 2021, 33, 102099.	1.3	4
4	Randomized clinical trial of combined therapy with oral lipoic acid and NB-UVB for nonsegmental stable vitiligo. <i>Dermatologic Therapy</i> , 2021, 34, e14610.	0.8	6
5	Identification of novel candidate genes in rosacea by bioinformatic methods. <i>Cytokine</i> , 2021, 141, 155444.	1.4	7
6	Antimicrobial photodynamic therapy in skin wound healing: A systematic review of animal studies. <i>International Wound Journal</i> , 2020, 17, 285-299.	1.3	37
7	Advances in scarless foetal wound healing and prospects for scar reduction in adults. <i>Cell Proliferation</i> , 2020, 53, e12916.	2.4	13
8	Topical arbidol for the treatment of verruca plantar: A case report. <i>Dermatologic Therapy</i> , 2020, 33, e14497.	0.8	1
9	UVA influenced the SIRT1-miR27a-p53/SMAD2-MMP1/COL1/BCL2 axis in human skin primary fibroblasts. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10027-10041.	1.6	7
10	UVA Induced Oxidative Stress Was Inhibited by Paeoniflorin/Nrf2 Signaling or PLIN2. <i>Frontiers in Pharmacology</i> , 2020, 11, 736.	1.6	18
11	Paeoniflorin Resists H2O2-Induced Oxidative Stress in Melanocytes by JNK/Nrf2/HO-1 Pathway. <i>Frontiers in Pharmacology</i> , 2020, 11, 536.	1.6	39
12	Topical photodynamic therapy with 5-aminolevulinic acid in Chinese patients with Rosacea. <i>Journal of Cosmetic and Laser Therapy</i> , 2019, 21, 196-200.	0.3	21
13	Treatment of dissecting cellulitis of the scalp with 10% ALA-PDT. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 332-338.	1.1	24
14	Ablative fractional CO ₂ laser aided delivery of long-acting glucocorticoid in the treatment of acral vitiligo: a multicenter, prospective, self-bilateral controlled study. <i>Journal of Dermatological Treatment</i> , 2019, 30, 320-327.	1.1	16
15	A Retrospective Study of a Chinese Traditional Medicine YIKEER in the Treatment of Verruca Patients in Liaoning District. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-8.	0.5	8
16	A multicentre, randomized, split face and/or neck comparison of 308nm excimer laser and 0.1% tacrolimus ointment for stable vitiligo plus intramuscular slow-releasing betamethasone for active vitiligo. <i>British Journal of Dermatology</i> , 2019, 181, 210-211.	1.4	15
17	Comprehensive survey of vitiligo patients in the northeast of China using a predesigned questionnaire. <i>Journal of Dermatology</i> , 2018, 45, 39-45.	0.6	4
18	Application of <i>Phellodendron amurense</i> facial mask for slight to moderate acne vulgaris. <i>Clinical and Experimental Dermatology</i> , 2018, 43, 928-930.	0.6	2

#	ARTICLE	IF	CITATIONS
19	Local Hyperthermia Affects Murine Contact Hypersensitivity around Elicitation Phase. <i>Annals of Dermatology</i> , 2018, 30, 107.	0.3	0
20	The Prevalence of Thyroid Disorders in Patients With Vitiligo: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2018, 9, 803.	1.5	15
21	Prevalence and risk of metabolic syndrome in patients with systemic lupus erythematosus: A meta-analysis. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 917-928.	0.9	31
22	Fractional Er:YAG laser assisting topical betamethasone solution in combination with NB-UVB for resistant non-segmental vitiligo. <i>Lasers in Medical Science</i> , 2017, 32, 1571-1577.	1.0	14
23	Meta-analysis of the association between vitiligo and the level of superoxide dismutase or malondialdehyde. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 21-29.	0.6	18
24	Combination of fractional QSRL and IPL for melasma treatment in Chinese population. <i>Journal of Cosmetic and Laser Therapy</i> , 2017, 19, 13-17.	0.3	6
25	Updating the diagnosis, classification and assessment of rosacea: recommendations from the global <sc>ROS</sc>acea <sc>CO</sc>nsensus (<sc>ROSCO</sc>) panel. <i>British Journal of Dermatology</i> , 2017, 176, 431-438.	1.4	177
26	Exome sequencing identifies <i>FATP1</i> mutation in Melkerssonâ€“Rosenthal syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e230-e232.	1.3	17
27	Multifactorial Diseases with Immunological Involvement. , 2017, , 221-258.		0
28	Glutathione Peroxidase Level in Patients with Vitiligo: A Meta-Analysis. <i>BioMed Research International</i> , 2016, 2016, 1-11.	0.9	21
29	Fractional CO ₂ lasers contribute to the treatment of stable non-segmental vitiligo. <i>European Journal of Dermatology</i> , 2016, 26, 592-598.	0.3	30
30	Triple-combination treatment with oral \pm -lipoic acid, betamethasone injection, and NB-UVB for non-segmental progressive vitiligo. <i>Journal of Cosmetic and Laser Therapy</i> , 2016, 18, 182-185.	0.3	11
31	The Prevalence of Vitiligo: A Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0163806.	1.1	130
32	Topical calcipotriol/betamethasone dipropionate for psoriasis vulgaris: A systematic review. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2016, 82, 135.	0.2	5
33	Triple combination treatment with fractional CO ₂ laser plus topical betamethasone solution and narrowband ultraviolet B for refractory vitiligo: a prospective, randomized half-body, comparative study. <i>Dermatologic Therapy</i> , 2015, 28, 131-134.	0.8	48
34	The tumour necrosis factor- \pm 308G>A genetic polymorphism may contribute to the pathogenesis of acne: a meta-analysis. <i>Clinical and Experimental Dermatology</i> , 2015, 40, 682-687.	0.6	8
35	Treatment of 308-nm excimer laser on vitiligo: A systemic review of randomized controlled trials. <i>Journal of Dermatological Treatment</i> , 2015, 26, 347-353.	1.1	28
36	Hidden Victims of Childhood Vitiligo: Impact on Parentsâ€™ Mental Health and Quality of Life. <i>Acta Dermato-Venereologica</i> , 2015, 95, 322-325.	0.6	25

#	ARTICLE	IF	CITATIONS
37	Association of Apal and BsmI polymorphisms with vitiligo risk: a meta-analysis. <i>Clinical and Experimental Dermatology</i> , 2015, 40, 794-803.	0.6	13
38	Treatment of vitiligo with NB-UVB: A systematic review. <i>Journal of Dermatological Treatment</i> , 2015, 26, 340-346.	1.1	23
39	Evidence-based review of photodynamic therapy in the treatment of acne. <i>European Journal of Dermatology</i> , 2014, 24, 444-456.	0.3	22
40	An exploratory split-face study of a dual-wavelength laser system on erythromelanosis follicularis faciei in Chinese population. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1286-1291.	1.3	2
41	Association of ABCB1, CYP3A4, EPHX1, FAS, SCN1A, MICA, and BAG6 polymorphisms with the risk of carbamazepine-induced Stevens-Johnson syndrome/toxic epidermal necrolysis in Chinese Han patients with epilepsy. <i>Epilepsia</i> , 2014, 55, 1301-1306.	2.6	36
42	Infrared-induced adult colloid milium treated with fractionated CO ₂ laser. <i>Dermatologic Therapy</i> , 2014, 27, 68-70.	0.8	8
43	Resveratrol protects human skin from damage due to repetitive ultraviolet irradiation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 345-350.	1.3	44
44	Association between the HLA-B*15:02 allele and carbamazepine-induced Stevens-Johnson syndrome/toxic epidermal necrolysis in Han individuals of northeastern China. <i>Pharmacological Reports</i> , 2013, 65, 1256-1262.	1.5	36
45	Lack of association between EGF +61A>G polymorphism and melanoma susceptibility in Caucasians: A HuGE review and meta-analysis. <i>Gene</i> , 2013, 515, 359-366.	1.0	3
46	The application of nanoemulsion in dermatology: an overview. <i>Journal of Drug Targeting</i> , 2013, 21, 321-327.	2.1	38
47	Combination of intense pulsed light and fractional CO ₂ laser treatments for patients with acne with inflammatory and scarring lesions. <i>Clinical and Experimental Dermatology</i> , 2013, 38, 344-351.	0.6	29
48	Treatment of neck port-wine stain with intense pulsed light in Chinese population. <i>Journal of Cosmetic and Laser Therapy</i> , 2013, 15, 85-90.	0.3	17
49	Green Tea Polyphenols and Skin Protection. , 2013, , 923-931.		0
50	Treatment of psoriasis with interleukin-12/23 monoclonal antibody: a systematic review. <i>European Journal of Dermatology</i> , 2012, 22, 72-82.	0.3	7
51	Meta-analysis demonstrates association between Arg72Pro polymorphism in the P53 gene and susceptibility to keloids in the Chinese population. <i>Genetics and Molecular Research</i> , 2012, 11, 1701-1711.	0.3	7
52	Topical photodynamic therapy with 5-aminolaevulinic acid for condylomata acuminata on the distal urethra. <i>Clinical and Experimental Dermatology</i> , 2012, 37, 302-303.	0.6	7
53	Androgen receptor gene polymorphisms and risk for androgenetic alopecia: a meta-analysis. <i>Clinical and Experimental Dermatology</i> , 2012, 37, 104-111.	0.6	40
54	Meta-analysis demonstrates no association between p53 codon 72 polymorphism and prostate cancer risk. <i>Genetics and Molecular Research</i> , 2011, 10, 2924-2933.	0.3	10

#	ARTICLE	IF	CITATIONS
55	Association between HLA-Cw*0602 polymorphism and psoriasis risk: a meta-analysis. <i>Genetics and Molecular Research</i> , 2011, 10, 3109-3120.	0.3	10
56	Association of -619C/T polymorphism in CDSN gene and psoriasis risk: a meta-analysis. <i>Genetics and Molecular Research</i> , 2011, 10, 3632-3640.	0.3	3
57	Severe generalized pustular psoriasis treated with mycophenolate mofetil. <i>Journal of Dermatology</i> , 2011, 38, 603-605.	0.6	4
58	Antioxidants add protection to a broad-spectrum sunscreen. <i>Clinical and Experimental Dermatology</i> , 2011, 36, 178-187.	0.6	33
59	A Pilot Study of Intense Pulsed Light in the Treatment of Riehl's Melanosis. <i>Dermatologic Surgery</i> , 2011, 37, 119-122.	0.4	28
60	Treatment of Infraorbital Dark Circles Using a Low-Fluence Q-Switched 1,064-nm Laser. <i>Dermatologic Surgery</i> , 2011, 37, 797-803.	0.4	16
61	Immunohistological Evaluation of Skin Responses After Treatment Using a Fractional Ultrapulse Carbon Dioxide Laser on Back Skin. <i>Dermatologic Surgery</i> , 2011, 37, 1141-1149.	0.4	54
62	A split-face study of intense pulsed light on photoaging skin in Chinese population. <i>Lasers in Surgery and Medicine</i> , 2010, 42, 185-191.	1.1	28
63	Treatment of Erythromelanosis Follicularis Faciei et Colli Using a Dual-Wavelength Laser System: A Split-Face Treatment. <i>Dermatologic Surgery</i> , 2010, 36, 1344-1347.	0.4	13
64	A Chinese experience of fractional Ultrapulsed CO ₂ laser for skin rejuvenation. <i>Journal of Cosmetic and Laser Therapy</i> , 2010, 12, 250-255.	0.3	13
65	Protective effects of green tea extracts on photoaging and photomunosuppression. <i>Skin Research and Technology</i> , 2009, 15, 338-345.	0.8	67
66	Clinical Application of Intense Pulsed Light in Asian Patients. , 2009, , 263-276.		0
67	Protective Effects of Cyclooxygenase-2 Inhibitors on Narrow-band Ultraviolet B-irradiated Epidermal Ia+Langerhans Cells and Thy-1+Dendritic Epidermal T Cells in Mice. <i>Photochemistry and Photobiology</i> , 2008, 84, 484-488.	1.3	4
68	Efficacy and Safety of Intense Pulsed Light in Treatment of Melasma in Chinese Patients. <i>Dermatologic Surgery</i> , 2008, 34, 693-701.	0.4	92
69	Application of a New Intense Pulsed Light Device in the Treatment of Photoaging Skin in Asian Patients. <i>Dermatologic Surgery</i> , 2008, 34, 1459-1464.	0.4	30
70	Efficacy and Safety of Intense Pulsed Light in Treatment of Melasma in Chinese Patients. <i>Dermatologic Surgery</i> , 2008, 34, 693-701.	0.4	44
71	Application of a New Intense Pulsed Light Device in the Treatment of Photoaging Skin in Asian Patients. <i>Dermatologic Surgery</i> , 2008, 34, 1459-1464.	0.4	21
72	Skin phototyping in a Chinese female population: analysis of four hundred and four cases from four major cities of China. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2006, 22, 184-188.	0.7	28