

Michael W Mansfield

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2895135/publications.pdf>

Version: 2024-02-01

25
papers

1,508
citations

361296

20
h-index

580701

25
g-index

25
all docs

25
docs citations

25
times ranked

1675
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Association of a Common Polymorphism in the Factor XIII Gene With Venous Thrombosis. <i>Blood</i> , 1999, 93, 906-908. | 0.6 | 210 |
| 2 | Altered Fibrin Clot Structure in the Healthy Relatives of Patients With Premature Coronary Artery Disease. <i>Circulation</i> , 2002, 106, 1938-1942. | 1.6 | 172 |
| 3 | Impairments in glucose tolerance can have a negative impact on cognitive function: A systematic research review. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 394-413. | 2.9 | 134 |
| 4 | Predictive Variables for Mortality After Acute Ischemic Stroke. <i>Stroke</i> , 2007, 38, 1873-1880. | 1.0 | 129 |
| 5 | Environmental and Genetic Factors in Relation to Elevated Circulating Levels of Plasminogen Activator Inhibitor-1 in Caucasian Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>Thrombosis and Haemostasis</i> , 1995, 74, 842-847. | 1.8 | 125 |
| 6 | Plasminogen Activator Inhibitor-1 Promoter 4G/5G Genotype and Plasma Levels in Relation to a History of Myocardial Infarction in Patients Characterized by Coronary Angiography. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 33-37. | 1.1 | 118 |
| 7 | Plasminogen Activator Inhibitor-1 (PAI-1) Promoter Polymorphism and Coronary Artery Disease in Non-Insulin-Dependent Diabetes. <i>Thrombosis and Haemostasis</i> , 1995, 74, 1032-1034. | 1.8 | 114 |
| 8 | Circulating Levels of Factor VII, Fibrinogen, and von Willebrand Factor and Features of Insulin Resistance in First-Degree Relatives of Patients With NIDDM. <i>Circulation</i> , 1996, 94, 2171-2176. | 1.6 | 89 |
| 9 | Sex Differences in Coagulation and Fibrinolysis in White Subjects With Non-Insulin-Dependent Diabetes Mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 16, 160-164. | 1.1 | 65 |
| 10 | Factor VII Gene Polymorphisms, Factor VII:C Levels and Features of Insulin Resistance in Non-Insulin-Dependent Diabetes mellitus. <i>Thrombosis and Haemostasis</i> , 1996, 75, 401-406. | 1.8 | 47 |
| 11 | PAI-1 Concentrations in First-degree Relatives of Patients with Non-insulin-dependent Diabetes: Metabolic and Genetic Associations. <i>Thrombosis and Haemostasis</i> , 1997, 77, 357-361. | 1.8 | 40 |
| 12 | Angiotensin-converting enzyme (ACE) gene polymorphisms in patients characterised by coronary angiography. <i>Human Genetics</i> , 1997, 100, 420-425. | 1.8 | 34 |
| 13 | Evidence for a second meal cognitive effect: glycaemic responses to high and low glycaemic index evening meals are associated with cognition the following morning. <i>Nutritional Neuroscience</i> , 2011, 14, 66-71. | 1.5 | 27 |
| 14 | Factor XIII Activity and Antigen Levels in Patients with Coronary Artery Disease. <i>Thrombosis and Haemostasis</i> , 2001, 85, 569-570. | 1.8 | 25 |
| 15 | Correspondence of continuous interstitial glucose measurement against arterialed and capillary glucose following an oral glucose tolerance test in healthy volunteers. <i>British Journal of Nutrition</i> , 2010, 103, 134-140. | 1.2 | 25 |
| 16 | Uptake of the OMERACT-OARSI Hip and Knee Osteoarthritis Core Outcome Set: Review of Randomized Controlled Trials from 1997 to 2017. <i>Journal of Rheumatology</i> , 2019, 46, 976-980. | 1.0 | 25 |
| 17 | Prognostic imaging biomarkers for diabetic kidney disease (iBEAt): study protocol. <i>BMC Nephrology</i> , 2020, 21, 242. | 0.8 | 22 |
| 18 | Tissue Plasminogen Activator, Fibrin D-Dimer, and Insulin Resistance in the Relatives of Patients With Premature Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 704-709. | 1.1 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Factor XIII A-subunit concentration predicts outcome in stroke subjects and vascular outcome in healthy, middle-aged men. <i>British Journal of Haematology</i> , 2002, 118, 825-832. | 1.2 | 21 |
| 20 | Acute glycaemic load breakfast manipulations do not attenuate cognitive impairments in adults with type 2 diabetes. <i>Clinical Nutrition</i> , 2013, 32, 265-272. | 2.3 | 20 |
| 21 | Type 2 diabetes and impaired glucose tolerance are associated with word memory source monitoring recollection deficits but not simple recognition familiarity deficits following water, low glycaemic load, and high glycaemic load breakfasts. <i>Physiology and Behavior</i> , 2014, 124, 54-60. | 1.0 | 18 |
| 22 | Group A Streptococcal Meningitis. <i>Clinical Infectious Diseases</i> , 1992, 15, 380-381. | 2.9 | 11 |
| 23 | Association of a Common Polymorphism in the Factor XIII Gene With Venous Thrombosis. <i>Blood</i> , 1999, 93, 906-908. | 0.6 | 10 |
| 24 | Cystic fibrosis-related diabetes (CFRD) and cognitive function in adults with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2022, 21, 519-528. | 0.3 | 4 |
| 25 | Innovative, centralised, multidisciplinary medicines optimisation clinic for PCSK9 inhibitors. <i>Open Heart</i> , 2022, 9, e001931. | 0.9 | 2 |