

Michael W Mansfield

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2895135/publications.pdf>

Version: 2024-02-01

25
papers

1,508
citations

361296

20
h-index

580701

25
g-index

25
all docs

25
docs citations

25
times ranked

1675
citing authors

#	ARTICLE	IF	CITATIONS
1	Cystic fibrosis-related diabetes (CFRD) and cognitive function in adults with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2022, 21, 519-528.	0.3	4
2	Innovative, centralised, multidisciplinary medicines optimisation clinic for PCSK9 inhibitors. <i>Open Heart</i> , 2022, 9, e001931.	0.9	2
3	Prognostic imaging biomarkers for diabetic kidney disease (iBEAt): study protocol. <i>BMC Nephrology</i> , 2020, 21, 242.	0.8	22
4	Uptake of the OMERACT-OARSI Hip and Knee Osteoarthritis Core Outcome Set: Review of Randomized Controlled Trials from 1997 to 2017. <i>Journal of Rheumatology</i> , 2019, 46, 976-980.	1.0	25
5	Type 2 diabetes and impaired glucose tolerance are associated with word memory source monitoring recollection deficits but not simple recognition familiarity deficits following water, low glycaemic load, and high glycaemic load breakfasts. <i>Physiology and Behavior</i> , 2014, 124, 54-60.	1.0	18
6	Acute glycaemic load breakfast manipulations do not attenuate cognitive impairments in adults with type 2 diabetes. <i>Clinical Nutrition</i> , 2013, 32, 265-272.	2.3	20
7	Evidence for a second meal cognitive effect: glycaemic responses to high and low glycaemic index evening meals are associated with cognition the following morning. <i>Nutritional Neuroscience</i> , 2011, 14, 66-71.	1.5	27
8	Correspondence of continuous interstitial glucose measurement against arterialed and capillary glucose following an oral glucose tolerance test in healthy volunteers. <i>British Journal of Nutrition</i> , 2010, 103, 134-140.	1.2	25
9	Impairments in glucose tolerance can have a negative impact on cognitive function: A systematic research review. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 394-413.	2.9	134
10	Predictive Variables for Mortality After Acute Ischemic Stroke. <i>Stroke</i> , 2007, 38, 1873-1880.	1.0	129
11	Tissue Plasminogen Activator, Fibrin D-Dimer, and Insulin Resistance in the Relatives of Patients With Premature Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 704-709.	1.1	21
12	Altered Fibrin Clot Structure in the Healthy Relatives of Patients With Premature Coronary Artery Disease. <i>Circulation</i> , 2002, 106, 1938-1942.	1.6	172
13	Factor XIII A-subunit concentration predicts outcome in stroke subjects and vascular outcome in healthy, middle-aged men. <i>British Journal of Haematology</i> , 2002, 118, 825-832.	1.2	21
14	Factor XIII Activity and Antigen Levels in Patients with Coronary Artery Disease. <i>Thrombosis and Haemostasis</i> , 2001, 85, 569-570.	1.8	25
15	Association of a Common Polymorphism in the Factor XIII Gene With Venous Thrombosis. <i>Blood</i> , 1999, 93, 906-908.	0.6	210
16	Association of a Common Polymorphism in the Factor XIII Gene With Venous Thrombosis. <i>Blood</i> , 1999, 93, 906-908.	0.6	10
17	Angiotensin-converting enzyme (ACE) gene polymorphisms in patients characterised by coronary angiography. <i>Human Genetics</i> , 1997, 100, 420-425.	1.8	34
18	PAI-1 Concentrations in First-degree Relatives of Patients with Non-insulin-dependent Diabetes: Metabolic and Genetic Associations. <i>Thrombosis and Haemostasis</i> , 1997, 77, 357-361.	1.8	40

#	ARTICLE	IF	CITATIONS
19	Plasminogen Activator Inhibitor-1 Promoter 4G/5G Genotype and Plasma Levels in Relation to a History of Myocardial Infarction in Patients Characterized by Coronary Angiography. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 33-37.	1.1	118
20	Sex Differences in Coagulation and Fibrinolysis in White Subjects With Non-Insulin-Dependent Diabetes Mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 16, 160-164.	1.1	65
21	Factor VII Gene Polymorphisms, Factor VII:C Levels and Features of Insulin Resistance in Non-Insulin-Dependent Diabetes mellitus. <i>Thrombosis and Haemostasis</i> , 1996, 75, 401-406.	1.8	47
22	Circulating Levels of Factor VII, Fibrinogen, and von Willebrand Factor and Features of Insulin Resistance in First-Degree Relatives of Patients With NIDDM. <i>Circulation</i> , 1996, 94, 2171-2176.	1.6	89
23	Environmental and Genetic Factors in Relation to Elevated Circulating Levels of Plasminogen Activator Inhibitor-1 in Caucasian Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>Thrombosis and Haemostasis</i> , 1995, 74, 842-847.	1.8	125
24	Plasminogen Activator Inhibitor-1 (PAI-1) Promoter Polymorphism and Coronary Artery Disease in Non-Insulin-Dependent Diabetes. <i>Thrombosis and Haemostasis</i> , 1995, 74, 1032-1034.	1.8	114
25	Group A Streptococcal Meningitis. <i>Clinical Infectious Diseases</i> , 1992, 15, 380-381.	2.9	11