

Ellie J C Goldstein

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2895247/ellie-j-c-goldstein-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

11,049
citations

46
h-index

103
g-index

162
ext. papers

12,741
ext. citations

7.2
avg, IF

6.25
L-index

#	Paper	IF	Citations
160	Comparative susceptibility of <i>Gemella morbillorum</i> to 13 antimicrobial agents.. <i>Anaerobe</i> , 2022 , 102573	2.8	
159	<i>Bulleidia extracta</i> Prosthetic Hip Infection After a Dental Procedure: Potential Need for Prophylaxis. <i>Clinical Infectious Diseases</i> , 2021 , 73, e849-e850	11.6	2
158	Patient and Microbial Genomic Factors Associated with Carbapenem-Resistant <i>Klebsiella pneumoniae</i> Extraintestinal Colonization and Infection. <i>MSystems</i> , 2021 , 6,	7.6	3
157	Potential Roles for Probiotics in the Treatment of COVID-19 Patients and Prevention of Complications Associated with Increased Antibiotic Use. <i>Antibiotics</i> , 2021 , 10,	4.9	8
156	<i>Bulleidia extracta</i> : An underappreciated anaerobic pathogen. <i>Anaerobe</i> , 2021 , 69, 102339	2.8	0
155	Necrotizing Soft Tissue Infections. <i>Infectious Disease Clinics of North America</i> , 2021 , 35, 135-155	6.5	10
154	Antimicrobial Management of Respiratory Infections in Severe Acute Respiratory Syndrome Coronavirus 2 Patients: Clinical and Antimicrobial Stewardship Programs Conundrums. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa517	1	2
153	Bundling Probiotics With Antimicrobial Stewardship Programs for the Prevention of <i>Clostridioides difficile</i> Infections in Acute Care Hospitals. <i>Infectious Diseases in Clinical Practice</i> , 2020 , 28, 123-129	0.2	1
152	Activity of Tedizolid Compared to Linezolid and Five Other Antimicrobial Agents against 332 Anaerobic Isolates, Including <i>Bacteroides fragilis</i> Group, , , and Species. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	3
151	Role of Asymptomatic Carriers in Long-Term Care Facility <i>Clostridioides (Clostridium) difficile</i> Transmission 2020 , 25-36		
150	Investigational Treatment Agents for Recurrent Infection (rCDI). <i>Journal of Experimental Pharmacology</i> , 2020 , 12, 371-384	3	4
149	Whole-Genome Sequencing To Identify Drivers of Carbapenem-Resistant <i>Klebsiella pneumoniae</i> Transmission within and between Regional Long-Term Acute-Care Hospitals. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	13
148	Investigational drug therapies currently in early-stage clinical development for the treatment of <i>clostridioides (clostridium) difficile</i> infection. <i>Expert Opinion on Investigational Drugs</i> , 2019 , 28, 323-335	5.9	4
147	Comparative Activity of Omadacycline against Dog and Cat Bite Wound Isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	12
146	Strain-Specificity and Disease-Specificity of Probiotic Efficacy: A Systematic Review and Meta-Analysis. <i>Frontiers in Medicine</i> , 2018 , 5, 124	4.9	179
145	In Vitro activity of eravacycline and comparator antimicrobials against 143 recent strains of <i>Bacteroides</i> and <i>Parabacteroides</i> species. <i>Anaerobe</i> , 2018 , 52, 122-124	2.8	17
144	In Vitro stability of three oral vancomycin preparations stored at 2- 5 °C and ambient room temperature for up to 60 days against 100 <i>Clostridioides (Clostridium) difficile</i> and 51 <i>Staphylococcus aureus</i> strains. <i>Anaerobe</i> , 2018 , 52, 83-85	2.8	1

143	Comparative Activities of Relebactam, Imipenem, the Combination of the Two, and Six Comparator Antimicrobial Agents against 432 Strains of Anaerobic Organisms, Including Imipenem-Resistant Strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	13
142	Choosing an appropriate probiotic product for your patient: An evidence-based practical guide. <i>PLoS ONE</i> , 2018 , 13, e0209205	3.7	92
141	Activity of Pexiganan and 10 Comparator Antimicrobials against 234 Isolates, Including 93 Pasteurella Species and 50 Anaerobic Bacterial Isolates Recovered from Animal Bite Wounds. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	7
140	Anticipating the Unpredictable: A Review of Antimicrobial Stewardship and Acinetobacter Infections. <i>Infectious Diseases and Therapy</i> , 2017 , 6, 149-172	6.2	14
139	Activities of Pexiganan and 10 Comparator Antimicrobials against 502 Anaerobic Isolates Recovered from Skin and Skin Structure Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	2
138	A global call from five countries to collaborate in antibiotic stewardship: united we succeed, divided we might fail. <i>Lancet Infectious Diseases, The</i> , 2017 , 17, e56-e63	25.5	113
137	Infections from Pets 2017 , 656-662.e1		0
136	The underappreciated in vitro activity of tedizolid against Bacteroides fragilis species, including strains resistant to metronidazole and carbapenems. <i>Anaerobe</i> , 2017 , 43, 1-3	2.8	7
135	Does moderate renal impairment affect clinical outcomes in complicated intra-abdominal and complicated urinary tract infections? Analysis of two randomized controlled trials with ceftolozane/tazobactam. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 900-905	5.1	14
134	Epidemiology of Carbapenem-Resistant Klebsiella pneumoniae in a Network of Long-Term Acute Care Hospitals. <i>Clinical Infectious Diseases</i> , 2017 , 64, 839-844	11.6	40
133	Rethinking Strategies to Select Antibiotic Therapy in Clostridium difficile infection. <i>Pharmacotherapy</i> , 2016 , 36, 1281-1289	5.8	4
132	Ridinilazole: a novel therapy for Clostridium difficile infection. <i>International Journal of Antimicrobial Agents</i> , 2016 , 48, 137-43	14.3	32
131	Efficacy of ceftolozane/tazobactam versus levofloxacin in the treatment of complicated urinary tract infections (cUTIs) caused by levofloxacin-resistant pathogens: results from the ASPECT-cUTI trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 2014-21	5.1	30
130	Comparison of the Copan eSwab System with an Agar Swab Transport System for Maintenance of Fastidious Anaerobic Bacterium Viability. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 1364-7	9.7	9
129	Approaches to Modifying the Behavior of Clinicians Who Are Noncompliant With Antimicrobial Stewardship Program Guidelines. <i>Clinical Infectious Diseases</i> , 2016 , 63, 532-8	11.6	27
128	Choosing antimicrobials for anaerobic infections. <i>Journal of Pediatric Infectious Diseases</i> , 2015 , 04, 053-065		
127	Clostridium difficile Infection in Long-term Care Facilities: A Call to Action for Antimicrobial Stewardship. <i>Clinical Infectious Diseases</i> , 2015 , 60 Suppl 2, S72-6	11.6	39
126	Reply to Solnick. <i>Clinical Infectious Diseases</i> , 2015 , 61, 484-5	11.6	

125	The times they are a-changin ^g new antibacterials for skin and skin structure infections. <i>American Journal of Clinical Dermatology</i> , 2015 , 16, 137-46	7.1	4
124	A Decade of Experience in Primary Prevention of Clostridium difficile Infection at a Community Hospital Using the Probiotic Combination Lactobacillus acidophilus CL1285, Lactobacillus casei LBC80R, and Lactobacillus rhamnosus CLR2 (Bio-K+). <i>Clinical Infectious Diseases</i> , 2015 , 60 Suppl 2, S144-7	11.6	44
123	Lactobacillus species: taxonomic complexity and controversial susceptibilities. <i>Clinical Infectious Diseases</i> , 2015 , 60 Suppl 2, S98-107	11.6	142
122	Animals in healthcare facilities: recommendations to minimize potential risks. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 495-516	2	79
121	Ceftaroline fosamil for treatment of diabetic foot infections: the CAPTURE study experience. <i>Diabetes/Metabolism Research and Reviews</i> , 2015 , 31, 395-401	7.5	18
120	Pathway to Prevention of Nosocomial Clostridium difficile Infection. <i>Clinical Infectious Diseases</i> , 2015 , 60 Suppl 2, S148-58	11.6	48
119	Bites 2015 , 3510-3515.e1		1
118	Animal Bites and Zoonoses: From A to Z: Alligators to Zebras 2015 , 659-679		2
117	Bacterial counts from five over-the-counter probiotics: are you getting what you paid for?. <i>Anaerobe</i> , 2014 , 25, 1-4	2.8	21
116	Practice guidelines for the diagnosis and management of skin and soft tissue infections: 2014 update by the Infectious Diseases Society of America. <i>Clinical Infectious Diseases</i> , 2014 , 59, e10-52	11.6	856
115	Practice guidelines for the diagnosis and management of skin and soft tissue infections: 2014 update by the infectious diseases society of America. <i>Clinical Infectious Diseases</i> , 2014 , 59, 147-59	11.6	1194
114	Propionibacterium acnes: from commensal to opportunistic biofilm-associated implant pathogen. <i>Clinical Microbiology Reviews</i> , 2014 , 27, 419-40	34	336
113	Comparative in vitro activities of SMT19969, a new antimicrobial agent, against 162 strains from 35 less frequently recovered intestinal Clostridium species: implications for Clostridium difficile recurrence. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 1187-91	5.9	23
112	206Implementing an Antimicrobial Stewardship Program. <i>Open Forum Infectious Diseases</i> , 2014 , 1, S92-S92		78
111	Differences in distribution and antimicrobial susceptibility of anaerobes isolated from complicated intra-abdominal infections versus diabetic foot infections. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013 , 76, 546-8	2.9	13
110	Anaerobic and aerobic bacteriology of the saliva and gingiva from 16 captive Komodo dragons (Varanus komodoensis): new implications for the "bacteria as venom" model. <i>Journal of Zoo and Wildlife Medicine</i> , 2013 , 44, 262-72	0.9	19
109	Comparative in vitro activity of ceftaroline, ceftaroline-avibactam, and other antimicrobial agents against aerobic and anaerobic bacteria cultured from infected diabetic foot wounds. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013 , 76, 347-51	2.9	21
108	Therapy of Clostridium difficile infection: perspectives on a changing paradigm. <i>Expert Opinion on Pharmacotherapy</i> , 2013 , 14, 2375-86	4	3

107	Comparative in vitro activities of SMT19969, a new antimicrobial agent, against <i>Clostridium difficile</i> and 350 gram-positive and gram-negative aerobic and anaerobic intestinal flora isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 4872-6	5.9	54
106	Comparative in vitro activities of GSK2251052, a novel boron-containing leucyl-tRNA synthetase inhibitor, against 916 anaerobic organisms. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 2401-4	5.9	15
105	Antianaerobic antimicrobials: spectrum and susceptibility testing. <i>Clinical Microbiology Reviews</i> , 2013 , 26, 526-46	34	184
104	Carbapenem stewardship: does ertapenem affect <i>Pseudomonas</i> susceptibility to other carbapenems? A review of the evidence. <i>International Journal of Antimicrobial Agents</i> , 2012 , 39, 11-5	14.3	47
103	In vitro activity of TD-1792, a multivalent glycopeptide-cephalosporin antibiotic, against 377 strains of anaerobic bacteria and 34 strains of <i>Corynebacterium</i> species. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2194-7	5.9	25
102	Antimicrobial activities of fidaxomicin. <i>Clinical Infectious Diseases</i> , 2012 , 55 Suppl 2, S143-8	11.6	69
101	Comparative in vitro activities of LFF571 against <i>Clostridium difficile</i> and 630 other intestinal strains of aerobic and anaerobic bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2493-503	5.9	48
100	Ceftaroline versus isolates from animal bite wounds: comparative in vitro activities against 243 isolates, including 156 <i>Pasteurella</i> species isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 6319-23	5.9	16
99	Activity of garenoxacin against 536 unusual anaerobes including 128 recovered from acute pelvic infections. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011 , 70, 131-6	2.9	5
98	Reproducibility of broth microdilution and comparison to agar dilution for testing CB-183,315 against clinical isolates of <i>Clostridium difficile</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2011 , 70, 554-6	2.9	13
97	Beyond the target pathogen: ecological effects of the hospital formulary. <i>Current Opinion in Infectious Diseases</i> , 2011 , 24 Suppl 1, S21-31	5.4	37
96	Resistance Trends in Antimicrobial Susceptibility of Anaerobic Bacteria, Part I. <i>Clinical Microbiology Newsletter</i> , 2011 , 33, 1-8	1.1	33
95	Resistance Trends in Antimicrobial Susceptibility of Anaerobic Bacteria, Part II. <i>Clinical Microbiology Newsletter</i> , 2011 , 33, 9-15	1.1	6
94	Re-assessment of phenotypic identifications of <i>Bacteroides putredinis</i> to <i>Alistipes</i> species using molecular methods. <i>Anaerobe</i> , 2011 , 17, 130-4	2.8	17
93	Microbiology of animal bite wound infections. <i>Clinical Microbiology Reviews</i> , 2011 , 24, 231-46	34	224
92	Clinical efficacy and correlation of clinical outcomes with in vitro susceptibility for anaerobic bacteria in patients with complicated intra-abdominal infections treated with moxifloxacin. <i>Clinical Infectious Diseases</i> , 2011 , 53, 1074-80	11.6	34
91	In vitro activity of ceftazidime-NXL104 against 396 strains of beta-lactamase-producing anaerobes. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 3616-20	5.9	39
90	Comparative susceptibilities to fidaxomicin (OPT-80) of isolates collected at baseline, recurrence, and failure from patients in two phase III trials of fidaxomicin against <i>Clostridium difficile</i> infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5194-9	5.9	78

89	Lessons learned from the anaerobe survey: historical perspective and review of the most recent data (2005-2007). <i>Clinical Infectious Diseases</i> , 2010 , 50 Suppl 1, S26-33	11.6	118
88	Diagnosis and management of complicated intra-abdominal infection in adults and children: guidelines by the Surgical Infection Society and the Infectious Diseases Society of America. <i>Surgical Infections</i> , 2010 , 11, 79-109	2	316
87	Diagnosis and management of complicated intra-abdominal infection in adults and children: guidelines by the Surgical Infection Society and the Infectious Diseases Society of America. <i>Clinical Infectious Diseases</i> , 2010 , 50, 133-64	11.6	974
86	Bactericidal activity of telavancin, vancomycin and metronidazole against <i>Clostridium difficile</i> . <i>Anaerobe</i> , 2010 , 16, 220-2	2.8	9
85	First report of <i>Parabacteroides goldsteinii</i> bacteraemia in a patient with complicated intra-abdominal infection. <i>Anaerobe</i> , 2010 , 16, 223-5	2.8	30
84	Infections from pets 2010 , 727-733		
83	Infection after elective colorectal surgery: bacteriological analysis of failures in a randomized trial of cefotetan vs. ertapenem prophylaxis. <i>Surgical Infections</i> , 2009 , 10, 111-8	2	26
82	Introduction of ertapenem into a hospital formulary: effect on antimicrobial usage and improved in vitro susceptibility of <i>Pseudomonas aeruginosa</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 5122-6	5.9	41
81	Comparative in vitro activity of REP3123 against <i>Clostridium difficile</i> and other anaerobic intestinal bacteria. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 63, 972-6	5.1	34
80	<i>C. difficile</i> infection (CDI) in a long-term acute care facility (LTAC). <i>Anaerobe</i> , 2009 , 15, 241-3	2.8	15
79	Activity of a novel carbapenem, doripenem, against anaerobic pathogens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2009 , 63, 447-54	2.9	17
78	HUMAN BITES 2009 , 3496-3502		
77	Serum bactericidal activities of moxifloxacin and levofloxacin against aerobic and anaerobic intra-abdominal pathogens. <i>Anaerobe</i> , 2008 , 14, 8-12	2.8	11
76	National hospital survey of anaerobic culture and susceptibility methods: III. <i>Anaerobe</i> , 2008 , 14, 68-72	2.8	61
75	Antimicrobial Resistance of Anaerobic Bacteria 2008 , 207-229		2
74	Virulence characteristics of community-associated <i>Staphylococcus aureus</i> and in vitro activities of moxifloxacin alone and in combination against community-associated and healthcare-associated methicillin-resistant and -susceptible <i>S. aureus</i> . <i>Journal of Medical Microbiology</i> , 2008 , 57, 452-456	3.2	11
73	In vitro activities of doripenem and six comparator drugs against 423 aerobic and anaerobic bacterial isolates from infected diabetic foot wounds. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 761-6	5.9	35
72	Human serum activity of telithromycin, azithromycin and amoxicillin/clavulanate against common aerobic and anaerobic respiratory pathogens. <i>International Journal of Antimicrobial Agents</i> , 2007 , 29, 39-43	14.3	12

71	Molecular characterization and antimicrobial susceptibilities of extra-intestinal <i>Clostridium difficile</i> isolates. <i>Anaerobe</i> , 2007 , 13, 114-20	2.8	17
70	Bacteriology of moderate-to-severe diabetic foot infections and in vitro activity of antimicrobial agents. <i>Journal of Clinical Microbiology</i> , 2007 , 45, 2819-28	9.7	298
69	In vitro activity of 11 antibiotics against 74 anaerobes isolated from pediatric intra-abdominal infections. <i>Anaerobe</i> , 2006 , 12, 63-6	2.8	18
68	Fluoroquinolones and anaerobes. <i>Clinical Infectious Diseases</i> , 2006 , 42, 1598-607	11.6	57
67	In vitro activities of daptomycin, vancomycin, and penicillin against <i>Clostridium difficile</i> , <i>C. perfringens</i> , <i>Fingoldia magna</i> , and <i>Propionibacterium acnes</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 2728-31	5.9	39
66	In vitro activities of dalbavancin and 12 other agents against 329 aerobic and anaerobic gram-positive isolates recovered from diabetic foot infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 2875-9	5.9	58
65	Comparative in vitro susceptibilities of 396 unusual anaerobic strains to tigecycline and eight other antimicrobial agents. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 3507-13	5.9	51
64	Comparative in vitro activities of retapamulin (SB-275833) against 141 clinical isolates of <i>Propionibacterium</i> spp., including 117 <i>P. acnes</i> isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 379-81	5.9	28
63	In vitro activity of moxifloxacin against 923 anaerobes isolated from human intra-abdominal infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 148-55	5.9	58
62	In vitro activity of ceftobiprole against aerobic and anaerobic strains isolated from diabetic foot infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 3959-62	5.9	59
61	<i>Clostridium aldenense</i> sp. nov. and <i>Clostridium citroniae</i> sp. nov. isolated from human clinical infections. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 2416-22	9.7	44
60	In vitro activity of azithromycin and nine comparator agents against 296 strains of oral anaerobes and 31 strains of <i>Eikenella corrodens</i> . <i>International Journal of Antimicrobial Agents</i> , 2006 , 28, 244-8	14.3	28
59	Genetic determinant of intrinsic quinolone resistance in <i>Fusobacterium canifelinum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 434-7	5.9	18
58	Biochemical differentiation and comparison of <i>Desulfovibrio</i> species and other phenotypically similar genera. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 4041-5	9.7	63
57	Comparative in vitro activities of XRP 2868, pristinamycin, quinupristin-dalfopristin, vancomycin, daptomycin, linezolid, clarithromycin, telithromycin, clindamycin, and ampicillin against anaerobic gram-positive species, actinomycetes, and lactobacilli. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 408-13	5.9	35
56	Practice guidelines for the diagnosis and management of skin and soft-tissue infections. <i>Clinical Infectious Diseases</i> , 2005 , 41, 1373-406	11.6	1121
55	Broth microdilution and disk diffusion tests for susceptibility testing of <i>Pasteurella</i> species isolated from human clinical specimens. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2485-8	9.7	19
54	In vitro activities of iodonium salts against oral and dental anaerobes. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 2766-70	5.9	15

53	Surveillance of susceptibility patterns in 1297 European and US anaerobic and capnophilic isolates to co-amoxiclav and five other antimicrobial agents. <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 53, 1039-44	5.1	61
52	Treatment of complicated community-acquired infections with ertapenem, the first Group 1 carbapenem. Introduction. <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 53 Suppl 2, ii5-6	5.1	
51	In vitro activities of the new semisynthetic glycopeptide telavancin (TD-6424), vancomycin, daptomycin, linezolid, and four comparator agents against anaerobic gram-positive species and <i>Corynebacterium</i> spp. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 2149-52	5.9	86
50	Intra-abdominal infections: review of the bacteriology, antimicrobial susceptibility and the role of ertapenem in their therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 53 Suppl 2, ii29-36	5.1	28
49	In vitro activities of ABT-492, a new fluoroquinolone, against 155 aerobic and 171 anaerobic pathogens isolated from antral sinus puncture specimens from patients with sinusitis. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 3008-11	5.9	18
48	<i>Desulfovibrio desulfuricans</i> bacteremia and review of human <i>Desulfovibrio</i> infections. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 2752-4	9.7	87
47	Clinical presentation and bacteriologic analysis of infected human bites in patients presenting to emergency departments. <i>Clinical Infectious Diseases</i> , 2003 , 37, 1481-9	11.6	135
46	Review of the in vitro activity and potential clinical efficacy of levofloxacin in the treatment of anaerobic infections. <i>Anaerobe</i> , 2003 , 9, 75-81	2.8	8
45	In vitro activities of dalbavancin and nine comparator agents against anaerobic gram-positive species and corynebacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 1968-71	5.9	83
44	In Vitro Activities of Daptomycin, Vancomycin, Quinupristin- Dalfopristin, Linezolid, and Five Other Antimicrobials against 307 Gram-Positive Anaerobic and 31 <i>Corynebacterium</i> Clinical Isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 1486-1486	5.9	3
43	In vitro activities of telithromycin and 10 oral agents against aerobic and anaerobic pathogens isolated from antral puncture specimens from patients with sinusitis. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 1963-7	5.9	15
42	Emergence of fluoroquinolone resistance among <i>Bacteroides</i> species. <i>Journal of Antimicrobial Chemotherapy</i> , 2003 , 52, 208-13	5.1	65
41	In vitro activities of daptomycin, vancomycin, quinupristin- dalfopristin, linezolid, and five other antimicrobials against 307 gram-positive anaerobic and 31 <i>Corynebacterium</i> clinical isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 337-41	5.9	64
40	In vitro activities of Garenoxacin (BMS 284756) against 108 clinical isolates of <i>Gardnerella vaginalis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2002 , 46, 3995-6	5.9	25
39	In vitro activities of garenoxacin (BMS-284756) against 170 clinical isolates of nine <i>Pasteurella</i> species. <i>Antimicrobial Agents and Chemotherapy</i> , 2002 , 46, 3068-70	5.9	12
38	Periodontal bacteria in rabbit mandibular and maxillary abscesses. <i>Journal of Clinical Microbiology</i> , 2002 , 40, 1044-7	9.7	63
37	Widespread use of fluoroquinolones versus emerging resistance in pneumococci. <i>Clinical Infectious Diseases</i> , 2002 , 35, 1505-11	11.6	57
36	Intra-abdominal anaerobic infections: bacteriology and therapeutic potential of newer antimicrobial carbapenem, fluoroquinolone, and desfluoroquinolone therapeutic agents. <i>Clinical Infectious Diseases</i> , 2002 , 35, S106-11	11.6	36

35	General microbiology and in vitro susceptibility of anaerobes isolated from complicated skin and skin-structure infections in patients enrolled in a comparative trial of ertapenem versus piperacillin-tazobactam. <i>Clinical Infectious Diseases</i> , 2002 , 35, S119-25	11.6	23
34	Comparative in vitro activities of ertapenem against bacterial pathogens from patients with acute pelvic infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2002 , 50, 735-41	5.1	16
33	Comparative in vitro activity of faropenem and 11 other antimicrobial agents against 405 aerobic and anaerobic pathogens isolated from skin and soft tissue infections from animal and human bites. <i>Journal of Antimicrobial Chemotherapy</i> , 2002 , 50, 411-20	5.1	23
32	In vitro activities of the des-fluoro(6) Quinolone BMS-284756 against aerobic and anaerobic pathogens isolated from skin and soft tissue animal and human bite wound infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2002 , 46, 866-70	5.9	24
31	Comparative in vitro activities of ertapenem (MK-0826) against 469 less frequently identified anaerobes isolated from human infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2002 , 46, 1136-40	5.9	16
30	In vitro activity of gemifloxacin compared to seven other oral antimicrobial agents against aerobic and anaerobic pathogens isolated from antral sinus puncture specimens from patients with sinusitis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2002 , 42, 113-8	2.9	8
29	Serum Bactericidal Activity of Trovafloxacin Against Selected Anaerobic Pathogens. <i>Anaerobe</i> , 2001 , 7, 237-240	2.8	3
28	In vitro activities of ABT-773, a new ketolide, against aerobic and anaerobic pathogens isolated from antral sinus puncture specimens from patients with sinusitis. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 2363-7	5.9	8
27	Comparative in vitro activities of ABT-773 against aerobic and anaerobic pathogens isolated from skin and soft-tissue animal and human bite wound infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2525-9	5.9	28
26	Comparative in vitro activities of GAR-936 against aerobic and anaerobic animal and human bite wound pathogens. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2747-51	5.9	60
25	Comparative In vitro activities of ertapenem (MK-0826) against 1,001 anaerobes isolated from human intra-abdominal infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2389-94	5.9	73
24	In vitro activities of fourteen antimicrobial agents against obligately anaerobic bacteria. <i>International Journal of Antimicrobial Agents</i> , 2000 , 16, 225-32	14.3	20
23	Occurrence of <i>Bacteroides fragilis</i> enterotoxin gene-carrying strains in Germany and the United States. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 1996-7	9.7	15
22	Activities of telithromycin (HMR 3647, RU 66647) compared to those of erythromycin, azithromycin, clarithromycin, roxithromycin, and other antimicrobial agents against unusual anaerobes. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 2801-5	5.9	42
21	Linezolid activity compared to those of selected macrolides and other agents against aerobic and anaerobic pathogens isolated from soft tissue bite infections in humans. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 1469-74	5.9	75
20	In vitro activity of gemifloxacin (SB 265805) against anaerobes. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 2231-5	5.9	38
19	Comparative in vitro activities of amoxicillin-clavulanate against aerobic and anaerobic bacteria isolated from antral puncture specimens from patients with sinusitis. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 705-7	5.9	15
18	Activities of gemifloxacin (SB 265805, LB20304) compared to those of other oral antimicrobial agents against unusual anaerobes. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 2726-30	5.9	31

17	Bacteriologic analysis of infected dog and cat bites. Emergency Medicine Animal Bite Infection Study Group. <i>New England Journal of Medicine</i> , 1999 , 340, 85-92	59.2	664
16	Activities of HMR 3004 (RU 64004) and HMR 3647 (RU 66647) compared to those of erythromycin, azithromycin, clarithromycin, roxithromycin, and eight other antimicrobial agents against unusual aerobic and anaerobic human and animal bite pathogens isolated from skin and soft tissue infections in humans. <i>Antimicrobial Agents and Chemotherapy</i> , 1998 , 42, 1127-32	5.9	60
15	Evaluation of the RapID CB Plus system for identification of <i>Corynebacterium</i> species and other gram-positive rods. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 543-7	9.7	25
14	Anaerobic bacteremia. <i>Clinical Infectious Diseases</i> , 1996 , 23 Suppl 1, S97-101	11.6	120
13	United States National Hospital Survey of anaerobic culture and susceptibility methods, II. <i>Anaerobe</i> , 1995 , 1, 309-14	2.8	23
12	Activity of ampicillin/sulbactam, ticarcillin/clavulanate, clarithromycin, and eleven other antimicrobial agents against anaerobic bacteria isolated from infections in children. <i>Clinical Infectious Diseases</i> , 1995 , 20 Suppl 2, S356-60	11.6	18
11	Comparative susceptibility of the <i>Bacteroides fragilis</i> group species and other anaerobic bacteria to meropenem, imipenem, piperacillin, ceftioxin, ampicillin/sulbactam, clindamycin and metronidazole. <i>Journal of Antimicrobial Chemotherapy</i> , 1993 , 31, 363-72	5.1	30
10	Fever in a couple vacationing in the mountains of southern California. <i>Clinical Infectious Diseases</i> , 1992 , 14, 1254-8	11.6	3
9	Bite wounds and infection. <i>Clinical Infectious Diseases</i> , 1992 , 14, 633-8	11.6	309
8	Ceftioxin in the treatment of aerobic and anaerobic infections. Prospective correlation of in vitro susceptibility methods with clinical outcome. <i>Hospital Practice (1995)</i> , 1990 , 25 Suppl 4, 38-45	2.2	11
7	Outpatient therapy of bite wounds. Demographic data, bacteriology, and a prospective, randomized trial of amoxicillin/clavulanic acid versus penicillin +/- dicloxacillin. <i>International Journal of Dermatology</i> , 1987 , 26, 123-7	1.7	44
6	Effect of carbon dioxide on erythromycin. <i>Antimicrobial Agents and Chemotherapy</i> , 1983 , 23, 325-7	5.9	13
5	Dog bite wounds and infection: a prospective clinical study. <i>Annals of Emergency Medicine</i> , 1980 , 9, 508-12	12.1	76
4	Animal and human bites	157-161	
3	Machine learning models to identify patient and microbial genetic factors associated with carbapenem-resistant <i>Klebsiella pneumoniae</i> infection		1
2	Diseases Transmitted by Cats	133-150	0
1	Fitness barriers to spread of colistin-resistant <i>Klebsiella pneumoniae</i> overcome by establishing niche in patient population with elevated colistin use		1