

Sangho Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2895696/publications.pdf>

Version: 2024-02-01

92
papers

1,759
citations

331538

21
h-index

302012

39
g-index

92
all docs

92
docs citations

92
times ranked

1864
citing authors

#	ARTICLE	IF	CITATIONS
1	Optically Left-Handed Nanoparticle Beads with Inductance-Capacitance Circuits at Visible-Near-Infrared Frequencies Based on Scalable Methods. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 7121-7129.	4.0	1
2	Using a reduced-order model to investigate the effect of the heart rate on the aortic dissection. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2022, 38, e3596.	1.0	5
3	Multiscale modeling of a modified Blalock-Taussig surgery in a patient-specific tetralogy of Fallot. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2021, 37, e3436.	1.0	2
4	Assessment of transient changes in oxygen diffusion of single red blood cells using a microfluidic analytical platform. <i>Communications Biology</i> , 2021, 4, 271.	2.0	10
5	Lipid-Oriented Live-Cell Distinction of B and T Lymphocytes. <i>Journal of the American Chemical Society</i> , 2021, 143, 5836-5844.	6.6	19
6	Vortex dynamics of veno-arterial extracorporeal circulation: A computational fluid dynamics study. <i>Physics of Fluids</i> , 2021, 33, .	1.6	11
7	Rapid one-step in situ synthesis of carbon nanoparticles with cellulosic paper for biosensing. <i>Sensors and Actuators B: Chemical</i> , 2021, 339, 129849.	4.0	1
8	Monolithic polymeric porous superhydrophobic material with pneumatic plastron stabilization for functionally durable drag reduction in blood-contacting biomedical applications. <i>NPG Asia Materials</i> , 2021, 13, .	3.8	18
9	Altered red blood cell deformability: A novel hypothesis for retinal microangiopathy in diabetic retinopathy. <i>Microcirculation</i> , 2020, 27, e12649.	1.0	6
10	An in vitro investigation into the hemodynamic effects of orifice geometry and position on left ventricular vortex formation and turbulence intensity. <i>Artificial Organs</i> , 2020, 44, e520-e531.	1.0	1
11	Vibration motor-integrated low-cost, miniaturized system for rapid quantification of red blood cell aggregation. <i>Lab on A Chip</i> , 2020, 20, 3930-3937.	3.1	14
12	The effect of the entry and re-entry size in the aortic dissection: a two-way fluid-structure interaction simulation. <i>Biomechanics and Modeling in Mechanobiology</i> , 2020, 19, 2643-2656.	1.4	13
13	The application of biomimicry to a mechanical valve design for the abatement of flow instabilities. <i>European Journal of Mechanics, B/Fluids</i> , 2019, 74, 19-33.	1.2	1
14	Single-cell Measurement of Red Blood Cell Oxygen Delivery Rate. <i>FASEB Journal</i> , 2019, 33, 684.14.	0.2	0
15	Red Blood Cell Deformability Distribution as a Risk Marker for Diabetic Microangiopathy. <i>FASEB Journal</i> , 2018, 32, 818.21.	0.2	0
16	Single-cell Measurement of Red Blood Cell Oxygen Delivery Rate. <i>FASEB Journal</i> , 2018, 32, 704.10.	0.2	0
17	Sequential venous anastomosis design to enhance patency of arterio-venous grafts for hemodialysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 85-93.	0.9	6
18	Nanowire Electrodes Integrated on Tip of Microwire for Peripheral Nerve Stimulation. <i>Journal of Microelectromechanical Systems</i> , 2017, 26, 921-925.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Mfsd2b is essential for the sphingosine-1-phosphate export in erythrocytes and platelets. <i>Nature</i> , 2017, 550, 524-528.	13.7	189
20	Hemodynamic assessment of extra-cardiac tricuspid valves using particle image velocimetry. <i>Medical Engineering and Physics</i> , 2017, 50, 1-11.	0.8	4
21	Numerical investigation on red blood cell dynamics in microflow: Effect of cell deformability. <i>Clinical Hemorheology and Microcirculation</i> , 2017, 65, 105-117.	0.9	5
22	Continuous Separation of White Blood Cells From Whole Blood Using Viscoelastic Effects. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2017, 11, 1431-1437.	2.7	21
23	Near-Wall Migration Dynamics of Erythrocytes in Vivo: Effects of Cell Deformability and Arteriolar Bifurcation. <i>Frontiers in Physiology</i> , 2017, 8, 963.	1.3	16
24	Biomimetic Precapillary Flow Patterns for Enhancing Blood Plasma Separation: A Preliminary Study. <i>Sensors</i> , 2016, 16, 1543.	2.1	3
25	Influence of erythrocyte aggregation at pathological levels on cell-free marginal layer in a narrow circular tube. <i>Clinical Hemorheology and Microcirculation</i> , 2016, 61, 445-457.	0.9	5
26	Two-stage sample-to-answer system based on nucleic acid amplification approach for detection of malaria parasites. <i>Biosensors and Bioelectronics</i> , 2016, 82, 1-8.	5.3	23
27	High-throughput malaria parasite separation using a viscoelastic fluid for ultrasensitive PCR detection. <i>Lab on A Chip</i> , 2016, 16, 2086-2092.	3.1	48
28	Symmetry recovery of cell-free layer after bifurcations of small arterioles in reduced flow conditions: effect of RBC aggregation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 311, H487-H497.	1.5	5
29	Visualization and Quantification of the Cell-free Layer in Arterioles of the Rat Cremaster Muscle. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	0
30	A biomimetic bi-leaflet mitral prosthesis with enhanced physiological left ventricular swirl restorative capability. <i>Experiments in Fluids</i> , 2016, 57, 1.	1.1	3
31	Recovery of cell-free layer and wall shear stress profile symmetry downstream of an arteriolar bifurcation. <i>Microvascular Research</i> , 2016, 106, 14-23.	1.1	10
32	Erythrocyte aggregation may promote uneven spatial distribution of NO/O in the downstream vessel of arteriolar bifurcations. <i>Journal of Biomechanics</i> , 2016, 49, 2241-2248.	0.9	6
33	Red blood cells in retinal vascular disorders. <i>Blood Cells, Molecules, and Diseases</i> , 2016, 56, 53-61.	0.6	19
34	A D-Shaped Bileaflet Bioprosthesis which Replicates Physiological Left Ventricular Flow Patterns. <i>PLoS ONE</i> , 2016, 11, e0156580.	1.1	8
35	Hybrid capillary-inserted microfluidic device for sheathless particle focusing and separation in viscoelastic flow. <i>Biomicrofluidics</i> , 2015, 9, 064117.	1.2	41
36	In Vitro Investigation of the Hemodynamics of Transcatheter Heterotopic Valves Implantation in the Cavo-Atrial Junction. <i>Artificial Organs</i> , 2015, 39, 803-814.	1.0	10

#	ARTICLE	IF	CITATIONS
37	Microfluidic device for sheathless particle focusing and separation using a viscoelastic fluid. <i>Journal of Chromatography A</i> , 2015, 1406, 244-250.	1.8	60
38	Effect of erythrocyte aggregation at pathological levels on NO/O ₂ transport in small arterioles. <i>Clinical Hemorheology and Microcirculation</i> , 2015, 59, 163-175.	0.9	7
39	A review of numerical methods for red blood cell flow simulation. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 130-140.	0.9	48
40	Two-dimensional transient model for prediction of arteriolar NO/O ₂ modulation by spatiotemporal variations in cell-free layer width. <i>Microvascular Research</i> , 2015, 97, 88-97.	1.1	9
41	Numerical Modeling of Intraventricular Flow during Diastole after Implantation of BMHV. <i>PLoS ONE</i> , 2015, 10, e0126315.	1.1	17
42	Alteration of Blood Flow in a Venular Network by Infusion of Dextran 500: Evaluation with a Laser Speckle Contrast Imaging System. <i>PLoS ONE</i> , 2015, 10, e0140038.	1.1	12
43	Two-dimensional strain-hardening membrane model for large deformation behavior of multiple red blood cells in high shear conditions. <i>Theoretical Biology and Medical Modelling</i> , 2014, 11, 19.	2.1	12
44	Numerical simulation of patient-specific left ventricular model with both mitral and aortic valves by FSI approach. <i>Computer Methods and Programs in Biomedicine</i> , 2014, 113, 474-482.	2.6	59
45	Numerical investigation of blood flow in three-dimensional porcine left anterior descending artery with various stenoses. <i>Computers in Biology and Medicine</i> , 2014, 47, 130-138.	3.9	22
46	Effect of uneven red cell influx on formation of cell-free layer in small venules. <i>Microvascular Research</i> , 2014, 92, 19-24.	1.1	9
47	Physiological Significance of Cell-Free Layer and Experimental Determination of its Width in Microcirculatory Vessels. <i>Lecture Notes in Computational Vision and Biomechanics</i> , 2014, , 75-87.	0.5	6
48	Computational Simulation of NO/O ₂ Transport in Arterioles: Role of Cell-Free Layer. <i>Lecture Notes in Computational Vision and Biomechanics</i> , 2014, , 89-100.	0.5	1
49	Effect of low molecular weight dextrans on erythrocyte aggregation. <i>Macromolecular Research</i> , 2013, 21, 1042-1044.	1.0	1
50	Effect of Erythrocyte Aggregation on Spatiotemporal Variations in Cell-Free Layer Formation Near on Arteriolar Bifurcation. <i>Microcirculation</i> , 2013, 20, 440-453.	1.0	15
51	Two-phase model for prediction of cell-free layer width in blood flow. <i>Microvascular Research</i> , 2013, 85, 68-76.	1.1	7
52	Effect of deformability difference between two erythrocytes on their aggregation. <i>Physical Biology</i> , 2013, 10, 036001.	0.8	18
53	Computational fluid modeling and performance analysis of a bidirectional rotating perfusion culture system. <i>Biotechnology Progress</i> , 2013, 29, 1002-1012.	1.3	4
54	Special Issue on Research in Biomedical Engineering at National University of Singapore: At the forefront of research in 21st Century. <i>Critical Reviews in Biomedical Engineering</i> , 2013, 41, vii.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Numerical Simulations of Deformation and Aggregation of Red Blood Cells in Shear Flow. <i>Critical Reviews in Biomedical Engineering</i> , 2013, 41, 425-434.	0.5	4
56	Application of refutas model to estimate erythrocyte viscosity in a dextran solution. <i>Macromolecular Research</i> , 2012, 20, 887-890.	1.0	1
57	Spatio-temporal variations in cell-free layer formation near bifurcations of small arterioles. <i>Microvascular Research</i> , 2012, 83, 118-125.	1.1	29
58	Effects of cell-free layer formation on NO/O2 bioavailability in small arterioles. <i>Microvascular Research</i> , 2012, 83, 168-177.	1.1	6
59	Changes in microarchitectural characteristics at the tibial epiphysis induced by collagen-induced rheumatoid arthritis over time. <i>Clinical Interventions in Aging</i> , 2012, 7, 373.	1.3	1
60	Alteration patterns of trabecular bone microarchitectural characteristics induced by osteoarthritis over time. <i>Clinical Interventions in Aging</i> , 2012, 7, 303.	1.3	12
61	Study of time-dependent characteristics of a syllectogram in the presence of aggregation inhibition. <i>International Journal of Precision Engineering and Manufacturing</i> , 2012, 13, 421-428.	1.1	3
62	Numerical simulation of time-dependent NO/O2 transport in arterioles. <i>FASEB Journal</i> , 2012, 26, 860.7.	0.2	0
63	Numerical simulation of blood flow with different red blood cell deformability. <i>FASEB Journal</i> , 2012, 26, 859.12.	0.2	0
64	A microfluidic sensor for human hydration level monitoring. , 2011, , .		3
65	Temporal variations of the cell-free layer width may enhance NO bioavailability in small arterioles: Effects of erythrocyte aggregation. <i>Microvascular Research</i> , 2011, 81, 303-312.	1.1	18
66	Modulation of NO Bioavailability by Temporal Variation of the Cell-Free Layer Width in Small Arterioles. <i>Annals of Biomedical Engineering</i> , 2011, 39, 1012-1023.	1.3	13
67	Cell-Free Layer Formation in Small Arterioles at Pathological Levels of Erythrocyte Aggregation. <i>Microcirculation</i> , 2011, 18, 541-551.	1.0	21
68	Effect of Cell-Free Layer Variation on Arteriolar Wall Shear Stress. <i>Annals of Biomedical Engineering</i> , 2011, 39, 359-366.	1.3	32
69	An automated method for cell-free layer width determination in small arterioles. <i>Physiological Measurement</i> , 2011, 32, N1-N12.	1.2	13
70	A comparative study of histogram-based thresholding methods for the determination of cell-free layer width in small blood vessels. <i>Physiological Measurement</i> , 2010, 31, N61-N70.	1.2	15
71	Effect of erythrocyte aggregation and flow rate on cell-free layer formation in arterioles. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H1870-H1878.	1.5	59
72	Study of time-dependent characteristics of a syllectogram in the presence of aggregation inhibition. <i>FASEB Journal</i> , 2010, 24, 1065.2.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Plasma Separation from Blood: The 'Lab-on-a-Chip' Approach. Critical Reviews in Biomedical Engineering, 2009, 37, 517-529.	0.5	20
74	Computational fluid dynamics of aggregating red blood cells in postcapillary venules. Computer Methods in Biomechanics and Biomedical Engineering, 2009, 12, 385-397.	0.9	5
75	Effect of dextran on rheological properties of rat blood. Journal of Mechanical Science and Technology, 2009, 23, 868-873.	0.7	11
76	Determination of rheological properties of whole blood with a scanning capillary-tube rheometer using constitutive models. Journal of Mechanical Science and Technology, 2009, 23, 1718-1726.	0.7	24
77	The cell-free layer in microvascular blood flow. Biorheology, 2009, 46, 181-189.	1.2	138
78	Effect of erythrocyte aggregation and flow rate on temporal variation of cell-free layer width in arterioles. FASEB Journal, 2009, 23, 948.7.	0.2	0
79	Effects of cell-free layer width and its variability on wall shear stress in arterioles. FASEB Journal, 2009, 23, .	0.2	0
80	Effect of dextran 500 on radial migration of erythrocytes in postcapillary venules at low flow rates. MCB Molecular and Cellular Biomechanics, 2009, 6, 83-91.	0.3	1
81	Effect of Dextran 500 on radial migration of erythrocytes in postcapillary venules at low flow rates. FASEB Journal, 2008, 22, 39-39.	0.2	0
82	Contributions of collision rate and collision efficiency to erythrocyte aggregation in postcapillary venules at low flow rates. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H1947-H1954.	1.5	12
83	Temporal and spatial variations of cell-free layer width in arterioles. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H1526-H1535.	1.5	139
84	CONTRIBUTIONS OF COLLISION RATE AND COLLISION EFFICIENCY TO ERYTHROCYTE AGGREGATION IN POSTCAPILLARY VENULES AT LOW FLOW RATES(3D2 Biorheology & Microcirculation I). The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics, 2007, 2007.3, S229.	0.0	0
85	Red blood cell velocity profiles in skeletal muscle venules at low flow rates are described by the Casson model. Clinical Hemorheology and Microcirculation, 2007, 36, 217-33.	0.9	10
86	A Computer-Based Method for Determination of the Cell-Free Layer Width in Microcirculation. Microcirculation, 2006, 13, 199-207.	1.0	66
87	Effect of erythrocyte aggregation at normal human levels on functional capillary density in rat spinotrapezius muscle. American Journal of Physiology - Heart and Circulatory Physiology, 2006, 290, H941-H947.	1.5	46
88	Aggregate formation of erythrocytes in postcapillary venules. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 288, H584-H590.	1.5	58
89	The effect of dye concentration on the viscosity of water in a scanning capillary-tube viscometer. Journal of Non-Newtonian Fluid Mechanics, 2003, 111, 63-68.	1.0	12
90	A method of isolating surface tension and yield stress effects in a U-shaped scanning capillary-tube viscometer using a Casson model. Journal of Non-Newtonian Fluid Mechanics, 2002, 103, 205-219.	1.0	63

#	ARTICLE	IF	CITATIONS
91	A new method for blood viscosity measurement. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2000, 94, 47-56.	1.0	66
92	A scanning dual-capillary-tube viscometer. <i>Review of Scientific Instruments</i> , 2000, 71, 3188-3192.	0.6	23