

Hyung Don Ryoo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2896167/publications.pdf>

Version: 2024-02-01

43
papers

2,778
citations

218677

26
h-index

265206

42
g-index

110
all docs

110
docs citations

110
times ranked

3149
citing authors

#	ARTICLE	IF	CITATIONS
1	Drosophila Unfolded Protein Response (UPR) Assays In Vitro and In Vivo. <i>Methods in Molecular Biology</i> , 2022, 2378, 261-277.	0.9	2
2	A protein-trap allele reveals roles for <i>Drosophila</i> ATF4 in photoreceptor degeneration, oogenesis and wing development. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .	2.4	7
3	Periphery signals generated by Piezo-mediated stomach stretch and Neuromedin-mediated glucose load regulate the <i>Drosophila</i> brain nutrient sensor. <i>Neuron</i> , 2021, 109, 1979-1995.e6.	8.1	32
4	The role of Ire1 in <i>Drosophila</i> eye pigmentation revealed by an RNase dead allele. <i>Developmental Biology</i> , 2021, 478, 205-211.	2.0	1
5	The transcription factor Xrp1 is required for PERK-mediated antioxidant gene induction in <i>Drosophila</i> . <i>ELife</i> , 2021, 10, .	6.0	30
6	<i>Drosophila</i> fabp is required for light-dependent Rhodopsin-1 clearance and photoreceptor survival. <i>PLoS Genetics</i> , 2021, 17, e1009551.	3.5	11
7	Translational induction of ATF4 during integrated stress response requires noncanonical initiation factors eIF2D and DENR. <i>Nature Communications</i> , 2020, 11, 4677.	12.8	49
8	Neuronally expressed anti-tau scFv prevents tauopathy-induced phenotypes in <i>Drosophila</i> models. <i>Neurobiology of Disease</i> , 2020, 137, 104770.	4.4	22
9	The unfolded protein response in metazoan development. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	38
10	Triazolo[4,5-d]pyrimidines as Validated General Control Nonderepressible 2 (GCN2) Protein Kinase Inhibitors Reduce Growth of Leukemia Cells. <i>Computational and Structural Biotechnology Journal</i> , 2018, 16, 350-360.	4.1	7
11	highroad Is a Carboxypeptidase Induced by Retinoids to Clear Mutant Rhodopsin-1 in <i>Drosophila</i> Retinitis Pigmentosa Models. <i>Cell Reports</i> , 2018, 22, 1384-1391.	6.4	14
12	4E-BP is a target of the GCN2-ATF4 pathway during <i>Drosophila</i> development and aging. <i>Journal of Cell Biology</i> , 2017, 216, 115-129.	5.2	74
13	The requirement of IRE1-XBP1 in resolving physiological stress during <i>Drosophila</i> development. <i>Journal of Cell Science</i> , 2017, 130, 3040-3049.	2.0	34
14	The GCN2-ATF4 Signaling Pathway Induces 4E-BP to Bias Translation and Boost Antimicrobial Peptide Synthesis in Response to Bacterial Infection. <i>Cell Reports</i> , 2017, 21, 2039-2047.	6.4	26
15	Two distinct nodes of translational inhibition in the Integrated Stress Response. <i>BMB Reports</i> , 2017, 50, 539-545.	2.4	40
16	Long and short (timeframe) of endoplasmic reticulum stress-induced cell death. <i>FEBS Journal</i> , 2016, 283, 3718-3722.	4.7	30
17	Detection of Cell Death in <i>Drosophila</i> Tissues. <i>Methods in Molecular Biology</i> , 2016, 1419, 131-144.	0.9	15
18	Role of <i>Drosophila</i> EDEMs in the degradation of the alpha-1-antitrypsin Z variant. <i>International Journal of Molecular Medicine</i> , 2015, 35, 870-876.	4.0	8

#	ARTICLE	IF	CITATIONS
19	Regulation of Cell Death by IAPs and Their Antagonists. <i>Current Topics in Developmental Biology</i> , 2015, 114, 185-208.	2.2	54
20	PERK Limits <i>Drosophila</i> Lifespan by Promoting Intestinal Stem Cell Proliferation in Response to ER Stress. <i>PLoS Genetics</i> , 2015, 11, e1005220.	3.5	86
21	A <i>Drosophila</i> Reporter for the Translational Activation of ATF4 Marks Stressed Cells during Development. <i>PLoS ONE</i> , 2015, 10, e0126795.	2.5	42
22	<i>Drosophila</i> as a model for unfolded protein response research. <i>BMB Reports</i> , 2015, 48, 445-453.	2.4	56
23	Hyperactivated Wnt Signaling Induces Synthetic Lethal Interaction with Rb Inactivation by Elevating TORC1 Activities. <i>PLoS Genetics</i> , 2014, 10, e1004357.	3.5	15
24	Integration of UPRER and Oxidative Stress Signaling in the Control of Intestinal Stem Cell Proliferation. <i>PLoS Genetics</i> , 2014, 10, e1004568.	3.5	100
25	Xbp1-Independent Ire1 Signaling Is Required for Photoreceptor Differentiation and Rhabdomere Morphogenesis in <i>Drosophila</i> . <i>Cell Reports</i> , 2013, 5, 791-801.	6.4	64
26	CDK7 Regulates the Mitochondrial Localization of a Tail-Anchored Proapoptotic Protein, Hid. <i>Cell Reports</i> , 2013, 5, 1481-1488.	6.4	15
27	A modified UPR stress sensing system reveals a novel tissue distribution of IRE1/XBP1 activity during normal <i>Drosophila</i> development. <i>Cell Stress and Chaperones</i> , 2013, 18, 307-319.	2.9	68
28	<i>Drosophila</i> XBP1 Expression Reporter Marks Cells under Endoplasmic Reticulum Stress and with High Protein Secretory Load. <i>PLoS ONE</i> , 2013, 8, e75774.	2.5	36
29	Pro-apoptotic signaling pathway by CDK5 and MEK1. <i>Cell Cycle</i> , 2012, 11, 1746-1747.	2.6	3
30	The Role of Apoptosis-Induced Proliferation for Regeneration and Cancer. <i>Cold Spring Harbor Perspectives in Biology</i> , 2012, 4, a008797-a008797.	5.5	186
31	CDK5 and MEK1 mediate pro-apoptotic signalling following endoplasmic reticulum stress in an autosomal dominant retinitis pigmentosa model. <i>Nature Cell Biology</i> , 2012, 14, 409-415.	10.3	79
32	Distinct death mechanisms in <i>Drosophila</i> development. <i>Current Opinion in Cell Biology</i> , 2010, 22, 889-895.	5.4	61
33	<i>Drosophila</i> IAP antagonists form multimeric complexes to promote cell death. <i>Journal of Cell Biology</i> , 2010, 190, 1039-1052.	5.2	63
34	Impaired tissue growth is mediated by checkpoint kinase 1 (CHK1) in the integrated stress response. <i>Journal of Cell Science</i> , 2010, 123, 2892-2900.	2.0	38
35	Suppression of retinal degeneration in <i>Drosophila</i> by stimulation of ER-associated degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 17043-17048.	7.1	85
36	ER stress protects from retinal degeneration. <i>EMBO Journal</i> , 2009, 28, 1296-1307.	7.8	94

#	ARTICLE	IF	CITATIONS
37	Regulation of the <i>Drosophila</i> apoptosome through feedback inhibition. <i>Nature Cell Biology</i> , 2008, 10, 1440-1446.	10.3	54
38	STAT92E is a positive regulator of <i>Drosophila</i> inhibitor of apoptosis 1 (DIAP/1) and protects against radiation-induced apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 13805-13810.	7.1	35
39	Unfolded Protein Response in <i>Drosophila</i> : Why Another Model Can Make It Fly. <i>Cell Cycle</i> , 2007, 6, 830-835.	2.6	38
40	Unfolded protein response in a <i>Drosophila</i> model for retinal degeneration. <i>EMBO Journal</i> , 2007, 26, 242-252.	7.8	253
41	Developmental apoptosis in health and disease. , 2005, , 49-74.		1
42	Apoptotic Cells Can Induce Compensatory Cell Proliferation through the JNK and the Wingless Signaling Pathways. <i>Developmental Cell</i> , 2004, 7, 491-501.	7.0	546
43	Regulation of <i>Drosophila</i> IAP1 degradation and apoptosis by reaper and ubcD1. <i>Nature Cell Biology</i> , 2002, 4, 432-438.	10.3	263