Philip Scheltens

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2896216/philip-scheltens-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89,592 131 1,347 272 h-index g-index citations papers 107,631 7.88 1,593 5.9 ext. citations L-index avg, IF ext. papers

#	Paper	IF	Citations
1347	Differential associations between neocortical tau pathology and blood flow with cognitive deficits in early-onset vs late-onset Alzheimer's disease <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022 , 1	8.8	1
1346	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum JAMA Neurology, 2022 ,	17.2	9
1345	Validation and test-retest repeatability performance of parametric methods for [C]UCB-J PET <i>EJNMMI Research</i> , 2022 , 12, 3	3.6	
1344	Considerations regarding a diagnosis of Alzheimer's disease before dementia: a systematic review <i>Alzheimeris Research and Therapy</i> , 2022 , 14, 31	9	4
1343	Grey matter network markers identify individuals with prodromal Alzheimer's disease who will show rapid clinical decline <i>Brain Communications</i> , 2022 , 4, fcac026	4.5	O
1342	The Impact of Amyloid PET Disclosure on Quality of Life in Patients With Young Onset Dementia <i>Alzheimer Disease and Associated Disorders</i> , 2022 , 36, 1-6	2.5	
1341	Vascular Cognitive Impairment and cognitive decline; a longitudinal study comparing different types of vascular brain injury - The TRACE-VCI study. <i>Cerebral Circulation - Cognition and Behavior</i> , 2022 , 3, 100141	Ο	O
1340	Decreased integrity of the monoaminergic tract is associated with a positive response to MPH in patients with vascular cognitive impairment - proof of principle study STREAM-VCI. <i>Cerebral Circulation - Cognition and Behavior</i> , 2022 , 3, 100128	О	
1339	CSF proteomic signature predicts progression to Alzheimer's disease dementia <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2022 , 8, e12240	6	
1338	Sensitive and reproducible MEG resting-state metrics of functional connectivity in Alzheimer's disease <i>Alzheimeris Research and Therapy</i> , 2022 , 14, 38	9	2
1337	The Importance of Phase 2 in Drug Development for Alzheimer Disease 2022 , 150-161		
1336	Cerebrospinal fluid tau levels are associated with abnormal neuronal plasticity markers in Alzheimer's disease <i>Molecular Neurodegeneration</i> , 2022 , 17, 27	19	1
1335	Genome-Wide Association Study of Alzheimer's Disease Brain Imaging Biomarkers and Neuropsychological Phenotypes in the European Medical Information Framework for Alzheimer's Disease Multimodal Biomarker Discovery Dataset <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 840651	5.3	O
1334	Giving meaning to the scores of the Amsterdam instrumental activities of daily living questionnaire: a qualitative study <i>Health and Quality of Life Outcomes</i> , 2022 , 20, 47	3	
1333	Identifying best practices for disclosure of amyloid imaging results: A randomized controlled trial <i>Alzheimeris and Dementia</i> , 2022 ,	1.2	2
1332	New insights into the genetic etiology of Alzheimer's disease and related dementias <i>Nature Genetics</i> , 2022 ,	36.3	27
1331	Effects of age, amyloid, sex, and 🛭 on the CSF proteome in normal cognition <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022 , 14, e12286	5.2	

(2021-2021)

1330	Everyday Functioning in a Community-Based Volunteer Population: Differences Between Participant- and Study Partner-Report <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 761932	5.3	0	
1329	Research Criteria for the Behavioral Variant of Alzheimer Disease: A Systematic Review and Meta-analysis. <i>JAMA Neurology</i> , 2021 ,	17.2	7	
1328	Gut Microbiota Composition Is Related to AD Pathology Frontiers in Immunology, 2021, 12, 794519	8.4	7	
1327	The Alzheimer's disease drug development landscape. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 186	9	7	
1326	The probabilistic model of Alzheimer disease: the amyloid hypothesis revised. <i>Nature Reviews Neuroscience</i> , 2021 ,	13.5	17	
1325	Modifiable risk factors for dementia and dementia risk profiling. A user manual for Brain Health Services-part 2 of 6. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 169	9	10	
1324	Dementia risk communication. A user manual for Brain Health Services-part 3 of 6. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 170	9	5	
1323	Protocols for cognitive enhancement. A user manual for Brain Health Services-part 5 of 6. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 172	9	6	
1322	Brain Health Services: organization, structure, and challenges for implementation. A user manual for Brain Health Services-part 1 of 6. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 168	9	6	
1321	Multidomain interventions: state-of-the-art and future directions for protocols to implement precision dementia risk reduction. A user manual for Brain Health Services-part 4 of 6. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 171	9	8	
1320	Polygenic Risk Score of Longevity Predicts Longer Survival Across an Age Continuum. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 750-759	6.4	2	
1319	What Determines Cognitive Functioning in the Oldest-Old? The EMIF-AD 90+ Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021 , 76, 1499-1511	4.6	4	
1318	Frontotemporal dementia, music perception and social cognition share neurobiological circuits: A meta-analysis. <i>Brain and Cognition</i> , 2021 , 148, 105660	2.7	6	
1317	Replication study of plasma proteins relating to Alzheimer's pathology. <i>Alzheimeris and Dementia</i> , 2021 , 17, 1452-1464	1.2	4	
1316	The bvFTD phenocopy syndrome: a case study supported by repeated MRI, [F]FDG-PET and pathological assessment. <i>Neurocase</i> , 2021 , 27, 181-189	0.8	2	
1315	Onset of Preclinical Alzheimer Disease in Monozygotic Twins. <i>Annals of Neurology</i> , 2021 , 89, 987-1000	9.4	5	
1314	The predictive value of normal EEGs in dementia due to Alzheimer's disease. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 1038-1048	5.3	О	
1313	Early life involvement in C9orf72 repeat expansion carriers. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	3	

1312	Application of the ATN classification scheme in a population without dementia: Findings from the EPAD cohort. <i>Alzheimeris and Dementia</i> , 2021 , 17, 1189-1204	1.2	9
1311	Gene Expression Imputation Across Multiple Tissue Types Provides Insight Into the Genetic Architecture of Frontotemporal Dementia and Its Clinical Subtypes. <i>Biological Psychiatry</i> , 2021 , 89, 825	-8 ⁷ 35	3
1310	Alzheimer's disease. <i>Lancet, The</i> , 2021 , 397, 1577-1590	40	245
1309	Heterogeneous distribution of tau pathology in the behavioural variant of Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2021,	5.5	8
1308	Finding Treatment Effects in Alzheimer Trials in the Face of Disease Progression Heterogeneity. <i>Neurology</i> , 2021 , 96, e2673-e2684	6.5	8
1307	Clinical Phenotypes of Behavioral Variant Frontotemporal Dementia by Age at Onset. <i>Journal of Alzheimeris Disease</i> , 2021 , 82, 381-390	4.3	2
1306	A phase 2 double-blind placebo-controlled 24-week treatment clinical study of the p38 alpha kinase inhibitor neflamapimod in mild Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 106	9	8
1305	TMEM106B and CPOX are genetic determinants of cerebrospinal fluid Alzheimer's disease biomarker levels. <i>Alzheimeris and Dementia</i> , 2021 , 17, 1628-1640	1.2	4
1304	Highly specific and ultrasensitive plasma test detects Abeta(1-42) and Abeta(1-40) in Alzheimer's disease. <i>Scientific Reports</i> , 2021 , 11, 9736	4.9	18
1303	ADAMANT: a placebo-controlled randomized phase 2 study of AADvac1, an active immunotherapy against pathological tau in Alzheimer disease. <i>Nature Aging</i> , 2021 , 1, 521-534		17
1302	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021 , 12, 3417	17.4	23
1301	SORL1 deficiency in human excitatory neurons causes APP-dependent defects in the endolysosome-autophagy network. <i>Cell Reports</i> , 2021 , 35, 109259	10.6	12
1300	The plasma peptides of Alzheimer's disease. <i>Clinical Proteomics</i> , 2021 , 18, 17	5	2
1299	Plasma amyloid-Ibligomerization assay as a pre-screening test for amyloid status. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 133	9	6
1298	The natural history of primary progressive aphasia: beyond aphasia. Journal of Neurology, 2021, 1	5.5	1
1297	Rivastigmine for minor visual hallucinations in Parkinson's disease: A randomized controlled trial with 24 months follow-up. <i>Brain and Behavior</i> , 2021 , 11, e2257	3.4	2
1296	[F]Flortaucipir PET Across Various Mutations in Presymptomatic and Symptomatic Carriers. <i>Neurology</i> , 2021 , 97, e1017-e1030	6.5	3
1295	Tau PET correlates with different Alzheimer's disease-related features compared to CSF and plasma p-tau biomarkers. <i>EMBO Molecular Medicine</i> , 2021 , 13, e14398	12	8

1294	Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 426-438	3.1	10
1293	Kinetics and 28-day test-retest repeatability and reproducibility of [C]UCB-J PET brain imaging. Journal of Cerebral Blood Flow and Metabolism, 2021 , 41, 1338-1350	7.3	4
1292	Circulating metabolites are associated with brain atrophy and white matter hyperintensities. <i>Alzheimeris and Dementia</i> , 2021 , 17, 205-214	1.2	3
1291	Physical exercise improves quality of life, depressive symptoms, and cognition across chronic brain disorders: a transdiagnostic systematic review and meta-analysis of randomized controlled trials. <i>Journal of Neurology</i> , 2021 , 268, 1222-1246	5.5	49
1290	Association of Cognitive Function Trajectories in Centenarians With Postmortem Neuropathology, Physical Health, and Other Risk Factors for Cognitive Decline. <i>JAMA Network Open</i> , 2021 , 4, e2031654	10.4	5
1289	Risk of dementia in A carriers is mitigated by a polygenic risk score. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12229	5.2	2
1288	Differential patterns of gray matter volumes and associated gene expression profiles in cognitively-defined Alzheimer's disease subgroups. <i>NeuroImage: Clinical</i> , 2021 , 30, 102660	5.3	3
1287	Biomarker testing in MCI patients-deciding who to test. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 14	9	0
1286	Four subgroups based on tau levels in Alzheimer's disease observed in two independent cohorts. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 2	9	5
1285	Amyloid-🏿 cortical thickness, and subsequent cognitive decline in cognitively normal oldest-old. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 348-358	5.3	3
1284	White matter microstructure disruption in early stage amyloid pathology. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12124	5.2	2
1283	Non-invasive Standardised Uptake Value for Verification of the Use of Previously Validated Reference Region for [F]Flortaucipir and [F]Florbetapir Brain PET Studies. <i>Molecular Imaging and Biology</i> , 2021 , 23, 550-559	3.8	
1282	Routine magnetoencephalography in memory clinic patients: A machine learning approach. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12227	5.2	3
1281	Commentary: Aducanumab: Appropriate Use Recommendations. <i>journal of prevention of Alzheimeris disease, The</i> , 2021 , 8, 412-413	3.8	O
1280	Visual assessment of [F]flutemetamol PET images can detect early amyloid pathology and grade its extent. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2169-2182	8.8	5
1279	In vivo tau pathology is associated with synaptic loss and altered synaptic function. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 35	9	15
1278	Cerebrospinal fluid N-224 tau helps discriminate Alzheimer's disease from subjective cognitive decline and other dementias. <i>Alzheimeris Research and Therapy</i> , 2021 , 13, 38	9	4
1277	The Right Temporal Variant of Frontotemporal Dementia Is Not Genetically Sporadic: A Case Series. Journal of Alzheimeris Disease, 2021 , 79, 1195-1201	4.3	5

1276	Serum markers glial fibrillary acidic protein and neurofilament light for prognosis and monitoring in cognitively normal older people: a prospective memory clinic-based cohort study. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e87-e95	9.5	21
1275	Rationale and study design of a randomized, placebo-controlled, double-blind phase 2b trial to evaluate efficacy, safety, and tolerability of an oral glutaminyl cyclase inhibitor varoglutamstat (PQ912) in study participants with MCI and mild AD-VIVIAD. <i>Alzheimeris Research and Therapy</i> , 2021	9	1
1274	Right temporal variant frontotemporal dementia is pathologically heterogeneous: a case-series and a systematic review. <i>Acta Neuropathologica Communications</i> , 2021 , 9, 131	7.3	2
1273	CSF Proteomic Alzheimer's Disease-Predictive Subtypes in Cognitively Intact Amyloid Negative Individuals. <i>Proteomes</i> , 2021 , 9,	4.6	2
1272	Genetics Contributes to Concomitant Pathology and Clinical Presentation in Dementia with Lewy Bodies. <i>Journal of Alzheimeris Disease</i> , 2021 , 83, 269-279	4.3	3
1271	Neuropsychiatric and Cognitive Symptoms Across the Alzheimer Disease Clinical Spectrum: Cross-sectional and Longitudinal Associations. <i>Neurology</i> , 2021 , 97, e1276-e1287	6.5	8
1270	Responding to responsive behaviour in Alzheimer's disease - Author's reply. <i>Lancet, The</i> , 2021 , 398, 842	40	1
1269	Amyloid-driven disruption of default mode network connectivity in cognitively healthy individuals. <i>Brain Communications</i> , 2021 , 3, fcab201	4.5	2
1268	Genome-wide association study of frontotemporal dementia identifies a C9ORF72 haplotype with a median of 12-G4C2 repeats that predisposes to pathological repeat expansions. <i>Translational Psychiatry</i> , 2021 , 11, 451	8.6	О
1267	BDNF-Met polymorphism and amyloid-beta in relation to cognitive decline in cognitively normal elderly: the SCIENCe project. <i>Neurobiology of Aging</i> , 2021 , 108, 146-154	5.6	2
1266	Comparing CSF amyloid-beta biomarker ratios for two automated immunoassays, Elecsys and Lumipulse, with amyloid PET status. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12182	5.2	3
1265	Identifying relevant outcomes in the progression of Alzheimer's disease; what do patients and care partners want to know about prognosis?. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12189	6	1
1264	Differential trajectories of hypometabolism across cognitively-defined Alzheimer's disease subgroups. <i>NeuroImage: Clinical</i> , 2021 , 31, 102725	5.3	0
1263	Dutch Brain Research Registry for study participant recruitment: Design and first results. Alzheimeris and Dementia: Translational Research and Clinical Interventions, 2021 , 7, e12132	6	6
1262	Psychosocial effects of Corona virus measures on (pre-)dementia patients during 2 lockdown <i>Alzheimeris and Dementia</i> , 2021 , 17 Suppl 7, e053995	1.2	
1261	The protective gene dose effect of the APOE 2 allele on gray matter volume in cognitively unimpaired individuals. <i>Alzheimeris and Dementia</i> , 2021 ,	1.2	4
1260	The Effect of Alzheimer's Disease-Associated Genetic Variants on Longevity <i>Frontiers in Genetics</i> , 2021 , 12, 748781	4.5	1
1259	EEG slowing in predementia Alzheimer's disease is compatible with neuronal hyperactivity: A multiscale computational modeling study <i>Alzheimeris and Dementia</i> , 2021 , 17 Suppl 3, e053535	1.2	

1258	Neuropathological hallmarks of Alzheimer's disease in centenarians, in the context of aging <i>Alzheimeris and Dementia</i> , 2021 , 17 Suppl 3, e053600	1.2	
1257	Neuroproteomics of cognitively healthy centenarians in the context of aging and Alzheimer's disease <i>Alzheimeris and Dementia</i> , 2021 , 17 Suppl 3, e053681	1.2	
1256	Immune protein levels in cerebrospinal fluid: Associations with memory scores across the AD spectrum <i>Alzheimeris and Dementia</i> , 2021 , 17 Suppl 3, e055451	1.2	
1255	Identification of plasma proteome signatures associated with ATN framework using SOMAscan. <i>Alzheimeris and Dementia</i> , 2020 , 16, e036954	1.2	1
1254	Amyloid-ICSF/PET discordance vs tau load 5 years later: It takes two to tangle. <i>Alzheimeris and Dementia</i> , 2020 , 16, e037246	1.2	
1253	Operationalization of the ATN classification scheme in preclinical AD: Findings from EPAD V500.0 data release. <i>Alzheimeris and Dementia</i> , 2020 , 16, e037912	1.2	
1252	Relationship between clinical symptomatology and disease burden in dementia with Lewy bodies: An overview of the DEvELOP baseline results. <i>Alzheimeris and Dementia</i> , 2020 , 16, e039306	1.2	
1251	Associations of nutritional parameters with clinical progression in patients with subjective cognitive decline, mild cognitive impairment and Alzheimer disease: The NUDAD project. <i>Alzheimeris and Dementia</i> , 2020 , 16, e039848	1.2	
1250	Gait disturbances are associated with increased CSF tau levels in a memory clinic cohort. <i>Alzheimeris and Dementia</i> , 2020 , 16, e040152	1.2	
1249	Neuronal network hyperactivity in computational models of AD. <i>Alzheimeris and Dementia</i> , 2020 , 16, e040407	1.2	
1248	MEG detects abnormal hippocampal activity in amyloid-positive MCI. <i>Alzheimeris and Dementia</i> , 2020 , 16, e040796	1.2	1
1247	Interneuron hyperexcitability as both causal factor and risk factor in Alzheimer disease. <i>Alzheimeris and Dementia</i> , 2020 , 16, e040877	1.2	2
1246	Impact of the disclosure of amyloid-PET results to patients with subjective cognitive decline: the AMYPAD Diagnostic and Patient Management Study (DPMS). <i>Alzheimeris and Dementia</i> , 2020 , 16, e0409) 12	
1245	Tau pathology, relative cerebral flow and cognition in dementia with Lewy bodies. <i>Alzheimeris and Dementia</i> , 2020 , 16, e041048	1.2	1
1244	Early-onset Alzheimer disease is related to differential spatial patterns of tau pathology and cognitive impairment. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042041	1.2	
1243	Beyond aphasia: Natural history of the aphasia onset dementia syndromes. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042105	1.2	
1242	Polygenic risk score for Alzheimer disease is related to amyloid positivity in subjective cognitive decline: The SCIENCe project. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042116	1.2	
1241	Energy intake and expenditure in patients with Alzheimer disease and mild cognitive impairment: The NUDAD project. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042429	1.2	

1240	Pronounced regional spectral, connectivity and network changes reflect visual deficits in posterior cortical atrophy: An EEG study on PCA. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042561	1.2	
1239	Immune response and endocytosis pathways are associated with the resilience against Alzheimer disease. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042614	1.2	
1238	Differential diagnosis of dementia combining web-based cognitive testing and MRI. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042626	1.2	
1237	Baseline features of the AMYPAD Diagnostic and Patient Management Study (DPMS) participants. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042628	1.2	
1236	Examining centiloid quantification against visual assessment using [18F]flutemetamol PET. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042653	1.2	
1235	Computerized decision support to select memory clinic patients for amyloid PET: Which patient to test?. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042687	1.2	
1234	BDNF-Met polymorphism on top of amyloid pathology predisposes for faster cognitive decline in cognitively normal elderly: The SCIENCe Project. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042728	1.2	
1233	Biomarker testing in MCI patients: Deciding who to tap. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042735	1.2	
1232	Neurofilament light and cognitive performance: Associations with amyloid and vascular pathologies in individuals with mild cognitive impairment. <i>Alzheimeris and Dementia</i> , 2020 , 16, e042739	1.2	
1231	A loss of neuronal inhibition best explains EEG abnormalities in preclinical Alzheimer disease: A multiscale computational modeling study. <i>Alzheimeris and Dementia</i> , 2020 , 16, e043262	1.2	
1230	Current status and quantitative results of the AMYPAD prognostic and natural history study. <i>Alzheimeris and Dementia</i> , 2020 , 16, e044711	1.2	
1229	Dutch Brain Research Registry for online study participant recruitment: Design and first results. <i>Alzheimeris and Dementia</i> , 2020 , 16, e044738	1.2	
1228	An RCT to identify best practices for disclosure of amyloid imaging results in mild cognitive impairment: The ABIDE simulation study. <i>Alzheimeris and Dementia</i> , 2020 , 16, e044761	1.2	
1227	Serum glial fibrillary acidic protein and neurofilament light as prognostic biomarkers for clinical progression in subjective cognitive decline: The SCIENCe project. <i>Alzheimeris and Dementia</i> , 2020 , 16, e044783	1.2	
1226	Trajectories of decline in cognitively complex everyday activities across the Alzheimer disease continuum. <i>Alzheimeris and Dementia</i> , 2020 , 16, e044787	1.2	
1225	Heterogeneous distribution of pathology in behavioral variant Alzheimer disease. <i>Alzheimeris and Dementia</i> , 2020 , 16, e044830	1.2	
1224	Amyloid aggregation and subsequent memory decline over time in cognitively intact older identical twins. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045112	1.2	
1223	Using cerebrospinal fluid amyloid-beta(1-42) in the memory clinic: Concordance with PET and use of biomarker ratios across immunoassays. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045128	1.2	3

Serum neurofilament light in memory clinic practice. <i>Alzheimeris and Dementia</i> , 2020 , 16, e04.	5155 1.2
Amyloid pathology, but not vascular pathology, is associated with risk of incident dementia ir non-demented memory clinic participants. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045196	1.2
Grey zone amyloid burden heralds future memory decline: The SCIENCe Project. <i>Alzheimeris of Dementia</i> , 2020 , 16, e045210	and 1.2
Cerebrospinal fluid proteomic profiles predict progression to dementia in prodromal AD. Alzheimeris and Dementia, 2020 , 16, e045230	1.2 O
The evolution of neuropsychiatric symptoms in atypical variants of Alzheimer disease. <i>Alzhei and Dementia</i> , 2020 , 16, e045236	imeris 1.2 1
Plasma biomarkers predict amyloid pathology in cognitively unimpaired individuals. <i>Alzheime Dementia</i> , 2020 , 16, e045470	ris and 1.2
A mixed-methods approach to establish clinically meaningful categories of impairment in instrumental activities of daily living. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045693	1.2 0
Plasma amyloid-lbligomerization assay as a screening test for abnormal amyloid status. Alzheimeris and Dementia, 2020 , 16, e045754	1.2
Assessment of cortical vulnerability of the anterior cingulate cortex in the behavioral variant Alzheimer disease. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045770	of _{1.2}
Regional tau pathology is associated with loss of synapses and reduced synaptic activity: A combined [18F]flortaucipir, [11C]UCB-J and magnetoencephalography study. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045806	1.2
Identifying and predicting heterogeneity in cognitive decline among individuals with prodrom Alzheimer's disease using a latent class analysis. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045829	
DNA methylation differences associated with peripheral biomarkers in the EMIF-AD cohort. Alzheimeris and Dementia, 2020 , 16, e045853	1.2
Regional distribution of tau pathology in cognitively unimpaired, genetically identical twins. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045876	1.2
Increased 18F-flortaucipir load correlates with changes in MEG functional connectivity and ne topology, as well as oscillatory slowing. <i>Alzheimeris and Dementia</i> , 2020 , 16, e045911	etwork 1.2
Synaptic proteins relate to memory scores in preclinical Alzheimer disease and cognitively he controls depending on amyloid. <i>Alzheimeris and Dementia</i> , 2020 , 16, e046102	ealthy 1.2
Nutritional Status Is Associated With Clinical Progression in Alzheimer's Disease: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2020 ,	5.9 5
Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 138	9 5
CDH6 and HAGH protein levels in plasma associate with Alzheimer's disease in APOE A carrier Scientific Reports, 2020 , 10, 8233	rs. 4.9 4

1204	Validation of Plasma Proteomic Biomarkers Relating to Brain Amyloid Burden in the EMIF-Alzheimer's Disease Multimodal Biomarker Discovery Cohort. <i>Journal of Alzheimeris Disease</i> , 2020 , 74, 213-225	4.3	10
1203	Tau pathology and relative cerebral blood flow are independently associated with cognition in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 3165-3175	8.8	10
1202	APOE If genotype-dependent cerebrospinal fluid proteomic signatures in Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 65	9	13
1201	ATN classification and clinical progression in subjective cognitive decline: The SCIENCe project. <i>Neurology</i> , 2020 , 95, e46-e58	6.5	30
1200	Education as Proxy for Cognitive Reserve in a Large Elderly Memory Clinic: 'Window of Benefit'. Journal of Alzheimeris Disease, 2020 , 76, 671-679	4.3	10
1199	Pre-trained MRI-based Alzheimer's disease classification models to classify memory clinic patients. NeuroImage: Clinical, 2020 , 27, 102303	5.3	O
1198	Reproducibility of EEG functional connectivity in Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 68	9	34
1197	A Suboptimal Diet is Associated with Poorer Cognition: The NUDAD Project. <i>Nutrients</i> , 2020 , 12,	6.7	11
1196	Degree of genetic liability for Alzheimer's disease associated with specific proteomic profiles in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2020 , 93, 144.e1-144.e15	5.6	6
1195	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020 , 139, 1025-1044	14.3	18
1194	Effectiveness of Pharmacological Interventions for Symptoms of Behavioral Variant Frontotemporal Dementia: A Systematic Review. <i>Cognitive and Behavioral Neurology</i> , 2020 , 33, 1-15	1.6	10
1193	Gait Disturbances are Associated with Increased Cognitive Impairment and Cerebrospinal Fluid Tau Levels in a Memory Clinic Cohort. <i>Journal of Alzheimeris Disease</i> , 2020 , 76, 1061-1070	4.3	4
1192	Associations Between Nutrient Intake and Corresponding Nutritional Biomarker Levels in Blood in a Memory Clinic Cohort: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1436-1438	5.9	О
1191	Diagnostic and prognostic value of EEG in prodromal dementia with Lewy bodies. <i>Neurology</i> , 2020 , 95, e662-e670	6.5	14
1190	World-Wide FINGERS Network: A global approach to risk reduction and prevention of dementia. <i>Alzheimeris and Dementia</i> , 2020 , 16, 1078-1094	1.2	109
1189	Longitudinal Maintenance of Cognitive Health in Centenarians in the 100-plus Study. <i>JAMA Network Open</i> , 2020 , 3, e200094	10.4	7
1188	Fingerprinting Alzheimer's Disease by H Nuclear Magnetic Resonance Spectroscopy of Cerebrospinal Fluid. <i>Journal of Proteome Research</i> , 2020 , 19, 1696-1705	5.6	17
1187	Plasma amyloid is associated with the rate of cognitive decline in cognitively normal elderly: the SCIENCe project. <i>Neurobiology of Aging</i> , 2020 , 89, 99-107	5.6	18

(2020-2020)

1186	Selection of memory clinic patients for CSF biomarker assessment can be restricted to a quarter of cases by using computerized decision support, without compromising diagnostic accuracy. <i>PLoS ONE</i> , 2020 , 15, e0226784	3.7	4
1185	Regional [F]flortaucipir PET is more closely associated with disease severity than CSF p-tau in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 2866-2878	8.8	11
1184	Combination of plasma amyloid beta and glial fibrillary acidic protein strongly associates with cerebral amyloid pathology. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 118	9	54
1183	Amyloid-Imisfolding as a plasma biomarker indicates risk for future clinical Alzheimer's disease in individuals with subjective cognitive decline. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 169	9	10
1182	Evaluation of a novel immunoassay to detect p-tau Thr217 in the CSF to distinguish Alzheimer disease from other dementias. <i>Neurology</i> , 2020 , 95, e3026-e3035	6.5	13
1181	Targeting Lifestyle Behavior to Improve Brain Health: User-Experiences of an Online Program for Individuals with Subjective Cognitive Decline. <i>journal of prevention of Alzheimeris disease, The</i> , 2020 , 7, 184-194	3.8	2
1180	An Operational Definition of 'Abnormal Cognition' to Optimize the Prediction of Progression to Dementia: What Are Optimal Cut-Off Points for Univariate and Multivariate Normative Comparisons?. <i>Journal of Alzheimeris Disease</i> , 2020 , 77, 1693-1703	4.3	Ο
1179	Cerebrospinal fluid total tau levels indicate aberrant neuronal plasticity in Alzheimer's disease 2020 ,		1
1178	White matter integrity disruption in early amyloid accumulators. <i>Alzheimeris and Dementia</i> , 2020 , 16, e043021	1.2	
1177	LDL cholesterol and uridine levels in blood are potential nutritional biomarkers for clinical progression in Alzheimer's disease: The NUDAD project. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12120	5.2	0
1176	Specific Nutritional Biomarker Profiles in Mild Cognitive Impairment and Subjective Cognitive Decline Are Associated With Clinical Progression: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1513.e1-1513.e17	5.9	12
1175	Single-subject gray matter networks predict future cortical atrophy in preclinical Alzheimer's disease. <i>Neurobiology of Aging</i> , 2020 , 94, 71-80	5.6	7
1174	Understanding multifactorial brain changes in type 2 diabetes: a biomarker perspective. <i>Lancet Neurology, The</i> , 2020 , 19, 699-710	24.1	35
1173	Pathophysiological subtypes of Alzheimer's disease based on cerebrospinal fluid proteomics. <i>Brain</i> , 2020 , 143, 3776-3792	11.2	16
1172	Grey matter network trajectories across the Alzheimer's disease continuum and relation to cognition. <i>Brain Communications</i> , 2020 , 2, fcaa177	4.5	3
1171	Global Burden of Small Vessel Disease-Related Brain Changes on MRI Predicts Cognitive and Functional Decline. <i>Stroke</i> , 2020 , 51, 170-178	6.7	53
1170	Determinants of Cross-Sectional and Longitudinal Health-Related Quality of Life in Memory Clinic Patients Without Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2020 , 33, 256-264	3.8	2
1169	Methylphenidate and galantamine in patients with vascular cognitive impairment-the proof-of-principle study STREAM-VCI. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 10	9	6

1168	Prescreening for European Prevention of Alzheimer Dementia (EPAD) trial-ready cohort: impact of AD risk factors and recruitment settings. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 8	9	6
1167	In pursuit of a sensitive EEG functional connectivity outcome measure for clinical trials in Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2020 , 131, 88-95	4.3	14
1166	Hippocampal [F]flortaucipir BP corrected for possible spill-in of the choroid plexus retains strong clinico-pathological relationships. <i>NeuroImage: Clinical</i> , 2020 , 25, 102113	5.3	2
1165	Why Is Amyloid-IPET Requested After Performing CSF Biomarkers?. <i>Journal of Alzheimeris Disease</i> , 2020 , 73, 559-569	4.3	5
1164	Comorbid amyloid-[pathology affects clinical and imaging features in VCD. <i>Alzheimeris and Dementia</i> , 2020 , 16, 354-364	1.2	3
1163	Cross-cultural adaptation and validation of the Amsterdam Instrumental Activities of Daily Living questionnaire short version German for Switzerland. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 323	3	2
1162	End Stage Clinical Features and Cause of Death of Behavioral Variant Frontotemporal Dementia and Young-Onset Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2020 , 77, 1169-1180	4.3	2
1161	Immune response and endocytosis pathways are associated with the resilience against Alzheimer's disease. <i>Translational Psychiatry</i> , 2020 , 10, 332	8.6	10
1160	Profound regional spectral, connectivity, and network changes reflect visual deficits in posterior cortical atrophy: an EEG study. <i>Neurobiology of Aging</i> , 2020 , 96, 1-11	5.6	4
1159	Amyloid-IPET and CSF in an autopsy-confirmed cohort. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 2150-2160	5.3	10
1158	Amyloid-PET and F-FDG-PET in the diagnostic investigation of Alzheimer's disease and other dementias. <i>Lancet Neurology, The</i> , 2020 , 19, 951-962	24.1	95
1157	Energy intake and expenditure in patients with Alzheimer's disease and mild cognitive impairment: the NUDAD project. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 116	9	9
1156	Single-subject grey matter network trajectories over the disease course of autosomal dominant Alzheimer's disease. <i>Brain Communications</i> , 2020 , 2, fcaa102	4.5	6
1155	Multitracer model for staging cortical amyloid deposition using PET imaging. <i>Neurology</i> , 2020 , 95, e153	8 6e5 1 5 5	320
1154	Latent atrophy factors related to phenotypical variants of posterior cortical atrophy. <i>Neurology</i> , 2020 , 95, e1672-e1685	6.5	9
1153	Diagnostic Impact of CSF Biomarkers in a Local Hospital Memory Clinic Revisited. <i>Dementia and Geriatric Cognitive Disorders</i> , 2020 , 49, 2-7	2.6	2
1152	The influence of diversity on the measurement of functional impairment: An international validation of the Amsterdam IADL Questionnaire in eight countries. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12021	5.2	9
1151	Psychosocial Effects of Corona Measures on Patients With Dementia, Mild Cognitive Impairment and Subjective Cognitive Decline. <i>Frontiers in Psychiatry</i> , 2020 , 11, 585686	5	25

1150	Investigating the clinico-anatomical dissociation in the behavioral variant of Alzheimer disease. <i>Alzheimeris Research and Therapy</i> , 2020 , 12, 148	9	6
1149	Associations Between Caffeine Consumption, Cognitive Decline, and Dementia: A Systematic Review. <i>Journal of Alzheimeris Disease</i> , 2020 , 78, 1519-1546	4.3	11
1148	Genome-wide association study of Alzheimer's disease CSF biomarkers in the EMIF-AD Multimodal Biomarker Discovery dataset. <i>Translational Psychiatry</i> , 2020 , 10, 403	8.6	10
1147	Mendelian randomization implies no direct causal association between leukocyte telomere length and amyotrophic lateral sclerosis. <i>Scientific Reports</i> , 2020 , 10, 12184	4.9	1
1146	Small vessel disease lesion type and brain atrophy: The role of co-occurring amyloid. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12060	5.2	2
1145	Prediction of poor clinical outcome in vascular cognitive impairment: TRACE-VCI study. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12077	5.2	1
1144	cCOG: A web-based cognitive test tool for detecting neurodegenerative disorders. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12083	5.2	3
1143	Association of amyloid-ICSF/PET discordance and tau load 5 years later. <i>Neurology</i> , 2020 , 95, e2648-e26	56 7.5	16
1142	Dickkopf-1 Overexpression in vitro Nominates Candidate Blood Biomarkers Relating to Alzheimer's Disease Pathology. <i>Journal of Alzheimeris Disease</i> , 2020 , 77, 1353-1368	4.3	4
1141	Sex differences in CSF biomarkers vary by Alzheimer disease stage and 4 genotype. <i>Neurology</i> , 2020 , 95, e2378-e2388	6.5	20
1140	Precision prevention of Alzheimer's and other dementias: Anticipating future needs in the control of risk factors and implementation of disease-modifying therapies. <i>Alzheimeris and Dementia</i> , 2020 , 16, 1457-1468	1.2	16
1139	Nutritional status and structural brain changes in Alzheimer's disease: The NUDAD project. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12063	5.2	5
1138	A clinical-radiological framework of the right temporal variant of frontotemporal dementia. <i>Brain</i> , 2020 , 143, 2831-2843	11.2	29
1137	Parametric methods for [F]flortaucipir PET. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020 , 40, 365-373	7.3	11
1136	Olfactory and gustatory functioning and food preferences of patients with Alzheimer's disease and mild cognitive impairment compared to controls: the NUDAD project. <i>Journal of Neurology</i> , 2020 , 267, 144-152	5.5	11
1135	Associations of Brain Pathology Cognitive and Physical Markers With Age in Cognitively Normal Individuals Aged 60-102 Years. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1609-1617	6.4	5
1134	Early restoration of parvalbumin interneuron activity prevents memory loss and network hyperexcitability in a mouse model of Alzheimer's disease. <i>Molecular Psychiatry</i> , 2020 , 25, 3380-3398	15.1	43
1133	Quantitative amyloid PET in Alzheimer's disease: the AMYPAD prognostic and natural history study. <i>Alzheimeris and Dementia</i> , 2020 , 16, 750-758	1.2	11

1132	The Cognitive-Functional Composite is sensitive to clinical progression in early dementia: Longitudinal findings from the Catch-Cog study cohort. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2020 , 6, e12020	6	8
1131	Evaluating severity of white matter lesions from computed tomography images with convolutional neural network. <i>Neuroradiology</i> , 2020 , 62, 1257-1263	3.2	2
1130	Selection of memory clinic patients for CSF biomarker assessment can be restricted to a quarter of cases by using computerized decision support, without compromising diagnostic accuracy 2020 , 15, e02	26784	ļ
1129	Selection of memory clinic patients for CSF biomarker assessment can be restricted to a quarter of cases by using computerized decision support, without compromising diagnostic accuracy 2020 , 15, e02	26784	
1128	Selection of memory clinic patients for CSF biomarker assessment can be restricted to a quarter of cases by using computerized decision support, without compromising diagnostic accuracy 2020 , 15, e02	26784	
1127	Selection of memory clinic patients for CSF biomarker assessment can be restricted to a quarter of cases by using computerized decision support, without compromising diagnostic accuracy 2020 , 15, e02	26784	1
1126	Use of mild cognitive impairment and prodromal AD/MCI due to AD in clinical care: a European survey. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 74	9	16
1125	The "rights" of precision drug development for Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 76	9	93
1124	Discovery and validation of plasma proteomic biomarkers relating to brain amyloid burden by SOMAscan assay. <i>Alzheimeris and Dementia</i> , 2019 , 15, 1478-1488	1.2	22
1123	Re-aligning scientific and lay narratives of Alzheimer's disease. <i>Lancet Neurology, The</i> , 2019 , 18, 918-919	24.1	23
1122	Discordant amyloid-IPET and CSF biomarkers and its clinical consequences. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 78	9	26
1121	Biomarker-based prognosis for people with mild cognitive impairment (ABIDE): a modelling study. Lancet Neurology, The, 2019 , 18, 1034-1044	24.1	45
1120	Testing Episodic Memory in Elderly Subjects: Not as Simple as It Looks. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2019 , 9, 207-216	2.5	1
1119	Amyloid-Load Is Related to Worries, but Not to Severity of Cognitive Complaints in Individuals With Subjective Cognitive Decline: The SCIENCe Project. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 7	5.3	27
1118	Associations of AD Biomarkers and Cognitive Performance with Nutritional Status: The NUDAD Project. <i>Nutrients</i> , 2019 , 11,	6.7	16
1117	A nonsynonymous mutation in PLCG2 reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. <i>Acta Neuropathologica</i> , 2019 , 138, 237-250	14.3	50
1116	Cerebrospinal fluid collection: An informative animation video for patients and caregivers. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 435-438	5.2	4
1115	White Matter Hyperintensities and Hippocampal Atrophy in Relation to Cognition: The 90+ Study. Journal of the American Geriatrics Society, 2019, 67, 1827-1834	5.6	17

1114	Duration of preclinical, prodromal, and dementia stages of Alzheimer's disease in relation to age, sex, and APOE genotype. <i>Alzheimeris and Dementia</i> , 2019 , 15, 888-898	1.2	131	
1113	Gray matter T1-w/T2-w ratios are higher in Alzheimer's disease. <i>Human Brain Mapping</i> , 2019 , 40, 3900-3	3999	10	
1112	AB4 is a BACE1-derived degradation intermediate associated with amyloid clearance and Alzheimer's disease progression. <i>Nature Communications</i> , 2019 , 10, 2240	17.4	20	
1111	Early recognition and treatment of neuropsychiatric symptoms to improve quality of life in early Alzheimer's disease: protocol of the BEAT-IT study. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 48	9	6	
1110	Primary fatty amides in plasma associated with brain amyloid burden, hippocampal volume, and memory in the European Medical Information Framework for Alzheimer's Disease biomarker discovery cohort. <i>Alzheimeris and Dementia</i> , 2019 , 15, 817-827	1.2	26	
1109	Alzheimer disease biomarkers may aid in the prognosis of MCI cases initially reverted to normal. <i>Neurology</i> , 2019 , 92, e2699-e2705	6.5	7	
1108	High amyloid burden is associated with fewer specific words during spontaneous speech in individuals with subjective cognitive decline. <i>Neuropsychologia</i> , 2019 , 131, 184-192	3.2	11	
1107	Dietary Patterns Are Related to Clinical Characteristics in Memory Clinic Patients with Subjective Cognitive Decline: The SCIENCe Project. <i>Nutrients</i> , 2019 , 11,	6.7	9	
1106	Is retinal vasculature a biomarker in amyloid proven Alzheimer's disease?. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 383-391	5.2	37	
1105	Assessing cognition and daily function in early dementia using the cognitive-functional composite: findings from the Catch-Cog study cohort. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 45	9	11	
1104	Driving Difficulties Among Patients with Alzheimer's Disease and Other Neurodegenerative Disorders. <i>Journal of Alzheimeris Disease</i> , 2019 , 69, 1019-1030	4.3	8	
1103	Inflammatory biomarkers in Alzheimer's disease plasma. <i>Alzheimeris and Dementia</i> , 2019 , 15, 776-787	1.2	74	
1102	Personalized risk for clinical progression in cognitively normal subjects-the ABIDE project. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 33	9	22	
1101	How Do Different Forms of Vascular Brain Injury Relate to Cognition in a Memory Clinic Population: The TRACE-VCI Study. <i>Journal of Alzheimeris Disease</i> , 2019 , 68, 1273-1286	4.3	4	
1100	ApoE and clusterin CSF levels influence associations between APOEIgenotype and changes in CSF tau, but not CSF AII2, levels in Inon-demented elderly. <i>Neurobiology of Aging</i> , 2019 , 79, 101-109	5.6	12	
1099	Modeling grey matter atrophy as a function of time, aging or cognitive decline show different anatomical patterns in Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2019 , 22, 101786	5.3	13	
1098	Cerebrospinal fluid biomarkers of neurodegeneration, synaptic integrity, and astroglial activation across the clinical Alzheimer's disease spectrum. <i>Alzheimeris and Dementia</i> , 2019 , 15, 644-654	1.2	57	
1097	Longitudinal cerebrospinal fluid biomarker trajectories along the Alzheimer's disease continuum in the BIOMARKAPD study. <i>Alzheimeris and Dementia</i> , 2019 , 15, 742-753	1.2	50	

1096	Amyloid PET and cognitive decline in cognitively normal individuals: the SCIENCe project. <i>Neurobiology of Aging</i> , 2019 , 79, 50-58	5.6	22
1095	Automatically computed rating scales from MRI for patients with cognitive disorders. <i>European Radiology</i> , 2019 , 29, 4937-4947	8	11
1094	Association of amyloid pathology with memory performance and cognitive complaints in cognitively normal older adults: a monozygotic twin study. <i>Neurobiology of Aging</i> , 2019 , 77, 58-65	5.6	9
1093	Medial temporal lobe atrophy relates more strongly to sleep-wake rhythm fragmentation than to age or any other known risk. <i>Neurobiology of Learning and Memory</i> , 2019 , 160, 132-138	3.1	29
1092	Survival in memory clinic cohort is short, even in young-onset dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 726-728	5.5	9
1091	Quantification of [F]florbetapir: A test-retest tracer kinetic modelling study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019 , 39, 2172-2180	7.3	15
1090	Added value of amyloid PET in individualized risk predictions for MCI patients. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 529-537	5.2	6
1089	Cerebral amyloid burden is associated with white matter hyperintensity location in specific posterior white matter regions. <i>Neurobiology of Aging</i> , 2019 , 84, 225-234	5.6	16
1088	Clinician-patient communication during the diagnostic workup: The ABIDE project. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 520-528	5.2	13
1087	Retinal thickness as potential biomarker in posterior cortical atrophy and typical Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 62	9	23
1086	Cognitive and functional progression of dementia in two longitudinal studies. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1623-1632	3.9	6
1085	Retinal thickness as a potential biomarker in patients with amyloid-proven early- and late-onset Alzheimer's disease. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 463-471	5.2	15
1084	Cognitive reserve and clinical progression in Alzheimer disease: A paradoxical relationship. <i>Neurology</i> , 2019 , 93, e334-e346	6.5	47
1083	Prognostic value of Alzheimer's biomarkers in mild cognitive impairment: the effect of age at onset. <i>Journal of Neurology</i> , 2019 , 266, 2535-2545	5.5	6
1082	Associations between quantitative [F]flortaucipir tau PET and atrophy across the Alzheimer's disease spectrum. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 60	9	18
1081	Applying the ATN scheme in a memory clinic population: The ABIDE project. <i>Neurology</i> , 2019 , 93, e163.	5- 6 .1 5 64	6 32
1080	Assessment of the appropriate use criteria for amyloid PET in an unselected memory clinic cohort: The ABIDE project. <i>Alzheimeris and Dementia</i> , 2019 , 15, 1458-1467	1.2	11
1079	Amyloid-Ipeptides in cerebrospinal fluid of patients with dementia with Lewy bodies. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 83	9	5

1078	Cerebrospinal Fluid Amyloid- S ubtypes in Confirmed Frontotemporal Lobar Degeneration Cases: A Pilot Study. <i>Journal of Alzheimeris Disease</i> , 2019 , 71, 15-20	4.3	
1077	Exploring effects of Souvenaid on cerebral glucose metabolism in Alzheimer's disease. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2019 , 5, 492-500	6	4
1076	Impact of white matter hyperintensity location on depressive symptoms in memory-clinic patients: a lesionBymptom mapping study. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, E1-E10	4.5	7
1075	Development and Usability of ADappt: Web-Based Tool to Support Clinicians, Patients, and Caregivers in the Diagnosis of Mild Cognitive Impairment and Alzheimer Disease. <i>JMIR Formative Research</i> , 2019 , 3, e13417	2.5	21
1074	The Clinical Phenotype of Vascular Cognitive Impairment in Patients with Type 2 Diabetes Mellitus. Journal of Alzheimeris Disease, 2019 , 68, 311-322	4.3	8
1073	IC-P-100: A LONGITUDINAL STUDY OF THE EFFECTS OF EDUCATION AND INTRACRANIAL VOLUME ON COGNITIVE CHANGES AND MORTALITY RATES IN ALZHEIMER'S DISEASE 2019 , 15, P87-P87		
1072	Can MRI be used as a proxy for? A case study. Brain Communications, 2019, 1, fcz030	4.5	8
1071	The plasma peptides of breast versus ovarian cancer. Clinical Proteomics, 2019, 16, 43	5	6
1070	P4-525: ASSOCIATION OF CSF TAU WITH HYPERPLASTICITY IN ALZHEIMER'S DISEASE 2019 , 15, P1515	5-P1516	
1069	F2-01-01: NEURODEVELOPMENTAL DIFFERENCES AND ENVIRONMENTAL INSULTS INVERSELY CORRELATE WITH AGE OF ONSET IN ALZHEIMER'S DISEASE 2019 , 15, P515-P516		
1068	IC-P-025: GREY MATTER CONNECTIVITY TRAJECTORIES ACROSS THE ALZHEIMER'S DISEASE CONTINUUM AND ASSOCIATIONS WITH COGNITIVE DECLINE 2019 , 15, P32-P33		
1067	IC-02-01: GREY MATTER CONNECTIVITY TRAJECTORIES ACROSS THE ALZHEIMER'S DISEASE CONTINUUM AND ASSOCIATIONS WITH COGNITIVE DECLINE 2019 , 15, P1-P1		
1066	IC-P-076: FDG-PET REVEALS DISTINCT HYPOMETABOLIC TRAJECTORIES IN COGNITIVELY-DEFINED SUBGROUPS OF ALZHEIMER'S DISEASE 2019 , 15, P68-P70		
1065	A metabolite-based machine learning approach to diagnose Alzheimer-type dementia in blood: Results from the European Medical Information Framework for Alzheimer disease biomarker discovery cohort. Alzheimeris and Dementia: Translational Research and Clinical Interventions, 2019,	6	29
1064	IC-P-015: VOXEL-BASED AMYLOID PET STAGING FOR THE WHOLE ALZHEIMER'S DISEASE CONTINUUM 2019 , 15, P24-P25		
1063	IC-P-097: DIFFERENTIATING THE BEHAVIOURAL VARIANT OF ALZHEIMER'S DISEASE FROM BEHAVIOURAL VARIANT FRONTOTEMPORAL DEMENTIA AND TYPICAL ALZHEIMER'S DISEASE: THE VALUE OF NEUROIMAGING 2019 , 15, P84-P85		
1062	PET and CSF amyloid-latatus are differently predicted by patient features: information from discordant cases. <i>Alzheimeris Research and Therapy</i> , 2019 , 11, 100	9	17
1061	Sociale cognitie bij frontotemporale dementie. <i>Neuropraxis</i> , 2019 , 23, 120-125	Ο	O

1060	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimeris and Dementia</i> , 2019 , 15, 465-476	1.2	127
1059	Neuropsychological Test Performance of Cognitively Healthy Centenarians: Normative Data From the Dutch 100-Plus Study. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 759-767	5.6	10
1058	Decision tree supports the interpretation of CSF biomarkers in Alzheimer's disease. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 1-9	5.2	8
1057	Impairment in complex activities of daily living is related to neurodegeneration in Alzheimer's disease-specific regions. <i>Neurobiology of Aging</i> , 2019 , 75, 109-116	5.6	10
1056	AMYPAD Diagnostic and Patient Management Study: Rationale and design. <i>Alzheimeris and Dementia</i> , 2019 , 15, 388-399	1.2	19
1055	Data-driven approaches for tau-PET imaging biomarkers in Alzheimer's disease. <i>Human Brain Mapping</i> , 2019 , 40, 638-651	5.9	17
1054	Predicting progression in the late onset frontal lobe syndrome. <i>International Psychogeriatrics</i> , 2019 , 31, 743-748	3.4	5
1053	Assessing Amyloid Pathology in Cognitively Normal Subjects Using F-Flutemetamol PET: Comparing Visual Reads and Quantitative Methods. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 541-547	8.9	33
1052	Repeat length variations in ATXN1 and AR modify disease expression in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2019 , 73, 230.e9-230.e17	5.6	4
1051	Centenarian controls increase variant effect sizes by an average twofold in an extreme case-extreme control analysis of Alzheimer's disease. <i>European Journal of Human Genetics</i> , 2019 , 27, 244-253	5.3	30
1050	Auditory hallucinations in adults with hearing impairment: a large prevalence study. <i>Psychological Medicine</i> , 2019 , 49, 132-139	6.9	19
1049	Neurogranin as Cerebrospinal Fluid Biomarker for Alzheimer Disease: An Assay Comparison Study. <i>Clinical Chemistry</i> , 2018 , 64, 927-937	5.5	27
1048	White matter hyperintensities and vascular risk factors in monozygotic twins. <i>Neurobiology of Aging</i> , 2018 , 66, 40-48	5.6	9
1047	Understanding hallucinations in probable Alzheimer's disease: Very low prevalence rates in a tertiary memory clinic. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 358-362	5.2	9
1046	An exploratory clinical study of p38 kinase inhibition in Alzheimer's disease. <i>Annals of Clinical and Translational Neurology</i> , 2018 , 5, 464-473	5.3	28
1045	EEG-based neurophysiological indicators of hallucinations in Alzheimer's disease: Comparison with dementia with Lewy bodies. <i>Neurobiology of Aging</i> , 2018 , 67, 75-83	5.6	16
1044	Plasma Amyloid-[[AB2]) Correlates with Cerebrospinal Fluid AB2 in Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2018 , 62, 1857-1863	4.3	61
1043	Single Subject Classification of Alzheimer's Disease and Behavioral Variant Frontotemporal Dementia Using Anatomical, Diffusion Tensor, and Resting-State Functional Magnetic Resonance	4.3	22

1042	NIA-AA Research Framework: Toward a biological definition of Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2018 , 14, 535-562	1.2	3155
1041	A more randomly organized grey matter network is associated with deteriorating language and global cognition in individuals with subjective cognitive decline. <i>Human Brain Mapping</i> , 2018 , 39, 3143-3	31559	26
1040	Social Cognition Differentiates Behavioral Variant Frontotemporal Dementia From Other Neurodegenerative Diseases and Psychiatric Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 569-579	6.5	23
1039	Biomarker pattern of ARIA-E participants in phase 3 randomized clinical trials with bapineuzumab. <i>Neurology</i> , 2018 , 90, e877-e886	6.5	15
1038	Vascular cognitive impairment. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18003	51.1	195
1037	Subjective Cognitive Decline Is Associated With Altered Default Mode Network Connectivity in Individuals With a Family History of Alzheimer's Disease. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 463-472	3.4	30
1036	A novel cognitive-functional composite measure to detect changes in early Alzheimer's disease: Test-retest reliability and feasibility. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 153-160	5.2	9
1035	Microbleeds are associated with depressive symptoms in Alzheimer's disease. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 112-120	5.2	5
1034	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimeris and Dementia</i> , 2018 , 14, 707-722	1.2	76
1033	Disease-related determinants are associated with mortality in dementia due to Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 23	9	13
1032	Cerebral White Matter Lesions have Low Impact on Cognitive Function in a Large Elderly Memory Clinic Population. <i>Journal of Alzheimeris Disease</i> , 2018 , 63, 1129-1139	4.3	6
1031	European Prevention of Alzheimer's Dementia Registry: Recruitment and prescreening approach for a longitudinal cohort and prevention trials. <i>Alzheimeris and Dementia</i> , 2018 , 14, 837-842	1.2	15
1030	Prevalence of the apolipoprotein E A allele in amyloid positive subjects across the spectrum of Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2018 , 14, 913-924	1.2	36
1029	Upward drift in cerebrospinal fluid amyloid [42 assay values for more than 10]years. <i>Alzheimeris and Dementia</i> , 2018 , 14, 62-70	1.2	36
1028	Thinner cortex in patients with subjective cognitive decline is associated with steeper decline of memory. <i>Neurobiology of Aging</i> , 2018 , 61, 238-244	5.6	18
1027	Gray matter networks and clinical progression in subjects with predementia Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018 , 61, 75-81	5.6	29
1026	Gray matter network measures are associated with cognitive decline in mild cognitive impairment. <i>Neurobiology of Aging</i> , 2018 , 61, 198-206	5.6	25
1025	Disclosure of amyloid positron emission tomography results to individuals without dementia: a systematic review. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 72	9	25

1024	Vascular Endothelial Growth Factor remains unchanged in cerebrospinal fluid of patients with Alzheimer's disease and vascular dementia. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 58	9	13
1023	EEG Characteristics of Dementia With Lewy Bodies, Alzheimer's Disease and Mixed Pathology. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 190	5.3	26
1022	Pre-amyloid stage of Alzheimer's disease in cognitively normal individuals. <i>Annals of Clinical and Translational Neurology</i> , 2018 , 5, 1037-1047	5.3	17
1021	Amsterdam Dementia Cohort: Performing Research to Optimize Care. <i>Journal of Alzheimeris Disease</i> , 2018 , 62, 1091-1111	4.3	122
1020	Brain-Area Specific White Matter Hyperintensities: Associations to Falls in Parkinson's Disease. Journal of Parkinsonis Disease, 2018 , 8, 455-462	5.3	4
1019	Quantitative PET and Histology of Brain Biopsy Reveal Lack of Selective Pittsburgh Compound-B Binding to Intracerebral Amyloidoma. <i>Journal of Alzheimeris Disease</i> , 2018 , 65, 71-77	4.3	2
1018	Neuropathology and cognitive performance in self-reported cognitively healthy centenarians. <i>Acta Neuropathologica Communications</i> , 2018 , 6, 64	7.3	24
1017	An intervention programme for caregivers of dementia patients with frontal behavioural changes: an explorative study with controlled effect on sense of competence. <i>Psychogeriatrics</i> , 2018 , 18, 451-459	1.8	5
1016	Data-Driven Differential Diagnosis of Dementia Using Multiclass Disease State Index Classifier. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 111	5.3	21
1015	The EMIF-AD Multimodal Biomarker Discovery study: design, methods and cohort characteristics. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 64	9	31
1014	Gray matter atrophy in dementia with Lewy bodies with and without concomitant Alzheimer's disease pathology. <i>Neurobiology of Aging</i> , 2018 , 71, 171-178	5.6	19
1013	Gray Matter Network Disruptions and Regional Amyloid Beta in Cognitively Normal Adults. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 67	5.3	18
1012	Synaptic proteins in CSF as potential novel biomarkers for prognosis in prodromal Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 5	9	63
1011	Evaluating combinations of diagnostic tests to discriminate different dementia types. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 509-518	5.2	12
1010	Prominent Non-Memory Deficits in Alzheimer's Disease Are Associated with Faster Disease Progression. <i>Journal of Alzheimeris Disease</i> , 2018 , 65, 1029-1039	4.3	9
1009	Neuroinflammation is increased in the parietal cortex of atypical Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2018 , 15, 170	10.1	17
1008	Subjective Cognitive Impairment Cohort (SCIENCe): study design and first results. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 76	9	56
1007	Association of Amyloid Positron Emission Tomography With Changes in Diagnosis and Patient Treatment in an Unselected Memory Clinic Cohort: The ABIDE Project. <i>JAMA Neurology</i> , 2018 , 75, 1062-	1070	70

1006	Patients to learn from: on the need for systematic integration of research and care in academic health care. <i>Journal of Clinical and Translational Research</i> , 2018 , 3, 401-406	1.1	O
1005	Symptomatic Treatment of Vascular Cognitive Impairment (STREAM-VCI): Protocol for a Cross-Over Trial. <i>JMIR Research Protocols</i> , 2018 , 7, e80	2	3
1004	Diagnostiek en classificatie van dementie 2018 , 15-29		
1003	Association of Cerebral Amyloid-Daggregation With Cognitive Functioning in Persons Without Dementia. <i>JAMA Psychiatry</i> , 2018 , 75, 84-95	14.5	94
1002	Unbiased Approach to Counteract Upward Drift in Cerebrospinal Fluid Amyloid-🗈 -42 Analysis Results. <i>Clinical Chemistry</i> , 2018 , 64, 576-585	5.5	76
1001	Retinal thickness correlates with parietal cortical atrophy in early-onset Alzheimer's disease and controls. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 49-55	5.2	55
1000	Differential effects of cognitive reserve and brain reserve on cognition in Alzheimer disease. <i>Neurology</i> , 2018 , 90, e149-e156	6.5	68
999	Assessing Fitness to Drive in Patients With Different Types of Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2018 , 32, 70-75	2.5	20
998	P3-403: LOSS OF GREY MATTER CONNECTIVITY IN THE PRECUNEUS IS ASSOCIATED WITH FASTER ATROPHY RATES IN PRECLINICAL ALZHEIMER'S DISEASE 2018 , 14, P1257-P1257		
997	O3-13-01: PATTERNS OF GLUCOSE HYPOMETABOLISM, SUBCORTICAL ATROPHY AND WHITE MATTER HYPERINTENSITIES IN THE BEHAVIORAL VARIANT OF ALZHEIMER'S DISEASE 2018 , 14, P1054	4-P105	5
996	P1-476: CORTICAL T1-W/T2-W RATIO VALUES ARE HIGHER IN ALZHEIMER'S DISEASE COMPARED TO CONTROLS 2018 , 14, P506-P507		
995	O1-14-04: IMPACT OF WHITE MATTER HYPERINTENSITY LOCATION ON DEPRESSIVE SYMPTOMS IN MEMORY CLINIC PATIENTS: A LESION-SYMPTOM MAPPING STUDY 2018 , 14, P259-P259		
995 994			
	MEMORY CLINIC PATIENTS: A LESION-SYMPTOM MAPPING STUDY 2018 , 14, P259-P259 P2-470: DIFFERENT CO-LOCALIZATION OF NEUROINFLAMMATORY MARKERS IN PLAQUES OF		
994	MEMORY CLINIC PATIENTS: A LESION-SYMPTOM MAPPING STUDY 2018 , 14, P259-P259 P2-470: DIFFERENT CO-LOCALIZATION OF NEUROINFLAMMATORY MARKERS IN PLAQUES OF ATYPICAL COMPARED TO TYPICAL ALZHEIMER'S DISEASE 2018 , 14, P903-P903 P3-216: IS THE RELATION BETWEEN BLOOD PRESSURE AND COGNITION DEPENDENT ON AMYLOID PATHOLOGY OR PHYSICAL PERFORMANCE? RESULTS OF THE EMIF-AD 90+ STUDY 2018 ,		
994	MEMORY CLINIC PATIENTS: A LESION-SYMPTOM MAPPING STUDY 2018 , 14, P259-P259 P2-470: DIFFERENT CO-LOCALIZATION OF NEUROINFLAMMATORY MARKERS IN PLAQUES OF ATYPICAL COMPARED TO TYPICAL ALZHEIMER'S DISEASE 2018 , 14, P903-P903 P3-216: IS THE RELATION BETWEEN BLOOD PRESSURE AND COGNITION DEPENDENT ON AMYLOID PATHOLOGY OR PHYSICAL PERFORMANCE? RESULTS OF THE EMIF-AD 90+ STUDY 2018 , 14, P1153-P1153 IC-P-222: [18F]AV1451 PET IN RELATION TO ATROPHY ACROSS THE ALZHEIMER'S DISEASE	31	
994 993 992	P2-470: DIFFERENT CO-LOCALIZATION OF NEUROINFLAMMATORY MARKERS IN PLAQUES OF ATYPICAL COMPARED TO TYPICAL ALZHEIMER'S DISEASE 2018, 14, P903-P903 P3-216: IS THE RELATION BETWEEN BLOOD PRESSURE AND COGNITION DEPENDENT ON AMYLOID PATHOLOGY OR PHYSICAL PERFORMANCE? RESULTS OF THE EMIF-AD 90+ STUDY 2018, 14, P1153-P1153 IC-P-222: [18F]AV1451 PET IN RELATION TO ATROPHY ACROSS THE ALZHEIMER'S DISEASE SPECTRUM 2018, 14, P180-P181 P2-270: INCREASED CSF AMYLOID-II-38 AND 1-40 CONCENTRATIONS IN INDIVIDUALS WITH MILD	31	

988	DEPOSITION IN THE BRAIN 2018 , 14, P152-P152	
987	P4-113: COMPARING THE COGNITIVE-FUNCTIONAL COMPOSITE WITH TRADITIONAL TESTS OF COGNITION AND FUNCTION: FINDINGS FROM THE CATCH-COG STUDY COHORT 2018 , 14, P1482-P1482	
986	P3-233: PLASMA PRIMARY FATTY AMIDES ASSOCIATE TO CSF AMYLOID LEVELS AND ALZHEIMER'S DISEASE PROGRESSION IN THE EMIF-AD BIOMARKER DISCOVERY COHORT 2018 , 14, P1161-P1161	
985	P1-357: MEDIAN SURVIVAL IN MEMORY CLINIC COHORT IS SHORT, EVEN IN YOUNG-ONSET DEMENTIA 2018 , 14, P431-P431	
984	P1-016: METHYLPHENIDATE IMPROVES EXECUTIVE FUNCTIONING IN PATIENTS WITH VASCULAR COGNITIVE IMPAIRMENT: FIRST RESULTS OF THE STREAM-VCI STUDY 2018 , 14, P270-P271	
983	P1-259: SEX DIFFERENCES IN CEREBROSPINAL FLUID BIOMARKER CONCENTRATIONS ACROSS CLINICAL STAGES OF ALZHEIMER'S DISEASE 2018 , 14, P380-P380	
982	O2-06-03: AMYLOID-LOAD IS RELATED TO WORRIES IN INDIVIDUALS WITH SUBJECTIVE COGNITIVE DECLINE 2018 , 14, P632-P632	
981	P2-248: CONTACTIN-2 AS A POTENTIAL BIOMARKER FOR MILD COGNITIVE IMPAIRMENT 2018 , 14, P768-P768	
980	IC-06-05: LOSS OF GREY MATTER CONNECTIVITY IN THE PRECUNEUS IS ASSOCIATED WITH FASTER ATROPHY RATES IN PRECLINICAL ALZHEIMER'S DISEASE 2018 , 14, P13-P13	
979	O2-04-02: LONGITUDINAL COGNITIVE TRAJECTORIES OF PATIENTS WITH DISCORDANT CSF AND PET AMYLOID BIOMARKERS 2018 , 14, P621-P622	
978	P1-418: WHITE MATTER MICROSTRUCTURE AND AMYLOID AGGREGATION IN COGNITIVELY HEALTHY, ELDERLY IDENTICAL TWINS 2018 , 14, P465-P465	
977	IC-P-092: COGNITIVELY DEFINED SUBTYPES OF ALZHEIMER'S DISEASE ARE ASSOCIATED WITH DISTINCT PATTERNS OF ATROPHY 2018 , 14, P76-P79	
976	P1-525: AMYLOID AGGREGATION IS ASSOCIATED WITH DECLINE ON DIGIT SPAN BACKWARD IN COGNITIVELY NORMAL ELDERLY MONOZYGOTIC TWINS 2018 , 14, P533-P533	
975	P4-106: DECLINE IN GREY MATTER CONNECTIVITY OVER TIME IS RELATED TO CLINICAL PROGRESSION IN MCI DUE TO AD 2018 , 14, P1479-P1479	
974	P1-297: METABOLIC BLOOD-BASED BIOMARKERS RELATE TO BRAIN ATROPHY AND WHITE MATTER HYPERINTENSITIES IN ALZHEIMER'S DISEASE 2018 , 14, P401-P403	
973	P2-153: DIFFERENT CORTICAL NEURONAL VULNERABILITY IN DEMENTIA WITH AND WITHOUT PREDOMINANT BEHAVIOURAL SYMPTOMS 2018 , 14, P726-P727	
972	P3-438: PARAMETRIC IMAGING OF [18F]FLORBETAPIR: A TEST-RETEST STUDY IN HEALTHY SUBJECTS AND PATIENTS WITH ALZHEIMER'S DISEASE 2018 , 14, P1281-P1282	
971	P2-349: DIFFERENT COMBINATIONS OF DIAGNOSTIC TESTS DISCRIMINATE SPECIFIC SUBTYPES OF DEMENTIA 2018 , 14, P820-P821	

(2018-2018)

970	P1-627: AMYLOID BURDEN IMPACTS EVERYDAY FUNCTIONING INDEPENDENT OF COGNITION AND AWARENESS IN SUBJECTIVE COGNITIVE DECLINE: FINDINGS FROM THE INSIGHT PRE-AD COHORT 2018 , 14, P581-P582
969	P2-363: LATENT ATROPHY FACTORS IN POSTERIOR CORTICAL ATROPHY RELATE TO SPECIFIC COGNITIVE IMPAIRMENTS 2018 , 14, P830-P831
968	F1-02-04: GENOMICS AND EPIGENOMICS ANALYSES IN THE EMIF-AD MULTIMODAL BIOMARKER DISCOVERY STUDY 2018 , 14, P204-P204
967	P2-134: THE ADDED VALUE OF EXTREME PHENOTYPES IN ALZHEIMER'S DISEASE CASE-CONTROL STUDIES 2018 , 14, P719-P719
966	P2-360: [18F]AV1451 PET IN RELATION TO ATROPHY ACROSS THE ALZHEIMER'S DISEASE SPECTRUM 2018 , 14, P827-P829
965	P3-264: UNBIASED METHOD TO DETERMINE CUT-POINTS FOR CSF TOTAL TAU LEVELS REVEALS PRESENCE OF BIOLOGICAL SUBTYPES IN A LARGE ALZHEIMER'S DISEASE POPULATION 2018 , 14, P1176-P1177
964	O2-03-03: COGNITIVELY DEFINED SUBTYPES OF ALZHEIMER'S DISEASE ARE ASSOCIATED WITH DISTINCT PATTERNS OF ATROPHY 2018 , 14, P615-P617
963	P4-038: IS SORL1 AN AUTOSOMAL DOMINANT ALZHEIMER GENE? 2018 , 14, P1447-P1447
962	O5-04-01: A RARE GENETIC VARIANT IN THE PLCG2 GENE IS ASSOCIATED WITH A REDUCED RISK OF ALL MAJOR TYPES OF DEMENTIA AND AN INCREASED RISK TO REACH AN EXTREMELY OLD AGE 2018 , 14, P1648-P1649
961	O2-14-04: IDENTIFYING BEHAVIORAL VARIANT FRONTOTEMPORAL DEMENTIA AMONG PATIENTS WITH A LATE-ONSET FRONTAL LOBE SYNDROME: SUMMARY RESULTS OF THE LOF STUDY 2018 , 14, P657-P658
960	IC-P-093: LATENT ATROPHY FACTORS IN POSTERIOR CORTICAL ATROPHY RELATE TO SPECIFIC COGNITIVE IMPAIRMENTS 2018 , 14, P79-P80
959	IC-P-033: LONGITUDINAL CHANGES IN GREY MATTER CONNECTIVITY ARE RELATED TO COGNITIVE DECLINE IN PRODROMAL ALZHEIMER'S DISEASE 2018 , 14, P37-P38
958	P3-342: INFLUENCE OF NETWORK CONSTRUCTION METHODS ON PATH LENGTH VALUES IN ALZHEIMER'S DISEASE: A MULTI-STUDY ANALYSIS OF MRI CONNECTIVITY STUDIES 2018 , 14, P1214-P1215
957	IC-P-032: INFLUENCE OF NETWORK CONSTRUCTION METHODS ON PATH LENGTH VALUES IN ALZHEIMER'S DISEASE: A MULTI-STUDY ANALYSIS OF MRI CONNECTIVITY STUDIES 2018 , 14, P36-P37
956	P3-272: A COMPARISON OF EEG CONNECTIVITY OUTCOME MEASURES FOR ALZHEIMER'S DISEASE IN A DOUBLE-BLINDED RANDOMIZED CLINICAL TRIAL OF PQ912 2018 , 14, P1181-P1182
955	IC-P-192: DISEASE-STAGE SPECIFIC RELATIONSHIP BETWEEN COGNITIVE RESERVE AND CLINICAL PROGRESSION IN ALZHEIMER'S DISEASE 2018 , 14, P158-P160
954	P3-277: IMPAIRMENT IN COMPLEX ACTIVITIES OF DAILY LIVING IS RELATED TO NEURODEGENERATION IN ALZHEIMER'S DISEASE SPECIFIC REGIONS 2018 , 14, P1183-P1184
953	P3-445: FACTORS PREDICTING MORTALITY AT THE MEMORY CLINIC AT SIRIRAJ HOSPITAL: 815 THAI COHORT 2018 , 14, P1286-P1286

952	IMAGING IN THE RETINA? 2018 , 14, P397-P398			
951	IC-P-110: PATTERNS OF GLUCOSE HYPOMETABOLISM, SUBCORTICAL ATROPHY AND WHITE MATTER HYPERINTENSITIES IN THE BEHAVIORAL VARIANT OF ALZHEIMER'S DISEASE 2018 , 14, P94-P9	5		
950	F5-05-04: THE USE OF RESIDUAL METHODS TO CAPTURE COGNITIVE RESERVE AND STUDY CLINICAL PROGRESSION IN ALZHEIMER'S DISEASE 2018 , 14, P1633-P1633			
949	P1-467: DISEASE-STAGESPECIFIC RELATIONSHIP BETWEEN COGNITIVE RESERVE AND CLINICAL PROGRESSION IN ALZHEIMER'S DISEASE 2018 , 14, P500-P501			
948	O3-13-06: TAKING AMYLOID PET INTO THE CLINIC: INDIVIDUALIZED RISK PREDICTION IN MCI PATIENTS THE ABIDE PROJECT 2018 , 14, P1058-P1058			
947	O2-09-05: EXTENSION AND VALIDATION OF AN AMYLOID STAGING MODEL: ASSOCIATIONS WITH CLINICAL MEASURES 2018 , 14, P643-P643			
946	O2-15-04: ROBUST INDIVIDUALIZED PREDICTION MODELS WHICH ARE APPLICABLE ACROSS DIFFERENT COHORTS 2018 , 14, P661-P662			
945	O5-01-03: ATROPHY SUBTYPES IN ALZHEIMER'S DISEASE IDENTIFIED THROUGH NON-NEGATIVE MATRIX FACTORIZATION 2018 , 14, P1638-P1639			
944	IC-P-005: ASSESSMENT OF EARLY AMYLOID PATHOLOGY USING [18F]FLUTEMETAMOL POSITRON EMISSION TOMOGRAPHY: COMPARING VISUAL READ, SEMI-QUANTITATIVE AND QUANTITATIVE METHODS 2018 , 14, P16-P17			
943	P2-284: NUTRITIONAL MARKERS ASSOCIATED WITH CLINICAL PROGRESSION IN PATIENTS WITH MILD COGNITIVE IMPAIRMENT AND SUBJECTIVE COGNITIVE DECLINE: THE NUDAD STUDY 2018 , 14, P789-P790			
942	FTS3-01-02: EUROPEAN PERSPECTIVE ON CLINICAL AMYLOID IMAGING 2018 , 14, P1004-P1004			
941	P2-445: EVENT-BASED MODELING OF THE TEMPORAL ORDERING OF REGIONAL FAMYLOID DEPOSITION IN THE BRAIN 2018 , 14, P887-P888		1	
940	P1-602: DUTCH ONLINE REGISTRY FOR RECRUITMENT OF PARTICIPANTS FOR DEMENTIA STUDIES: HERSENONDERZOEK.NL AND BRAIN HEALTH REGISTRY 2018 , 14, P569-P570		1	
939	What Have We Learned from Expedition III and EPOCH Trials? Perspective of the CTAD Task Force. <i>journal of prevention of Alzheimeris disease, The</i> , 2018 , 5, 171-174	3.8	5	
938	P3-617: NUTRITIONAL INTAKE IN SUBJECTIVE COGNITIVE DECLINE: ROOM FOR IMPROVEMENT? 2018 , 14, P1366-P1367			
937	A novel partial volume correction method for accurate quantification of [F] flortaucipir in the hippocampus. <i>EJNMMI Research</i> , 2018 , 8, 79	3.6	15	
936	P3-568: PROGNOSIS OF INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT REVERTING TO NORMAL COGNITION 2018 , 14, P1341-P1342			
935	F4-08-01: PLASMA AMYLOID AS A PRE-SCREENING TOOL FOR AMYLOID POSITIVITY IN SUBJECTIVE COGNITIVE DECLINE 2018 . 14. P1394-P1394			

(2018-2018)

BIOMARKERS RELATING TO BRAIN AMYLOID BURDEN AND ALZHEIMER'S DISEASE PROGRESSION 934 2018, 14, P201-P202 P2-251: NEUROPATHOLOGICAL HALLMARKS OF ALZHEIMER'S DISEASE IN POSTMORTEM AD 933 RETINAS 2018, 14, P770-P771 Resilience to cognitive impairment in the oldest-old: design of the EMIF-AD 90+ study. BMC 932 4.1 15 Geriatrics, **2018**, 18, 289 Heterogeneity of Alzheimer's disease: consequence for drug trials?. Alzheimeris Research and 36 931 9 Therapy, **2018**, 10, 122 O1-10-05: ELECTRO-ENCEPHALOGRAPHY AS A PRODROMAL MARKER OF DEMENTIA WITH LEWY 930 BODIES 2018. 14. P245-P245 Computer-assisted prediction of clinical progression in the earliest stages of AD. Alzheimeris and 8 929 5.2 Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 726-736 P3-355: ASSESSMENT OF EARLY AMYLOID PATHOLOGY USING [18F]FLUTEMETAMOL POSITRON 928 EMISSION TOMOGRAPHY: COMPARING VISUAL READ, SEMI-QUANTITATIVE AND QUANTITATIVE METHODS 2018, 14, P1221-P1222 Amyloid-beta and phosphorylated tau in post-mortem Alzheimer's disease retinas. Acta 927 67 7.3 Neuropathologica Communications, 2018, 6, 147 Angiopoietin like-4 as a novel vascular mediator in capillary cerebral amyloid angiopathy. Brain, 926 11.2 17 2018, 141, 3377-3388 The plasma peptides of ovarian cancer. Clinical Proteomics, 2018, 15, 41 925 20 The plasma peptidome. Clinical Proteomics, 2018, 15, 39 924 5 11 Plasma Protein Biomarkers for the Prediction of CSF Amyloid and Tau and [F]-Flutemetamol PET 923 20 5.3 Scan Result. Frontiers in Aging Neuroscience, 2018, 10, 409 Current state of Alzheimer's fluid biomarkers. Acta Neuropathologica, 2018, 136, 821-853 236 922 14.3 F1-02-01: RELATING CSF MARKERS NEUROGRANIN, NEUROFILAMENT-LIGHT AND YKL-40 TO A APOE AND COGNITION: RESULTS FROM THE EMIF-AD MULTIMODAL BIOMARKER DISCOVERY 921 STUDY **2018**, 14, P201-P201 A C6orf10/LOC101929163 locus is associated with age of onset in C9orf72 carriers. Brain, 2018, 920 11.2 25 141, 2895-2907 Prevalence of amyloid-pathology in distinct variants of primary progressive aphasia. Annals of 919 9.4 74 Neurology, 2018, 84, 729-740 MRI predictors of amyloid pathology: results from the EMIF-AD Multimodal Biomarker Discovery 918 9 30 study. Alzheimeris Research and Therapy, 2018, 10, 100 The 100-plus Study of cognitively healthy centenarians: rationale, design and cohort description. 12.1 25 European Journal of Epidemiology, 2018, 33, 1229-1249

F1-02-02: DISCOVERY, REPLICATION AND EXTENSION STUDY OF PLASMA PROTEOMIC

916	Secondary prevention of Alzheimer's dementia: neuroimaging contributions. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 112	9	27
915	O3-09-06: A PROTOTYPE SIMOA ASSAY QUANTIFYING PLASMA AMYLOID BETA 1-42 AND 1-40 ISOFORMS CAN DIFFERENTIATE PARTICIPANTS WITH AD FROM HEALTHY CONTROL SUBJECTS 2018 , 14, P1039-P1039		4
914	P2-458: PREDICTING COGNITIVE DECLINE THROUGH STRUCTURAL MRI BIOMARKERS: RESULTS FROM THE EMIF-AD BIOMARKER DISCOVERY STUDY 2018 , 14, P895-P896		
913	F1-02-03: MRI PREDICTORS OF AMYLOID PATHOLOGY: RESULTS FROM THE EMIF-AD BIOMARKER DISCOVERY STUDY 2018 , 14, P202-P204		
912	Atrophy subtypes in prodromal Alzheimer's disease are associated with cognitive decline. <i>Brain</i> , 2018 , 141, 3443-3456	11.2	49
911	Safety, tolerability and efficacy of the glutaminyl cyclase inhibitor PQ912 in Alzheimer's disease: results of a randomized, double-blind, placebo-controlled phase 2a study. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 107	9	48
910	IC-P-187: CORTICAL T1-W/T2-W RATIO VALUES ARE HIGHER IN ALZHEIMER'S DISEASE COMPARED TO CONTROLS 2018 , 14, P156-P156		
909	Clinical phenotype, atrophy, and small vessel disease in 2 carriers with Alzheimer disease. <i>Neurology</i> , 2018 , 91, e1851-e1859	6.5	30
908	Plasma Amyloid as Prescreener for the Earliest Alzheimer Pathological Changes. <i>Annals of Neurology</i> , 2018 , 84, 648-658	9.4	137
907	The EMIF-AD PreclinAD study: study design and baseline cohort overview. <i>Alzheimeris Research and Therapy</i> , 2018 , 10, 75	9	24
906	Hypometabolism of the posterior cingulate cortex is not restricted to Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2018 , 19, 625-632	5.3	18
905	Genome-wide significant risk factors for Alzheimer's disease: role in progression to dementia due to Alzheimer's disease among subjects with mild cognitive impairment. <i>Molecular Psychiatry</i> , 2017 , 22, 153-160	15.1	61
904	Early-Onset Dementia: Frequency, Diagnostic Procedures, and Quality Indicators in Three European Tertiary Referral Centers. <i>Alzheimer Disease and Associated Disorders</i> , 2017 , 31, 146-151	2.5	10
903	Apolipoprotein A1 in Cerebrospinal Fluid and Plasma and Progression to Alzheimer's Disease in Non-Demented Elderly. <i>Journal of Alzheimeris Disease</i> , 2017 , 56, 687-697	4.3	36
902	Active Allmmunotherapy CAD106 in Alzheimer's disease: A phase 2b study. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 10-22	6	65
901	Improved Cerebrospinal Fluid-Based Discrimination between Alzheimer's Disease Patients and Controls after Correction for Ventricular Volumes. <i>Journal of Alzheimeris Disease</i> , 2017 , 56, 543-555	4.3	7
900	Practical use of visual medial temporal lobe atrophy cut-off scores in Alzheimer's disease: Validation in a large memory clinic population. <i>European Radiology</i> , 2017 , 27, 3147-3155	8	30
899	Alzheimer's biomarkers in daily practice (ABIDE) project: Rationale and design. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 6, 143-151	5.2	43

898	Predicting progression to dementia in persons with mild cognitive impairment using cerebrospinal fluid markers. <i>Alzheimeris and Dementia</i> , 2017 , 13, 903-912	1.2	21
897	A composite measure of cognitive and functional progression in Alzheimer's disease: Design of the Capturing Changes in Cognition study. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 130-138	6	22
896	A multinational study distinguishing Alzheimer's and healthy patients using cerebrospinal fluid tau/AB2 cutoff with concordance to amyloid positron emission tomography imaging. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 6, 201-209	5.2	16
895	Unbiased estimates of cerebrospinal fluid Emyloid 1-42 cutoffs in a large memory clinic population. <i>Alzheimeris Research and Therapy</i> , 2017 , 9, 8	9	35
894	Consensus classification of posterior cortical atrophy. <i>Alzheimeris and Dementia</i> , 2017 , 13, 870-884	1.2	261
893	Gait Speed and Grip Strength Reflect Cognitive Impairment and Are Modestly Related to Incident Cognitive Decline in Memory Clinic Patients With Subjective Cognitive Decline and Mild Cognitive Impairment: Findings From the 4C Study. <i>Journals of Gerontology - Series A Biological Sciences and</i>	6.4	44
892	Quantification of Tau Load Using [F]AV1451 PET. Molecular Imaging and Biology, 2017, 19, 963-971	3.8	31
891	Cognitive subtypes of probable Alzheimer's disease robustly identified in Four cohorts. <i>Alzheimeris and Dementia</i> , 2017 , 13, 1226-1236	1.2	45
890	CSF ApoE predicts clinical progression in nondemented APOEE carriers. <i>Neurobiology of Aging</i> , 2017 , 57, 186-194	5.6	18
889	Patterns of atrophy in pathologically confirmed dementias: a voxelwise analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017 , 88, 908-916	5.5	45
888	Rare Genetic Variant in SORL1 May Increase Penetrance of Alzheimer's Disease in a Family with Several Generations of APOE-e4 Homozygosity. <i>Journal of Alzheimeris Disease</i> , 2017 , 56, 63-74	4.3	23
887	A neuroimaging approach to capture cognitive reserve: Application to Alzheimer's disease. <i>Human Brain Mapping</i> , 2017 , 38, 4703-4715	5.9	39
886	Nutrients required for phospholipid synthesis are lower in blood and cerebrospinal fluid in mild cognitive impairment and Alzheimer's disease dementia. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 8, 139-146	5.2	17
885	Alzheimer's disease: The state of the art in resting-state magnetoencephalography. <i>Clinical Neurophysiology</i> , 2017 , 128, 1426-1437	4.3	50
884	Characterization of pathogenic SORL1 genetic variants for association with Alzheimer's disease: a clinical interpretation strategy. <i>European Journal of Human Genetics</i> , 2017 , 25, 973-981	5.3	62
883	Effect of Long-Term Vascular Care on Progression of Cerebrovascular Lesions: Magnetic Resonance Imaging Substudy of the PreDIVA Trial (Prevention of Dementia by Intensive Vascular Care). <i>Stroke</i> , 2017 , 48, 1842-1848	6.7	2 0
882	Consensus guidelines for lumbar puncture in patients with neurological diseases. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 8, 111-126	5.2	128
881	Glutaminyl cyclase activity correlates with levels of Alpeptides and mediators of angiogenesis in cerebrospinal fluid of Alzheimer's disease patients. <i>Alzheimeris Research and Therapy</i> , 2017 , 9, 38	9	18

880	Selective impairment of hippocampus and posterior hub areas in Alzheimer's disease: an MEG-based multiplex network study. <i>Brain</i> , 2017 , 140, 1466-1485	11.2	72
879	The frequency and influence of dementia risk factors in prodromal Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 56, 33-40	5.6	19
878	Cerebrospinal fluid biomarker examination as a tool to discriminate behavioral variant frontotemporal dementia from primary psychiatric disorders. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 7, 99-106	5.2	23
877	Cognitive functioning of individuals aged 90 years and older without dementia: A systematic review. <i>Ageing Research Reviews</i> , 2017 , 36, 42-49	12	6
876	Clinical validity of medial temporal atrophy as a biomarker for Alzheimer's disease in the context of a structured 5-phase development framework. <i>Neurobiology of Aging</i> , 2017 , 52, 167-182.e1	5.6	51
875	Low normal cerebrospinal fluid AII2 levels predict clinical progression in nondemented subjects. <i>Annals of Neurology</i> , 2017 , 81, 749-753	9.4	14
874	From corticocentrism to leucocentrism or both. <i>Brain</i> , 2017 , 140, 247-250	11.2	
873	24-month intervention with a specific multinutrient in people with prodromal Alzheimer's disease (LipiDiDiet): a randomised, double-blind, controlled trial. <i>Lancet Neurology, The</i> , 2017 , 16, 965-975	24.1	118
872	The Pitfall of Behavioral Variant Frontotemporal Dementia Mimics Despite[Multidisciplinary Application of Line [FTDC Criteria. <i>Journal of Alzheimeris Disease</i> , 2017 , 60, 959-975	4.3	22
871	Interpreting Biomarker Results in Individual Patients With Mild Cognitive Impairment in the Alzheimer's Biomarkers in Daily Practice (ABIDE) Project. <i>JAMA Neurology</i> , 2017 , 74, 1481-1491	17.2	58
870	Association Between Later Life Lifestyle Factors and Alzheimer's Disease Biomarkers in Non-Demented Individuals: A Longitudinal Descriptive Cohort Study. <i>Journal of Alzheimeris Disease</i> , 2017 , 60, 1387-1395	4.3	15
869	A novel quantification-driven proteomic strategy identifies an endogenous peptide of pleiotrophin as a new biomarker of Alzheimer's disease. <i>Scientific Reports</i> , 2017 , 7, 13333	4.9	33
868	[IC-P-130]: MRI-BASED CLASSIFICATION ACCURACY OF DEMENTIA TYPE IS DETERMINED BY MRI MODALITY 2017 , 13, P98-P99		
867	[P1B92]: AUTOMATED SELECTION OF MULTIMODAL MRI BIOMARKERS FOR DIAGNOSIS OF DEMENTIA 2017 , 13, P417-P418		
866	Current Approaches and Clinician Attitudes to the Use of Cerebrospinal Fluid Biomarkers in Diagnostic Evaluation of Dementia in Europe. <i>Journal of Alzheimeris Disease</i> , 2017 , 60, 201-210	4.3	6
865	On the path to 2025: understanding the Alzheimer's disease continuum. <i>Alzheimeris Research and Therapy</i> , 2017 , 9, 60	9	197
864	Amyloid-independent atrophy patterns predict time to progression to dementia in mild cognitive impairment. <i>Alzheimeris Research and Therapy</i> , 2017 , 9, 73	9	20
863	A phase III randomized trial of gantenerumab in prodromal Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2017 , 9, 95	9	243

862	Cerebrovascular and amyloid pathology in predementia stages: the relationship with neurodegeneration and cognitive decline. <i>Alzheimeris Research and Therapy</i> , 2017 , 9, 101	9	31
861	Imaging biomarkers in Alzheimer's disease: added value in the clinical setting. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 61, 360-371	1.4	8
860	Effect Size Analyses of Souvenaid in Patients with Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2017 , 55, 1131-1139	4.3	27
859	Blood-based metabolic signatures in Alzheimer's disease. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 8, 196-207	5.2	39
858	Directional information flow in patients with Alzheimer's disease. A source-space resting-state MEG study. <i>NeuroImage: Clinical</i> , 2017 , 15, 673-681	5.3	17
857	Lumbar puncture in patients with neurologic conditions. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring,</i> 2017 , 8, 108-110	5.2	9
856	Lower cerebral blood flow in subjects with Alzheimer's dementia, mild cognitive impairment, and subjective cognitive decline using two-dimensional phase-contrast magnetic resonance imaging. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 9, 76-83	5.2	29
855	[P2045]: AMYLOID VISUALIZATION IN THE RETINA OF ALZHEIMER'S DISEASE PATIENTS WITH CURCUMIN 2017 , 13, P705-P706		
854	The effect of diagnostic criteria on outcome measures in preclinical and prodromal Alzheimer's disease: Implications for trial design. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 513-523	6	14
853	EEG spectral analysis as a putative early prognostic biomarker in nondemented, amyloid positive subjects. <i>Neurobiology of Aging</i> , 2017 , 57, 133-142	5.6	54
852	Strategic roadmap for an early diagnosis of Alzheimer's disease based on biomarkers. <i>Lancet Neurology, The</i> , 2017 , 16, 661-676	24.1	308
851	Ondersteuning bij visuele problemen in het kader van posterieure corticale atrofie leen casus. <i>Neuropraxis</i> , 2017 , 21, 4-10	Ο	O
850	Diagnostic impact of [F]flutemetamol PET in early-onset dementia. <i>Alzheimeris Research and Therapy</i> , 2017 , 9, 2	9	79
849	Lower cerebral blood flow is associated with impairment in multiple cognitive domains in Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2017 , 13, 531-540	1.2	64
848	Lower cerebral blood flow is associated with faster cognitive decline in Alzheimer's disease. <i>European Radiology</i> , 2017 , 27, 1169-1175	8	65
847	A novel CCM2 variant in a family with non-progressive cognitive complaints and cerebral microbleeds. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 220-226	3.5	5
846	Gray matter network differences between behavioral variant frontotemporal dementia and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 50, 77-86	5.6	3
845	Assessing fitness to drive-A validation study on patients with mild cognitive impairment. <i>Traffic Injury Prevention</i> , 2017 , 18, 145-149	1.8	20

844	[P1044]: DISCRIMINATION BETWEEN DEMENTIA WITH LEWY BODIES (DLB), ALZHEIMER's DISEASE (AD) AND MIXED PATHOLOGY USING ELECTRO-ENCEPHALOGRAPHY (EEG) 2017 , 13, P338-P339	
843	[P2B99]: CORRELATION OF GREY MATTER NETWORK MEASURES IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS 2017 , 13, P783-P783	
842	[P2월73]: THE EFFECTS OF AMYLOID ON SEMANTIC COMPLEXITY IN SPONTANEOUS SPEECH IN SUBJECTIVE COGNITIVE DECLINE 2017 , 13, P821-P822	
841	[P3fl61]: GRANULOCYTES: KEY PLAYERS IN PERIPHERAL A CLEARANCE? 2017 , 13, P995-P996	
840	[P3026]: PROFILING PERIPHERAL METABOLIC DYSREGULATION IN ALZHEIMER'S DISEASE: THE ADDED VALUE OF MULTIPLE SIGNATURES 2017 , 13, P1024-P1025	
839	[P3B75]: GREY MATTER CONNECTIVITY IS ASSOCIATED WITH THE RATE OF COGNITIVE DECLINE IN MILD COGNITIVE IMPAIRMENT 2017 , 13, P1102-P1103	
838	[P3B86]: COMPUTED RATING SCALES FOR COGNITIVE DISORDERS FROM MRI 2017 , 13, P1108-P1108	1
837	[P3월07]: SUBJECTIVE COGNITIVE DECLINE IS ASSOCIATED WITH ALTERED POSTERIOR CINGULATE CONNECTIVITY IN ELDERLY WITH A FAMILIAL HISTORY OF ALZHEIMER'S DISEASE 2017 , 13, P1120-P1121	
836	[P3월22]: CLINICAL AND RADIOLOGICAL FINDINGS IN PATIENTS WITH PATHOLOGICALLY CONFIRMED CAA 2017 , 13, P1127-P1128	
835	[P3월27]: NON-AMNESTIC ALZHEIMER'S DISEASE: A POSSIBLE ROLE FOR NEUROINFLAMMATION? 2017 , 13, P1131-P1131	
8 ₃₅		
	2017, 13, P1131-P1131 [P4\(\text{D}\)19]: [18F]AV1451 BINDING POTENTIAL IN RELATION TO AMYLOID STATUS AND COGNITION	
834	2017, 13, P1131-P1131 [P4\(\text{D}\)19]: [18F]AV1451 BINDING POTENTIAL IN RELATION TO AMYLOID STATUS AND COGNITION IN SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE 2017, 13, P1352-P1353 [P4\(\text{D}\)35]: PARAMETRIC IMAGING OF TAU LOAD IN ALZHEIMER'S PATIENTS AND CONTROLS USING	
8 ₃₄ 8 ₃₃	2017, 13, P1131-P1131 [P4\(\text{D}\)19]: [18F]AV1451 BINDING POTENTIAL IN RELATION TO AMYLOID STATUS AND COGNITION IN SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE 2017, 13, P1352-P1353 [P4\(\text{D}\)35]: PARAMETRIC IMAGING OF TAU LOAD IN ALZHEIMER'S PATIENTS AND CONTROLS USING FLORTAUCIPIR 2017, 13, P1364-P1364 [P4\(\text{D}\)02]: DOES BRAIN AMYLOID DEPOSITION IMPACT EVERYDAY FUNCTIONING IN SUBJECTS	1
8 ₃₄ 8 ₃₃ 8 ₃₂	2017, 13, P1131-P1131 [P4\(\tilde{\textstyle}\)19]: [18F]AV1451 BINDING POTENTIAL IN RELATION TO AMYLOID STATUS AND COGNITION IN SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE 2017, 13, P1352-P1353 [P4\(\tilde{\textstyle}\)35]: PARAMETRIC IMAGING OF TAU LOAD IN ALZHEIMER'S PATIENTS AND CONTROLS USING FLORTAUCIPIR 2017, 13, P1364-P1364 [P4\(\textstyle\)302]: DOES BRAIN AMYLOID DEPOSITION IMPACT EVERYDAY FUNCTIONING IN SUBJECTS WITH COGNITIVE COMPLAINTS? RESULTS FROM THE INSIGHT COHORT 2017, 13, P1406-P1406 [IC-P-005]: CONCORDANCE BETWEEN CEREBROSPINAL FLUID AMYLOID-\(\textstyle\)AND	1
834 833 832 831	2017, 13, P1131-P1131 [P4월19]: [18F]AV1451 BINDING POTENTIAL IN RELATION TO AMYLOID STATUS AND COGNITION IN SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE 2017, 13, P1352-P1353 [P4월35]: PARAMETRIC IMAGING OF TAU LOAD IN ALZHEIMER'S PATIENTS AND CONTROLS USING FLORTAUCIPIR 2017, 13, P1364-P1364 [P4월02]: DOES BRAIN AMYLOID DEPOSITION IMPACT EVERYDAY FUNCTIONING IN SUBJECTS WITH COGNITIVE COMPLAINTS? RESULTS FROM THE INSIGHT COHORT 2017, 13, P1406-P1406 [IC-P-005]: CONCORDANCE BETWEEN CEREBROSPINAL FLUID AMYLOID-TAND [18F]FLORBETABEN PET IN AN UNSELECTED COHORT OF MEMORY CLINIC PATIENTS 2017, 13, P13-P14 [IC-P-036]: CORRELATION OF GREY MATTER NETWORK MEASURES IN COGNITIVELY HEALTHY	1
834 833 832 831 830	2017, 13, P1131-P1131 [P4219]: [18F]AV1451 BINDING POTENTIAL IN RELATION TO AMYLOID STATUS AND COGNITION IN SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE 2017, 13, P1352-P1353 [P4235]: PARAMETRIC IMAGING OF TAU LOAD IN ALZHEIMER'S PATIENTS AND CONTROLS USING FLORTAUCIPIR 2017, 13, P1364-P1364 [P4802]: DOES BRAIN AMYLOID DEPOSITION IMPACT EVERYDAY FUNCTIONING IN SUBJECTS WITH COGNITIVE COMPLAINTS? RESULTS FROM THE INSIGHT COHORT 2017, 13, P1406-P1406 [IC-P-005]: CONCORDANCE BETWEEN CEREBROSPINAL FLUID AMYLOID-TAND [18F]FLORBETABEN PET IN AN UNSELECTED COHORT OF MEMORY CLINIC PATIENTS 2017, 13, P13-P14 [IC-P-036]: CORRELATION OF GREY MATTER NETWORK MEASURES IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS 2017, 13, P32-P32 [IC-P-037]: SUBJECTIVE COGNITIVE DECLINE IS ASSOCIATED WITH ALTERED POSTERIOR CINGULATE CONNECTIVITY IN ELDERLY WITH A FAMILIAL HISTORY OF ALZHEIMER'S DISEASE 2017	1

(2017-2017)

826	[IC-P-058]: TWIN CORRELATIONS FOR AMYLOID PATHOLOGY MEASURED WITH POSITRON EMISSION TOMOGRAPHY AND IN CEREBROSPINAL FLUID IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS 2017 , 13, P47-P48
825	[IC-P-065]: WHITE MATTER HYPERINTENSITIES AND VASCULAR RISK FACTORS IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS 2017 , 13, P53-P54
824	[IC-P-085]: GREY MATTER CONNECTIVITY IS ASSOCIATED WITH THE RATE OF COGNITIVE DECLINE IN MILD COGNITIVE IMPAIRMENT 2017 , 13, P69-P69
823	[IC-P-095]: MICROBLEEDS ARE ASSOCIATED WITH DEPRESSIVE SYMPTOMS IN ALZHEIMER'S DISEASE 2017 , 13, P74-P75
822	[IC-P-106]: PREDICTING PROGRESSION IN PRE-DEMENTIA STAGES OF ALZHEIMER'S DISEASE WITH A NEUROIMAGING MEASURE OF COGNITIVE RESERVE 2017 , 13, P81-P82
821	[IC-P-110]: GREY MATTER CONNECTIVITY IS RELATED TO A STEEPER LOSS OF MEMORY AND LANGUAGE FUNCTIONING OVER TIME IN PATIENTS WITH SUBJECTIVE COGNITIVE DECLINE 2017 , 13, P87-P87
820	[IC-P-203]: [18F]AV1451 BINDING POTENTIAL IN RELATION TO AMYLOID STATUS AND COGNITION IN SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE 2017 , 13, P148-P149
819	[IC-P-206]: PARAMETRIC IMAGING OF TAU LOAD IN ALZHEIMER'S PATIENTS AND CONTROLS USING FLORTAUCIPIR 2017 , 13, P150
818	[P1050]: DECISION TREE ANALYSIS REVEALS TWO CUT-OFF LEVELS FOR AMYLOID BETA IN EARLY AD DIAGNOSIS 2017 , 13, P342-P343
817	[P1076]: BRI2 DEMENTIA PATHWAY IN CSF, IMPROVING DETECTION THROUGH ULTRASENSITIVE SIMOA TECHNOLOGY 2017 , 13, P355-P355
816	[P1083]: RETINAL THICKNESS CORRELATES WITH PARIETAL CORTICAL ATROPHY ON MRI 2017 , 13, P359-P359
815	[P1🛮89]: DISCOVERY, REPLICATION AND EXTENSION STUDY OF PLASMA PROTEOMIC BIOMARKERS RELATING TO BRAIN AMYLOID BURDEN (CSF Al͡DR AMYLOID-PET) IN THE EMIF-AD BIOMARKER DISCOVERY COHORT 2017 , 13, P361-P362
814	[P1B87]: CHARACTERIZATION OF SUSPECTED NON-ALZHEIMER'S DISEASE PATHOPHYSIOLOGY (SNAP) IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT USING NEUROIMAGING 2017 , 13, P414-P414
813	[P1월04]: EARLY ALTERATIONS IN RESTING-STATE FUNCTIONAL CONNECTIVITY IS ASSOCIATED WITH AMYLOID PATHOLOGY IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWINS 2017 , 13, P429-P429
812	[P1월11]: WHITE MATTER HYPERINTENSITIES AND VASCULAR RISK FACTORS IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS 2017 , 13, P433-P434
811	[P1월40]: GREY MATTER CONNECTIVITY IS RELATED TO A STEEPER LOSS OF MEMORY AND LANGUAGE FUNCTIONING OVER TIME IN PATIENTS WITH SUBJECTIVE COGNITIVE DECLINE 2017 , 13, P451-P451
810	[P2052]: THE DUTCH BRAIN HEALTH REGISTRY: OPTIMIZING RECRUITMENT FOR DEMENTIA RESEARCH 2017 , 13, P624-P624
809	[P2007]: CONCORDANCE BETWEEN CEREBROSPINAL FLUID AMYLOID-DAND [18F]FLORBETABEN PET IN AN LINSELECTED COHORT OF MEMORY CLINIC PATIENTS 2017, 13, P688-P688

808	[P2Ø12]: EUROPEAN MEDICAL INFORMATION FRAMEWORK FOR ALZHEIMER's DISEASE (EMIF-AD): THE BIOMARKER DISCOVERY STUDY 2017 , 13, P691-P692		1
807	[P2B35]: EFFECT OF APOE I ON REGIONAL GRAY MATTER ATROPHY AND CLINICAL PHENOTYPE IN ALZHEIMER's DISEASE 2017 , 13, P748-P750		
806	[F10304]: BIOMARKER-BASED PERSONALIZED RISK ESTIMATES FOR PATIENTS WITH SUBJECTIVE COGNITIVE DECLINE 2017 , 13, P177		
805	[PL-010201]: BIOMARKERS FOR THE DIAGNOSIS OF ALZHEIMER'S DISEASE 2017 , 13, P180		
804	[O10102]: MICROBLEEDS ARE ASSOCIATED WITH DEPRESSIVE SYMPTOMS IN ALZHEIMER'S DISEASE 2017 , 13, P182		
803	[O10503]: CSF AMYLOID BETA 102 LEVELS OBTAINED OVER 15 YEARS SHOW A DIAGNOSIS-DEPENDENT UPWARD DRIFT 2017 , 13, P198-P199		
802	[O20101]: CHARACTERIZING INDIVIDUALS WITH SUBJECTIVE COGNITIVE DECLINE: THE SUBJECTIVE COGNITIVE IMPAIRMENT COHORT (SCIENCE) 2017 , 13, P547-P548		
801	[O20501]: TWIN CORRELATIONS FOR AMYLOID PATHOLOGY MEASURED WITH POSITRON EMISSION TOMOGRAPHY AND IN CEREBROSPINAL FLUID IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS 2017 , 13, P559-P560		
800	[O2110106]: PROGNOSIS OF CLINICAL PROGRESSION IN SUBJECTIVE COGNITIVE DECLINE USING A CLINICAL DECISION SUPPORT SYSTEM 2017 , 13, P579		
799	[O2l103]: PREDICTING PROGRESSION IN PRE-DEMENTIA STAGES OF ALZHEIMER's DISEASE WITH A NEUROIMAGING MEASURE OF COGNITIVE RESERVE 2017 , 13, P581-P582		
798	[O2f12f03]: DURATION OF ALZHEIMER'S DISEASE IN THE PRECLINICAL, PRODROMAL AND DEMENTIA STAGE: A MULTI-STATE MODEL ANALYSIS 2017 , 13, P585-P586		4
797	[O30604]: PROMINENT NON-MEMORY DEFICITS IN AD ARE ASSOCIATED WITH A FASTER DISEASE PROGRESSION 2017 , 13, P912		
796	[O3110103]: LONGITUDINAL CEREBROSPINAL FLUID BIOMARKER TRAJECTORIES ALONG THE ALZHEIMER'S DISEASE CONTINUUM: A MULTICENTRE EUROPEAN STUDY 2017 , 13, P924		2
795	[O50704]: COGNITIVE PERFORMANCE AND ALZHEIMER-ASSOCIATED PATHOLOGY IN THE CONTEXT OF EXTREME AGING 2017 , 13, P1472		
794	[DT-0102]: THE IMPACT OF AMYLOID PET ON DIAGNOSIS AND PATIENT MANAGEMENT IN AN UNSELECTED MEMORY CLINIC COHORT: THE ABIDE PROJECT 2017 , 13, P1474-P1475		
793	[P2fl94]: USING EMERGING CEREBROSPINAL FLUID MARKERS TO CHARACTERIZE SUSPECTED NON-ALZHEIMER'S DISEASE PATHOPHYSIOLOGY (SNAP) IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT 2017 , 13, P680-P681		
792	[P3 b 75]: PLEIOTROPHIN, A NEW BIOMARKER FOR AD, IDENTIFIED USING A NOVEL STRATEGY IN CLINICAL PROTEOMICS 2017 , 13, P960-P961		
791	Psychosis in behavioral variant frontotemporal dementia. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 1099-1106	3.1	15

790	MEG Beamformer-Based Reconstructions of Functional Networks in Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 107	5.3	20
789	MRI Visual Ratings of Brain Atrophy and White Matter Hyperintensities across the Spectrum of Cognitive Decline Are Differently Affected by Age and Diagnosis. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 117	5.3	44
788	White Matter Changes-Related Gait and Executive Function Deficits: Associations with Age and Parkinson's Disease. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 213	5.3	7
787	Clinical Effects of Tramiprosate in APOE4/4 Homozygous Patients with Mild Alzheimer's Disease Suggest Disease Modification Potential. <i>journal of prevention of Alzheimeris disease, The</i> , 2017 , 4, 149-1	5g ^{.8}	27
786	Cognitive Deficits in Patients With Neuropsychiatric Symptoms: A Comparative Study Between Behavioral Variant Frontotemporal Dementia and Primary Psychiatric Disorders. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e940-e946	4.6	15
785	The Diagnostic Challenge of the Late-Onset Frontal Lobe Syndrome: Clinical Predictors for Primary Psychiatric Disorders Versus Behavioral Variant Frontotemporal Dementia. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1197-e1203	4.6	13
784	Detecting functional decline from normal aging to dementia: Development and validation of a short version of the Amsterdam IADL Questionnaire. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 8, 26-35	5.2	33
783	A Longitudinal Study on Resting State Functional Connectivity in Behavioral Variant Frontotemporal Dementia and Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2017 , 55, 521-537	4.3	31
782	The Diagnostic and Prognostic Value of Neuropsychological Assessment in Memory Clinic Patients. Journal of Alzheimeris Disease, 2017 , 55, 679-689	4.3	15
781	Performance and complications of lumbar puncture in memory clinics: Results of the multicenter lumbar puncture feasibility study. <i>Alzheimeris and Dementia</i> , 2016 , 12, 154-163	1.2	129
78o	The Association of Glucose Metabolism and Eigenvector Centrality in Alzheimer's Disease. <i>Brain Connectivity</i> , 2016 , 6, 1-8	2.7	14
779	Relation between subcortical grey matter atrophy and conversion from mild cognitive impairment to Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 425-32	5.5	63
778	The identification of cognitive subtypes in Alzheimer's disease dementia using latent class analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 235-43	5.5	58
777	Cognitive Decline in Patients with Chronic Hydrocephalus and Normal Aging: 'Growing into Deficits'. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016 , 6, 500-507	2.5	5
776	Random forest to differentiate dementia with Lewy bodies from Alzheimer's disease. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 4, 99-106	5.2	39
775	Drug development in Alzheimer's disease: the path to 2025. <i>Alzheimeris Research and Therapy</i> , 2016 , 8, 39	9	234
774	Diagnostic Accuracy of the Frontotemporal Dementia Consensus Criteria in the Late-Onset Frontal Lobe Syndrome. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 41, 210-9	2.6	21
773	Pseudo-healthy Image Synthesis for White Matter Lesion Segmentation. <i>Lecture Notes in Computer Science</i> , 2016 , 87-96	0.9	12

5.6

49

772	S4-01-01: Cross-Sectional Studies of Plasma Proteomic Biomarkers Relating to Pet Amyloid and CSF Amyloid and Tau 2016 , 12, P321-P321		
771	O4-09-05: Risk Factors for Cognitive Decline are Age Dependent 2016 , 12, P356-P356		
77°	IC-P-011: The Diagnostic Value of Amyloid Pet in an Unselected Cohort of Memory Clinic Patients 2016 , 12, P19-P20		
769	P2-342: Thinner Cortical Thickness in Patients with Subjective Cognitive Decline is Related to Poor Memory Performance and Faster Decline of Executive Function 2016 , 12, P774-P774		
768	O5-07-02: Personalized Risk Estimates for Mci Patients: Taking Biomarkers Into the Clinic 2016 , 12, P39	3-P393	3 1
767	Bapineuzumab for mild to moderate Alzheimer's disease in two global, randomized, phase 3 trials. <i>Alzheimeris Research and Therapy</i> , 2016 , 8, 18	9	148
766	Does MRI Increase the Diagnostic Confidence of Physicians in an Outpatient Memory Clinic. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016 , 6, 242-51	2.5	4
765	Validation of soluble amyloid-precursor protein assays as diagnostic CSF biomarkers for neurodegenerative diseases. <i>Journal of Neurochemistry</i> , 2016 , 137, 112-21	6	15
764	Schizophrenia as a mimic of behavioral variant frontotemporal dementia. <i>Neurocase</i> , 2016 , 22, 285-8	0.8	5
763	ABCA7 p.G215S as potential protective factor for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016 , 46, 235.e1-9	5.6	33
762	Differences in structural covariance brain networks between behavioral variant frontotemporal dementia and Alzheimer's disease. <i>Human Brain Mapping</i> , 2016 , 37, 978-88	5.9	32
761	Disrupted subject-specific gray matter network properties and cognitive dysfunction in type 1 diabetes patients with and without proliferative retinopathy. <i>Human Brain Mapping</i> , 2016 , 37, 1194-208	3 ^{5.9}	19
760	Cortical phase changes measured using 7-T MRI in subjects with subjective cognitive impairment, and their association with cognitive function. <i>NMR in Biomedicine</i> , 2016 , 29, 1289-94	4.4	9
759	Impact of Imaging and Cerebrospinal Fluid Biomarkers on Behavioral Variant Frontotemporal Dementia Diagnosis within a Late-Onset Frontal Lobe Syndrome Cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 41, 16-26	2.6	8
75 ⁸	The effect of physical activity on cognitive function in patients with dementia: A meta-analysis of randomized control trials. <i>Ageing Research Reviews</i> , 2016 , 25, 13-23	12	330
757	Alzheimer Disease and Behavioral Variant Frontotemporal Dementia: Automatic Classification Based on Cortical Atrophy for Single-Subject Diagnosis. <i>Radiology</i> , 2016 , 279, 838-48	20.5	52
756	Cerebral perfusion in the predementia stages of Alzheimer's disease. <i>European Radiology</i> , 2016 , 26, 506	 6-84	69

Genome-wide analysis of genetic correlation in dementia with Lewy bodies, Parkinson's and

Alzheimer's diseases. Neurobiology of Aging, 2016, 38, 214.e7-214.e10

755

(2016-2016)

75	Preclinical Alzheimer's disease: Definition, natural history, and diagnostic criteria. <i>Alzheimeris and Dementia</i> , 2016 , 12, 292-323	1.2	832
75	MRI visual rating scales in the diagnosis of dementia: evaluation in 184 post-mortem confirmed cases. <i>Brain</i> , 2016 , 139, 1211-25	11.2	135
75	Different patterns of cortical gray matter loss over time in behavioral variant frontotemporal dementia and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016 , 38, 21-31	5.6	32
75	Defeating Alzheimer's disease and other dementias: a priority for European science and society. Lancet Neurology, The, 2016 , 15, 455-532	24.1	921
75	Alzheimer's disease. <i>Lancet, The</i> , 2016 , 388, 505-17	40	1720
74	EEG-directed connectivity from posterior brain regions is decreased in dementia with Lewy bodies: a comparison with Alzheimer's disease and controls. <i>Neurobiology of Aging</i> , 2016 , 41, 122-129	5.6	40
74	Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment. Alzheimeris and Dementia, 2016 , 12, 872-81	1.2	23
74	Role of Vascular Disease in Alzheimer-Like Progressive Cognitive Impairment. <i>Stroke</i> , 2016 , 47, 577-80	6.7	6
74	Gray matter network disruptions and amyloid beta in cognitively normal adults. <i>Neurobiology of Aging</i> , 2016 , 37, 154-160	5.6	41
74	Subjective Memory Complaints in APOEe4 Carriers are Associated with High Amyloid-Burden. Journal of Alzheimeris Disease, 2016 , 49, 1115-22	4.3	40
74	Integrating Biomarkers for Underlying Alzheimer's Disease in Mild Cognitive Impairment in Daily Practice: Comparison of a Clinical Decision Support System with Individual Biomarkers. <i>Journal of Alzheimeris Disease</i> , 2016 , 50, 261-70	4.3	12
74	Timely Diagnosis for Alzheimer's Disease: A Literature Review on Benefits and Challenges. <i>Journal of Alzheimeris Disease</i> , 2016 , 49, 617-31	4.3	214
74	Protein Kinase Activity Decreases with Higher Braak Stages of Alzheimer's Disease Pathology. Journal of Alzheimeris Disease, 2016 , 49, 927-43	4.3	21
74	A Semi-supervised Large Margin Algorithm for White Matter Hyperintensity Segmentation. <i>Lecture Notes in Computer Science</i> , 2016 , 104-112	0.9	1
74	Atrophy, hypometabolism and clinical trajectories in patients with amyloid-negative Alzheimer's disease. <i>Brain</i> , 2016 , 139, 2528-39	11.2	45
73	Magnetoencephalography for the Detection of Intervention Effects of a Specific Nutrient 9 Combination in Patients with Mild Alzheimer's Disease: Results from an Exploratory Double-Blind, Randomized, Controlled Study. <i>Frontiers in Neurology</i> , 2016 , 7, 161	4.1	6
73	Slowing of Hippocampal Activity Correlates with Cognitive Decline in Early Onset Alzheimer's Disease. An MEG Study with Virtual Electrodes. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 238	3.3	49
73	A/T/N: An unbiased descriptive classification scheme for Alzheimer disease biomarkers. <i>Neurology</i> , 2016 , 87, 539-47	6.5	710

736	Application of Machine Learning to Arterial Spin Labeling in Mild Cognitive Impairment and Alzheimer Disease. <i>Radiology</i> , 2016 , 281, 865-875	20.5	44
735	White Matter Changes and Cognitive Decline in a Ten-Year Follow-Up Period: A Pilot Study on a Single-Center Cohort from the Leukoaraiosis and Disability Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 41, 303-13	2.6	3
734	A profile of The Clinical Course of Cognition and Comorbidity in Mild Cognitive Impairment and Dementia Study (The 4C study): two complementary longitudinal, clinical cohorts in the Netherlands. <i>BMC Neurology</i> , 2016 , 16, 242	3.1	12
733	Heterogeneous Language Profiles in Patients with Primary Progressive Aphasia due to Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2016 , 51, 581-90	4.3	23
732	Diagnostic Accuracy of MRI and Additional [18F]FDG-PET for Behavioral Variant Frontotemporal Dementia in Patients with Late Onset Behavioral Changes. <i>Journal of Alzheimeris Disease</i> , 2016 , 53, 128	7 ⁴ 9 ³ 7	37
73 ¹	Dementia and Rapid Mortality: Who is at Risk?. Journal of Alzheimeris Disease, 2016, 53, 135-42	4.3	24
730	Cognitive reserve moderates long-term cognitive and functional outcome in cerebral small vessel disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 1296-1302	5.5	31
729	Added Prognostic Value of Cerebrospinal Fluid Biomarkers in Predicting Decline in Memory Clinic Patients in a Prospective Cohort. <i>Journal of Alzheimeris Disease</i> , 2016 , 52, 875-85	4.3	7
728	Formal Psychiatric Disorders are not Overrepresented in Behavioral Variant Frontotemporal Dementia. <i>Journal of Alzheimeris Disease</i> , 2016 , 51, 1249-56	4.3	9
727	P2-131: Applying Random Forest Machine Learning to Diagnose Alzheimer's Disease and Dementia with Lewy Bodies: A Combination of Electroencephalography (EEG), Clinical Parameters and Biomarkers 2016 , 12, P661-P662		5
726	P1-297: The Diagnostic Value of Amyloid Pet in an Unselected Cohort of Memory Clinic Patients 2016 , 12, P534-P535		
725	Thinner temporal and parietal cortex is related to incident clinical progression to dementia in patients with subjective cognitive decline. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 5, 43-52	5.2	30
724	P2-221: Cerebral Blood Flow Measured with Phase-Contrast MRI in AD, MCI and Controls 2016 , 12, P706	6-P706	
723	P4-122: Prevalence of Vascular Risk Factors in Different Stages of Prodromal Alzheimer Disease and Its Influence on Cognitive Decline 2016 , 12, P1059-P1061		
722	IC-P-196: Quantification of TAU Load Using [18F]AV-1451 and PET 2016 , 12, P141-P142		
721	P1-178: Impact of Co-Morbid Amyloid Pathology on Clinical Phenotype of Patients with Vascular Cognitive Disorders 2016 , 12, P472-P472		
720	IC-P-017: Concordance of [18F]Flutemetamol Amyloid Deposition in Cognitively Healthy Elderly Monozygotic Twin Pairs 2016 , 12, P23-P23		
719	IC-02-04: Correlation of Cortical Thickness in Cognitively Healthy Elderly Monozygotic Twin Pairs 2016 , 12, P7-P8		

718	IC-03-05: EEG Directed Connectivity from Posterior Brain Regions is Decreased in Dementia with Lewy Bodies: A Comparison with Alzheimer Disease And Controls 2016 , 12, P12-P12	
717	P1-298: The Influence of Concomitant Alzheimer Pathology on Atrophy in Dementia with Lewy Bodies (DLB): A Comparative MRI Study 2016 , 12, P535-P535	
716	P1-339: Different Pathological Distribution Pattern of Phosphorylated TAU and Microglia in Amnestic and Non-Amnestic Alzheimer Disease 2016 , 12, P558-P559	
715	P2-015: Pooled Amyloid Pet Baseline Data from The Bapineuzumab IV Phase III Trials 2016 , 12, P614-P615	
714	IC-P-097: A Novel Neuroimaging Approach to Capture Cognitive Reserve 2016 , 12, P74-P75	
713	IC-P-103: Active and Passive Reserve Differentially Mitigate Cognitive Symptoms in Demented and Non-Demented Stages of Alzheimer Disease 2016 , 12, P78-P79	
712	P2-165: Resilience to Clinical Dementia at Old Age: The European Medical Information Framework (EMIF) 90+ Study 2016 , 12, P678-P678	
711	IC-P-108: Cerebral Blood Flow Measured With Phase-Contrast MRI in AD, MCI and Controls 2016 , 12, P82-P82	
710	P2-237: Concordance of [18F]Flutemetamol Amyloid Deposition in Cognitively Healthy Elderly Monozygotic Twin Pairs 2016 , 12, P714-P715	
709	P2-282: EEG-Directed Connectivity from Posterior Brain Regions is Decreased in Dementia with Lewy Bodies: A Comparison with Alzheimer's Disease and Controls 2016 , 12, P738-P738	
708	P2-300: Capturing Changes in Cognition: The Needs and Wishes of Dementia Researchers and Clinicians 2016 , 12, P748-P748	
707	IC-P-147: Atrophy Patterns Predicting Cognitive Decline in Non-Demented Subjects are Independent of Amyloid Pathology 2016 , 12, P109-P110	
706	P3-144: Cognitive Subtypes Identified Using Nonnegative Matrix Factorisation in Four Large Alzheimer's Disease Dementia Cohorts 2016 , 12, P873-P874	
7°5	IC-P-153: Thinner Cortical Thickness in Patients With Subjective Cognitive Decline is Related to Poor Memory Performance and Faster Decline of Executive Function 2016 , 12, P113-P114	0
704	P3-269: Correlation of Cortical Thickness in Cognitively Healthy Elderly Monozygotic Twin Pairs 2016 , 12, P935-P936	
703	P4-112: Amyloid Levels in the Normal Range are Predictive for Incident Dementia in Non-Demented Elderly 2016 , 12, P1055-P1056	
702	P4-146: Large-Vessel Disease and [18F]Flutemetamol-Amyloid Deposition in Cognitively Healthy Elderly Twins 2016 , 12, P1069-P1070	
701	P4-153: Subjective Cognitive Decline and Progression to Dementia Due to AD and Non-AD in Memory Clinic and Community-Based Cohorts 2016 , 12, P1073-P1073	1

700 P4-191: A Novel Neuroimaging Approach to Capture Cognitive Reserve **2016**, 12, P1095-P1096

699	P4-215: Quantification of Tau Load Using [18F]AV-1451 and Pet 2016 , 12, P1109-P1110		
698	P4-224: Alzheimer Disease Patients With Osas History Have Higher CSF Tau Levels 2016 , 12, P1115-P1	115	2
697	FTS3-01-03: Biomarkers for Vascular Contributions to Dementia 2016 , 12, P276-P277		
696	O1-01-01: Active and Passive Reserve Differentially Mitigate Cognitive Symptoms in Demented and Non-Demented Stages of Alzheimer Disease 2016 , 12, P169-P170		
695	O1-10-01: Gantenerumab Treatment Reduces Biomarkers of Neuronal and Synaptic Degeneration in Alzheimer Disease 2016 , 12, P198-P198		2
694	FTS2-01-04: The Dutch Dementia Delta Plan (DDDP) 2016 , 12, P220-P220		
693	O4-02-04: Atrophy Patterns Predicting Cognitive Decline in Non-Demented Subjects are Independent of Amyloid Pathology 2016 , 12, P335-P336		
692	F5-05-01: THE PAST, PRESENT, AND FUTURE OF INSTRUMENTAL ACTIVITIES OF DAILY LIVING ASSESSMENTS IN ALZHEIMER'S DISEASE 2016 , 12, P372-P373		2
691	P1-238: When Less is More: Detecting Functional Decline Using a Short Version of the Amsterdam ladl Questionnaire 2016 , 12, P498-P499		
690	Low Prevalence of Mixed Dementia in a Cohort of 2,000 Elderly Patients in a Memory Clinic Setting. Journal of Alzheimeris Disease, 2016 , 50, 797-806	4.3	18
689	Genetic risk factors for the posterior cortical atrophy variant of Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2016 , 12, 862-71	1.2	64
688	Increased occurrence of protein kinase CK2 in astrocytes in Alzheimer's disease pathology. <i>Journal of Neuroinflammation</i> , 2016 , 13, 4	10.1	34
687	Efficacy, Safety and Biomarker Data from SCarlet RoAD Global Phase 3 Study of Gantenerumab in Patients with Prodromal AD. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, S161-S162	6.5	2
686	CSF and amyloid pet biomarker data from scarlet road a global Phase 3 study of gantenerumab in patients with prodromal AD. <i>Neurobiology of Aging</i> , 2016 , 39, S28-S29	5.6	2
685	Combinations of Service Use Types of People With Early Cognitive Disorders. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 620-5	5.9	4
684	Design of the NL-ENIGMA study: Exploring the effect of Souvenaid on cerebral glucose metabolism in early Alzheimer's disease. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2016 , 2, 233-240	6	4
683	Prevalence and prognosis of Alzheimer's disease at the mild cognitive impairment stage. <i>Brain</i> , 2015 , 138, 1327-38	11.2	211

(2015-2015)

682	The EADC-ADNI Harmonized Protocol for manual hippocampal segmentation on magnetic resonance: evidence of validity. <i>Alzheimeris and Dementia</i> , 2015 , 11, 111-25	1.2	137
681	Cerebrospinal fluid levels of the synaptic protein neurogranin correlates with cognitive decline in prodromal Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2015 , 11, 1180-90	1.2	201
68o	Cerebrospinal fluid biomarkers and cerebral atrophy in distinct clinical variants of probable Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015 , 36, 2340-7	5.6	40
679	Alzheimer's disease cerebrospinal fluid biomarker in cognitively normal subjects. <i>Brain</i> , 2015 , 138, 2701	-15.2	86
678	Rethinking biobanking and translational medicine in the Netherlands: how the research process stands to matter for patient care. <i>European Journal of Human Genetics</i> , 2015 , 23, 736-8	5.3	6
677	Clinico-Pathological Correlations of the Frontal Lobe Syndrome: Results of a Large Brain Bank Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015 , 40, 121-9	2.6	2
676	The trajectory of cognitive decline in the pre-dementia phase in memory clinic visitors: findings from the 4C-MCI study. <i>Psychological Medicine</i> , 2015 , 45, 1509-19	6.9	30
675	The behavioural/dysexecutive variant of Alzheimer's disease: clinical, neuroimaging and pathological features. <i>Brain</i> , 2015 , 138, 2732-49	11.2	275
674	Tolerability and safety of Souvenaid in patients with mild Alzheimer's disease: results of multi-center, 24-week, open-label extension study. <i>Journal of Alzheimeris Disease</i> , 2015 , 44, 471-80	4.3	40
673	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. <i>Epigenomics</i> , 2015 , 7, 533-7	4.4	19
672	Cerebral perfusion and glucose metabolism in Alzheimer's disease and frontotemporal dementia: two sides of the same coin?. <i>European Radiology</i> , 2015 , 25, 3050-9	8	65
671	The metabolic syndrome in a memory clinic population: relation with clinical profile and prognosis. <i>Journal of the Neurological Sciences</i> , 2015 , 351, 18-23	3.2	17
670	Early onset APOE E4-negative Alzheimer's disease patients show faster cognitive decline on non-memory domains. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1010-7	1.2	32
669	Angiotensin-converting enzyme in cerebrospinal fluid and risk of brain atrophy. <i>Journal of Alzheimeris Disease</i> , 2015 , 44, 153-62	4.3	15
668	EFNS-ENS/EAN Guideline on concomitant use of cholinesterase inhibitors and memantine in moderate to severe Alzheimer's disease. <i>European Journal of Neurology</i> , 2015 , 22, 889-98	6	81
667	Prevalence of cerebral amyloid pathology in persons without dementia: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1924-38	27.4	842
666	Prevalence of amyloid PET positivity in dementia syndromes: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1939-49	27.4	379
665	Arterial stiffness and progression of structural brain changes: The SMART-MR study. <i>Neurology</i> , 2015 , 84, 448-55	6.5	25

664	Mild cognitive impairment with suspected nonamyloid pathology (SNAP): Prediction of progression. <i>Neurology</i> , 2015 , 84, 508-15	6.5	96
663	The rest-activity rhythm and physical activity in early-onset dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2015 , 29, 45-9	2.5	21
662	Microbleeds, Mortality, and Stroke in Alzheimer Disease: The MISTRAL Study. <i>JAMA Neurology</i> , 2015 , 72, 539-45	17.2	39
661	PLD3 variants in population studies. <i>Nature</i> , 2015 , 520, E2-3	50.4	47
660	Cerebrospinal fluid VILIP-1 and YKL-40, candidate biomarkers to diagnose, predict and monitor Alzheimer's disease in a memory clinic cohort. <i>Alzheimeris Research and Therapy</i> , 2015 , 7, 59	9	8o
659	Declining functional connectivity and changing hub locations in Alzheimer's disease: an EEG study. <i>BMC Neurology</i> , 2015 , 15, 145	3.1	85
658	Identifying bvFTD Within the Wide Spectrum of Late Onset Frontal Lobe Syndrome: A Clinical Approach. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 1056-66	6.5	18
657	White Matter Hyperintensities Relate to Clinical Progression in Subjective Cognitive Decline. <i>Stroke</i> , 2015 , 46, 2661-4	6.7	51
656	The sensitivity to change over time of the Amsterdam IADL Questionnaire([]). <i>Alzheimeris and Dementia</i> , 2015 , 11, 1231-40	1.2	27
655	Brain health: the importance of recognizing cognitive impairment: an IAGG consensus conference. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 731-9	5.9	149
654	Neurogranin as a Cerebrospinal Fluid Biomarker for Synaptic Loss in Symptomatic Alzheimer Disease. <i>JAMA Neurology</i> , 2015 , 72, 1275-80	17.2	152
653	7T TB-weighted magnetic resonance imaging reveals cortical phase differences between early- and late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015 , 36, 20-6	5.6	31
652	The two-year incidence of depression and anxiety disorders in spousal caregivers of persons with dementia: who is at the greatest risk?. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 293-303	6.5	89
651	Physical activity in the elderly is associated with improved executive function and processing speed: the LADIS Study. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 744-50	3.9	42
650	IC-P-115: Longitudinal white matter alterations of MCI patients in WP5 PharmaCog/E-ADNI study: Preliminary data 2015 , 11, P79-P79		
649	P3-158: Grey matter network disruptions are related to amyloid beta in cognitively healthy elderly 2015 , 11, P689-P689		
648	P4-040: Use of recent research criteria for inclusion and use of biomarkers as endpoint in preclinical and prodromal Alzheimer's disease (AD) trials: An Alzheimer's disease neuroimaging initiative (ADNI) study 2015 , 11, P780-P781		
647	P1-174: Diagnostic impact of [18F]flutemetamol amyloid imaging in young onset dementia 2015 , 11, P411-P412		

(2015-2015)

646	P3-072: Are relations between ApoE genotype and ad-related pathology in nondemented elderly mediated by CSF apolipoproteins? 2015 , 11, P644-P644		
645	O4-05-04: A four-center study on the effect of polygenic risk score on cerebrospinal fluid markers and memory decline in mild cognitive impairment patients 2015 , 11, P279-P279		
644	Discriminative and prognostic potential of cerebrospinal fluid phosphoTau/tau ratio and neurofilaments for frontotemporal dementia subtypes. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015 , 1, 505-12	5.2	62
643	IC-P-116: Hippocampal subfield changes in mild cognitive impairment patients with Alzheimer's disease pathology 2015 , 11, P79-P80		
642	IC-04-05: Multisite hippocampal subfields reproducibility: A european 3T study 2015 , 11, P12-P12		
641	IC-P-124: Classification of resting-state cerebral perfusion maps from patients with Alzheimer's disease and patients with frontotemporal dementia 2015 , 11, P85-P85		
640	P4-088: Lower cerebral blood flow is associated with cognitive decline in patients with Alzheimer's disease 2015 , 11, P806-P806		
639	P1-093: Dementia and rapid mortality: Who's at risk? 2015 , 11, P374-P374		
638	P2-298: Altered plasma and CSF levels of nutrients that enhance neuronal phospholipid synthesis in Alzheimer's disease: A retrospective cohort study 2015 , 11, P606-P607		
637	Differential Expression of microRNA in Cerebrospinal Fluid as a Potential Novel Biomarker for Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2015 , 47, 243-52	4.3	28
636	Amyloid-Ibligomers relate to cognitive decline in Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2015 , 45, 35-43	4.3	34
636		4.3	34 47
J	Disease, 2015, 45, 35-43 Matrix Metalloproteinases in Alzheimer's Disease and Concurrent Cerebral Microbleeds. Journal of		
635	Disease, 2015, 45, 35-43 Matrix Metalloproteinases in Alzheimer's Disease and Concurrent Cerebral Microbleeds. Journal of Alzheimeris Disease, 2015, 48, 711-20 Serum leptin is not altered nor related to cognitive decline in Alzheimer's disease. Journal of	4.3	47
635	Disease, 2015, 45, 35-43 Matrix Metalloproteinases in Alzheimer's Disease and Concurrent Cerebral Microbleeds. Journal of Alzheimeris Disease, 2015, 48, 711-20 Serum leptin is not altered nor related to cognitive decline in Alzheimer's disease. Journal of Alzheimeris Disease, 2015, 44, 809-13 More atrophy of deep gray matter structures in frontotemporal dementia compared to Alzheimer's	4.3	36
635 634 633	Disease, 2015, 45, 35-43 Matrix Metalloproteinases in Alzheimer's Disease and Concurrent Cerebral Microbleeds. Journal of Alzheimeris Disease, 2015, 48, 711-20 Serum leptin is not altered nor related to cognitive decline in Alzheimer's disease. Journal of Alzheimeris Disease, 2015, 44, 809-13 More atrophy of deep gray matter structures in frontotemporal dementia compared to Alzheimer's disease. Journal of Alzheimeris Disease, 2015, 44, 635-47 Hypertensive Disorders of Pregnancy Appear Not to Be Associated with Alzheimer's Disease Later	4·3 4·3	47 36 36
635 634 633	Matrix Metalloproteinases in Alzheimer's Disease and Concurrent Cerebral Microbleeds. <i>Journal of Alzheimeris Disease</i> , 2015 , 48, 711-20 Serum leptin is not altered nor related to cognitive decline in Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2015 , 44, 809-13 More atrophy of deep gray matter structures in frontotemporal dementia compared to Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2015 , 44, 635-47 Hypertensive Disorders of Pregnancy Appear Not to Be Associated with Alzheimer's Disease Later in Life. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015 , 5, 375-85 P1-180: Hypometabolism of the posterior cingulate cortex is not restricted to Alzheimer's disease	4·3 4·3	47 36 36

628	O4-10-02: Cross-cultural differences in instrumental activities of daily living (IADL): Translations and adaptations of the amsterdam iadl questionnaire 2015 , 11, P293-P293		
627	P4-089: Lower cerebral blood flow is related to more severe cognitive impairment in patients with dementia due to Alzheimer's disease 2015 , 11, P806-P807		1
626	IC-04-03: Grey matter network disruptions are related to amyloid-beta in cognitively healthy elderly 2015 , 11, P11-P11		
625	IC-P-092: Visual assessment in postmortem-proven dementias: Clinical expertise versus machine learning 2015 , 11, P64-P64		
624	P3-182: Hippocampal subfield changes in mild cognitive impairment patients with Alzheimer's disease pathology 2015 , 11, P700-P701		
623	IC-P-062: Lower cerebral blood flow is related to more severe cognitive impairment in patients with dementia due to Alzheimer's disease 2015 , 11, P46-P47		
622	O3-09-02: An eeg study into functional connectivity and hubs in Alzheimer's disease: What's going on in the posterior regions? 2015 , 11, P237-P238		
621	Can agrin cerebrospinal fluid concentration be used as an early biomarker for Alzheimer's disease?. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015 , 1, 75-80	5.2	4
620	P2-174: Multi-site hippocampal subfields reproducibility: A european 3T study 2015 , 11, P558-P558		
619	O4-11-04: Performance and complications of lumbar puncture in memory clinics: Results of the multicenter lp feasibility study 2015 , 11, P297-P297		1
618	Effects of Souvenaid on plasma micronutrient levels and fatty acid profiles in mild and mild-to-moderate Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2015 , 7, 51	9	26
617	Loss of EEG Network Efficiency Is Related to Cognitive Impairment in Dementia With Lewy Bodies. <i>Movement Disorders</i> , 2015 , 30, 1785-93	7	37
616	Predicting progression from cognitive impairment to Alzheimer's disease with the Disease State Index. <i>Current Alzheimer Research</i> , 2015 , 12, 69-79	3	19
615	The Central Biobank and Virtual Biobank of BIOMARKAPD: A Resource for Studies on Neurodegenerative Diseases. <i>Frontiers in Neurology</i> , 2015 , 6, 216	4.1	31
614	Resting state functional connectivity differences between behavioral variant frontotemporal dementia and Alzheimer's disease. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 474	3.3	45
613	Trajectories of cognitive decline in different types of dementia. <i>Psychological Medicine</i> , 2015 , 45, 1051-	·9 6.9	60
612	Prediction of AD dementia by biomarkers following the NIA-AA and IWG diagnostic criteria in MCI patients from three European memory clinics. <i>Alzheimeris and Dementia</i> , 2015 , 11, 1191-201	1.2	59
611	The role of the orbitofrontal cortex in cognition and behavior. <i>Reviews in the Neurosciences</i> , 2015 , 26, 1-11	4.7	30

610	P4-242: A case-control cohort study to define a threshold for the tau/abeta42 ratio in cerebrospinal fluid optimized for diagnosis of Alzheimer's disease 2015 , 11, P873-P873		
609	Atrophy patterns in early clinical stages across distinct phenotypes of Alzheimer's disease. <i>Human Brain Mapping</i> , 2015 , 36, 4421-37	5.9	142
608	O2-02-06: Slow gait speed and low grip strength are related to worse attention and mental speed in patients with subjective cognitive decline and mild cognitive impairment 2015 , 11, P177-P177		
607	Joint assessment of white matter integrity, cortical and subcortical atrophy to distinguish AD from behavioral variant FTD: A two-center study. <i>NeuroImage: Clinical</i> , 2015 , 9, 418-29	5.3	26
606	F2-03-03: Characterization of the behavioral and dysexecutive variants of Alzheimer's disease 2015 , 11, P168-P168		
605	DT-01-02: Biomarker data from scarlet road: A global phase 3 study of gantenerumab in patients with prodromal Alzheimer's disease 2015 , 11, P331-P331		4
604	IC-01-04: Diagnostic impact of [18F]flutemetamol amyloid imaging in young-onset dementia 2015 , 11, P3-P4		2
603	P3-142: Alzheimer's biomarkers in daily practice (ABIDE): Study design 2015 , 11, P679-P680		
602	IC-P-093: Distinct patterns of atrophy in postmortem confirmed dementias 2015 , 11, P64-P65		
601	P4-087: Longitudinal white matter alterations of MCI patients in WP5 PharmaCog/E-ADNI study: Preliminary data 2015 , 11, P805-P806		
600	O1-07-02: Alzheimer's disease core biomarkers and prediction of dementia in MCI: The effect of age at onset 2015 , 11, P140-P142		
599	F2-03-02: Early onset APOE-e4-negative Alzheimer's disease patients show faster cognitive decline on non-memory domains 2015 , 11, P168-P168		1
598	F2-03-04: Genetic risk factors for posterior cortical atrophy 2015 , 11, P168-P169		2
597	O3-11-02: Prevalence and diagnostic procedures in early-onset dementia in tertiary referral center patients in denmark, sweden, and the netherlands 2015 , 11, P244-P245		
596	O3-14-02: Assessing underlying Alzheimer's disease pathology in MCI patients from the amsterdam dementia cohort by use of the predictad software tool 2015 , 11, P254-P255		
595	O3-14-04: The relation between eeg spectral analysis and clinical progression in non-demented, amyloid-positive subjects 2015 , 11, P255-P256		1
594	F4-02-02: The influence of severity of total comorbidity on cognitive decline and conversion to dementia in memory clinic visitors 2015 , 11, P260-P261		
593	FTS-04-01: Diagnostic impact of biomarkers including CSF and PET in a tertiary memory clinic 2015 , 11, P263-P263		

592 O4-08-05: Distinct patterns of atrophy in postmortem-confirmed dementias **2015**, 11, P288-P289

591	O4-08-06: Visual assessment in postmortem-proven dementias: Clinical expertise versus machine learning 2015 , 11, P289-P289		
590	O5-02-03: Reduced cortical thickness in patients with subjective cognitive decline is related to clinical progression 2015 , 11, P317-P317		
589	O5-05-03: Neurogranin, a CSF biomarker for synaptic loss, predicts decline to dementia due to Alzheimer's disease 2015 , 11, P326-P326		
588	DT-01-03: Efficacy and safety of gantenerumab in prodromal Alzheimer's disease: Results from scarlet road global, multicenter trial 2015 , 11, P331-P332		13
587	Influence of genetic variants in SORL1 gene on the manifestation of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015 , 36, 1605.e13-20	5.6	22
586	Standardized evaluation of algorithms for computer-aided diagnosis of dementia based on structural MRI: the CADDementia challenge. <i>NeuroImage</i> , 2015 , 111, 562-79	7.9	193
585	Temporal evolution of biomarkers and cognitive markers in the asymptomatic, MCI, and dementia stage of Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2015 , 11, 511-22	1.2	45
584	White matter hyperintensities, cognitive impairment and dementia: an update. <i>Nature Reviews Neurology</i> , 2015 , 11, 157-65	15	518
583	Diagnostic impact of CSF biomarkers for Alzheimer's disease in a tertiary memory clinic. <i>Alzheimeris and Dementia</i> , 2015 , 11, 523-32	1.2	48
582	The effect of amyloid pathology and glucose metabolism on cortical volume loss over time in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1190-8	8.8	7
581	An algorithmic approach to structural imaging in dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 692-8	5.5	71
580	Apraxia in mild cognitive impairment and Alzheimer's disease: validity and reliability of the Van Heugten test for apraxia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2014 , 38, 55-64	2.6	21
579	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2014 , 10, 844-52	1.2	1219
578	Advancing research diagnostic criteria for Alzheimer's disease: the IWG-2 criteria. <i>Lancet Neurology, The</i> , 2014 , 13, 614-29	24.1	1985
577	Neurological abnormalities predict disability: the LADIS (Leukoaraiosis And DISability) study. Journal of Neurology, 2014 , 261, 1160-9	5.5	13
576	White matter hyperintensities and cognitive impairment during electroconvulsive therapy in severely depressed elderly patients. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 157-66	6.5	23
575	Cerebrospinal fluid levels of Alzheimer's disease biomarkers in middle-aged patients with type 1 diabetes. <i>Diabetologia</i> , 2014 , 57, 2208-14	10.3	31

574	The association of angiotensin-converting enzyme with biomarkers for Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2014 , 6, 27	9	38
573	Altered distribution of the EphA4 kinase in hippocampal brain tissue of patients with Alzheimer's disease correlates with pathology. <i>Acta Neuropathologica Communications</i> , 2014 , 2, 79	7.3	13
57 ²	Brain network alterations in Alzheimer's disease measured by eigenvector centrality in fMRI are related to cognition and CSF biomarkers. <i>Human Brain Mapping</i> , 2014 , 35, 2383-93	5.9	84
571	Frontotemporal dementia and its subtypes: a genome-wide association study. <i>Lancet Neurology, The</i> , 2014 , 13, 686-99	24.1	207
57°	Comparison of simplified parametric methods for visual interpretation of 11C-Pittsburgh compound-B PET images. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 1305-7	8.9	20
569	Distinct perfusion patterns in Alzheimer's disease, frontotemporal dementia and dementia with Lewy bodies. <i>European Radiology</i> , 2014 , 24, 2326-33	8	46
568	Automatic temporal lobe atrophy assessment in prodromal AD: Data from the DESCRIPA study. <i>Alzheimeris and Dementia</i> , 2014 , 10, 456-467	1.2	12
567	No mutations in hnRNPA1 and hnRNPA2B1 in Dutch patients with amyotrophic lateral sclerosis, frontotemporal dementia, and inclusion body myopathy. <i>Neurobiology of Aging</i> , 2014 , 35, 1956.e9-1956	5. ē 1	20
566	BRI2-BRICHOS is increased in human amyloid plaques in early stages of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35, 1596-604	5.6	30
565	Regional atrophy is associated with impairment in distinct cognitive domains in Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2014 , 10, S299-305	1.2	24
564	The structure of the geriatric depressed brain and response to electroconvulsive therapy. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 222, 1-9	2.9	20
563	The cerebrospinal fluid "Alzheimer profile": easily said, but what does it mean?. <i>Alzheimeris and Dementia</i> , 2014 , 10, 713-723.e2	1.2	204
562	Dysglycemia, brain volume and vascular lesions on MRI in a memory clinic population. <i>Journal of Diabetes and Its Complications</i> , 2014 , 28, 85-90	3.2	15
561	A nutritional approach to ameliorate altered phospholipid metabolism in Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2014 , 41, 715-7	4.3	27
560	Optimizing patient care and research: the Amsterdam Dementia Cohort. <i>Journal of Alzheimeris Disease</i> , 2014 , 41, 313-27	4.3	243
559	Concordance between cerebrospinal fluid biomarkers and [11C]PIB PET in a memory clinic cohort. Journal of Alzheimeris Disease, 2014 , 41, 801-7	4.3	93
558	The effect of galantamine on brain atrophy rate in subjects with mild cognitive impairment is modified by apolipoprotein E genotype: post-hoc analysis of data from a randomized controlled trial. <i>Alzheimeris Research and Therapy</i> , 2014 , 6, 47	9	17
557	Differences in nutritional status between very mild Alzheimer's disease patients and healthy controls. <i>Journal of Alzheimeris Disease</i> , 2014 , 41, 261-71	4.3	68

556	P1-258: CORTICAL PHASE CHANGES AT 7T MRI IN SUBJECTIVE COGNITIVE IMPAIRMENT AND THEIR ASSOCIATION WITH COGNITIVE FUNCTION 2014 , 10, P402-P402	1
555	O2-13-05: APOLIPOPROTEIN A-1 IS ASSOCIATED WITH DECLINE IN PRECLINICAL AD 2014 , 10, P195-P196	
554	O5-02-02: LOBAR MICROBLEEDS PREDICT STROKE IN PATIENTS WITH ALZHEIMER'S DISEASE: THE MISTRAL STUDY 2014 , 10, P291-P292	
553	P1-135: DIRECTED ANTERIOR-TO-POSTERIOR COMMUNICATION IN THE BRAIN IS REVERSED IN DEMENTIA WITH LEWY BODIES AND IS RELATED TO ATTENTION DEFICITS 2014 , 10, P349-P349	1
552	O2-13-03: MILD COGNITIVE IMPAIRMENT WITH SUSPECTED NON AD PATHOLOGY (SNAP): PREDICTION OF PROGRESSION TO DEMENTIA 2014 , 10, P194-P195	
551	P3-031: AMYLOID-BETA DEGRADATION BY HUMAN ASTROCYTES IS IMPAIRED BY APOJ AND APOE 2014 , 10, P638-P638	
550	P1-223: MORE ATROPHY OF DEEP GRAY MATTER STRUCTURES IN BEHAVIORAL VARIANT FRONTOTEMPORAL DEMENTIA COMPARED TO ALZHEIMER'S DISEASE 2014 , 10, P385-P386	
549	O4-06-02: CSF AD-PROFILE IN DEMENTIA WITH LEWY BODIES: EFFECT ON CLINICAL PARAMETERS AND COGNITIVE DECLINE 2014 , 10, P261-P262	
548	IC-P-085: COMPARING ATROPHY PATTERNS IN EARLY CLINICAL STAGES ACROSS DISTINCT PHENOTYPES OF ALZHEIMER'S DISEASE 2014 , 10, P48-P49	
547	O2-08-06: THE FUTURE OF CARE: THE DIGITAL ALZHEIMER CENTER E VALUATION OF AN ONLINE PORTAL FOR PATIENTS WITH DEMENTIA AND THEIR INFORMAL CAREGIVERS 2014 , 10, P181-P182	
546	O4-01-05: CLINICALLY DIAGNOSED PROBABLE AD CASES WITH A NEGATIVE AMYLOID PET SCAN: CLINICAL FINDINGS 2014 , 10, P250-P250	1
545	O4-11-04: ACTIVE A[IMMUNOTHERAPY CAD106 PHASE II DOSE-ADJUVANT FINDING STUDY: SAFETY AND CNS BIOMARKERS 2014 , 10, P274-P274	2
544	P1-015: PROTEIN KINASE ACTIVITY DECREASES WITH BRAAK STAGE IN HIPPOCAMPAL POSTMORTEM BRAIN TISSUE AS REVEALED BY USING A PEPTIDE-BASED MICROARRAY PLATFORM 2014 , 10, P309-P309	
543	P1-385: RATIONALE AND DESIGN OF THE NL-ENIGMA STUDY, A DUTCH 24-WEEK RANDOMISED CONTROLLED STUDY TO EXPLORE THE EFFECT OF A NUTRITIONAL INTERVENTION ON BRAIN GLUCOSE METABOLISM IN EARLY ALZHEIMER'S DISEASE 2014 , 10, P455-P456	
542	O2-07-04: COGNITIVE SUBTYPES IN DEMENTIA DUE TO ALZHEIMER'S DISEASE IDENTIFIED BY LATENT CLASS ANALYSIS 2014 , 10, P178-P179	
541	P1-381: EFFECTS OF THE MEDICAL FOOD SOUVENAID ON PLASMA NUTRIENT LEVELS IN MILD ALZHEIMER'S DISEASE DURING 48 WEEKS 2014 , 10, P454-P454	
540	O5-05-04: MATRIX METALLOPROTEINASES IN RELATION TO ALZHEIMER'S DISEASE AND CAA 2014 , 10, P300-P300	
539	IC-P-057: CLASSIFICATION OF PATHOLOGY USING BRAIN SUBSTRUCTURE VOLUMES IN POST MORTEM CONFIRMED DEMENTIAS 2014 , 10, P32-P33	

538	MISTRAL STUDY 2014 , 10, P43-P44	
537	P3-403: CAPTURING CHANGES IN EVERYDAY FUNCTIONING 2014 , 10, P778-P778	
536	O4-01-06: NEURODEGENERATIVE AND COGNITIVE PROFILE OF PATIENTS WITH A TYPICAL PHENOTYPE OF AD BUT WITH A NEGATIVE AMYLOID SCAN 2014 , 10, P250-P251	
535	O4-07-05: ADDED VALUE OF MRI BIOMARKERS TO NEUROPSYCHOLOGICAL TEST PERFORMANCE FOR PREDICTION OF AD IN SUBJECTS WITH MCI 2014 , 10, P265-P265	1
534	IC-P-076: WHITE MATTER HYPERINTENSITIES PREDICT MILD COGNITIVE IMPAIRMENT AND DEMENTIA IN PATIENTS WITH SUBJECTIVE COGNITIVE COMPLAINTS 2014 , 10, P42-P43	О
533	O1-09-06: A EUROPEAN BIOBANK FOR THE VALIDATION OF NEW MARKERS FOR ALZHEIMER'S AND PARKINSON'S DISEASE: THE BIOMARKAPD PROJECT 2014 , 10, P148-P148	
532	O2-14-03: THE REST-ACTIVITY RHYTHM IS RELATED TO THE LEVEL OF PHYSICAL ACTIVITY IN EARLY-ONSET DEMENTIA 2014 , 10, P197-P198	
531	IC-P-056: MORE ATROPHY OF DEEP GRAY MATTER STRUCTURES IN BEHAVIORAL VARIANT FRONTOTEMPORAL DEMENTIA COMPARED TO ALZHEIMER'S DISEASE 2014 , 10, P31-P32	
530	IC-P-109: RATIONALE AND DESIGN OF THE NL-ENIGMA STUDY: A DUTCH 24-WEEK RANDOMISED CONTROLLED STUDY TO EXPLORE THE EFFECT OF NUTRITIONAL INTERVENTION ON BRAIN GLUCOSE METABOLISM IN EARLY ALZHEIMER DISEASE 2014 , 10, P61-P61	1
529	P1-134: LOSS OF NETWORK INTEGRATION IS RELATED TO COGNITIVE IMPAIRMENT IN DEMENTIA WITH LEWY BODIES 2014 , 10, P349-P349	
528	P1-149: CSF VILIP-1 AND YKL-40, NOVEL CANDIDATE BIOMARKERS TO DIAGNOSE, PREDICT, AND MONITOR ALZHEIMER'S DISEASE 2014 , 10, P355-P355	
527	P1-233: MULTIMODAL BRAIN NETWORK ALTERATIONS IN ALZHEIMER'S DISEASE AND MILD COGNITIVE IMPAIRMENT PATIENTS 2014 , 10, P389-P390	
526	P2-196: RESTING STATE CEREBRAL PERFUSION AND METABOLISM IN SUBJECTIVE MEMORY COMPLAINTS: ALZHEIMER'S DISEASE AND FRONTOTEMPORAL DEMENTIATIWO SIDES OF THE SAME COIN? 2014 , 10, P543-P543	1
525	P4-273: CEREBROSPINAL FLUID NEUROGRANIN AS A PROGNOSTIC MARKER IN MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE 2014 , 10, P884-P884	
524	O1-02-04: 7T T2*-WEIGHTED MRI REVEALS CORTICAL PHASE DIFFERENCES BETWEEN EARLY- AND LATE-ONSET AD 2014 , 10, P132-P133	
523	O2-08-05: THE DIGITAL ALZHEIMER CENTER: A NEXT STEP TOWARD INNOVATIVE DEMENTIA CARE 2014 , 10, P181-P181	
522	O2-13-01: PREVALENCE AND PROGNOSIS OF PRODROMAL ALZHEIMER'S DISEASE: A COMPARISON OF THE INTERNATIONAL WORKING GROUP CRITERIA AND NATIONAL INSTITUTE OF AGING-ALZHEIMER'S ASSOCIATION CRITERIA 2014 , 10, P193-P193	
521	O4-01-01: DIAGNOSTIC VALUE OF AMYLOID IMAGING IN EARLY ONSET DEMENTIA 2014 , 10, P248-P248	1

IC-P-077: LOBAR MICROBLEEDS PREDICT STROKE IN PATIENTS WITH ALZHEIMER'S DISEASE: THE

520	P3-096: MAGNETOENCEPHALOGRAPHY IN DEMENTIA: THE STATE OF THE ART 2014 , 10, P663-P663		О
519	P1-174: CEREBROVASCULAR DISEASE IN LATE ONSET FRONTAL LOBE SYNDROME 2014 , 10, P363-P36:	3	
518	P1-415: STUDY PROTOCOL: THE EFFECT OF PHYSICAL EXERCISE ON CEREBRAL BLOOD FLOW AND COGNITION IN PATIENTS WITH MILD VASCULAR COGNITIVE IMPAIRMENT 2014 , 10, P465-P466		
517	P2-190: CLASSIFICATION OF PATHOLOGY USING BRAIN SUBSTRUCTURE VOLUMES IN POSTMORTEM CONFIRMED DEMENTIAS 2014 , 10, P540-P541		
516	P4-351: A PLASMA PHOSPHOLIPID BIOMARKER PROFILE FOR DETECTING PRECLINICAL ALZHEIMER'S DISEASE CAN BE MODIFIED BY ORAL INTAKE OF NUTRIENTS THAT INCREASE PHOSPHOLIPID SYNTHESIS 2014 , 10, P916-P917		
515	Variability of CSF Alzheimer's disease biomarkers: implications for clinical practice. <i>PLoS ONE</i> , 2014 , 9, e100784	3.7	61
514	Widespread disruption of functional brain organization in early-onset Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e102995	3.7	40
513	SUCLG2 identified as both a determinator of CSF All-42 levels and an attenuator of cognitive decline in Alzheimer's disease. <i>Human Molecular Genetics</i> , 2014 , 23, 6644-58	5.6	30
512	Single-subject gray matter graph properties and their relationship with cognitive impairment in early- and late-onset Alzheimer's disease. <i>Brain Connectivity</i> , 2014 , 4, 337-46	2.7	46
511	Mutation frequency of PRKAR1B and the major familial dementia genes in a Dutch early onset dementia cohort. <i>Journal of Neurology</i> , 2014 , 261, 2085-92	5.5	7
510	Genetic analysis implicates APOE, SNCA and suggests lysosomal dysfunction in the etiology of dementia with Lewy bodies. <i>Human Molecular Genetics</i> , 2014 , 23, 6139-46	5.6	152
509	Long-term effects of amyloid, hypometabolism, and atrophy on neuropsychological functions. <i>Neurology</i> , 2014 , 82, 1768-75	6.5	42
508	Prevalence of cortical superficial siderosis in a memory clinic population. <i>Neurology</i> , 2014 , 82, 698-704	6.5	60
507	THE COMBINATION OF HIPPOCAMPAL ATROPHY ON MRI AND CSF IS A BIOMARKER FOR FRONTOTEMPORAL DEMENTIA IN EARLY ONSET DEMENTIA 2014 , 10, P287-P288		
506	Increased number of microinfarcts in Alzheimer disease at 7-T MR imaging. <i>Radiology</i> , 2014 , 270, 205-1	120.5	62
505	Amyloid and its association with default network integrity in Alzheimer's disease. <i>Human Brain Mapping</i> , 2014 , 35, 779-91	5.9	28
504	Brain volume and white matter hyperintensities as determinants of cerebral blood flow in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35, 2665-2670	5.6	23
503	Eyes-closed task-free electroencephalography in clinical trials for Alzheimer's disease: an emerging method based upon brain dynamics. <i>Alzheimeris Research and Therapy</i> , 2014 , 6, 86	9	35

502	Diagnostic criteria for vascular cognitive disorders: a VASCOG statement. <i>Alzheimer Disease and Associated Disorders</i> , 2014 , 28, 206-18	2.5	373
501	O3-06-02: A RE-EVALUATION OF EARLY ALZHEIMER'S DISEASE BIOMARKERS ACCOUNTING FOR INACCURACY OF THE CLINICAL DIAGNOSIS 2014 , 10, P219-P219		
500	Associations between cerebral small-vessel disease and Alzheimer disease pathology as measured by cerebrospinal fluid biomarkers. <i>JAMA Neurology</i> , 2014 , 71, 855-62	17.2	113
499	Using magnetic resonance imaging in diagnosing dementia: a Dutch outpatient memory clinics survey. <i>Dementia and Geriatric Cognitive Disorders</i> , 2014 , 38, 281-5	2.6	2
498	Building a new paradigm for the early recognition of behavioral variant frontotemporal dementia: Late Onset Frontal Lobe Syndrome study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 735-40	6.5	22
497	Quantitative regional validation of the visual rating scale for posterior cortical atrophy. <i>European Radiology</i> , 2014 , 24, 397-404	8	25
496	The effect of souvenaid on functional brain network organisation in patients with mild Alzheimer's disease: a randomised controlled study. <i>PLoS ONE</i> , 2014 , 9, e86558	3.7	82
495	Dementia Due to Neurodegenerative Disease: Molecular Imaging Findings 2014 , 185-211		
494	Altered distribution of the EphA4 kinase in hippocampal brain tissue of patients with Alzheimer disease correlates with pathology. <i>Acta Neuropathologica Communications</i> , 2014 , 2, 79	7.3	12
493	Deterioration of gait and balance over time: the effects of age-related white matter changethe LADIS study. <i>Cerebrovascular Diseases</i> , 2013 , 35, 544-53	3.2	56
492	Cerebral white matter changes are associated with abnormalities on neurological examination in non-disabled elderly: the LADIS study. <i>Journal of Neurology</i> , 2013 , 260, 1014-21	5.5	34
491	Blood pressure and progression of brain atrophy: the SMART-MR Study. <i>JAMA Neurology</i> , 2013 , 70, 104	l6 <u>1</u> 53	33
490	Pharmacological treatment of dementia: a scoping review of systematic reviews. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013 , 36, 211-28	2.6	36
489	Impact of molecular imaging on the diagnostic process in a memory clinic. <i>Alzheimeris and Dementia</i> , 2013 , 9, 414-21	1.2	137
488	Depressive symptoms predict cognitive decline and dementia in older people independently of cerebral white matter changes: the LADIS study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013 , 84, 1250-4	5.5	49
487	Alzheimer's disease patients not carrying the apolipoprotein E A allele show more severe slowing of oscillatory brain activity. <i>Neurobiology of Aging</i> , 2013 , 34, 2158-63	5.6	14
486	The cost-effectiveness of a family meetings intervention to prevent depression and anxiety in family caregivers of patients with dementia: a randomized trial. <i>Trials</i> , 2013 , 14, 305	2.8	21
485	Frontotemporale dementie en de psychiatrische differentiaaldiagnose: twee gevalsbeschrijvingen en de rationale van de 🛭 aat Ontstaan Frontaal syndroom (LOF)-studie 🖺 Tijdschrift Voor Neuropsychiatrie En Gedragsneurologie, 2013 , 1, 72-79		

484	Familiegesprekken voor mantelzorgers van mensen met dementie. <i>Huisarts En Wetenschap</i> , 2013 , 56, 160-164	0.1	
483	Visual ratings of atrophy in MCI: prediction of conversion and relationship with CSF biomarkers. <i>Neurobiology of Aging</i> , 2013 , 34, 73-82	5.6	38
482	Microglial activation in Alzheimer's disease: an (R)-[ШС]PK11195 positron emission tomography study. <i>Neurobiology of Aging</i> , 2013 , 34, 128-36	5.6	126
481	Measurements of medial temporal lobe atrophy for prediction of Alzheimer's disease in subjects with mild cognitive impairment. <i>Neurobiology of Aging</i> , 2013 , 34, 2003-13	5.6	69
480	S1D2D2: Clinical and neuropsychological features as predictors from MCI to Alzheimer's-type dementia 2013 , 9, P122-P122		
479	O3D5D1: Physical activity, independent functioning and emotional well-being in early-onset dementia 2013 , 9, P526-P526		
478	Cognitive correlates of cerebrospinal fluid biomarkers in frontotemporal dementia. <i>Alzheimeris and Dementia</i> , 2013 , 9, 269-75	1.2	13
477	Different patterns of gray matter atrophy in early- and late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2013 , 34, 2014-22	5.6	120
476	Imaging markers for Alzheimer disease: which vs how. <i>Neurology</i> , 2013 , 81, 487-500	6.5	173
475	O10901: Diagnostic impact of CSF biomarkers for Alzheimer's disease in a memory clinic setting 2013 , 9, P144-P145		
474	Specific risk factors for microbleeds and white matter hyperintensities in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2013 , 34, 2488-94	5.6	59
473	Cerebrospinal fluid AB2 is the best predictor of clinical progression in patients with subjective complaints. <i>Alzheimeris and Dementia</i> , 2013 , 9, 481-7	1.2	139
472	Medical Clinics of North America. Early diagnosis and intervention in predementia Alzheimer's disease. Preface. <i>Medical Clinics of North America</i> , 2013 , 97, xiii-xv	7	4
471	Discriminatory and predictive capabilities of enzyme-linked immunosorbent assay and multiplex platforms in a longitudinal Alzheimer's disease study. <i>Alzheimeris and Dementia</i> , 2013 , 9, 276-83	1.2	20
470	Diffusion changes predict cognitive and functional outcome: the LADIS study. <i>Annals of Neurology</i> , 2013 , 73, 576-83	9.4	53
469	An MRI rating scale for amyloid-related imaging abnormalities with edema or effusion. <i>American Journal of Neuroradiology</i> , 2013 , 34, 1550-5	4.4	24
468	Prediction of Alzheimer disease in subjects with amnestic and nonamnestic MCI. <i>Neurology</i> , 2013 , 80, 1124-32	6.5	97
467	Alzheimer's disease: connecting findings from graph theoretical studies of brain networks. <i>Neurobiology of Aging</i> , 2013 , 34, 2023-36	5.6	279

(2013-2013)

466	A prediction model to calculate probability of Alzheimer's disease using cerebrospinal fluid biomarkers. <i>Alzheimeris and Dementia</i> , 2013 , 9, 262-8	1.2	18
465	Progress in Alzheimer's disease research circa 2013: Is the glass half empty or half full?. <i>Alzheimeris Research and Therapy</i> , 2013 , 5, 26	9	1
464	International Work Group criteria for the diagnosis of Alzheimer disease. <i>Medical Clinics of North America</i> , 2013 , 97, 363-8	7	55
463	Functional segmentation of the hippocampus in the healthy human brain and in Alzheimer's disease. <i>NeuroImage</i> , 2013 , 66, 28-35	7.9	63
462	Treating Alzheimer's disease with monoclonal antibodies: current status and outlook for the future. <i>Alzheimeris Research and Therapy</i> , 2013 , 5, 56	9	36
461	Plasma homocysteine, Alzheimer and cerebrovascular pathology: a population-based autopsy study. <i>Brain</i> , 2013 , 136, 2707-16	11.2	98
460	Confirmatory factor analysis of the Neuropsychological Assessment Battery of the LADIS study: a longitudinal analysis. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 269-78	2.1	7
459	The association between APOE A and Alzheimer-type dementia among memory clinic patients is confined to those with a higher education. The DESCRIPA Study. <i>Journal of Alzheimeris Disease</i> , 2013 , 35, 241-6	4.3	6
458	Validation of the Amsterdam IADL Questionnaire (), a new tool to measure instrumental activities of daily living in dementia. <i>Neuroepidemiology</i> , 2013 , 41, 35-41	5.4	47
457	Cerebral blood flow measured with 3D pseudocontinuous arterial spin-labeling MR imaging in Alzheimer disease and mild cognitive impairment: a marker for disease severity. <i>Radiology</i> , 2013 , 267, 221-30	20.5	170
456	Differential effect of APOE genotype on amyloid load and glucose metabolism in AD dementia. <i>Neurology</i> , 2013 , 80, 359-65	6.5	80
455	Prediction of dementia in MCI patients based on core diagnostic markers for Alzheimer disease. <i>Neurology</i> , 2013 , 80, 1048-56	6.5	131
454	Preclinical AD predicts decline in memory and executive functions in subjective complaints. <i>Neurology</i> , 2013 , 81, 1409-16	6.5	104
453	Assessment of instrumental activities of daily living in dementia: diagnostic value of the Amsterdam Instrumental Activities of Daily Living Questionnaire. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013 , 26, 244-50	3.8	36
452	Longitudinal amyloid imaging using 11C-PiB: methodologic considerations. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 1570-6	8.9	115
451	Single-domain amnestic mild cognitive impairment identified by cluster analysis predicts Alzheimer's disease in the european prospective DESCRIPA study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013 , 36, 1-19	2.6	32
450	Anxiety is related to Alzheimer cerebrospinal fluid markers in subjects with mild cognitive impairment. <i>Psychological Medicine</i> , 2013 , 43, 911-20	6.9	72
449	Immunohistochemical characterization of novel monoclonal antibodies against the N-terminus of amyloid Epeptide. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2013 , 20, 179-87	2.7	16

448	Associations between magnetic resonance imaging measures and neuropsychological impairment in early and late onset alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2013 , 35, 169-78	4.3	18
447	Predictors of progression from mild cognitive impairment to dementia in the placebo-arm of a clinical trial population. <i>Journal of Alzheimeris Disease</i> , 2013 , 36, 79-85	4.3	19
446	Progression to dementia in memory clinic patients without dementia: a latent profile analysis. <i>Neurology</i> , 2013 , 81, 1342-9	6.5	19
445	The S-Connect study: results from a randomized, controlled trial of Souvenaid in mild-to-moderate Alzheimer's disease. <i>Alzheimeris Research and Therapy</i> , 2013 , 5, 59	9	63
444	Increase in cerebrospinal fluid F2-isoprostanes is related to cognitive decline in APOE A carriers. Journal of Alzheimeris Disease, 2013 , 36, 563-70	4.3	17
443	Single-subject grey matter graphs in Alzheimer's disease. <i>PLoS ONE</i> , 2013 , 8, e58921	3.7	80
442	Integrative EEG biomarkers predict progression to Alzheimer's disease at the MCI stage. <i>Frontiers in Aging Neuroscience</i> , 2013 , 5, 58	5.3	95
441	Clinical symptoms and risk factors in cerebral microangiopathy patients. <i>PLoS ONE</i> , 2013 , 8, e53455	3.7	28
440	Relationships between white matter hyperintensities, cerebral amyloid angiopathy and dementia in a population-based sample of the oldest old. <i>Current Alzheimer Research</i> , 2013 , 10, 1090-7	3	11
439	Reproducibility of quantitative (R)-[11C]verapamil studies. <i>EJNMMI Research</i> , 2012 , 2, 1	3.6	31
438	Physical activity prevents progression for cognitive impairment and vascular dementia: results from the LADIS (Leukoaraiosis and Disability) study. <i>Stroke</i> , 2012 , 43, 3331-5	6.7	78
437	EFNS-ENS Guidelines on the diagnosis and management of disorders associated with dementia. <i>European Journal of Neurology</i> , 2012 , 19, 1159-79	6	191
436	Increased skin temperature in Alzheimer's disease is associated with sleepiness. <i>Journal of Neural Transmission</i> , 2012 , 119, 1185-94	4.3	14
435	No evidence for additional blood-brain barrier P-glycoprotein dysfunction in Alzheimer's disease		15
	patients with microbleeds. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 1468-71	7.3	
434	P-glycoprotein function at the blood-brain barrier: effects of age and gender. <i>Molecular Imaging and Biology</i> , 2012 , 14, 771-6	7·3 3.8	92
434	P-glycoprotein function at the blood-brain barrier: effects of age and gender. <i>Molecular Imaging</i>		
	P-glycoprotein function at the blood-brain barrier: effects of age and gender. <i>Molecular Imaging and Biology</i> , 2012 , 14, 771-6 A new informant-based questionnaire for instrumental activities of daily living in dementia.	3.8	92

430	Discrepancy between subjective and objective sleep disturbances in early- and moderate-stage Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 460-7	6.5	59
429	O4-03-01: Differential impact of apolipoprotein E genotype on distributions of amyloid load and glucose metabolism in Alzheimer's disease 2012 , 8, P618-P618		
428	Association between white matter hyperintensities and executive decline in mild cognitive impairment is network dependent. <i>Neurobiology of Aging</i> , 2012 , 33, 201.e1-8	5.6	34
427	Microglial activation in healthy aging. <i>Neurobiology of Aging</i> , 2012 , 33, 1067-72	5.6	110
426	Prediction of conversion from mild cognitive impairment to Alzheimer's disease dementia based upon biomarkers and neuropsychological test performance. <i>Neurobiology of Aging</i> , 2012 , 33, 1203-14	5.6	278
425	Posterior cerebral atrophy in the absence of medial temporal lobe atrophy in pathologically-confirmed Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012 , 33, 627.e1-627.e12	5.6	58
424	Serial CSF sampling in Alzheimer's disease: specific versus non-specific markers. <i>Neurobiology of Aging</i> , 2012 , 33, 1591-8	5.6	44
423	Resting-state fMRI changes in Alzheimer's disease and mild cognitive impairment. <i>Neurobiology of Aging</i> , 2012 , 33, 2018-28	5.6	253
422	Young Alzheimer patients show distinct regional changes of oscillatory brain dynamics. <i>Neurobiology of Aging</i> , 2012 , 33, 1008.e25-31	5.6	31
421	Microbleeds relate to altered amyloid-Imetabolism in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012 , 33, 1011.e1-9	5.6	46
420	Test sequence of CSF and MRI biomarkers for prediction of AD in subjects with MCI. <i>Neurobiology of Aging</i> , 2012 , 33, 2272-81	5.6	72
419	Microbleeds do not affect rate of cognitive decline in Alzheimer disease. <i>Neurology</i> , 2012 , 79, 763-9	6.5	62
418	Episodic memory and the medial temporal lobe: not all it seems. Evidence from the temporal variants of frontotemporal dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 1145	-8 ·5	17
417	Dementia: Alzheimer pathology and vascular factors: from mutually exclusive to interaction. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 340-9	6.9	50
416	Disturbed oscillatory brain dynamics in subcortical ischemic vascular dementia. <i>BMC Neuroscience</i> , 2012 , 13, 85	3.2	18
415	Diagnostic and economic evaluation of new biomarkers for Alzheimer's disease: the research protocol of a prospective cohort study. <i>BMC Neurology</i> , 2012 , 12, 72	3.1	20
414	Study protocol: EXERcise and cognition in sedentary adults with early-ONset dementia (EXERCISE-ON). <i>BMC Neurology</i> , 2012 , 12, 75	3.1	12
413	Disruption of functional brain networks in Alzheimer's disease: what can we learn from graph spectral analysis of resting-state magnetoencephalography?. <i>Brain Connectivity</i> , 2012 , 2, 45-55	2.7	73

412	Disrupted modular brain dynamics reflect cognitive dysfunction in Alzheimer's disease. <i>NeuroImage</i> , 2012 , 59, 3085-93	7.9	160
411	Leeftijd: een belangrijke factor voor cognitieve profielen van de ziekte van Alzheimer. <i>Neuropraxis</i> , 2012 , 16, 183-191	Ο	
410	Blood-brain barrier P-glycoprotein function in healthy subjects and Alzheimer's disease patients: effect of polymorphisms in the ABCB1 gene. <i>EJNMMI Research</i> , 2012 , 2, 57	3.6	40
409	Does a family meetings intervention prevent depression and anxiety in family caregivers of dementia patients? A randomized trial. <i>PLoS ONE</i> , 2012 , 7, e30936	3.7	62
408	Longitudinal imaging of Alzheimer pathology using [11C]PIB, [18F]FDDNP and [18F]FDG PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 990-1000	8.8	116
407	Injury markers predict time to dementia in subjects with MCI and amyloid pathology. <i>Neurology</i> , 2012 , 79, 1809-16	6.5	110
406	Exercise and early-onset Alzheimer's disease: theoretical considerations. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012 , 2, 132-45	2.5	16
405	Amyloid burden and metabolic function in early-onset Alzheimer's disease: parietal lobe involvement. <i>Brain</i> , 2012 , 135, 2115-25	11.2	91
404	Lessons Learned in Eastern Europe 2012 , 99-103		
403	Dementia in 2011: Microbleeds in dementiasinging a different ARIA. <i>Nature Reviews Neurology</i> , 2012 , 8, 68-70	15	7
402	Early onset Alzheimer's disease is associated with a distinct neuropsychological profile. <i>Journal of Alzheimeris Disease</i> , 2012 , 30, 101-8	4.3	121
402		4.3	205
	Alzheimeris Disease, 2012, 30, 101-8		
401	Alzheimeris Disease, 2012, 30, 101-8 Blood-brain barrier P-glycoprotein function in Alzheimer's disease. <i>Brain</i> , 2012, 135, 181-9 Impact commentaries. Atrophy of medial temporal lobes on MRI in "probable" Alzheimer's disease and normal ageing: diagnostic value and neuropsychological correlates. <i>Journal of Neurology</i> ,	11.2	205
401 400	Alzheimeris Disease, 2012, 30, 101-8 Blood-brain barrier P-glycoprotein function in Alzheimer's disease. Brain, 2012, 135, 181-9 Impact commentaries. Atrophy of medial temporal lobes on MRI in "probable" Alzheimer's disease and normal ageing: diagnostic value and neuropsychological correlates. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 1038-40 White matter lesion progression in LADIS: frequency, clinical effects, and sample size calculations.	11.2 5·5	205
400 399	Alzheimeris Disease, 2012, 30, 101-8 Blood-brain barrier P-glycoprotein function in Alzheimer's disease. Brain, 2012, 135, 181-9 Impact commentaries. Atrophy of medial temporal lobes on MRI in "probable" Alzheimer's disease and normal ageing: diagnostic value and neuropsychological correlates. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 1038-40 White matter lesion progression in LADIS: frequency, clinical effects, and sample size calculations. Stroke, 2012, 43, 2643-7 Progression of Alzheimer disease in Europe: data from the European ICTUS study. Current	5·5 6.7	205 38 73
400 399 398	Blood-brain barrier P-glycoprotein function in Alzheimer's disease. Brain, 2012, 135, 181-9 Impact commentaries. Atrophy of medial temporal lobes on MRI in "probable" Alzheimer's disease and normal ageing: diagnostic value and neuropsychological correlates. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 1038-40 White matter lesion progression in LADIS: frequency, clinical effects, and sample size calculations. Stroke, 2012, 43, 2643-7 Progression of Alzheimer disease in Europe: data from the European ICTUS study. Current Alzheimer Research, 2012, 9, 902-12 Injury markers but not amyloid markers are associated with rapid progression from mild cognitive	5·5 6.7	205 38 73 38

(2011-2012)

394	Identifying target groups for the prevention of depression among caregivers of dementia patients. <i>International Psychogeriatrics</i> , 2012 , 24, 298-306	3.4	27
393	Improving the accuracy and precision of cognitive testing in mild dementia. <i>Journal of the International Neuropsychological Society</i> , 2012 , 18, 314-22	3.1	11
392	Activity dependent degeneration explains hub vulnerability in Alzheimer's disease. <i>PLoS Computational Biology</i> , 2012 , 8, e1002582	5	253
391	Effectiveness of family meetings for family caregivers on delaying time to nursing home placement of dementia patients: a randomized trial. <i>PLoS ONE</i> , 2012 , 7, e42145	3.7	16
390	Decreased mRNA expression of CCL5 [RANTES] in Alzheimer's disease blood samples. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 50, 61-5	5.9	17
389	Normal Ageing 2011 , 43-57		5
388	Corpus callosum atrophy as a predictor of age-related cognitive and motor impairment: a 3-year follow-up of the LADIS study cohort. <i>Journal of the Neurological Sciences</i> , 2011 , 307, 100-5	3.2	51
387	Neuroimaging in Dementia 2011 ,		60
386	Biomarkers for Alzheimer's disease therapeutic trials. <i>Progress in Neurobiology</i> , 2011 , 95, 579-93	10.9	100
385	Prevention trials in Alzheimer's disease: an EU-US task force report. <i>Progress in Neurobiology</i> , 2011 , 95, 594-600	10.9	52
384	Progression from MCI to AD: predictive value of CSF AB2 is modified by APOE genotype. <i>Neurobiology of Aging</i> , 2011 , 32, 1372-8	5.6	9
383	2001-2011: A Decade of the LADIS (Leukoaraiosis And DISability) Study: What Have We Learned about White Matter Changes and Small-Vessel Disease?. <i>Cerebrovascular Diseases</i> , 2011 , 32, 577-588	3.2	197
382	The diagnosis of dementia due to Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2011 , 7, 263-9	1.2	8211
381	Steps to standardization and validation of hippocampal volumetry as a biomarker in clinical trials and diagnostic criterion for Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2011 , 7, 474-485.e4	1.2	139
380	How golden is the gold standard of neuropathology in dementia?. <i>Alzheimeris and Dementia</i> , 2011 , 7, 486-9	1.2	48
379	Amyloid-related imaging abnormalities in amyloid-modifying therapeutic trials: recommendations from the Alzheimer's Association Research Roundtable Workgroup. <i>Alzheimeris and Dementia</i> , 2011 , 7, 367-85	1.2	364
378	Complexity of MRI white matter hyperintensity assessments in relation to cognition in aging and dementia from the Sunnybrook Dementia Study. <i>Journal of Alzheimeris Disease</i> , 2011 , 26 Suppl 3, 379-88	4.3	30
377	Self-perceived memory complaints predict progression to Alzheimer disease. The LADIS study. Journal of Alzheimeris Disease, 2011 , 27, 491-8	4.3	18

376	The use of neuropsychological tests across Europe: the need for a consensus in the use of assessment tools for dementia. <i>European Journal of Neurology</i> , 2011 , 18, 279-285	6	32
375	The world of dementia beyond 2020. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 923-7	5.6	50
374	Do instrumental activities of daily living predict dementia at 1- and 2-year follow-up? Findings from the Development of Screening guidelines and diagnostic Criteria for Predementia Alzheimer's disease study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 2273-81	5.6	51
373	Early-onset versus late-onset Alzheimer's disease: the case of the missing APOE e4 allele. <i>Lancet Neurology, The</i> , 2011 , 10, 280-8	24.1	218
372	New lexicon and criteria for the diagnosis of Alzheimer's disease [Authors' reply. <i>Lancet Neurology, The,</i> 2011 , 10, 300-301	24.1	6
371	Utility of imaging for nutritional intervention studies in Alzheimer's disease. <i>European Journal of Pharmacology</i> , 2011 , 668 Suppl 1, S59-69	5.3	12
370	Visual assessment of posterior atrophy development of a MRI rating scale. <i>European Radiology</i> , 2011 , 21, 2618-25	8	223
369	Heterogeneity in age-related white matter changes. <i>Acta Neuropathologica</i> , 2011 , 122, 171-85	14.3	206
368	Efficacy of a medical food on cognition in Alzheimer's disease: results from secondary analyses of a randomized, controlled trial. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 720-4	5.2	36
367	Effect of a medical food on body mass index and activities of daily living in patients with Alzheimer's disease: secondary analyses from a randomized, controlled trial. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 672-6	5.2	22
366	Heterogeneity of small vessel disease: a systematic review of MRI and histopathology correlations. Journal of Neurology, Neurosurgery and Psychiatry, 2011 , 82, 126-35	5.5	430
365	Understanding higher level gait disturbances in mild dementia in order to improve rehabilitation: 'last in-first out'. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 699-714	9	42
364	Clinical relevance of improved microbleed detection by susceptibility-weighted magnetic resonance imaging. <i>Stroke</i> , 2011 , 42, 1894-900	6.7	103
363	Hippocampal morphometry in population-based incident Alzheimer's disease and vascular dementia: the HAAS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 373-6	5.5	28
362	Regional differences in effects of APOE 4 on cognitive impairment in non-demented subjects. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 32, 135-42	2.6	13
361	EEG abnormalities are associated with different cognitive profiles in Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 1-6	2.6	17
360	Corpus callosum tissue loss and development of motor and global cognitive impairment: the LADIS study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 32, 279-86	2.6	20
359	Tau and p-tau as CSF biomarkers in dementia: a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 353-66	5.9	108

(2010-2011)

358	An informant questionnaire for detecting Alzheimer's disease: are some items better than others?. <i>Journal of the International Neuropsychological Society</i> , 2011 , 17, 674-81	3.1	2	
357	Hippocampal atrophy in subcortical vascular dementia. <i>Neurodegenerative Diseases</i> , 2011 , 8, 465-9	2.3	35	
356	EEG abnormalities in early and late onset Alzheimer's disease: understanding heterogeneity. Journal of Neurology, Neurosurgery and Psychiatry, 2011 , 82, 67-71	5.5	32	
355	White matter hyperintensities, medial temporal lobe atrophy, cortical atrophy, and response to electroconvulsive therapy in severely depressed elderly patients. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 104-12	4.6	36	
354	Disorders Mainly Affecting White Matter 2011 , 177-242		1	
353				
352	Dementia: Clinical Background 2011 , 5-11			
351	Dementias with Associated B rain Swelling [2011 , 243-268			
350	Primary Grey Matter Loss 2011 , 59-135			
349	The Toolbox 2011 , 13-42			
348	Evaluation of intrathecal serum amyloid P (SAP) and C-reactive protein (CRP) synthesis in Alzheimer's disease with the use of index values. <i>Journal of Alzheimeris Disease</i> , 2010 , 22, 1073-9	4.3	20	
347	Diagnostic impact of CSF biomarkers in a local hospital memory clinic. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 491-7	2.6	28	
346	Dementia mimicking Alzheimer's disease Owing to a tau mutation: CSF and PET findings. <i>Alzheimer Disease and Associated Disorders</i> , 2010 , 24, 303-7	2.5	23	
345	Clinical characteristics of patients with frontotemporal dementia with and without lobar atrophy on MRI. <i>Alzheimer Disease and Associated Disorders</i> , 2010 , 24, 242-7	2.5	18	
344	Neurological signs in relation to white matter hyperintensity volumes in memory clinic patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 301-8	2.6	3	
343	How useful is the IQCODE for discriminating between Alzheimer's disease, mild cognitive impairment and subjective memory complaints?. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 ,	2.6	30	
	30, 411-6			
342	30, 411-6 Amyloid-beta(1-42), total tau, and phosphorylated tau as cerebrospinal fluid biomarkers for the diagnosis of Alzheimer disease. <i>Clinical Chemistry</i> , 2010 , 56, 248-53	5.5	256	

340	Diffusion-weighted imaging and cognition in the leukoariosis and disability in the elderly study. <i>Stroke</i> , 2010 , 41, e402-8	6.7	70
339	Can nutrients prevent or delay onset of Alzheimer's disease?. <i>Journal of Alzheimeris Disease</i> , 2010 , 20, 765-75	4.3	79
338	Behavioural and psychological symptoms in vascular dementia; differences between small- and large-vessel disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 547-51	5.5	82
337	Vascular care in patients with Alzheimer disease with cerebrovascular lesions slows progression of white matter lesions on MRI: the evaluation of vascular care in Alzheimer's disease (EVA) study. <i>Stroke</i> , 2010 , 41, 554-6	6.7	61
336	Assessing mental flexibility: neuroanatomical and neuropsychological correlates of the Trail Making Test in elderly people. <i>Clinical Neuropsychologist</i> , 2010 , 24, 203-19	4.4	85
335	Incidence of depression and anxiety in the spouses of patients with dementia: a naturalistic cohort study of recorded morbidity with a 6-year follow-up. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 146-53	6.5	110
334	The clinical use of structural MRI in Alzheimer disease. <i>Nature Reviews Neurology</i> , 2010 , 6, 67-77	15	1131
333	Neuroanatomical and neuropsychological features of elderly euthymic depressed patients with early- and late-onset. <i>Journal of the Neurological Sciences</i> , 2010 , 299, 19-23	3.2	41
332	Relationship between baseline white-matter changes and development of late-life depressive symptoms: 3-year results from the LADIS study. <i>Psychological Medicine</i> , 2010 , 40, 603-10	6.9	95
331	Whole-brain atrophy rate and CSF biomarker levels in MCI and AD: a longitudinal study. <i>Neurobiology of Aging</i> , 2010 , 31, 758-64	5.6	77
330	Evaluation of plasma Abeta40 and Abeta42 as predictors of conversion to Alzheimer's disease in patients with mild cognitive impairment. <i>Neurobiology of Aging</i> , 2010 , 31, 539-40; author reply 541	5.6	13
329	Inflammatory markers in AD and MCI patients with different biomarker profilesInterpretation of serum and CSF levels. <i>Neurobiology of Aging</i> , 2010 , 31, 1655	5.6	
328	Loss of 'small-world' networks in Alzheimer's disease: graph analysis of FMRI resting-state functional connectivity. <i>PLoS ONE</i> , 2010 , 5, e13788	3.7	434
327	Efficacy of a medical food in mild Alzheimer's disease: A randomized, controlled trial. <i>Alzheimeris and Dementia</i> , 2010 , 6, 1-10.e1	1.2	193
326	F3-01-01: The development of a new IADL informant-based questionnaire: The Amsterdam IADL questionnaire 2010 , 6, S115-S116		
325	Simplified parametric methods for [18F]FDDNP studies. <i>NeuroImage</i> , 2010 , 49, 433-41	7.9	5
324	Molecular imaging in the diagnosis of Alzheimer's disease: visual assessment of [11C]PIB and [18F]FDDNP PET images. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 882-4	5.5	47
323	Early-versus late-onset Alzheimer's disease: more than age alone. <i>Journal of Alzheimeris Disease</i> , 2010 , 19, 1401-8	4.3	282

322	BACE1 activity in cerebrospinal fluid and its relation to markers of AD pathology. <i>Journal of Alzheimeris Disease</i> , 2010 , 20, 253-60	4.3	66
321	CSF Bynuclein does not discriminate dementia with Lewy bodies from Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2010 , 22, 87-95	4.3	80
320	Prevalence and clinical significance of epileptiform EEG discharges in a large memory clinic cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 432-7	2.6	41
319	Joint effect of hypertension and APOE genotype on CSF biomarkers for Alzheimer's disease. Journal of Alzheimeris Disease, 2010 , 20, 1083-90	4.3	23
318	Depressie en angst bij partners van dementiepatifiten. Huisarts En Wetenschap, 2010 , 53, 420-424	0.1	
317	Prevention of depression and sleep disturbances in elderly with memory-problems by activation of the biological clock with lighta randomized clinical trial. <i>Trials</i> , 2010 , 11, 19	2.8	38
316	Use of cerebrospinal fluid biomarkers in diagnosis of dementia across Europe. <i>European Journal of Neurology</i> , 2010 , 17, 90-6	6	53
315	EFNS guidelines for the diagnosis and management of Alzheimer's disease. <i>European Journal of Neurology</i> , 2010 , 17, 1236-48	6	329
314	Glycemia and levels of cerebrospinal fluid amyloid and tau in patients attending a memory clinic. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1318-21	5.6	8
313	MicroRNA Analysis in the Spinal Fluid of Alzheimer Patients: A Methodological Feasibility Study 2010 , 275-282		1
312	CSF biomarkers in Alzheimer's disease and controls: associations with APOE genotype are modified by age. <i>Journal of Alzheimeris Disease</i> , 2009 , 16, 601-7	4.3	39
311	Most rapid cognitive decline in APOE epsilon4 negative Alzheimer's disease with early onset. <i>Psychological Medicine</i> , 2009 , 39, 1907-11	6.9	81
310	Relationship of cerebrospinal fluid markers to 11C-PiB and 18F-FDDNP binding. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 1464-70	8.9	145
309	Detection of Alzheimer pathology in vivo using both 11C-PIB and 18F-FDDNP PET. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 191-7	8.9	108
308	Associations between patterns of EEG abnormalities and diagnosis in a large memory clinic cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 18-23	2.6	42
307	Regional white matter integrity differentiates between vascular dementia and Alzheimer disease. <i>Stroke</i> , 2009 , 40, 773-9	6.7	69
306	Changes in white matter as determinant of global functional decline in older independent outpatients: three year follow-up of LADIS (leukoaraiosis and disability) study cohort. <i>BMJ, The</i> , 2009 , 339, b2477	5.9	277
305	Diagnostic imaging of patients in a memory clinic: comparison of MR imaging and 64-detector row CT. <i>Radiology</i> , 2009 , 253, 174-83	20.5	97

304	MRI biomarkers of vascular damage and atrophy predicting mortality in a memory clinic population. <i>Stroke</i> , 2009 , 40, 492-8	6.7	99
303	The clinical profile of right temporal lobe atrophy. <i>Brain</i> , 2009 , 132, 1287-98	11.2	220
302	Vascular factors and markers of inflammation in offspring with a parental history of late-onset Alzheimer disease. <i>Archives of General Psychiatry</i> , 2009 , 66, 1263-70		66
301	A worldwide multicentre comparison of assays for cerebrospinal fluid biomarkers in Alzheimer's disease. <i>Annals of Clinical Biochemistry</i> , 2009 , 46, 235-40	2.2	140
300	CSF levels of PSA and PSA-ACT complexes in Alzheimer's disease. <i>Annals of Clinical Biochemistry</i> , 2009 , 46, 477-83	2.2	7
299	Quantification of amyloid-beta 40 in cerebrospinal fluid. <i>Journal of Immunological Methods</i> , 2009 , 348, 57-66	2.5	17
298	Functional neural network analysis in frontotemporal dementia and Alzheimer's disease using EEG and graph theory. <i>BMC Neuroscience</i> , 2009 , 10, 101	3.2	258
297	Model-free group analysis shows altered BOLD FMRI networks in dementia. <i>Human Brain Mapping</i> , 2009 , 30, 256-66	5.9	107
296	White matter tract integrity in aging and Alzheimer's disease. <i>Human Brain Mapping</i> , 2009 , 30, 1051-9	5.9	194
295	Quantitation of brain tissue changes associated with white matter hyperintensities by diffusion-weighted and magnetization transfer imaging: the LADIS (Leukoaraiosis and Disability in the Elderly) study. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 268-74	5.6	30
294	Evaluation of tracer kinetic models for analysis of [18F]FDDNP studies. <i>Molecular Imaging and Biology</i> , 2009 , 11, 322-33	3.8	19
293	Test-retest variability of quantitative [11C]PIB studies in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009 , 36, 1629-38	8.8	51
292	Nutrition and dementia. European Journal of Neurology, 2009, 16 Suppl 1, iii-iv	6	1
291	Moving forward with nutrition in Alzheimer's disease. <i>European Journal of Neurology</i> , 2009 , 16 Suppl 1, 19-22	6	14
290	Accelerating regional atrophy rates in the progression from normal aging to Alzheimer's disease. <i>European Radiology</i> , 2009 , 19, 2826-33	8	74
289	Patients with Alzheimer disease with multiple microbleeds: relation with cerebrospinal fluid biomarkers and cognition. <i>Stroke</i> , 2009 , 40, 3455-60	6.7	179
288	Graph theoretical analysis of magnetoencephalographic functional connectivity in Alzheimer's disease. <i>Brain</i> , 2009 , 132, 213-24	11.2	689
287	Dementia: the bare essentials. <i>Practical Neurology</i> , 2009 , 9, 241-51	2.4	27

(2008-2009)

286	Progression of mild cognitive impairment to dementia: contribution of cerebrovascular disease compared with medial temporal lobe atrophy. <i>Stroke</i> , 2009 , 40, 1269-74	6.7	112
285	Inflammatory markers in AD and MCI patients with different biomarker profiles. <i>Neurobiology of Aging</i> , 2009 , 30, 1885-9	5.6	107
284	CSF biomarker levels in early and late onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2009 , 30, 1895-	99.6	97
283	MRI-defined subcortical ischemic vascular disease: baseline clinical and neuropsychological findings. The LADIS Study. <i>Cerebrovascular Diseases</i> , 2009 , 27, 336-44	3.2	70
282	Longitudinal cognitive decline in subcortical ischemic vascular diseasethe LADIS Study. <i>Cerebrovascular Diseases</i> , 2009 , 27, 384-91	3.2	139
281	Altered temporal correlations in parietal alpha and prefrontal theta oscillations in early-stage Alzheimer disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1614-9	11.5	204
280	CSF biomarkers and incipient Alzheimer disease in patients with mild cognitive impairment. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 385-93	27.4	758
279	Prevalence and prognostic value of CSF markers of Alzheimer's disease pathology in patients with subjective cognitive impairment or mild cognitive impairment in the DESCRIPA study: a prospective cohort study. <i>Lancet Neurology, The</i> , 2009 , 8, 619-27	24.1	473
278	Neuroanatomical and neuropsychological features of euthymic patients with bipolar disorder. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 1012-21	6.5	34
277	The effect of anxiety and depression on decline of memory function in Alzheimer's disease. <i>International Psychogeriatrics</i> , 2009 , 21, 1142-7	3.4	14
276	Imaging in Alzheimer's disease. <i>Dialogues in Clinical Neuroscience</i> , 2009 , 11, 191-9	5.7	27
275	Clinical Evaluation and Treatment of Cognitive Dysfunction and Dementia 2009 , 103-127		
274	Urinary complaints in nondisabled elderly people with age-related white matter changes: the Leukoaraiosis And DISability (LADIS) Study. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1638-43	5.6	68
273	Hyperglycaemia as a determinant of cognitive decline in patients with type 1 diabetes. <i>European Journal of Pharmacology</i> , 2008 , 585, 88-96	5.3	81
272	Revised research diagnostic criteria for Alzheimer's disease. Lancet Neurology, The, 2008, 7, 668-70	24.1	18
271	Transcranial Doppler blood flow assessment in patients with mild heart failure: correlates with neuroimaging and cognitive performance. <i>Congestive Heart Failure</i> , 2008 , 14, 61-5		39
270	Global dynamical analysis of the EEG in Alzheimer's disease: frequency-specific changes of functional interactions. <i>Clinical Neurophysiology</i> , 2008 , 119, 837-41	4.3	74
269	Investigation of resting-state EEG functional connectivity in frontotemporal lobar degeneration. <i>Clinical Neurophysiology</i> , 2008 , 119, 1732-1738	4.3	36

268	EEG functional connectivity and ApoE genotype in Alzheimer's disease and controls. <i>Clinical Neurophysiology</i> , 2008 , 119, 2727-32	4.3	22
267	Efficacy, safety and tolerability of rivastigmine capsules in patients with probable vascular dementia: the VantagE study. <i>Current Medical Research and Opinion</i> , 2008 , 24, 2561-74	2.5	106
266	CSF and MRI markers independently contribute to the diagnosis of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2008 , 29, 669-75	5.6	87
265	Distortions in rest-activity rhythm in aging relate to white matter hyperintensities. <i>Neurobiology of Aging</i> , 2008 , 29, 1265-71	5.6	16
264	The role of white matter hyperintensities and medial temporal lobe atrophy in age-related executive dysfunctioning. <i>Brain and Cognition</i> , 2008 , 68, 128-33	2.7	40
263	Simplified parametric methods for [11C]PIB studies. <i>NeuroImage</i> , 2008 , 42, 76-86	7.9	79
262	The pilot European Alzheimer's Disease Neuroimaging Initiative of the European Alzheimer's Disease Consortium. <i>Alzheimeris and Dementia</i> , 2008 , 4, 255-64	1.2	35
261	Feature extraction and strategy of analyzing structural neuroimaging in dementia. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2008 , 89, 75-86	3	1
260	Heterogeneity of white matter hyperintensities in Alzheimer's disease: post-mortem quantitative MRI and neuropathology. <i>Brain</i> , 2008 , 131, 3286-98	11.2	195
259	Variability in longitudinal cerebrospinal fluid tau and phosphorylated tau measurements. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008 , 46, 1300-4	5.9	13
258	Reliability and sensitivity of visual scales versus volumetry for evaluating white matter hyperintensity progression. <i>Cerebrovascular Diseases</i> , 2008 , 25, 247-53	3.2	64
257	Early-onset dementia is associated with higher mortality. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 147-52	2.6	66
256	Diagnostic accuracy of consensus diagnostic criteria for frontotemporal dementia in a memory clinic population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 25, 157-64	2.6	31
255	Distribution of APOE genotypes in a memory clinic cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 25, 433-8	2.6	29
254	Multi-center comparison of medial temporal atrophy in patients with Alzheimer's diseasedata from the ICTUS study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 314-22	2.6	5
253	Neurological signs in relation to type of cerebrovascular disease in vascular dementia. <i>Stroke</i> , 2008 , 39, 317-22	6.7	60
252	Progression of white matter hyperintensities and incidence of new lacunes over a 3-year period: the Leukoaraiosis and Disability study. <i>Stroke</i> , 2008 , 39, 1414-20	6.7	299
251	Serum amyloid p component as a biomarker in mild cognitive impairment and Alzheimer's disease. Dementia and Geriatric Cognitive Disorders, 2008, 26, 522-7	2.6	18

(2008-2008)

250	Cerebral blood flow by using pulsed arterial spin-labeling in elderly subjects with white matter hyperintensities. <i>American Journal of Neuroradiology</i> , 2008 , 29, 1296-301	4.4	62
249	White matter hyperintensities and working memory: an explorative study. <i>Aging, Neuropsychology, and Cognition</i> , 2008 , 15, 384-99	2.1	14
248	White matter changes contribute to corpus callosum atrophy in the elderly: the LADIS study. <i>American Journal of Neuroradiology</i> , 2008 , 29, 1498-504	4.4	43
247	Amnestic mild cognitive impairment: structural MR imaging findings predictive of conversion to Alzheimer disease. <i>American Journal of Neuroradiology</i> , 2008 , 29, 944-9	4.4	133
246	Cognitive impairment no dementia - neuropsychological and neuroimaging characterization of an amnestic subgroup. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 25, 238-47	2.6	15
245	Simon B. N. Thompson, Dementia and Memory: A Handbook for Students and Professionals, Ashgate, Aldershot, Hampshire, 2006, 256 pp., hbk £50.00, ISBN 13: 978 0 7546 4633 4 <i>Ageing and Society</i> , 2008 , 28, 137-138	1.7	
244	Whole-brain atrophy rate and cognitive decline: longitudinal MR study of memory clinic patients. <i>Radiology</i> , 2008 , 248, 590-8	20.5	107
243	Development of screening guidelines and clinical criteria for predementia Alzheimer's disease. The DESCRIPA Study. <i>Neuroepidemiology</i> , 2008 , 30, 254-65	5.4	64
242	On the etiology of incident brain lacunes: longitudinal observations from the LADIS study. <i>Stroke</i> , 2008 , 39, 3083-5	6.7	65
241	Resting-state oscillatory brain dynamics in Alzheimer disease. <i>Journal of Clinical Neurophysiology</i> , 2008 , 25, 187-93	2.2	54
240	Progressive dementia and mesiotemporal atrophy on brain MRI: neurosyphilis mimicking pre-senile Alzheimer's disease?. <i>European Journal of Neurology</i> , 2008 , 15, e14-5	6	11
239	The renin-angiotensin-aldosterone system in cerebral small vessel disease. <i>Journal of Neurology</i> , 2008 , 255, 993-1000	5.5	26
238	Periventricular white matter hyperintensities increase the likelihood of progression from amnestic mild cognitive impairment to dementia. <i>Journal of Neurology</i> , 2008 , 255, 1302-8	5.5	75
237	Small vessel versus large vessel vascular dementia: risk factors and MRI findings. <i>Journal of Neurology</i> , 2008 , 255, 1644-51; discussion 1813-4	5.5	47
236	(Cost)-effectiveness of family meetings on indicated prevention of anxiety and depressive symptoms and disorders of primary family caregivers of patients with dementia: design of a randomized controlled trial. <i>BMC Geriatrics</i> , 2008 , 8, 2	4.1	25
235	Development of quality indicators for memory clinics. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 119-28	3.9	31
234	Behavioural and psychological symptoms are not related to white matter hyperintensities and medial temporal lobe atrophy in Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 387-92	3.9	24
233	De diagnostische waarde van de Visuele Associatie Test (vat) in een geheugenpoliklinieksetting. <i>Neuropraxis</i> , 2008 , 12, 3-8	O	

232	Cognitive impairment in heart failure: a systematic review of the literature. <i>European Journal of Heart Failure</i> , 2007 , 9, 440-9	12.3	368
231	CSF neurofilaments in frontotemporal dementia compared with early onset Alzheimer's disease and controls. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 23, 225-30	2.6	54
230	Whole brain analysis of T2* weighted baseline FMRI signal in dementia. <i>Human Brain Mapping</i> , 2007 , 28, 1313-7	5.9	27
229	Evaluation of methods for generating parametric (R-[11C]PK11195 binding images. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 1603-15	7.3	28
228	Evaluation of reference regions for (R)-[(11)C]PK11195 studies in Alzheimer's disease and mild cognitive impairment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 1965-74	7.3	52
227	Diabetes mellitus, hypertension and medial temporal lobe atrophy: the LADIS study. <i>Diabetic Medicine</i> , 2007 , 24, 166-71	3.5	80
226	No evidence for increased self-reported cognitive failure in Type 1 and Type 2 diabetes: a cross-sectional study. <i>Diabetic Medicine</i> , 2007 , 24, 735-40	3.5	11
225	Association between vitamin B6 and white matter hyperintensities in patients with Alzheimer's disease not mediated by homocysteine metabolism. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 956-8	5.6	9
224	Profile of cognitive impairment in chronic heart failure. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1764-70	5.6	139
223	Subcortical white matter pathology as a mediating factor for age-related decreased performance in dichotic listening. <i>Neuropsychologia</i> , 2007 , 45, 2322-32	3.2	8
222	Getting a grip on Alzheimer's disease: imaging amyloid in the brain. Lancet Neurology, The, 2007, 6, 204-	-6 24.1	2
221	Effect of rivastigmine on delay to diagnosis of Alzheimer's disease from mild cognitive impairment: the InDDEx study. <i>Lancet Neurology, The</i> , 2007 , 6, 501-12	24.1	2 60
220	Research criteria for the diagnosis of Alzheimer's disease: revising the NINCDS-ADRDA criteria. <i>Lancet Neurology, The</i> , 2007 , 6, 734-46	24.1	3067
219	Use of proteomic approaches to identify disease biomarkers. <i>Lancet Neurology, The</i> , 2007 , 6, 1036-7	24.1	5
218	Shifting paradigms in dementia: toward stratification of diagnosis and treatment using MRI. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1097, 215-24	6.5	22
217	Precuneus atrophy in early-onset Alzheimer's disease: a morphometric structural MRI study. <i>Neuroradiology</i> , 2007 , 49, 967-76	3.2	209
216	Cognitive performance in type 1 diabetes patients is associated with cerebral white matter volume. <i>Diabetologia</i> , 2007 , 50, 1763-9	10.3	88
215	Glucocorticoids Decrease Hippocampal and Prefrontal Activation during Declarative Memory Retrieval in Young Men. <i>Brain Imaging and Behavior</i> , 2007 , 1, 31-41	4.1	101

(2007-2007)

214	Corpus callosum atrophy is associated with mental slowing and executive deficits in subjects with age-related white matter hyperintensities: the LADIS Study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 491-6	5.5	76
213	Brain magnetic resonance imaging abnormalities in patients with heart failure. <i>European Journal of Heart Failure</i> , 2007 , 9, 1003-9	12.3	107
212	Differential impact of cerebral white matter changes, diabetes, hypertension and stroke on cognitive performance among non-disabled elderly. The LADIS study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 1325-30	5.5	111
211	Application of automated medial temporal lobe atrophy scale to Alzheimer disease. <i>Archives of Neurology</i> , 2007 , 64, 849-54		52
210	The contribution of medial temporal lobe atrophy and vascular pathology to cognitive impairment in vascular dementia. <i>Stroke</i> , 2007 , 38, 3182-5	6.7	88
209	Qualitative estimates of medial temporal atrophy as a predictor of progression from mild cognitive impairment to dementia. <i>Archives of Neurology</i> , 2007 , 64, 108-15		151
208	Magnetic resonance imaging predictors of cognition in mild cognitive impairment. <i>Archives of Neurology</i> , 2007 , 64, 1023-8		55
207	Cognitive impairment and MRI correlates in the elderly patients with type 2 diabetes mellitus. <i>Age and Ageing</i> , 2007 , 36, 164-70	3	117
206	Comparison of the Alzheimer's Disease Assessment Scale Cognitive Subscale and the Vascular Dementia Assessment Scale in differentiating elderly individuals with different degrees of white matter changes. The LADIS Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 73-81	2.6	33
205	Apolipoprotein E genotype influences presence and severity of delusions and aggressive behavior in Alzheimer disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 23, 42-6	2.6	42
204	Neuroimaging and correlates of cognitive function among patients with heart failure. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 418-23	2.6	71
203	Clinicopathological concordance and discordance in three monozygotic twin pairs with familial Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 1039	5.5	1
202	Brain lesions on MRI in elderly patients with type 2 diabetes mellitus. European Neurology, 2007, 57, 70-	4 2.1	103
201	Cognitive impairment in Alzheimer's disease is modified by APOE genotype. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 98-103	2.6	51
200	Nonlinear changes in brain activity during continuous word repetition: an event-related multiparametric functional MR imaging study. <i>American Journal of Neuroradiology</i> , 2007 , 28, 1715-21	4.4	8
199	Chapter 15 Advances in Neuroimaging. <i>Blue Books of Neurology</i> , 2007 , 30, 381-410		
198	All patients with suspected dementia should be scanned at least once with CT or MRI. <i>International Psychogeriatrics</i> , 2007 , 19, 533-4; discussion 534-8	3.4	2
197	Clinical significance of corpus callosum atrophy in a mixed elderly population. <i>Neurobiology of Aging</i> , 2007 , 28, 955-63	5.6	58

196	CSF biomarkers and medial temporal lobe atrophy predict dementia in mild cognitive impairment. <i>Neurobiology of Aging</i> , 2007 , 28, 1070-4	5.6	139
195	Endogenous cortisol level interacts with noradrenergic activation in the human amygdala. <i>Neurobiology of Learning and Memory</i> , 2007 , 87, 57-66	3.1	134
194	Improved reliability of hippocampal atrophy rate measurement in mild cognitive impairment using fluid registration. <i>NeuroImage</i> , 2007 , 34, 1036-41	7.9	35
193	Hippocampal shape analysis in Alzheimer's disease: a population-based study. <i>NeuroImage</i> , 2007 , 36, 8-18	7.9	88
192	SPM analysis of parametric (R)-[11C]PK11195 binding images: plasma input versus reference tissue parametric methods. <i>NeuroImage</i> , 2007 , 35, 1473-9	7.9	22
191	Diabetic encephalopathy: A concept in need of a definition. <i>Diabetologia</i> , 2006 , 49, 1447-8	10.3	147
190	Voxel-based morphometry demonstrates reduced grey matter density on brain MRI in patients with diabetic retinopathy. <i>Diabetologia</i> , 2006 , 49, 2474-80	10.3	137
189	Risk of dementia in diabetes mellitus: a systematic review. <i>Lancet Neurology, The</i> , 2006 , 5, 64-74	24.1	1424
188	Corpus callosum size correlates with asymmetric performance on a dichotic listening task in healthy aging but not in Alzheimer's disease. <i>Neuropsychologia</i> , 2006 , 44, 208-17	3.2	58
187	Diagnostic tools for the study of vascular cognitive dysfunction in hypertension and antihypertensive drug research 2006 , 109, 274-83		14
186	Relationship between periventricular and deep white matter lesions and depressive symptoms in older people. The LADIS Study. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 983-9	3.9	86
185	Development of a neuropsychological battery for the Leukoaraiosis and Disability in the Elderly Study (LADIS): experience and baseline data. <i>Neuroepidemiology</i> , 2006 , 27, 101-16	5.4	60
184	Cholinergic challenge in Alzheimer patients and mild cognitive impairment differentially affects hippocampal activationa pharmacological fMRI study. <i>Brain</i> , 2006 , 129, 141-57	11.2	96
183	Infratentorial abnormalities in vascular dementia. <i>Stroke</i> , 2006 , 37, 105-10	6.7	27
182	Raloxifene treatment enhances brain activation during recognition of familiar items: a pharmacological fMRI study in healthy elderly males. <i>Neuropsychopharmacology</i> , 2006 , 31, 1508-18	8.7	35
181	Impact of diagnostic disclosure in dementia on patients and carers: qualitative case series analysis. <i>Aging and Mental Health</i> , 2006 , 10, 525-31	3.5	57
180	Impact of white matter hyperintensities scoring method on correlations with clinical data: the LADIS study. <i>Stroke</i> , 2006 , 37, 836-40	6.7	236
179	Microvascular disease in type 1 diabetes alters brain activation: a functional magnetic resonance imaging study. <i>Diabetes</i> , 2006 , 55, 334-40	0.9	58

(2006-2006)

178	Cognitive slowing in multiple sclerosis is strongly associated with brain volume reduction. <i>Multiple Sclerosis Journal</i> , 2006 , 12, 760-8	5	49
177	Intrathecal chemokine synthesis in mild cognitive impairment and Alzheimer disease. <i>Archives of Neurology</i> , 2006 , 63, 538-43		222
176	The auditory oddball paradigm in patients with vascular cognitive impairment: a prolonged latency of the N2 complex. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 21, 322-7	2.6	9
175	Receiving a diagnosis of dementia: The experience over time. <i>Dementia</i> , 2006 , 5, 397-410	3	65
174	Age, hypertension, and lacunar stroke are the major determinants of the severity of age-related white matter changes. The LADIS (Leukoaraiosis and Disability in the Elderly) Study. <i>Cerebrovascular Diseases</i> , 2006 , 21, 315-22	3.2	140
173	Effects of high-frequency cranial electrostimulation on the rest-activity rhythm and salivary cortisol in Alzheimer's disease: a pilot study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 22, 267-72	2.6	9
172	Brain imaging in patients with diabetes: a systematic review. <i>Diabetes Care</i> , 2006 , 29, 2539-48	14.6	275
171	Usefulness of longitudinal measurements of beta-amyloid1-42 in cerebrospinal fluid of patients with various cognitive and neurologic disorders. <i>Clinical Chemistry</i> , 2006 , 52, 1604-6	5.5	15
170	Can lumbar puncture help to identify patients with incipient Alzheimer's disease?. <i>Nature Clinical Practice Neurology</i> , 2006 , 2, 530-1		Ο
169	Brain aging in very old men with type 2 diabetes: the Honolulu-Asia Aging Study. <i>Diabetes Care</i> , 2006 , 29, 2268-74	14.6	154
168	Consistent resting-state networks across healthy subjects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 13848-53	11.5	3210
167	Mild cognitive impairment. Lancet, The, 2006, 367, 1262-70	40	1703
166	Attention modulates hemispheric differences in functional connectivity: evidence from MEG recordings. <i>NeuroImage</i> , 2006 , 30, 245-53	7.9	28
165	Magnetoencephalographic evaluation of resting-state functional connectivity in Alzheimer's disease. <i>NeuroImage</i> , 2006 , 32, 1335-44	7.9	251
164	Mild cognitive impairment (MCI) in medical practice: a critical review of the concept and new diagnostic procedure. Report of the MCI Working Group of the European Consortium on Alzheimer's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 714-8	5.5	422
163	Progressive, isolated language disturbance: its significance in a 65-year-old-man. A case report with implications for treatment and review of literature. <i>Journal of the Neurological Sciences</i> , 2006 , 240, 45-5	j ^{2.2}	13
162	Pain intensity and pain affect in relation to white matter changes. <i>Pain</i> , 2006 , 125, 74-81	8	23
161	Multicenter assessment of reliability of cranial MRI. <i>Neurobiology of Aging</i> , 2006 , 27, 1051-9	5.6	82

160	White matter lesions are associated with progression of medial temporal lobe atrophy in Alzheimer disease. <i>Stroke</i> , 2006 , 37, 2248-52	6.7	40
159	Peripheral electrical nerve stimulation and rest-activity rhythm in Alzheimer's disease. <i>Journal of Sleep Research</i> , 2006 , 15, 415-23	5.8	11
158	Diabetes and cognitive impairment. Clinical diagnosis and brain imaging in patients attending a memory clinic. <i>Journal of Neurology</i> , 2006 , 253, 477-82	5.5	59
157	Simple versus complex assessment of white matter hyperintensities in relation to physical performance and cognition: the LADIS study. <i>Journal of Neurology</i> , 2006 , 253, 1189-96	5.5	101
156	Differential regional atrophy of the cingulate gyrus in Alzheimer disease: a volumetric MRI study. <i>Cerebral Cortex</i> , 2006 , 16, 1701-8	5.1	95
155	Multiple diagnostic tests are needed to assess multiple causes of dementia. <i>Archives of Neurology</i> , 2006 , 63, 144-6		11
154	Structural neuroimaging outcomes in clinical dementia trials, with special reference to disease modifying designs. <i>Journal of Nutrition, Health and Aging</i> , 2006 , 10, 123-8; discussion 129-30	5.2	5
153	Small vessel disease and general cognitive function in nondisabled elderly: the LADIS study. <i>Stroke</i> , 2005 , 36, 2116-20	6.7	266
152	Disturbed fluctuations of resting state EEG synchronization in Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2005 , 116, 708-15	4.3	186
151	Noradrenaline mediates amygdala activation in men and women during encoding of emotional material. <i>NeuroImage</i> , 2005 , 24, 898-909	7.9	164
150	Raloxifene exposure enhances brain activation during memory performance in healthy elderly males; its possible relevance to behavior. <i>NeuroImage</i> , 2005 , 25, 63-75	7.9	33
149	Delayed rather than decreased BOLD response as a marker for early Alzheimer's disease. <i>Neurolmage</i> , 2005 , 26, 1078-85	7.9	112
148	Consensus paper of the WFSBP Task Force on Biological Markers of Dementia: the role of CSF and blood analysis in the early and differential diagnosis of dementia. <i>World Journal of Biological Psychiatry</i> , 2005 , 6, 69-84	3.8	83
147	Biomarker profiles and their relation to clinical variables in mild cognitive impairment. <i>Neurocase</i> , 2005 , 11, 8-13	0.8	43
146	The transmethylation cycle in the brain of Alzheimer patients. <i>Neuroscience Letters</i> , 2005 , 386, 69-71	3.3	43
145	Impact of age-related cerebral white matter changes on the transition to disability the LADIS study: rationale, design and methodology. <i>Neuroepidemiology</i> , 2005 , 24, 51-62	5.4	345
144	A 24-year follow-up of body mass index and cerebral atrophy. <i>Neurology</i> , 2005 , 64, 1990-1; author reply 1990-1	6.5	
143	Retrograde amnesia for semantic information in Alzheimer's disease. <i>Journal of the International Neuropsychological Society</i> , 2005 , 11, 40-8	3.1	4

(2004-2005)

142	The impact of diagnostic disclosure in dementia: a qualitative case analysis. <i>International Psychogeriatrics</i> , 2005 , 17, 319-26	3.4	16
141	Low vitamin B6 levels are associated with white matter lesions in Alzheimer's disease. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1073-4	5.6	19
140	Altered resting state networks in mild cognitive impairment and mild Alzheimer's disease: an fMRI study. <i>Human Brain Mapping</i> , 2005 , 26, 231-9	5.9	589
139	Amyloid beta 38, 40, and 42 species in cerebrospinal fluid: more of the same?. <i>Annals of Neurology</i> , 2005 , 58, 139-42	9.4	95
138	Cerebrospinal fluid tau levels in frontotemporal dementia. <i>Annals of Neurology</i> , 2005 , 58, 656-7; author reply 657	9.4	9
137	Effects of processing and storage conditions on amyloid beta (1-42) and tau concentrations in cerebrospinal fluid: implications for use in clinical practice. <i>Clinical Chemistry</i> , 2005 , 51, 189-95	5.5	137
136	Functional connectivity in elderly controls and AD patients using resting state fMRI: a pilot study. <i>Current Alzheimer Research</i> , 2005 , 2, 115-6	3	34
135	Brain atrophy and lesion load as explaining parameters for cognitive impairment in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2005 , 11, 524-31	5	108
134	Differences and similarities between two frequently used assays for amyloid beta 42 in cerebrospinal fluid. <i>Clinical Chemistry</i> , 2005 , 51, 1057-60	5.5	8
133	Medial temporal lobe atrophy and APOE genotype do not predict cognitive improvement upon treatment with rivastigmine in Alzheimer's disease patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 126-33	2.6	19
132	Peripheral electrical stimulation in Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 361-8	2.6	4
131	Blood pressure, white matter lesions and medial temporal lobe atrophy: closing the gap between vascular pathology and Alzheimer's disease?. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 20, 331-	7 2.6	19
130	Effects of reference tissue versus plasma input parametric kinetic modelling on statistical parametric analysis of [11C](R)-PK11195 binding in Alzheimer's disease (AD) and young and old subjects. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S643-S643	7.3	2
129	Midlife blood pressure and the risk of hippocampal atrophy: the Honolulu Asia Aging Study. <i>Hypertension</i> , 2004 , 44, 29-34	8.5	213
128	Medial temporal lobe atrophy on MRI predicts dementia in patients with mild cognitive impairment. <i>Neurology</i> , 2004 , 63, 94-100	6.5	265
127	Validation of the HIV Dementia Scale in an elderly cohort of patients with subcortical cognitive impairment caused by subcortical ischaemic vascular disease or a normal pressure hydrocephalus. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004 , 18, 109-14	2.6	12
126	An fMRI study of planning-related brain activity in patients with moderately advanced multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2004 , 10, 549-55	5	52
125	Regional distribution of white matter hyperintensities in vascular dementia, Alzheimer's disease and healthy aging. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004 , 18, 180-8	2.6	112

124	Thalamic lesions in vascular dementia: low sensitivity of fluid-attenuated inversion recovery (FLAIR) imaging. <i>Stroke</i> , 2004 , 35, 415-9	6.7	41
123	White matter lesions and hippocampal atrophy in Alzheimer's disease. <i>Neurology</i> , 2004 , 62, 310-2	6.5	96
122	Advances in the early detection of Alzheimer's disease. <i>Nature Medicine</i> , 2004 , 10 Suppl, S34-41	50.5	332
121	MRI and CT in the diagnosis of vascular dementia. <i>Journal of the Neurological Sciences</i> , 2004 , 226, 9-12	3.2	52
120	Initial complaints in frontotemporal lobar degeneration. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004 , 17, 302-6	2.6	44
119	Biomarkers for Alzheimer's disease. Which way to go?. <i>Neurobiology of Aging</i> , 2004 , 25, 695-6	5.6	4
118	EEG synchronization likelihood in mild cognitive impairment and Alzheimer's disease during a working memory task. <i>Clinical Neurophysiology</i> , 2004 , 115, 1332-9	4.3	191
117	Interindividual differences of medial temporal lobe activation during encoding in an elderly population studied by fMRI. <i>NeuroImage</i> , 2004 , 21, 173-80	7.9	31
116	Global and local gray matter loss in mild cognitive impairment and Alzheimer's disease. <i>NeuroImage</i> , 2004 , 23, 708-16	7.9	449
115	Challenging the cholinergic system in mild cognitive impairment: a pharmacological fMRI study. <i>NeuroImage</i> , 2004 , 23, 1450-9	7.9	92
114	P2-201 Microglia activation in mild cognitive impairment. <i>Neurobiology of Aging</i> , 2004 , 25, S286	5.6	3
113	Pathological aging of the brain: an overview. <i>Topics in Magnetic Resonance Imaging</i> , 2004 , 15, 369-89	2.3	48
112	Neuroimaging in old age psychiatry. Current Opinion in Psychiatry, 2004, 17, 449-452	4.9	1
111	Memantine in moderate-to-severe Alzheimer disease evidence and ethics based?. <i>Alzheimer Disease and Associated Disorders</i> , 2004 , 18, 47-8; author reply 48	2.5	3
110	Operational definitions for the NINDS-AIREN criteria for vascular dementia: an interobserver study. <i>Stroke</i> , 2003 , 34, 1907-12	6.7	122
109	White-matter changes on MRI as surrogate marker. <i>International Psychogeriatrics</i> , 2003 , 15 Suppl 1, 261	- 5.4	9
108	Total tau and phosphorylated tau 181 levels in the cerebrospinal fluid of patients with frontotemporal dementia due to P301L and G272V tau mutations. <i>Archives of Neurology</i> , 2003 , 60, 1209	9-13	56
107	Decreased lysophosphatidylcholine/phosphatidylcholine ratio in cerebrospinal fluid in Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2003 , 110, 949-55	4.3	116

(2002-2003)

106	Treatment of Alzheimer's disease: current status and new perspectives. <i>Lancet Neurology, The</i> , 2003 , 2, 539-47	24.1	590
105	Deficits of memory, executive functioning and attention following infarction in the thalamus; a study of 22 cases with localised lesions. <i>Neuropsychologia</i> , 2003 , 41, 1330-44	3.2	319
104	Chemokines in serum and cerebrospinal fluid of Alzheimer's disease patients. <i>Annals of Neurology</i> , 2003 , 53, 547-8	9.4	101
103	EEG synchronization in mild cognitive impairment and Alzheimer's disease. <i>Acta Neurologica Scandinavica</i> , 2003 , 108, 90-6	3.8	203
102	A paced visual serial addition test for fMRI. Journal of the Neurological Sciences, 2003, 213, 29-34	3.2	63
101	A neural complexity measure applied to MEG data in Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2003 , 114, 1034-40	4.3	54
100	A comprehensive study of gray matter loss in patients with Alzheimer's disease using optimized voxel-based morphometry. <i>NeuroImage</i> , 2003 , 18, 895-907	7.9	347
99	Visual rating of age-related white matter changes on magnetic resonance imaging: scale comparison, interrater agreement, and correlations with quantitative measurements. <i>Stroke</i> , 2003 , 34, 441-5	6.7	240
98	Identifying confounds to increase specificity during a "no task condition". Evidence for hippocampal connectivity using fMRI. <i>NeuroImage</i> , 2003 , 20, 1236-45	7.9	75
97	Tau and Abeta42 protein in CSF of patients with frontotemporal degeneration. <i>Neurology</i> , 2003 , 60, 353-4; author reply 353-4	6.5	3
96	Frontotemporal dementia in The Netherlands: patient characteristics and prevalence estimates from a population-based study. <i>Brain</i> , 2003 , 126, 2016-22	11.2	330
95	Structural magnetic resonance imaging in the practical assessment of dementia: beyond exclusion. <i>Lancet Neurology, The</i> , 2002 , 1, 13-21	24.1	279
94	Alzheimer's disease is not associated with altered concentrations of the nitric oxide synthase inhibitor asymmetric dimethylarginine in cerebrospinal fluid. <i>Journal of Neural Transmission</i> , 2002 , 109, 1203-8	4.3	26
93	CSF markers related to pathogenetic mechanisms in Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2002 , 109, 1491-8	4.3	26
92	Diagnostic accuracy of the Preclinical AD Scale (PAS) in cognitively mildly impaired subjects. <i>Journal of Neurology</i> , 2002 , 249, 312-9	5.5	39
91	Effects of transcutaneous electrical nerve stimulation (TENS) on non-pain related cognitive and behavioural functioning. <i>Reviews in the Neurosciences</i> , 2002 , 13, 257-70	4.7	15
90	Imaging of white matter lesions. <i>Cerebrovascular Diseases</i> , 2002 , 13 Suppl 2, 21-30	3.2	104
89	Generalized synchronization of MEG recordings in Alzheimer's Disease: evidence for involvement of the gamma band. <i>Journal of Clinical Neurophysiology</i> , 2002 , 19, 562-74	2.2	202

88	A new rapid landmark-based regional MRI segmentation method of the brain. <i>Journal of the Neurological Sciences</i> , 2002 , 194, 35-40	3.2	30
87	Head trauma and Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2002 , 4, 303-8	4.3	30
86	Magnetic Resonance: Applications in Dementia 2002 , 5-25		
85	Neurodegenerative Disorders 2002 , 31-138		
84	Magnetic Resonance and Dementia 2002 , 1-4		1
83	Sporadic Creutzfeldt-Jakob disease in a young Dutch valine homozygote: atypical molecular phenotype. <i>Annals of Neurology</i> , 2001 , 50, 258-61	9.4	22
82	A new rating scale for age-related white matter changes applicable to MRI and CT. Stroke, 2001 , 32, 131	& . 7 2	1270
81	Anterior medial temporal lobe activation during attempted retrieval of encoded visuospatial scenes: an event-related fMRI study. <i>NeuroImage</i> , 2001 , 14, 67-76	7.9	59
80	Effect of hydroxychloroquine on progression of dementia in early Alzheimer's disease: an 18-month randomised, double-blind, placebo-controlled study. <i>Lancet, The</i> , 2001 , 358, 455-60	40	183
79	Structural neuroimaging of Alzheimer's disease and other dementias. <i>Aging Clinical and Experimental Research</i> , 2001 , 13, 203-9	4.8	10
78	Functional MRI of visual cortex in sedated 18 month-old infants with or without periventricular leukomalacia. <i>Developmental Medicine and Child Neurology</i> , 2001 , 43, 486-90	3.3	30
77	Contribution of neuroimaging in the diagnosis of Alzheimer's disease and other dementias. <i>Current Opinion in Neurology</i> , 2000 , 13, 391-6	7.1	42
76	FMRI of visual encoding: reproducibility of activation. <i>Human Brain Mapping</i> , 2000 , 9, 156-64	5.9	173
75	Cortico-hippocampal communication by way of parallel parahippocampal-subicular pathways. <i>Hippocampus</i> , 2000 , 10, 398-410	3.5	282
74	MRI volumetric correlates of white matter lesions in dementia with Lewy bodies and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 911-6	3.9	73
73	Limitations of clinical criteria for the diagnosis of vascular dementia in clinical trials. Is a focus on subcortical vascular dementia a solution?. <i>Annals of the New York Academy of Sciences</i> , 2000 , 903, 262-7.	2 6.5	84
7 ²	Neurocardiovascular instability, hypotensive episodes, and MRI lesions in neurodegenerative dementia. <i>Annals of the New York Academy of Sciences</i> , 2000 , 903, 442-5	6.5	61
71	Preliminary results from an MRI/CT-based database for vascular dementia and Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , 2000 , 903, 542-6	6.5	29

(1998-2000)

70	L-glutamate, L-arginine and L-citrulline levels in cerebrospinal fluid of Parkinson's disease, multiple system atrophy, and Alzheimer's disease patients. <i>Journal of Neural Transmission</i> , 2000 , 107, 183-9	4.3	40
69	Unbiased whole-brain analysis of gray matter loss in Alzheimer's disease. <i>Neuroscience Letters</i> , 2000 , 285, 231-3	3.3	129
68	Magnetoencephalographic analysis of cortical activity in Alzheimer's disease: a pilot study. <i>Clinical Neurophysiology</i> , 2000 , 111, 604-12	4.3	124
67	Genetic and biochemical markers for Alzheimer's disease: recent developments. <i>Annals of Clinical Biochemistry</i> , 2000 , 37 (Pt 5), 593-607	2.2	27
66	Diagnosis and management of Alzheimer's disease and other disorders associated with dementia. The role of neurologists in European Federation of Neurological Societies. <i>European Journal of Neurology</i> , 2000 , 7, 133-44	6	46
65	Cortico-hippocampal communication by way of parallel parahippocampal-subicular pathways 2000 , 10, 398		9
64	Early diagnosis of dementia: neuroimaging. <i>Journal of Neurology</i> , 1999 , 246, 16-20	5.5	88
63	Medial temporal lobe atrophy and memory dysfunction as predictors for dementia in subjects with mild cognitive impairment. <i>Journal of Neurology</i> , 1999 , 246, 477-85	5.5	257
62	Parametric fMRI analysis of visual encoding in the human medial temporal lobe. <i>Hippocampus</i> , 1999 , 9, 637-43	3.5	38
61	Visual assessment of medical temporal lobe atrophy in demented and healthy control subjects: correlation with volumetry. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 90, 193-9	2.9	47
60	The diagnostic value of electroencephalography in mild senile Alzheimer's disease. <i>Clinical Neurophysiology</i> , 1999 , 110, 825-32	4.3	85
59	Apolipoprotein E epsilon4 allele, temporal lobe atrophy, and white matter lesions in late-life dementias. <i>Archives of Neurology</i> , 1999 , 56, 961-5		74
58	Vascular dementia: the role of cerebral infarcts. <i>Alzheimer Disease and Associated Disorders</i> , 1999 , 13 Suppl 3, S38-48	2.5	13
57	Magnetic resonance imaging differences between dementia with Lewy bodies and Alzheimer's disease: a pilot study. <i>Psychological Medicine</i> , 1999 , 29, 181-7	6.9	44
56	Role of White Matter Lesions in Cognitive Impairment of Vascular Origin. <i>Alzheimer Disease and Associated Disorders</i> , 1999 , 13, S49-54	2.5	31
55	Imaging of Static Brain Lesions in Vascular Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 1999 , 13, S81-90	2.5	27
54	De huidige medicamenteuze behandeling van de ziekte van Alzheimer. <i>Neuropraxis</i> , 1998 , 2, 117-120	O	
53	Within-subject reproducibility of visual activation patterns with functional magnetic resonance imaging using multislice echo planar imaging. <i>Magnetic Resonance Imaging</i> , 1998 , 16, 105-13	3.3	145

52	White matter changes on CT and MRI: an overview of visual rating scales. European Task Force on Age-Related White Matter Changes. <i>European Neurology</i> , 1998 , 39, 80-9	2.1	208
51	Pathophysiologic mechanisms in the development of age-related white matter changes of the brain. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998 , 9 Suppl 1, 2-5	2.6	119
50	Cooperation and networking on white matter disorders: the European Task Force on Age-Related White Matter Changes. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998 , 9 Suppl 1, 44-5	2.6	8
49	Emerging treatments in dementia. <i>European Neurology</i> , 1997 , 38, 184-9	2.1	2
48	The diagnostic value of magnetic resonance imaging and technetium 99m-HMPAO single-photon-emission computed tomography for the diagnosis of Alzheimer disease in a community-dwelling elderly population. <i>Alzheimer Disease and Associated Disorders</i> , 1997 , 11, 63-70	2.5	44
47	Qualitative assessment of cerebral atrophy on MRI: inter- and intra-observer reproducibility in dementia and normal aging. <i>European Neurology</i> , 1997 , 37, 95-9	2.1	148
46	Comparison of four potential MR parameters for severe tissue destruction in multiple sclerosis lesions. <i>Magnetic Resonance Imaging</i> , 1997 , 15, 155-62	3.3	40
45	Visual association encoding activates the medial temporal lobe: a functional magnetic resonance imaging study. <i>Hippocampus</i> , 1997 , 7, 594-601	3.5	123
44	Diagnosing Alzheimer's disease in community-dwelling elderly: a comparison of EEG and MRI. <i>Dementia and Geriatric Cognitive Disorders</i> , 1997 , 8, 198-202	2.6	17
43	Familial spastic paraplegia: evidence for a fourth locus. <i>Clinical Neurology and Neurosurgery</i> , 1997 , 99, 87-90	2	3
42	Visual association encoding activates the medial temporal lobe: A functional magnetic resonance imaging study 1997 , 7, 594		2
41	Circadian rest-activity rhythm disturbances in Alzheimer's disease. <i>Biological Psychiatry</i> , 1996 , 40, 259-	70 7.9	309
40	The functional basis of ocular dominance: functional MRI (fMRI) findings. <i>Neuroscience Letters</i> , 1996 , 221, 1-4	3.3	87
39	Inter- and intraobserver reproducibility of cerebral atrophy assessment on MRI scans with hemispheric infarcts. <i>European Neurology</i> , 1996 , 36, 268-72	2.1	284
38	Visual assessment of medial temporal lobe atrophy on magnetic resonance imaging: interobserver reliability. <i>Journal of Neurology</i> , 1995 , 242, 557-60	5.5	285
37	No evidence for abnormalities in kinetics of platelet monoamine oxidase in Alzheimer's disease. <i>Clinica Chimica Acta</i> , 1995 , 240, 99-102	6.2	4
36	A four-generation Dutch family with cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL), linked to chromosome 19p13. <i>Clinical Neurology and Neurosurgery</i> , 1995 , 97, 307-13	2	27
35	Limited duration of the effect of methylprednisolone on changes on MRI in multiple sclerosis. <i>Neuroradiology</i> , 1994 , 36, 382-7	3.2	47

34	Cerebrospinal fluid acetylcholinesterase homospecific activity in patients with "probable Alzheimer's disease". <i>Biological Psychiatry</i> , 1994 , 36, 708-9	7.9	3
33	Clinically silent dysfunction of dorsal columns and dorsal spinocerebellar tracts in hereditary spastic paraparesis. <i>Journal of the Neurological Sciences</i> , 1994 , 125, 206-11	3.2	24
32	Decreased cerebrospinal fluid nitrate levels in Parkinson's disease, Alzheimer's disease and multiple system atrophy patients. <i>Journal of the Neurological Sciences</i> , 1994 , 121, 46-9	3.2	97
31	Clinical neurophysiology in the diagnosis of Alzheimer's disease. <i>Clinical Neurology and Neurosurgery</i> , 1994 , 96, 111-8	2	10
30	Evidence for atrophy of the corpus callosum in Alzheimer's disease. <i>European Neurology</i> , 1994 , 34, 83-6	2.1	28
29	Small Infarcts in the Centrum ovale: Study of Predisposing Factors. <i>Cerebrovascular Diseases</i> , 1994 , 4, 83-87	3.2	22
28	Autosomal recessive paraparesis with amyotrophy of the hands and feet. <i>Acta Neurologica Scandinavica</i> , 1993 , 87, 443-5	3.8	6
27	A semiquantative rating scale for the assessment of signal hyperintensities on magnetic resonance imaging. <i>Journal of the Neurological Sciences</i> , 1993 , 114, 7-12	3.2	744
26	Neuro-imaging in the diagnosis of Alzheimer's disease. II. Positron and single photon emission tomography. <i>Clinical Neurology and Neurosurgery</i> , 1993 , 95, 81-91	2	19
25	Pre-and post-mortem MR imaging of unsuspected multiple sclerosis in a patient with Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 1993 , 117, 175-8	3.2	15
24	Methotrexate induced brain necrosis and severe leukoencephalopathy due to disconnection of an Ommaya device. <i>Journal of Neuro-Oncology</i> , 1993 , 15, 269-73	4.8	15
23	SPECT, CT and MRI in a Turkish family with Huntington's disease. <i>Neuroradiology</i> , 1993 , 35, 525-8	3.2	4
22	(99mTc)-HM-PAO SPECT and dementia in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992 , 55, 981	5.5	3
21	Frontal lobe dysfunction in unilateral lenticulostriate infarcts. Prominent role of cortical lesions. <i>Archives of Neurology</i> , 1992 , 49, 1285-9		53
20	Leuko-Araiosis: Relationship with the Types of Focal Lesions Occurring in Acute Cerebrovascular Disorders. <i>Cerebrovascular Diseases</i> , 1992 , 2, 169-176	3.2	45
19	Neuro-imaging in the diagnosis of Alzheimer's disease. I. Computer tomography and magnetic resonance imaging. <i>Clinical Neurology and Neurosurgery</i> , 1992 , 94, 277-89	2	24
18	Intracerebral haemorrhage in Sneddon's syndrome. <i>Journal of the Neurological Sciences</i> , 1992 , 111, 227-	-83.2	12
17	White-matter lesions on CT in Alzheimer patients. <i>Acta Neurologica Scandinavica</i> , 1991 , 84, 264-5	3.8	5

16	Serial quantitative MR assessment of optic neuritis in a case of neuromyelitis optica, using Gadolinium- "enhanced" STIR imaging. <i>Neuroradiology</i> , 1991 , 33, 70-1	3.2	15
15	A Dutch family with autosomal dominant pure spastic paraparesis (StrEhpell's disease). <i>Acta Neurologica Scandinavica</i> , 1990 , 82, 169-73	3.8	22
14	Anterolateral lumbar meningocele presenting as an ovarian cyst, in a patient with neurofibromatosis. <i>Clinical Neurology and Neurosurgery</i> , 1989 , 91, 351-4	2	5
13	Man with subjective complaints but abnormal CSF13-17		
12	Structural neuroimaging 58-69		24
11	Data-driven approaches for Tau-PET imaging biomarkers in Alzheimer∃ disease		1
10	Development and Usability of ADappt: Web-Based Tool to Support Clinicians, Patients, and Caregivers in the Diagnosis of Mild Cognitive Impairment and Alzheimer Disease (Preprint)		1
9	Genome-wide association study of Alzheimer disease CSF biomarkers in the EMIF-AD Multimodal Biomarker Discovery dataset		1
8	Investigating the clinico-anatomical dissociation in the behavioral variant of Alzheimer∃ disease		2
7	Amyloid-ICSF/PET discordance vs tau load 5 years later: It takes two to tangle		1
6	Contribution of genetic and environmental factors to the onset of preclinical Alzheimer disease - a monozygotic twin study		1
5	Exome sequencing identifies rare damaging variants in the ATP8B4 and ABCA1 genes as novel risk factors for Alzheimer Disease		1
4	The 100-plus Study of cognitively healthy centenarians: rationale, design and cohort description		5
3	Neuropathology and cognitive performance in centenarians		1
2	Data-driven detection of latent atrophy factors related to phenotypical variants of posterior cortical atrophy		1
1	Cerebrospinalfluid biomarkers of frontotemporal lobar degeneration143-152		