Lus M S Loura

List of Publications by Citations

Source: https://exaly.com/author-pdf/2898441/luis-m-s-loura-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

2,580
citations

48
g-index

92
ext. papers

2,772
ext. papers

2,772
ext. citations

3.4
avg, IF

L-index

#	Paper	IF	Citations
87	Lipid rafts have different sizes depending on membrane composition: a time-resolved fluorescence resonance energy transfer study. <i>Journal of Molecular Biology</i> , 2005 , 346, 1109-20	6.5	263
86	Membrane lipid domains and rafts: current applications of fluorescence lifetime spectroscopy and imaging. <i>Chemistry and Physics of Lipids</i> , 2009 , 157, 61-77	3.7	115
85	Fluid-fluid membrane microheterogeneity: a fluorescence resonance energy transfer study. <i>Biophysical Journal</i> , 2001 , 80, 776-88	2.9	105
84	Resonance energy transfer in a model system of membranes: application to gel and liquid crystalline phases. <i>Biophysical Journal</i> , 1996 , 71, 1823-36	2.9	88
83	FRET in Membrane Biophysics: An Overview. <i>Frontiers in Physiology</i> , 2011 , 2, 82	4.6	74
82	Location and dynamics of acyl chain NBD-labeled phosphatidylcholine (NBD-PC) in DPPC bilayers. A molecular dynamics and time-resolved fluorescence anisotropy study. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 467-78	3.8	74
81	Nonequilibrium phenomena in the phase separation of a two-component lipid bilayer. <i>Biophysical Journal</i> , 2002 , 82, 823-34	2.9	72
80	HIV fusion inhibitor peptide T-1249 is able to insert or adsorb to lipidic bilayers. Putative correlation with improved efficiency. <i>Journal of the American Chemical Society</i> , 2004 , 126, 14758-63	16.4	65
79	Diphenylhexatriene membrane probes DPH and TMA-DPH: A comparative molecular dynamics simulation study. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 2647-2661	3.8	65
78	Exclusion of a cholesterol analog from the cholesterol-rich phase in model membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2001 , 1511, 236-43	3.8	61
77	Dehydroergosterol structural organization in aqueous medium and in a model system of membranes. <i>Biophysical Journal</i> , 1997 , 72, 2226-36	2.9	60
76	Partition of membrane probes in a gel/fluid two-component lipid system: a fluorescence resonance energy transfer study. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2000 , 1467, 101-12	3.8	57
75	Simple estimation of Fister Resonance Energy Transfer (FRET) orientation factor distribution in membranes. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 15252-70	6.3	55
74	Effects of fluorescent probe NBD-PC on the structure, dynamics and phase transition of DPPC. A molecular dynamics and differential scanning calorimetry study. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008 , 1778, 491-501	3.8	52
73	Recent developments in molecular dynamics simulations of fluorescent membrane probes. <i>Molecules</i> , 2011 , 16, 5437-52	4.8	51
72	How to tackle the issues in free energy simulations of long amphiphiles interacting with lipid membranes: convergence and local membrane deformations. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 3572-81	3.4	50
71	Role of helix 0 of the N-BAR domain in membrane curvature generation. <i>Biophysical Journal</i> , 2008 , 94, 3065-73	2.9	48

(2013-2008)

70	Sifuvirtide screens rigid membrane surfaces. establishment of a correlation between efficacy and membrane domain selectivity among HIV fusion inhibitor peptides. <i>Journal of the American Chemical Society</i> , 2008 , 130, 6215-23	16.4	48	
69	FRET analysis of domain formation and properties in complex membrane systems. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 209-24	3.8	44	
68	Separating the turbidity spectra of vesicles from the absorption spectra of membrane probes and other chromophores. <i>European Biophysics Journal</i> , 1997 , 26, 253-259	1.9	44	
67	Fluorescence of nitrobenzoxadiazole (NBD)-labeled lipids in model membranes is connected not to lipid mobility but to probe location. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 7042-54	3.6	43	
66	Membrane Probe Distribution Heterogeneity: A Resonance Energy Transfer Study. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 6920-6931	3.4	43	
65	Cholesterol modulates the organization of the gammaM4 transmembrane domain of the muscle nicotinic acetylcholine receptor. <i>Biophysical Journal</i> , 2004 , 86, 2261-72	2.9	42	
64	Dependence of M13 major coat protein oligomerization and lateral segregation on bilayer composition. <i>Biophysical Journal</i> , 2003 , 85, 2430-41	2.9	41	
63	Quantification of Protein-Lipid Selectivity using FRET: Application to the M13 Major Coat Protein. <i>Biophysical Journal</i> , 2004 , 87, 344-52	2.9	40	
62	Characterization of DNA/lipid complexes by fluorescence resonance energy transfer. <i>Biophysical Journal</i> , 2003 , 85, 3106-19	2.9	40	
61	Absence of clustering of phosphatidylinositol-(4,5)-bisphosphate in fluid phosphatidylcholine. <i>Journal of Lipid Research</i> , 2006 , 47, 1521-5	6.3	36	
60	Quantification of protein-lipid selectivity using FRET. European Biophysics Journal, 2010, 39, 565-78	1.9	35	
59	Ciprofloxacin interactions with bacterial protein OmpF: modelling of FRET from a multi-tryptophan protein trimer. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 2822-30	3.8	30	
58	Behavior of fluorescent cholesterol analogues dehydroergosterol and cholestatrienol in lipid bilayers: a molecular dynamics study. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 5806-19	3.4	29	
57	Interaction of peptides with binary phospholipid membranes: application of fluorescence methodologies. <i>Chemistry and Physics of Lipids</i> , 2003 , 122, 77-96	3.7	29	
56	NBD-labeled cholesterol analogues in phospholipid bilayers: insights from molecular dynamics. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 13731-42	3.4	28	
55	Membrane microheterogeneity: FEster resonance energy transfer characterization of lateral membrane domains. <i>European Biophysics Journal</i> , 2010 , 39, 589-607	1.9	28	
54	Topology and lipid selectivity of pulmonary surfactant protein SP-B in membranes: Answers from fluorescence. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012 , 1818, 1717-25	3.8	27	
53	Sensing hydration and behavior of pyrene in POPC and POPC/cholesterol bilayers: a molecular dynamics study. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013 , 1828, 1094-101	3.8	27	

52	Fluorescent membrane probesTbehavior in lipid bilayers: insights from molecular dynamics simulations. <i>Biophysical Reviews</i> , 2009 , 1, 141	3.7	27
51	Detection and Characterization of Membrane Microheterogeneity by Resonance Energy Transfer. Journal of Fluorescence, 2001 , 11, 197-209	2.4	27
50	Resonance Energy Transfer in Heterogeneous Planar and Bilayer Systems: Theory and Simulation. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 6911-6919	3.4	26
49	Interaction of 7-nitrobenz-2-oxa-1,3-diazol-4-yl-labeled fatty amines with 1-palmitoyl, 2-oleoyl-sn-glycero-3-phosphocholine bilayers: a molecular dynamics study. <i>Journal of Physical</i> <i>Chemistry B</i> , 2011 , 115, 10109-19	3.4	25
48	Pinched multilamellar structure of aggregates of lysozyme and phosphatidylserine-containing membranes revealed by FRET. <i>Biophysical Journal</i> , 2008 , 95, 4726-36	2.9	25
47	Is there a preferential interaction between cholesterol and tryptophan residues in membrane proteins?. <i>Biochemistry</i> , 2008 , 47, 2638-49	3.2	25
46	Structural effects of a basic peptide on the organization of dipalmitoylphosphatidylcholine/dipalmitoylphosphatidylserine membranes: a fluorescent resonance energy transfer study. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 8130-41	3.4	25
45	Homo- and hetero-oligomerization of hydrophobic pulmonary surfactant proteins SP-B and SP-C in surfactant phospholipid membranes. <i>Journal of Biological Chemistry</i> , 2018 , 293, 9399-9411	5.4	24
44	Behaviour of NBD-head group labelled phosphatidylethanolamines in POPC bilayers: a molecular dynamics study. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 20066-79	3.6	20
43	Effect of ionic strength and presence of serum on lipoplexes structure monitorized by FRET. <i>BMC Biotechnology</i> , 2008 , 8, 20	3.5	20
42	Lateral distribution of NBD-PC fluorescent lipid analogs in membranes probed by molecular dynamics-assisted analysis of Fister Resonance Energy Transfer (FRET) and fluorescence quenching. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 14545-64	6.3	17
41	Lactose permease lipid selectivity using FEster resonance energy transfer. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010 , 1798, 1707-13	3.8	17
40	Structure and dynamics of the gammaM4 transmembrane domain of the acetylcholine receptor in lipid bilayers: insights into receptor assembly and function. <i>Molecular Membrane Biology</i> , 2006 , 23, 305-	13 ⁴	17
39	T-20 and T-1249 HIV fusion inhibitorsTstructure and conformation in solution: a molecular dynamics study. <i>Journal of Peptide Science</i> , 2008 , 14, 442-7	2.1	16
38	Behavior of pyrene as a polarity probe in palmitoylsphingomyelin and palmitoylsphingomyelin/cholesterol bilayers: A molecular dynamics simulation study. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 480, 296-306	5.1	15
37	Direct calculation of FEster orientation factor of membrane probes by molecular simulation. <i>Computational and Theoretical Chemistry</i> , 2010 , 946, 107-112		15
36	Electrostatically driven lipid-protein interaction: Answers from FRET. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015 , 1848, 1837-48	3.8	13
35	Fluorescence methods for lipoplex characterization. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011 , 1808, 2694-705	3.8	13

34	Orientation of nitro-group governs the fluorescence lifetime of nitrobenzoxadiazole (NBD)-labeled lipids in lipid bilayers. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 1682-1688	3.6	12
33	Pulmonary surfactant protein SP-B nanorings induce the multilamellar organization of surfactant complexes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183216	3.8	12
32	Binding assays of inhibitors towards selected V-ATPase domains. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2006 , 1758, 1777-86	3.8	12
31	Interaction of NBD-labelled fatty amines with liquid-ordered membranes: a combined molecular dynamics simulation and fluorescence spectroscopy study. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 27534-47	3.6	10
30	Influence of the sterol aliphatic side chain on membrane properties: a molecular dynamics study. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 22736-48	3.6	10
29	Quantitative Assessment of Methods Used To Obtain Rate Constants from Molecular Dynamics Simulations-Translocation of Cholesterol across Lipid Bilayers. <i>Journal of Chemical Theory and Computation</i> , 2018 , 14, 3840-3848	6.4	10
28	Membrane protein-lipid selectivity: enhancing sensitivity for modeling FRET data. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 2438-45	3.4	10
27	Molecular dynamics simulations of T-20 HIV fusion inhibitor interacting with model membranes. <i>Biophysical Chemistry</i> , 2011 , 159, 275-86	3.5	10
26	Liposome complexation efficiency monitored by FRET: effect of charge ratio, helper lipid and plasmid size. <i>European Biophysics Journal</i> , 2007 , 36, 609-20	1.9	9
25	A photophysical study of the polyene antibiotic filipin. Self-aggregation and filipinergosterol interaction. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2001 , 1510, 125-35	3.8	9
24	Structure and conformation of HIV fusion inhibitor peptide T-1249 in presence of model membranes: A molecular dynamics study. <i>Computational and Theoretical Chemistry</i> , 2010 , 946, 119-124		8
23	Non-uniform membrane probe distribution in resonance energy transfer: application to protein-lipid selectivity. <i>Journal of Fluorescence</i> , 2006 , 16, 161-72	2.4	8
22	Phosphatidylethanolamine-lactose permease interaction: a comparative study based on FRET. Journal of Physical Chemistry B, 2012 , 116, 14023-8	3.4	7
21	FRET studies of lipid-protein aggregates related to amyloid-like fibers. <i>Journal of Neurochemistry</i> , 2011 , 116, 696-701	6	7
20	Molecular dynamics simulation of HIV fusion inhibitor T-1249: insights on peptide-lipid interaction. <i>Computational and Mathematical Methods in Medicine</i> , 2012 , 2012, 151854	2.8	7
19	The Secret Lives of Fluorescent Membrane Probes as Revealed by Molecular Dynamics Simulations. <i>Molecules</i> , 2020 , 25,	4.8	7
18	Electrostatically driven lipid-lysozyme mixed fibers display a multilamellar structure without amyloid features. <i>Soft Matter</i> , 2014 , 10, 840-50	3.6	6
17	Modeling FRET to investigate the selectivity of lactose permease of Escherichia coli for lipids. <i>Molecular Membrane Biology</i> , 2014 , 31, 120-30	3.4	6

16	Phospholipid-lactose permease interaction as reported by a head-labeled pyrene phosphatidylethanolamine: a FRET study. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 6741-8	3.4	6
15	Photophysical behavior of a dimeric cyanine dye (BOBO-1) within cationic liposomes. <i>Photochemistry and Photobiology</i> , 2005 , 81, 1450-9	3.6	6
14	Effect of amphipathic HIV fusion inhibitor peptides on POPC and POPC/cholesterol membrane properties: a molecular simulation study. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 14724-43	3 ^{6.3}	5
13	Interaction of the indole class of vacuolar H(+)-ATPase inhibitors with lipid bilayers. <i>Biochemistry</i> , 2006 , 45, 5271-9	3.2	5
12	Interaction of Bile Salts With Lipid Bilayers: An Atomistic Molecular Dynamics Study. <i>Frontiers in Physiology</i> , 2019 , 10, 393	4.6	4
11	Fluorescence resonance energy transfer to characterize cholesterol-induced domains. <i>Methods in Molecular Biology</i> , 2007 , 400, 489-501	1.4	4
10	Characterization of peptide-induced morphological alterations in membranes by fluorescence resonance energy transfer. <i>Protein and Peptide Letters</i> , 2009 , 16, 726-35	1.9	3
9	Interaction of Amphiphilic Molecules with Lipid Bilayers: Kinetics of Insertion, Desorption and Translocation. <i>Springer Series in Biophysics</i> , 2017 , 49-89		2
8	Application of Fluorescence to Understand the Interaction of Peptides with Binary Lipid Membranes. <i>Reviews in Fluorescence</i> , 2005 , 271-323	O	2
7	Methodologies and formalisms of resonance energy transfer in biophysics. Application to membrane model systems. <i>International Journal of Photoenergy</i> , 2003 , 5, 223-231	2.1	2
6	Lateral Membrane Heterogeneity Probed by FRET Spectroscopy and Microscopy. <i>Springer Series on Fluorescence</i> , 2012 , 71-113	0.5	1
5	From Lipid Phases to Membrane Protein Organization: Fluorescence Methodologies in the Study of Lipid-Protein Interactions. <i>Springer Series in Biophysics</i> , 2006 , 1-33		1
4	FEster Resonance Energy Transfer as a Tool for Quantification of Protein-Lipid Selectivity. <i>Methods in Molecular Biology</i> , 2019 , 2003, 369-382	1.4	0
3	Advanced FRET methodologies: protein-lipid selectivity detection and quantification. <i>Advances in Experimental Medicine and Biology</i> , 2012 , 749, 171-85	3.6	O
2	FEster resonance energy transfer as a tool for quantification of protein-lipid selectivity. <i>Methods in Molecular Biology</i> , 2013 , 974, 219-32	1.4	
1	Resonance Energy Transfer in Biophysics: Formalisms and Application to Membrane Model Systems. Springer Series on Fluorescence, 2007 , 299-322	0.5	