

Damien Arrigan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2899359/damien-arrigan-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

4,930
citations

40
h-index

60
g-index

189
ext. papers

5,287
ext. citations

5.3
avg, IF

5.92
L-index

#	Paper	IF	Citations
175	Ion-transfer electrochemistry at arrays of nanoscale interfaces between two immiscible electrolyte solutions arranged in hexagonal format. <i>Journal of Electroanalytical Chemistry</i> , 2022 , 116113	4.1	1
174	Comparison of Hydrothermally-Grown vs Electrodeposited Cobalt Sulfide Nanostructures as Modified Electrodes for Oxygen Evolution and Electrochemical Sensing Applications. <i>Journal of the Electrochemical Society</i> , 2022 , 169, 056505	3.9	
173	Electrochemically controlled cocrystallisation of caffeine:1-hydroxy-2-naphthoic acid. <i>CrystEngComm</i> , 2021 , 24, 48-51	3.3	2
172	Structural Changes in Insulin at a Soft Electrochemical Interface. <i>Analytical Chemistry</i> , 2021 , 93, 9094-9102	7.8	0
171	Electrochemistry of catalase at a liquid liquid micro-interface array. <i>Bioelectrochemistry</i> , 2021 , 138, 10769-10776	3.4	2
170	Nanoelectrode arrays for electroanalysis. <i>Frontiers of Nanoscience</i> , 2021 , 18, 49-86	0.7	0
169	Zinc Oxide Nanoparticles as Antifouling Materials for the Electrochemical Detection of Methylparaben. <i>ChemElectroChem</i> , 2021 , 8, 187-194	4.3	4
168	Detection of perfluorooctane sulfonate by ion-transfer stripping voltammetry at an array of microinterfaces between two immiscible electrolyte solutions. <i>Analyst, The</i> , 2020 , 145, 5776-5786	5	4
167	Ion Transfer Voltammetry with an Electrochemical Pen. <i>Analytical Chemistry</i> , 2020 , 92, 15997-16004	7.8	1
166	Secondary Structural Changes in Proteins as a Result of Electroadsorption at Aqueous-Organogel Interfaces. <i>Langmuir</i> , 2019 , 35, 5821-5829	4	7
165	Characterization of Protein-Facilitated Ion-Transfer Mechanism at a Polarized Aqueous/Organic Interface. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 7436-7444	3.4	9
164	Ionophore-Assisted Electrochemistry of Neutral Molecules: Oxidation of Hydrogen in an Ionic Liquid Electrolyte. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 6910-6914	6.4	1
163	Investigation of modified nanopore arrays using FIB/SEM tomography. <i>Faraday Discussions</i> , 2018 , 210, 113-130	3.6	9
162	Removal of arsenic from gold cyanidation process waters by use of cerium-based magnetic adsorbents. <i>Minerals Engineering</i> , 2018 , 122, 84-90	4.9	10
161	Role of the cell membrane interface in modulating production and uptake of Alzheimer's beta amyloid protein. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018 , 1860, 1639-1651	3.8	22
160	Electrochemical Behavior and Detection of Sulfated Sucrose at a Liquid Organogel Microinterface Array. <i>Analytical Chemistry</i> , 2018 , 90, 10256-10262	7.8	4
159	A lithium iron phosphate reference electrode for ionic liquid electrolytes. <i>Electrochemistry Communications</i> , 2018 , 93, 148-151	5.1	19

158	Paper-Based System for Ion Transfer Across the Liquid-Liquid Interface. <i>Analytical Chemistry</i> , 2018 , 90, 8727-8731	7.8	7
157	Electrochemistry of proteins at the interface between two immiscible electrolyte solutions. <i>Current Opinion in Electrochemistry</i> , 2018 , 12, 27-32	7.2	14
156	Electroactivity of Aptamer at Soft Microinterface Arrays. <i>Analytical Chemistry</i> , 2018 , 90, 8470-8477	7.8	4
155	Removal of arsenic from gold processing circuits by use of novel magnetic nanoparticles. <i>Canadian Metallurgical Quarterly</i> , 2018 , 57, 399-404	0.9	3
154	Theory of electrochemistry at miniaturised interfaces between two immiscible electrolyte solutions. <i>Current Opinion in Electrochemistry</i> , 2017 , 1, 66-72	7.2	12
153	Collisional electrochemistry of laser-ablated gold nanoparticles by electrocatalytic oxidation of glucose. <i>Electrochemistry Communications</i> , 2017 , 77, 24-27	5.1	10
152	Electrochemically Induced Formation of Cytochrome c Oligomers at Soft Interfaces. <i>ChemElectroChem</i> , 2017 , 4, 898-904	4.3	9
151	Removal of arsenic from alkaline process waters of gold cyanidation by use of Fe ₂ O ₃ @ZrO ₂ nanosorbents. <i>Hydrometallurgy</i> , 2017 , 174, 71-77	4	25
150	Electrochemical behaviour at a liquid-organogel microinterface array of fucoidan extracted from algae. <i>Analyst</i> , 2017 , 142, 3194-3202	5	5
149	Evaluation of interfacial sulfate complexation by a bis-thiourea ionophore at water-organic interfaces using microelectrochemistry and high resolution mass spectrometry. <i>Microchemical Journal</i> , 2017 , 131, 36-42	4.8	
148	Reactive Conjugated Polymers: Synthesis, Modification, and Electrochemical Properties of Polypentafluorophenylacetylene (Co)Polymers. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1600-1604	4.8	15
147	Liquid / Liquid Interface-Based Electrochemical Sensing of Ractopamine and Salbutamol. <i>Procedia Chemistry</i> , 2016 , 20, 76-80		1
146	Mechanical polishing as an improved surface treatment for platinum screen-printed electrodes. <i>Sensing and Bio-Sensing Research</i> , 2016 , 9, 38-44	3.3	28
145	Detection of Prostate Specific Membrane Antigen at Picomolar Levels Using Biocatalysis Coupled to Assisted Ion Transfer Voltammetry at a Liquid-Organogel Microinterface Array. <i>Analytical Chemistry</i> , 2016 , 88, 11302-11305	7.8	9
144	Electrochemical signature of hen egg white lysozyme at the glycerol-modified liquid-liquid interface. <i>Electrochimica Acta</i> , 2016 , 221, 62-69	6.7	1
143	Visualization of Diffusion within Nanoarrays. <i>Analytical Chemistry</i> , 2016 , 88, 6689-95	7.8	17
142	Adsorption and Unfolding of Lysozyme at a Polarized Aqueous-Organic Liquid Interface. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 3100-12	3.4	15
141	An Electrochemical Sensing Platform Based on Liquid-Liquid Microinterface Arrays Formed in Laser-Ablated Glass Membranes. <i>Analytical Chemistry</i> , 2016 , 88, 2596-604	7.8	17

140	Electroanalytical Ventures at Nanoscale Interfaces Between Immiscible Liquids. <i>Annual Review of Analytical Chemistry</i> , 2016 , 9, 145-61	12.5	15
139	Achievement of Prolonged Oxygen Detection in Room-Temperature Ionic Liquids on Mechanically Polished Platinum Screen-Printed Electrodes. <i>Analytical Chemistry</i> , 2016 , 88, 5104-11	7.8	25
138	Electroanalytical Opportunities Derived from Ion Transfer at Interfaces between Immiscible Electrolyte Solutions. <i>Australian Journal of Chemistry</i> , 2016 , 69, 1016	1.2	6
137	Ion-transfer voltammetric behavior of propranolol at nanoscale liquid-liquid interface arrays. <i>Analytical Chemistry</i> , 2015 , 87, 4487-94	7.8	26
136	Investigation of a solvent-cast organogel to form a liquid-gel microinterface array for electrochemical detection of lysozyme. <i>Analytica Chimica Acta</i> , 2015 , 893, 34-40	6.6	15
135	Electrochemical Behavior of Chlorine on Platinum Microdisk and Screen-Printed Electrodes in a Room Temperature Ionic Liquid. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 23572-23579	3.8	19
134	Electrochemical detection of ractopamine at arrays of micro-liquid liquid interfaces. <i>Talanta</i> , 2015 , 132, 205-14	6.2	25
133	Void-Assisted Ion-Paired Proton Transfer at Water-Ionic Liquid Interfaces. <i>Angewandte Chemie</i> , 2015 , 127, 15116-15119	3.6	1
132	Void-Assisted Ion-Paired Proton Transfer at Water-Ionic Liquid Interfaces. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 14903-6	16.4	7
131	Achievement of Diffusional Independence at Nanoscale Liquid-Liquid Interfaces within Arrays. <i>Analytical Chemistry</i> , 2015 , 87, 5486-90	7.8	22
130	Towards improving the robustness of electrochemical gas sensors: impact of PMMA addition on the sensing of oxygen in an ionic liquid. <i>Analytical Methods</i> , 2015 , 7, 7327-7335	3.2	28
129	Electrochemical Characterisation of Nanoscale Liquid Liquid Interfaces Located at Focused Ion Beam-Milled Silicon Nitride Membranes. <i>ChemElectroChem</i> , 2015 , 2, 98-105	4.3	19
128	Chapter 9:Amperometric Ion Sensing Approaches at Liquid/Liquid Interfaces for Inorganic, Organic and Biological Ions. <i>RSC Detection Science</i> , 2015 , 296-340	0.4	1
127	Fingerprinting the tertiary structure of electroadsorbed lysozyme at soft interfaces by electrostatic spray ionization mass spectrometry. <i>Chemical Communications</i> , 2014 , 50, 11829-32	5.8	20
126	Reversible Integration of Microfluidic Devices with Microelectrode Arrays for Neurobiological Applications. <i>BioNanoScience</i> , 2014 , 4, 263-275	3.4	7
125	Electrochemical Characterization of an Oleyl-coated Magnetite Nanoparticle-Modified Electrode. <i>ChemElectroChem</i> , 2014 , 1, 1211-1218	4.3	19
124	Detection of haemoglobin using an adsorption approach at a liquid-liquid microinterface array. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3801-6	4.4	26
123	Stripping voltammetric detection of insulin at liquid-liquid microinterfaces in the presence of bovine albumin. <i>Analyst, The</i> , 2013 , 138, 6192-6	5	22

122	Voltammetry of proteins at liquid-liquid interfaces. <i>Annual Reports on the Progress of Chemistry Section C</i> , 2013 , 109, 167		19
121	Ion-transfer electrochemistry of rat amylin at the water-organogel microinterface array and its selective detection in a protein mixture. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 2096-101	4.5	7
120	Oxygen reduction voltammetry on platinum macrodisk and screen-printed electrodes in ionic liquids: Reaction of the electrogenerated superoxide species with compounds used in the paste of Pt screen-printed electrodes?. <i>Electrochimica Acta</i> , 2013 , 101, 158-168	6.7	47
119	Chronoamperometric response at nanoscale liquid-liquid interface arrays. <i>Electrochimica Acta</i> , 2013 , 101, 177-185	6.7	20
118	Impact of a surfactant on the electroactivity of proteins at an aqueous-organogel microinterface array. <i>Analytical Chemistry</i> , 2013 , 85, 1389-94	7.8	15
117	Impact of surface nano-textured stainless steel prepared by focused ion beam on endothelial cell growth. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 5283-90	1.3	10
116	Bioanalytical Applications of Electrochemistry at Liquid-Liquid Microinterfaces. <i>Electroanalytical Chemistry, A Series of Advances</i> , 2013 , 105-178		16
115	Electrochemical behaviour of myoglobin at an array of microscopic liquid-liquid interfaces. <i>Electrochimica Acta</i> , 2012 , 77, 71-76	6.7	30
114	Surface chemical and physical modification in stent technology for the treatment of coronary artery disease. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012 , 100, 1989-2014	3.5	47
113	Adsorptive stripping voltammetry of hen-egg-white-lysozyme via adsorption-desorption at an array of liquid-liquid microinterfaces. <i>Analytical Chemistry</i> , 2012 , 84, 2505-11	7.8	43
112	Finite-element simulations of the influence of pore wall adsorption on cyclic voltammetry of ion transfer across a liquid-liquid interface formed at a micropore. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 2494-500	3.6	8
111	Electroanalytical behavior of poly-L-lysine dendrigrafts at the interface between two immiscible electrolyte solutions. <i>Analytical Chemistry</i> , 2012 , 84, 5693-9	7.8	25
110	Behavior of lysozyme at the electrified water/room temperature ionic liquid interface. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 2559-61	4.5	6
109	Electropolishing of medical-grade stainless steel in preparation for surface nano-texturing. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 1389-1397	2.6	35
108	Correlative Microscopy Study of FIB Patterned Stainless Steel Surfaces as Novel Nano-Structured Stents for Cardiovascular Applications. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1466, 26		1
107	Fabrication and Electrochemical Characterization of Micro- and Nanoelectrode Arrays for Sensor Applications. <i>Journal of Physics: Conference Series</i> , 2011 , 307, 012052	0.3	11
106	Macromolecular sensing at the liquid-liquid interface. <i>Journal of Physics: Conference Series</i> , 2011 , 307, 012055	0.3	6
105	Characterization of the electrochemical behavior of gastrointestinal fluids using a multielectrode sensor probe. <i>IEEE Transactions on Biomedical Engineering</i> , 2011 , 58, 2521-7	5	7

104	Investigation into the voltammetric behaviour and detection of selenium(IV) at metal electrodes in diverse electrolyte media. <i>Analytica Chimica Acta</i> , 2011 , 699, 127-33	6.6	26
103	Microelectrochemical Systems on Silicon Chips for the Detection of Pollutants in Seawater. <i>Electroanalysis</i> , 2011 , 23, 147-155	3	15
102	Enhanced Electroanalytical Sensitivity via Interface Miniaturisation: Ion Transfer Voltammetry at an Array of Nanometre Liquid-Liquid Interfaces. <i>Electroanalysis</i> , 2011 , 23, 1023-1028	3	27
101	Pharmaceutical modulation of diffusion potentials at aqueous-aqueous boundaries under laminar flow conditions. <i>Electrophoresis</i> , 2011 , 32, 844-9	3.6	
100	Electrochemical behaviour and voltammetric sensitivity at arrays of nanoscale interfaces between immiscible liquids. <i>Analyst, The</i> , 2011 , 136, 4674-81	5	30
99	Single nanoskived nanowires for electrochemical applications. <i>Analytical Chemistry</i> , 2011 , 83, 5535-40	7.8	47
98	Array of water-room temperature ionic liquid micro-interfaces. <i>Electrochemistry Communications</i> , 2011 , 13, 477-479	5.1	25
97	Haemoglobin unfolding studies at the liquid-liquid interface. <i>Electrochemistry Communications</i> , 2011 , 13, 723-725	5.1	15
96	Electrochemical Characterization of Regularly-Aligned Nanopore Array Membranes Filled with Electrolyte Solutions and Their Use for Detection of Nucleic Acid Hybridization. <i>ECS Transactions</i> , 2011 , 35, 29-44	1	6
95	Sensing via Voltammetric Ion-Transfer at an Aqueous-Organogel Micro-Interface Array. <i>Sensor Letters</i> , 2011 , 9, 721-724	0.9	5
94	Nanofabrication of Robust Nanoelectrodes for Electrochemical Applications. <i>ECS Transactions</i> , 2010 , 28, 29-37	1	6
93	Ion-transfer electrochemistry at arrays of nanointerfaces between immiscible electrolyte solutions confined within silicon nitride nanopore membranes. <i>Analytical Chemistry</i> , 2010 , 82, 6115-23	7.8	51
92	Ion-transfer voltammetric behavior of protein digests at liquid/liquid interfaces. <i>Analytical Chemistry</i> , 2010 , 82, 258-64	7.8	25
91	Serum-protein effects on the detection of the beta-blocker propranolol by ion-transfer voltammetry at a micro-ITIES array. <i>Talanta</i> , 2010 , 80, 1993-8	6.2	33
90	Voltammetric behaviour of biological macromolecules at arrays of aqueous-organogel micro-interfaces. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 10040-7	3.6	36
89	Potentiometric investigation of protonation reactions at aqueous-aqueous boundaries within a dual-stream microfluidic structure. <i>Langmuir</i> , 2010 , 26, 18526-33	4	10
88	Optimisation of the conditions for stripping voltammetric analysis at liquid-liquid interfaces supported at micropore arrays: a computational simulation. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 1625-31	4.4	17
87	The performance of differential pulse stripping voltammetry at micro-liquid-liquid interface arrays. <i>Journal of Electroanalytical Chemistry</i> , 2010 , 641, 7-13	4.1	20

86	Flow-injection amperometry at microfabricated silicon-based liquid-liquid interface arrays. <i>Electrochimica Acta</i> , 2010 , 55, 4234-4239	6.7	11
85	Interaction of acridine-calix[4]arene with DNA at the electrified liquid-liquid interface. <i>Electrochimica Acta</i> , 2010 , 55, 3348-3354	6.7	22
84	Interaction of surface-attached haemoglobin with hydrophobic anions monitored by on-line acoustic wave detector. <i>Bioelectrochemistry</i> , 2010 , 79, 6-10	5.6	9
83	Reactive amine surfaces for biosensor applications, prepared by plasma-enhanced chemical vapour modification of polyolefin materials. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 1875-80	11.8	34
82	Electrochemical behaviour of denatured haemoglobin at the liquid-liquid interface. <i>Electrochemistry Communications</i> , 2010 , 12, 335-337	5.1	27
81	Study of the Effects of Nonlinear Potential Sweeps on Voltammetry. <i>Electroanalysis</i> , 2009 , 21, 68-76	3	5
80	Assessment of ion transfer amperometry at liquid-liquid interfaces for detection in CE. <i>Electrophoresis</i> , 2009 , 30, 3366-71	3.6	9
79	Immobilisation of antibody on microporous silicon membranes. <i>Mikrochimica Acta</i> , 2009 , 166, 349-353	5.8	3
78	Potentiometric characterisation of a dual-stream electrochemical microfluidic device. <i>Microfluidics and Nanofluidics</i> , 2009 , 6, 231-240	2.8	9
77	A review of recent advances in electrochemically modulated extraction methods. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 835-45	4.4	36
76	Fabrication and characterization of a miniaturized planar voltammetric sensor array for use in an electronic tongue. <i>Sensors and Actuators B: Chemical</i> , 2009 , 140, 532-541	8.5	27
75	Study of electrochemical phosphate sensing systems: Spectrometric, potentiometric and voltammetric evaluation. <i>Electrochimica Acta</i> , 2009 , 54, 1919-1924	6.7	19
74	Surface immobilisation of antibody on cyclic olefin copolymer for sandwich immunoassay. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2654-8	11.8	66
73	Electrochemical behaviour of hen-egg-white lysozyme at the polarised water/1,2-dichloroethane interface. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 2272-80	3.6	55
72	Investigation of potential distribution and the influence of ion complexation on diffusion potentials at aqueous-aqueous boundaries within a dual-stream microfluidic structure. <i>Analytical Chemistry</i> , 2009 , 81, 8373-9	7.8	7
71	Ion-transfer voltammetric determination of the beta-blocker propranolol in a physiological matrix at silicon membrane-based liquid-liquid microinterface arrays. <i>Analytical Chemistry</i> , 2009 , 81, 2344-9	7.8	48
70	Electrochemical immunochip sensor for aflatoxin M1 detection. <i>Analytical Chemistry</i> , 2009 , 81, 5291-8	7.8	76
69	Interactions of proteins with small ionised molecules: electrochemical adsorption and facilitated ion transfer voltammetry of haemoglobin at the liquid-liquid interface. <i>Analyst, The</i> , 2009 , 134, 1608-13	5	51

68	Electrochemical ion transfer across liquid/liquid interfaces confined within solid-state micropore arrays--simulations and experiments. <i>Analyst, The</i> , 2009 , 134, 148-58	5	61
67	Detection of food additives by voltammetry at the liquid-liquid interface. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 4304-10	5.7	40
66	Electrochemical study of insulin at the polarized liquid-liquid interface. <i>Langmuir</i> , 2008 , 24, 9876-82	4	76
65	Electrochemical detection of oligopeptides at silicon-fabricated micro-liquid/liquid interfaces. <i>Analytical Chemistry</i> , 2008 , 80, 5743-9	7.8	57
64	Bioanalytical Detection Based on Electrochemistry at Interfaces between Immiscible Liquids. <i>Analytical Letters</i> , 2008 , 41, 3233-3252	2.2	61
63	Electrochemically modulated liquid-liquid extraction of ionized drugs under physiological conditions. <i>Analytical Chemistry</i> , 2008 , 80, 8102-8	7.8	39
62	Microelectrode Arrays and Microfabricated Devices in Electrochemical Stripping Analysis. <i>Current Analytical Chemistry</i> , 2008 , 4, 229-241	1.7	32
61	Electrochemistry of dopamine at the polarised liquid liquid interface facilitated by an homo-oxo-calix[3]arene ionophore. <i>Journal of Electroanalytical Chemistry</i> , 2008 , 622, 109-114	4.1	17
60	Electrochemical detection of dopamine using arrays of liquid-liquid micro-interfaces created within micromachined silicon membranes. <i>Analytica Chimica Acta</i> , 2008 , 611, 156-62	6.6	45
59	Microfluidic chip for electrochemically-modulated liquid liquid extraction of ions. <i>Electrochemistry Communications</i> , 2008 , 10, 20-24	5.1	31
58	Electrochemical behaviour of haemoglobin at the liquid/liquid interface. <i>Electrochimica Acta</i> , 2008 , 53, 7204-7209	6.7	71
57	Fabrication of nanopore array electrodes by focused ion beam milling. <i>Analytical Chemistry</i> , 2007 , 79, 3048-55	7.8	164
56	Ion-transfer voltammetry at silicon membrane-based arrays of micro-liquid-liquid interfaces. <i>Lab on A Chip</i> , 2007 , 7, 1732-7	7.2	63
55	Electrochemical strategies for the label-free detection of amino acids, peptides and proteins. <i>Analyst, The</i> , 2007 , 132, 615-32	5	105
54	Potentiometric evaluation of calix[4]arene anion receptors in membrane electrodes: phosphate detection. <i>Analytica Chimica Acta</i> , 2007 , 585, 154-60	6.6	71
53	Electrochemical properties of polymeric nanopatterned electrodes. <i>Electrochemistry Communications</i> , 2007 , 9, 1833-1839	5.1	10
52	Recessed nanoband electrodes fabricated by focused ion beam milling. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 341-347	8.5	49
51	Voltammetric characterisation of silicon-based microelectrode arrays and their application to mercury-free stripping voltammetry of copper ions. <i>Talanta</i> , 2007 , 71, 1022-30	6.2	83

50	Electrochemistry of non-redox-active poly(propylenimine) and poly(amidoamine) dendrimers at liquid-liquid interfaces. <i>Langmuir</i> , 2007 , 23, 7356-64	4	53
49	Selectivity in the coextraction of cation and anion by electrochemically modulated liquid-liquid extraction. <i>Analytical Chemistry</i> , 2006 , 78, 2717-25	7.8	35
48	DNA arrays, electronic noses and tongues, biosensors and receptors for rapid detection of toxigenic fungi and mycotoxins: a review. <i>Food Additives and Contaminants</i> , 2005 , 22, 335-44		82
47	Electrochemically modulated liquid-liquid extraction of ions. <i>Analytical Chemistry</i> , 2005 , 77, 7310-8	7.8	51
46	Voltammetry of chromium(VI) at the liquid liquid interface. <i>Electrochemistry Communications</i> , 2005 , 7, 976-982	5.1	27
45	Determination of trace metals by underpotential deposition stripping voltammetry at solid electrodes. <i>TrAC - Trends in Analytical Chemistry</i> , 2005 , 24, 208-217	14.6	80
44	Development of a portable electroanalytical system for the stripping voltammetry of metals: Determination of copper in acetic acid soil extracts. <i>Analytica Chimica Acta</i> , 2005 , 552, 190-200	6.6	50
43	Development of Surface-Modified Microelectrode Arrays for the Electrochemical Detection of Dihydrogen Phosphate. <i>Electroanalysis</i> , 2005 , 17, 392-399	3	22
42	Underpotential Deposition and Stripping of Lead at Disorganized Monolayer-Modified Gold Electrodes. <i>Electroanalysis</i> , 2005 , 17, 1816-1821	3	11
41	Cyclic and pulse voltammetric study of dopamine at the interface between two immiscible electrolyte solutions. <i>Biosensors and Bioelectronics</i> , 2005 , 20, 2097-103	11.8	58
40	Electrochemical Overoxidation of Polyindole and Its Cation-Permselective Behavior. <i>Electroanalysis</i> , 2004 , 16, 979-987	3	18
39	Square-Wave Voltammetric Transfer of Silver Ions Across the Water 1,2-Dichloroethane Interface. <i>Electroanalysis</i> , 2004 , 16, 1227-1231	3	12
38	Voltammetric behaviour at gold electrodes immersed in the BCR sequential extraction scheme media: Application of underpotential deposition stripping voltammetry to determination of copper in soil extracts. <i>Analytica Chimica Acta</i> , 2004 , 502, 195-206	6.6	25
37	Effect of humic acid on the underpotential deposition-stripping voltammetry of copper in acetic acid soil extract solutions at mercaptoacetic acid-modified gold electrodes. <i>Analytica Chimica Acta</i> , 2004 , 511, 137-143	6.6	13
36	Dopamine voltammetry at overoxidised polyindole electrodes. <i>Electrochimica Acta</i> , 2004 , 49, 4743-4751	16.7	71
35	Selective voltammetric detection of dopamine in the presence of ascorbate. <i>Chemical Communications</i> , 2004 , 732-3	5.8	65
34	Application of the Disorganized Monolayer Gold Electrode to Copper Determination in White Wine. <i>Analytical Letters</i> , 2004 , 37, 591-602	2.2	6
33	Nanoelectrodes, nanoelectrode arrays and their applications. <i>Analyst, The</i> , 2004 , 129, 1157-65	5	388

32	Electrochemical activity of phenolic calixarenes. <i>Electrochemistry Communications</i> , 2003 , 5, 68-72	5.1	20
31	Application of disorganized monolayer films on gold electrodes to the prevention of surfactant inhibition of the voltammetric detection of trace metals via anodic stripping of underpotential deposits: detection of copper. <i>Analytical Chemistry</i> , 2003 , 75, 319-23	7.8	56
30	Selective silver ion transfer voltammetry at the polarised liquid/liquid interface. <i>Analyst, The</i> , 2003 , 128, 1187-92	5	22
29	Voltammetric Behavior and Trace Determination of Cadmium at a Calixarene Modified Screen-Printed Carbon Electrode. <i>Electroanalysis</i> , 2002 , 14, 177	3	45
28	STIR-BAR ADSORPTIVE EXTRACTION ON A POLY(TETRAFLUOROETHYLENE) COATED STIR-BAR: PRELIMINARY EVALUATION USING PHENANTHRENE. <i>Analytical Letters</i> , 2002 , 35, 1429-1435	2.2	4
27	Interfacial Behavior of p-Hexasulfonato-calix[6]arene at Glassy Carbon Electrodes in Alkaline Aqueous Solution Studied by Voltammetric Methods. <i>Langmuir</i> , 2002 , 18, 9447-9452	4	15
26	Synthesis and electrochemical study of a tetra(ester thiophene)calix[4]arene: ionic recognition and electropolymerisation behaviour. <i>Journal of Materials Chemistry</i> , 2002 , 12, 2665-2670		5
25	Electrochemical oxidation of a tetraester calix[4]arene. <i>Electrochemistry Communications</i> , 2001 , 3, 24-27	5.1	8
24	Underpotential Deposition of Copper at Mercaptoalkane Sulfonate-Coated Polycrystalline Gold. <i>Electroanalysis</i> , 2001 , 13, 751-754	3	20
23	Electrochemical oxidation of a hexasulfonated calix[6]arene. <i>Journal of Electroanalytical Chemistry</i> , 2001 , 508, 81-88	4.1	32
22	Voltammetric studies of lead at calixarene modified screen-printed carbon electrodes and its trace determination in water by stripping voltammetry. <i>Sensors and Actuators B: Chemical</i> , 2001 , 77, 642-652	8.5	72
21	Calixarene-facilitated transfer of alkali metal ions across the polarised liquid-liquid interface. <i>New Journal of Chemistry</i> , 2000 , 24, 149-154	3.6	25
20	Electrochemical study of electroactive reagent retention in overoxidised polypyrrole films. <i>Analytica Chimica Acta</i> , 1999 , 402, 157-167	6.6	15
19	Polypyrrole Films Doped with an Electroactive Sulfonated Chelating Reagent: Electrochemical Characterization and the Detection of Metal Ions. <i>Electroanalysis</i> , 1999 , 11, 647-652	3	28
18	Apparent enhanced underpotential voltammetry of lead(II) at a spontaneously adsorbed monolayer-coated gold electrode. <i>Analyst, The</i> , 1999 , 124, 1797-1802	5	15
17	A study of L-cysteine adsorption on gold via electrochemical desorption and copper(II) ion complexation. <i>Analyst, The</i> , 1999 , 124, 1645-1649	5	73
16	An environmental monitoring system for trace metals using stripping voltammetry. <i>Sensors and Actuators B: Chemical</i> , 1998 , 48, 409-414	8.5	48
15	A scanning force microscopy study of poly(phenol) films containing immobilized glucose oxidase. <i>Biosensors and Bioelectronics</i> , 1998 , 13, 293-304	11.8	68

14	Studies of the application of overoxidised polypyrrole films in anodic stripping voltammetry. <i>Analytical Communications</i> , 1998 , 35, 61-62		8
13	Permselective Behaviour at Overoxidised Poly[1-(2-carboxyethyl)pyrrole] Films: Dopamine Versus Ascorbate. <i>Analytical Communications</i> , 1997 , 34, 241-244		24
12	Evaluation of miniaturised solid state reference electrodes on a silicon based component. <i>Sensors and Actuators B: Chemical</i> , 1997 , 44, 389-396	8.5	54
11	Calix[4]Arenes in the partial cone conformation as ionophores in silver ion-selective electrodes. <i>Electroanalysis</i> , 1997 , 9, 311-315	3	14
10	Electrodeposition of the bismuth-based superconductor Bi ₂ Sr ₂ CaCu ₂ O ₈ + δ <i>Electrochimica Acta</i> , 1996 , 41, 1629-1632	6.7	6
9	An ASIC-based system for stripping voltammetric determination of trace metals. <i>Sensors and Actuators B: Chemical</i> , 1996 , 34, 466-470	8.5	14
8	Calixarenes in electroanalysis. <i>Electroanalysis</i> , 1995 , 7, 205-215	3	70
7	Use of calixarenes as modifiers of carbon paste electrodes for voltammetric analysis. <i>Electroanalysis</i> , 1994 , 6, 97-106	3	32
6	Tutorial review. Voltammetric determination of trace metals and organics after accumulation at modified electrodes. <i>Analyst, The</i> , 1994 , 119, 1953	5	128
5	Ionophore/ionomer films on glassy carbon electrodes for accumulation voltammetry. Investigation of a lead(II) ionophore. <i>Analyst, The</i> , 1994 , 119, 287	5	7
4	Incorporation of hydroxamic acid ligands into Nafion film electrodes. <i>Analyst, The</i> , 1993 , 118, 355	5	5
3	Analysis of inorganic solids by laser ablation inductively coupled plasma spectrometry. <i>Analytical Proceedings</i> , 1992 , 29, 23		2
2	Top-Down Approaches to the Fabrication of Nanopatterned Electrodes 187-210		1
1	Ubiquinone electrochemistry in analysis and sensing. <i>Electrochemical Science Advances</i> ,		0