Raymund Schwan

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2902411/raymund-schwan-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 870 17 25 g-index

104 1,095 4.5 4.09 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
94	Functional MRI-based study of emotional experience in patients with psychogenic non-epileptic seizures: Protocol for an observational case-control study-EMOCRISES study <i>PLoS ONE</i> , 2022 , 17, e020	622716	O
93	Using retinal electrophysiology towards precision psychiatry European Psychiatry, 2022, 1-11	6	1
92	Retinal electrophysiology and transition to psychiatric disorders in subjects under the influence of cannabis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110466	5.5	1
91	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of Expertise for Bipolar Disorders). <i>Journal of Affective Disorders</i> , 2022 , 296, 265-276	6.6	0
90	Impaired P100 among regular cannabis users in response to magnocellular biased visual stimuli. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110437	5.5	2
89	A Reflection Upon the Contribution of Retinal and Cortical Electrophysiology to Time of Information Processing in Psychiatric Disorders <i>Frontiers in Psychiatry</i> , 2022 , 13, 856498	5	
88	Retinal electroretinogram features can detect depression state and treatment response in adults: A machine learning approach <i>Journal of Affective Disorders</i> , 2022 ,	6.6	1
87	Retinal dysfunctions in a patient with a clinical high risk for psychosis and severe visual disturbances: A single case report. <i>Microbial Biotechnology</i> , 2021 , 15, 1784-1788	3.3	
86	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. <i>Journal of Affective Disorders</i> , 2021 , 282, 812-819	6.6	3
85	Retinal dysfunctions in regular tobacco users: The retina as a window to the reward circuit in addictive disorders. <i>Journal of Psychiatric Research</i> , 2021 , 136, 351-357	5.2	2
84	Delayed on- and off-retinal responses of cones pathways in regular cannabis users: An On-Off flash electroretinogram case-control study. <i>Journal of Psychiatric Research</i> , 2021 , 136, 312-318	5.2	2
83	Retinal ganglion cell dysfunction is correlated with disturbed visual cognition in schizophrenia patients with visual hallucinations. <i>Psychiatry Research</i> , 2021 , 298, 113780	9.9	4
82	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. <i>Journal of Affective Disorders</i> , 2021 , 287, 196-203	6.6	1
81	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. <i>Journal of Affective Disorders</i> , 2021 , 286, 309-319	6.6	2
80	Pharmacological treatment profiles in the FACE-BD cohort: Treatment description and complete data for bipolar subtypes. <i>Data in Brief</i> , 2021 , 36, 107004	1.2	
79	Oscillatory potentials abnormalities in regular cannabis users: Amacrine cells dysfunction as a marker of central dopaminergic modulation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 108, 110083	5.5	0
78	Non-alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACE-BD cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 82-91	6.5	2

(2020-2021)

77	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 289-304	2.6	4
76	Retinal structural changes in mood disorders: The optical coherence tomography to better understand physiopathology?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 108, 110080	5.5	1
75	Explanatory factors of quality of life in psychogenic non-epileptic seizure. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 84, 6-13	3.2	4
74	Clinical characteristics of bipolar disorders with postpartum depressive onset. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 107, 110225	5.5	3
73	Parkinson's Disease and Bilateral Subthalamic Nuclei Deep Brain Stimulation: Beneficial Effects of Preoperative Cognitive Restructuration Therapy on Postoperative Social Adjustment. <i>World Neurosurgery</i> , 2021 , 145, 282-289	2.1	2
72	Anticipatory anxiety of epileptic seizures: An overlooked dimension linked to trauma history. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 85, 64-69	3.2	4
71	Post-traumatic factors are involved in the evolution of the number of seizures in patients with PNES. <i>Epilepsy and Behavior</i> , 2021 , 115, 107544	3.2	3
70	Portable light therapy in the treatment of unipolar non-seasonal major depressive disorder: study protocol for the LUMIDEP randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e049331	3	2
69	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. <i>Psychoneuroendocrinology</i> , 2021 , 131, 105327	5	1
68	Complete evaluation of retinal function in Major Depressive Disorder: From central slowdown to hyperactive periphery. <i>Journal of Affective Disorders</i> , 2021 , 295, 453-462	6.6	2
67	New insights on the role of the retina in diagnostic and therapeutic strategies in major depressive disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 113, 262-272	9	9
66	"Stop playing ping-pong! Epi-Psy, an effective discipline to promote" Comment on "Psychiatric comorbidities go unrecognized in patients with epilepsy: 'You see what you know'". <i>Epilepsy and Behavior</i> , 2020 , 104, 106937	3.2	3
65	Patient's early satisfaction with care: a predictor of health-related quality of life change among outpatients with substance dependence. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 6	3	4
64	Skin conductance response and emotional response in women with psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 81, 123-131	3.2	4
63	Is early outpatient satisfaction with substance use disorder care a predictor of early dropout? Results of the SUBUSQOL cohort. <i>Journal of Substance Abuse Treatment</i> , 2020 , 119, 108151	4.2	2
62	Adherence to mental health care and caregiver-patient relationship after diagnosis of psychogenic non-epileptic seizures: Longitudinal follow-up study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 80, 227-233	3.2	3
61	Spatial localization of retinal anomalies in regular cannabis users: The relevance of the multifocal electroretinogram. <i>Schizophrenia Research</i> , 2020 , 219, 56-61	3.6	10
60	Relationships between coping, anxiety, depression and health-related quality of life in outpatients with substance use disorders: results of the SUBUSQOL study. <i>Psychology, Health and Medicine</i> , 2020 , 25, 179-189	2.1	3

59	Retinal ganglion cells dysfunctions in schizophrenia patients with or without visual hallucinations. <i>Schizophrenia Research</i> , 2020 , 219, 47-55	3.6	14	
58	Empathy and Burnout - A Cross-Sectional Study Among Mental Healthcare Providers in France. Journal of Medicine and Life, 2019 , 12, 21-29	1.5	12	
57	Cannabis use and human retina: The path for the study of brain synaptic transmission dysfunctions in cannabis users. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 106, 11-22	9	9	
56	Time course of spatial frequency integration in face perception: An ERP study. <i>International Journal of Psychophysiology</i> , 2019 , 143, 105-115	2.9	9	
55	Interictal psychiatric comorbidities of drug-resistant focal epilepsy: Prevalence and influence of the localization of the epilepsy. <i>Epilepsy and Behavior</i> , 2019 , 94, 288-296	3.2	14	
54	Association between increased retinal background noise and co-occurrent regular cannabis and alcohol use. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 335-340	5.5	12	
53	Delayed bipolar and ganglion cells neuroretinal processing in regular cannabis users: The retina as a relevant site to investigate brain synaptic transmission dysfunctions. <i>Journal of Psychiatric Research</i> , 2018 , 103, 75-82	5.2	18	
52	Factors influencing spatial frequency extraction in faces: A review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 93, 123-138	9	10	
51	The role of the retina in visual hallucinations: A review of the literature and implications for psychosis. <i>Neuropsychologia</i> , 2017 , 99, 128-138	3.2	19	
50	Looking into the brain through the retinal ganglion cells in psychiatric disorders: A review of evidences. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 76, 155-162	5.5	17	
49	Association Between Regular Cannabis Use and Ganglion Cell Dysfunction. <i>JAMA Ophthalmology</i> , 2017 , 135, 54-60	3.9	29	
48	The effects of patient and physician characteristics on early outpatient satisfaction with substance dependence care: results of the SUBUSQOL study. <i>Patient Preference and Adherence</i> , 2017 , 11, 887-896	2.4	2	
47	Association between increased EEG signal complexity and cannabis dependence. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1216-1222	1.2	6	
46	The Endocannabinoid System in the Retina: From Physiology to Practical and Therapeutic Applications. <i>Neural Plasticity</i> , 2016 , 2016, 2916732	3.3	30	
45	Commentary: Anatomical constitution of sense organs as a marker of mental disorders. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 56	3.5	7	
44	High prevalence of psychiatric disorders in patients with skin-restricted lupus: a case-control study. <i>British Journal of Dermatology</i> , 2016 , 174, 1051-60	4	12	
43	A cross-sectional survey on French psychiatrists' knowledge and perceptions of psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2016 , 60, 21-26	3.2	16	
42	Transient Retinal Dysfunctions after Acute Cannabis Use. <i>European Addiction Research</i> , 2016 , 22, 287-29	1 4.6	10	

(2013-2015)

41	Dissociation of explicit and implicit responses during a change blindness task in schizophrenia. <i>Neuropsychologia</i> , 2015 , 71, 11-7	3.2	4
40	The emerging field of retinal electrophysiological measurements in psychiatric research: A review of the findings and the perspectives in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2015 , 70, 113-20	5.2	28
39	Combination of classical test theory (CTT) and item response theory (IRT) analysis to study the psychometric properties of the French version of the Quality of Life Enjoyment and Satisfaction Questionnaire-Short Form (Q-LES-Q-SF). <i>Quality of Life Research</i> , 2015 , 24, 287-93	3.7	17
38	Flash electroretinogram and addictive disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 56, 264	5.5	9
37	Effectiveness of the first French psychoeducational program on unipolar depression: study protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , 2015 , 15, 294	4.2	1
36	Differential item functioning (DIF) of SF-12 and Q-LES-Q-SF items among french substance users. Health and Quality of Life Outcomes, 2015 , 13, 172	3	19
35	The cannabinoid system and visual processing: a review on experimental findings and clinical presumptions. <i>European Neuropsychopharmacology</i> , 2015 , 25, 100-12	1.2	41
34	Validation of a Psycho-Sensory hAllucinations Scale (PSAS) in schizophrenia and Parkinson's disease. <i>Schizophrenia Research</i> , 2015 , 161, 269-76	3.6	19
33	Early withdrawal effects in a heavy cannabis smoker during hemodialysis. <i>Biological Psychiatry</i> , 2015 , 77, e25-6	7.9	4
32	Is There a Place for Off-Label Pharmacotherapy in Cannabis Use Disorder? A Review on Efficacy and Safety. <i>Current Pharmaceutical Design</i> , 2015 , 21, 3298-305	3.3	8
31	Pitfalls in the diagnosis of new-onset frontal lobe seizures. <i>Epilepsy & Behavior Case Reports</i> , 2014 , 2, 1-3	1.2	3
30	Interest of targeting either cortical area Brodmann 9 or 46 in rTMS treatment for depression: a preliminary randomized study. <i>Clinical Neurophysiology</i> , 2014 , 125, 2384-9	4.3	10
29	Management of opioid addiction with buprenorphine: French history and current management. <i>International Journal of General Medicine</i> , 2014 , 7, 143-8	2.3	18
28	How CAGE, RAPS4-QF, and AUDIT Can Help Practitioners for Patients Admitted with Acute Alcohol Intoxication in Emergency Departments?. <i>Frontiers in Psychiatry</i> , 2014 , 5, 72	5	2
27	Chapitre 9. Hpatite C, addictions et comorbidits psychiatriques 2014 , 153-167		
26	Per-symptomatic brain activations in alcohol-induced hallucinosis. <i>Biological Psychiatry</i> , 2013 , 73, e13-4	7.9	1
25	Low Spatial Frequency Bias in Schizophrenia is Not Face Specific: When the Integration of Coarse and Fine Information Fails. <i>Frontiers in Psychology</i> , 2013 , 4, 248	3.4	18
24	Neurosurgery in Parkinson's disease: Social adjustment, quality of life and coping strategies. <i>Neural Regeneration Research</i> , 2013 , 8, 2856-67	4.5	8

23	A methodology to improve social adjustment after bilateral subthalamic nucleus deep brain stimulation in Parkinson's disease. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 876-8	3.9	2
22	Usefulness of brief intervention for patients admitted to emergency services for acute alcohol intoxication. <i>European Journal of Emergency Medicine</i> , 2012 , 19, 384-8	2.3	9
21	CAGE, RAPS4, RAPS4-QF and AUDIT screening tests for men and women admitted for acute alcohol intoxication to an emergency department: are standard thresholds appropriate?. <i>Alcohol and Alcoholism</i> , 2012 , 47, 273-81	3.5	16
20	Psychogenic nonepileptic seizures: characterization of two distinct patient profiles on the basis of trauma history. <i>Epilepsy and Behavior</i> , 2011 , 22, 532-6	3.2	43
19	Misuse of Alcohol During Opiate Substitution Treatment. <i>Addictive Disorders and Their Treatment</i> , 2010 , 9, 99-105	0.5	
18	Misuse of alcohol among methadone patients. <i>American Journal on Addictions</i> , 2009 , 18, 162-6	3.7	10
17	IntfE du programme de psychoducation insight dans le traitement dEne dpression chez un patient souffrant de schizophrhie : tude de cas. <i>Journal De ThEapie Comportementale Et Cognitive</i> , 2009 , 19, 102-106	0.2	4
16	Pr\$entation dune mthodologie de dialogue consensuel comme support dune «´restructuration cognitive´»´: la technique de reconstruction des thòries subjectives dHeidelberg. <i>Journal De ThBapie Comportementale Et Cognitive</i> , 2009 , 19, 146-157	0.2	
15	Intl'E des prises en charge coordonn'es : l'alcoologie de liaison et les rseaux de sant. Annales Medico-Psychologiques, 2007, 165, 449-453	0.2	
14	Impact des consommations et abus delcool chez les sujets psychotiques. <i>Litancephale</i> , 2007 , 33, 192-19	96 2.9	
13	Impact des consommations et abus delcool chez les sujets psychotiques. <i>Liencephale</i> , 2007 , 33, 192-19. Validity of the CAGE questionnaire in hospital. <i>European Psychiatry</i> , 2005 , 20, 484-9	9 6 2.9	31
			31
13	Validity of the CAGE questionnaire in hospital. <i>European Psychiatry</i> , 2005 , 20, 484-9 Performance of asialotransferrin in detecting alcohol abuse. <i>Alcoholism: Clinical and Experimental</i>	6	
13	Validity of the CAGE questionnaire in hospital. <i>European Psychiatry</i> , 2005 , 20, 484-9 Performance of asialotransferrin in detecting alcohol abuse. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 81-3 Dose-effect relation between daily ethanol intake in the range 0-70 grams and %CDT value:	6	12
13 12 11	Validity of the CAGE questionnaire in hospital. <i>European Psychiatry</i> , 2005 , 20, 484-9 Performance of asialotransferrin in detecting alcohol abuse. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 81-3 Dose-effect relation between daily ethanol intake in the range 0-70 grams and %CDT value: validation of a cut-off value. <i>Alcohol and Alcoholism</i> , 2005 , 40, 531-4	6 3.7 3.5	38
13 12 11	Validity of the CAGE questionnaire in hospital. <i>European Psychiatry</i> , 2005 , 20, 484-9 Performance of asialotransferrin in detecting alcohol abuse. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 81-3 Dose-effect relation between daily ethanol intake in the range 0-70 grams and %CDT value: validation of a cut-off value. <i>Alcohol and Alcoholism</i> , 2005 , 40, 531-4 Unhealthy alcohol use. <i>New England Journal of Medicine</i> , 2005 , 352, 2139-40; author reply 2139-40	6 3.7 3.5 59.2	12 38 3
13 12 11 10	Validity of the CAGE questionnaire in hospital. <i>European Psychiatry</i> , 2005 , 20, 484-9 Performance of asialotransferrin in detecting alcohol abuse. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 81-3 Dose-effect relation between daily ethanol intake in the range 0-70 grams and %CDT value: validation of a cut-off value. <i>Alcohol and Alcoholism</i> , 2005 , 40, 531-4 Unhealthy alcohol use. <i>New England Journal of Medicine</i> , 2005 , 352, 2139-40; author reply 2139-40 Which types of alcohol-use disorder will asialotransferrin detect?. <i>Clinical Chemistry</i> , 2004 , 50, 782 Multicenter validation study of the %CDT TIA kit in alcohol abuse and alcohol dependence.	6 3.7 3.5 59.2 5.5	12 38 3

LIST OF PUBLICATIONS

5	General practitioners and alcohol use disorders: quantity without quality. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 61-6	3.7	2
4	Patients admitted to emergency services for drunkenness: moderate alcohol users or harmful drinkers?. <i>American Journal of Psychiatry</i> , 2001 , 158, 96-9	11.9	35
3	Objective Diagnosis of Alcohol Abuse: Compared Values of Carbohydrate-Deficient Transferrin (CDT), EGlutamyl Transferase (GGT), and Mean Corpuscular Volume (MCV). <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 1414-1419	3.7	51
2	Intravenous lorazepam reduced alcohol related seizures in patients with chronic alcohol abuse. <i>Evidence-Based Mental Health</i> , 1999 , 2, 107-107	11.1	

Lorazepam reduced recurrent alcohol-related seizures in chronic alcohol abuse. *ACP Journal Club*, **1999**, 131, 63