

# Jun Soo Kwon

## List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/2902697/publications.pdf](https://exaly.com/author-pdf/2902697/publications.pdf)

Version: 2024-02-01

444  
papers

19,549  
citations

11078

71  
h-index

22041

114  
g-index

502  
all docs

502  
docs citations

502  
times ranked

24051  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.         | 1.3  | 699       |
| 2  | Gamma Frequency Range Abnormalities to Auditory Stimulation in Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 1001.   | 13.2 | 594       |
| 3  | Global trends in mortality from intrahepatic and extrahepatic cholangiocarcinoma. <i>Journal of Hepatology</i> , 2019, 71, 104-114.   | 3.9  | 391       |
| 4  | Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.   | 11.4 | 367       |
| 5  | Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.                        | 7.6  | 327       |
| 6  | Lower Left Temporal Lobe MRI Volumes in Patients With First-Episode Schizophrenia Compared With Psychotic Patients With First-Episode Affective Disorder and Normal Subjects. <i>American Journal of Psychiatry</i> , 1998, 155, 1384-1391. | 8.7  | 302       |
| 7  | Gender difference analysis of cortical thickness in healthy young adults with surface-based methods. <i>NeuroImage</i> , 2006, 31, 31-38.   | 4.4  | 291       |
| 8  | Distinct Subcortical Volume Alterations in Pediatric and Adult OCD: A Worldwide Meta- and Mega-Analysis. <i>American Journal of Psychiatry</i> , 2017, 174, 60-69.  | 8.7  | 273       |
| 9  | Ketamine: Current applications in anesthesia, pain, and critical care. <i>Anesthesia: Essays and Researches</i> , 2014, 8, 283.   | 0.5  | 271       |
| 10 | Multicenter Voxel-Based Morphometry Mega-Analysis of Structural Brain Scans in Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2014, 171, 340-349.   | 8.7  | 233       |
| 11 | Neural correlates of cognitive inflexibility during task-switching in obsessive-compulsive disorder. <i>Brain</i> , 2007, 131, 155-164.   | 8.0  | 231       |
| 12 | Increased default mode network connectivity associated with meditation. <i>Neuroscience Letters</i> , 2011, 487, 358-362.   | 2.1  | 217       |
| 13 | Grey matter abnormalities in obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2001, 179, 330-334.  | 3.6  | 213       |
| 14 | Impulsivity in Internet Addiction: A Comparison with Pathological Gambling. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2012, 15, 373-377.  | 4.2  | 210       |
| 15 | Cortical Abnormalities Associated With Pediatric and Adult Obsessive-Compulsive Disorder: Findings From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>American Journal of Psychiatry</i> , 2018, 175, 453-462.                 | 8.7  | 209       |
| 16 | Fractal dimension in human cortical surface: Multiple regression analysis with cortical thickness, sulcal depth, and folding area. <i>Human Brain Mapping</i> , 2006, 27, 994-1003.   | 3.7  | 182       |
| 17 | Neural correlates of clinical symptoms and cognitive dysfunctions in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 122, 37-47.   | 1.9  | 175       |
| 18 | The effect of meditation on brain structure: cortical thickness mapping and diffusion tensor imaging. <i>Social Cognitive and Affective Neuroscience</i> , 2013, 8, 27-33.  | 3.3  | 174       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Left Planum Temporale Volume Reduction in Schizophrenia. Archives of General Psychiatry, 1999, 56, 142.   | 13.2 | 173       |
| 20 | Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. Brain Imaging and Behavior, 2017, 11, 1497-1514.  | 2.1  | 161       |
| 21 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. JAMA Psychiatry, 2021, 78, 47.  | 11.4 | 158       |
| 22 | Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. NeuroImage, 2020, 218, 116956.  | 4.4  | 153       |
| 23 | MRI Study of Cavum Septi Pellucidi in Schizophrenia, Affective Disorder, and Schizotypal Personality Disorder. American Journal of Psychiatry, 1998, 155, 509-515.  | 8.7  | 149       |
| 24 | White matter abnormalities associated with auditory hallucinations in schizophrenia: A combined study of voxel-based analyses of diffusion tensor imaging and structural magnetic resonance imaging. Psychiatry Research - Neuroimaging, 2007, 156, 93-104. | 1.9  | 148       |
| 25 | Social cognition and neurocognition as predictors of conversion to psychosis in individuals at ultra-high risk. Schizophrenia Research, 2011, 130, 170-175.   | 2.1  | 148       |
| 26 | The Effects of Pharmacological Treatment on Functional Brain Connectome in Obsessive-Compulsive Disorder. Biological Psychiatry, 2014, 75, 606-614.   | 1.3  | 146       |
| 27 | Deficit of theory of mind in individuals at ultra-high-risk for schizophrenia. Schizophrenia Research, 2008, 99, 111-118.   | 2.1  | 139       |
| 28 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. American Journal of Psychiatry, 2020, 177, 834-843.  | 8.7  | 139       |
| 29 | Functional Disconnection Between the Prefrontal and Parietal Cortices During Working Memory Processing in Schizophrenia: A [ <sup>15</sup> O]H <sub>2</sub> O PET Study. American Journal of Psychiatry, 2003, 160, 919-923.                                | 8.7  | 138       |
| 30 | Social cognitive functioning in prodromal psychosis: A meta-analysis. Schizophrenia Research, 2015, 164, 28-34.   | 2.1  | 133       |
| 31 | Sex differences in the human corpus callosum: diffusion tensor imaging study. NeuroReport, 2005, 16, 795-798.   | 1.2  | 128       |
| 32 | Cortical Thickness Reduction in Individuals at Ultra-High-Risk for Psychosis. Schizophrenia Bulletin, 2011, 37, 839-849.  | 4.6  | 128       |
| 33 | Altered resting-state connectivity in subjects at ultra-high risk for psychosis: an fMRI study. Behavioral and Brain Functions, 2010, 6, 58.  | 3.4  | 123       |
| 34 | The crisis of minimal self-awareness in schizophrenia: A meta-analytic review. Schizophrenia Research, 2014, 152, 58-64.  | 2.1  | 123       |
| 35 | Weight Management Program for Treatment-Emergent Weight Gain in Olanzapine-Treated Patients With Schizophrenia or Schizoaffective Disorder. Journal of Clinical Psychiatry, 2006, 67, 547-553.  | 2.3  | 123       |
| 36 | Auditory Mismatch Negativity in Schizophrenia: Topographic Evaluation With a High-Density Recording Montage. American Journal of Psychiatry, 1998, 155, 1281-1284.  | 8.7  | 114       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. <i>Journal of Affective Disorders</i> , 2011, 131, 59-67.   | 4.2  | 113       |
| 38 | Abnormal corticostriatal-limbic functional connectivity in obsessive-compulsive disorder during reward processing and resting-state. <i>NeuroImage: Clinical</i> , 2013, 3, 27-38.                                      | 2.8  | 110       |
| 39 | Left anterior subregion of orbitofrontal cortex volume reduction and impaired organizational strategies in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2004, 38, 193-199.                   | 3.2  | 107       |
| 40 | Functional connectivity in fronto-subcortical circuitry during the resting state in obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2010, 474, 158-162.  | 2.1  | 106       |
| 41 | Reduced prefrontal functional connectivity in the default mode network is related to greater psychopathology in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2011, 127, 58-65. | 2.1  | 105       |
| 42 | Right hemisphere abnormalities in major depression: Quantitative electroencephalographic findings before and after treatment. <i>Journal of Affective Disorders</i> , 1996, 40, 169-173.                                | 4.2  | 104       |
| 43 | Presynaptic Dopamine Capacity in Patients with Treatment-Resistant Schizophrenia Taking Clozapine: An [18F]DOPA PET Study. <i>Neuropsychopharmacology</i> , 2017, 42, 941-950.  | 5.6  | 104       |
| 44 | Integration of cross-modal emotional information in the human brain: An fMRI study. <i>Cortex</i> , 2010, 46, 161-169.  | 2.7  | 103       |
| 45 | Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. <i>Human Brain Mapping</i> , 2002, 17, 168-178.                              | 3.7  | 100       |
| 46 | Altered Thalamo-Cortical White Matter Connectivity: Probabilistic Tractography Study in Clinical-High Risk for Psychosis and First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 723-731.                | 4.6  | 99        |
| 47 | Altered hemispheric asymmetry and positive symptoms in schizophrenia: equivalent current dipole of auditory mismatch negativity. <i>Schizophrenia Research</i> , 2003, 59, 253-260.                                     | 2.1  | 98        |
| 48 | Altered Brain Activity during Reward Anticipation in Pathological Gambling and Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2012, 7, e45938.  | 2.5  | 97        |
| 49 | The Role of Estrogen Receptors and Their Signaling across Psychiatric Disorders. <i>International Journal of Molecular Sciences</i> , 2021, 22, 373.  | 4.2  | 97        |
| 50 | Neuropsychological profile in patients with obsessive-compulsive disorder over a period of 4-month treatment. <i>Journal of Psychiatric Research</i> , 2002, 36, 257-265.   | 3.2  | 96        |
| 51 | Familial risk for non-Hodgkin lymphoma and other lymphoproliferative malignancies by histopathologic subtype: the Swedish Family-Cancer Database. <i>Blood</i> , 2005, 106, 668-672.                                    | 1.4  | 94        |
| 52 | Neuroimaging in obsessive-compulsive disorder. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 255-269.  | 2.8  | 94        |
| 53 | Association of the Glutamate Transporter Gene SLC1A1 With Atypical Antipsychotics-Induced Obsessive-compulsive Symptoms. <i>Archives of General Psychiatry</i> , 2009, 66, 1233.  | 13.2 | 93        |
| 54 | Racial and Ethnic Disparities and Bias in the Evaluation and Reporting of Abusive Head Trauma. <i>Journal of Pediatrics</i> , 2018, 198, 137-143.e1.  | 2.2  | 93        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Fractal dimension of cerebral cortical surface in schizophrenia and obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2005, 384, 172-176.   | 2.1  | 91        |
| 56 | Pattern classification using principal components of cortical thickness and its discriminative pattern in schizophrenia. <i>NeuroImage</i> , 2007, 34, 1405-1415.  | 4.4  | 91        |
| 57 | Cortical thickness in obsessive-compulsive disorder: Multisite mega-analysis of 780 brain scans from six centres. <i>British Journal of Psychiatry</i> , 2017, 210, 67-74.   | 3.6  | 90        |
| 58 | Highly Fluorescent Rigid Supramolecular Polymeric Nanowires Constructed Through Multiple Hydrogen Bonds. <i>Journal of the American Chemical Society</i> , 2009, 131, 2076-2077.                                     | 14.6 | 89        |
| 59 | Unravelling the Intrinsic Functional Organization of the Human Striatum: A Parcellation and Connectivity Study Based on Resting-State fMRI. <i>PLoS ONE</i> , 2014, 9, e106768.                                      | 2.5  | 89        |
| 60 | Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.                            | 11.4 | 89        |
| 61 | Pre-Attentive Auditory Processing in Ultra-High-Risk for Schizophrenia with Magnetoencephalography. <i>Biological Psychiatry</i> , 2009, 65, 1071-1078.  | 1.3  | 88        |
| 62 | Neural correlates of altered response inhibition and dysfunctional connectivity at rest in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 40, 340-346. | 5.0  | 87        |
| 63 | Volumetric Investigation of the Frontal-Subcortical Circuitry in Patients With Obsessive-Compulsive Disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 342-349.                      | 2.0  | 85        |
| 64 | Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.   | 4.6  | 85        |
| 65 | Randomized clinical trial of D2 and extended paraaortic lymphadenectomy in patients with gastric cancer. <i>International Journal of Clinical Oncology</i> , 2008, 13, 132-137.                                      | 2.3  | 84        |
| 66 | Electrocardiographic Abnormalities in Patients Treated With Clozapine. <i>Journal of Clinical Psychiatry</i> , 2000, 61, 441-446.  | 2.3  | 84        |
| 67 | White matter neuroplastic changes in long-term trained players of the game of "Baduk" (GO): A voxel-based diffusion-tensor imaging study. <i>NeuroImage</i> , 2010, 52, 9-19.  | 4.4  | 83        |
| 68 | Spatial accuracy of fMRI activation influenced by volume- and surface-based spatial smoothing techniques. <i>NeuroImage</i> , 2007, 34, 550-564.   | 4.4  | 80        |
| 69 | Long-term performance of a mudrock seal in natural CO2 storage. <i>Geology</i> , 2009, 37, 35-38.  | 4.3  | 77        |
| 70 | Mapping Cortical and Subcortical Asymmetry in Obsessive-Compulsive Disorder: Findings From the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, 1022-1034.  | 1.3  | 77        |
| 71 | Brain single photon emission computed tomography findings in depressive pseudodementia patients. <i>Journal of Affective Disorders</i> , 2002, 69, 159-166.  | 4.2  | 76        |
| 72 | Persistent cognitive dysfunction in patients with obsessive-compulsive disorder: A naturalistic study. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 539-545.   | 2.3  | 75        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | The relationship between psychosocial functioning and resilience and negative symptoms in individuals at ultra-high risk for psychosis. Australian and New Zealand Journal of Psychiatry, 2013, 47, 762-771.            | 2.8 | 75        |
| 74 | Neuropsychological correlates of P300 abnormalities in patients with schizophrenia and obsessive-compulsive disorder. Psychiatry Research - Neuroimaging, 2003, 123, 109-123.   | 1.9 | 72        |
| 75 | Proton magnetic resonance spectroscopy in subjects with high genetic risk of schizophrenia: Investigation of anterior cingulate, dorsolateral prefrontal cortex and thalamus. Schizophrenia Research, 2009, 111, 86-93. | 2.1 | 72        |
| 76 | A Proton MRSI Study of Brain N-Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. American Journal of Psychiatry, 2006, 163, 1202-1207.            | 8.7 | 71        |
| 77 | Patterns of Temperament and Character in Subjects With Obsessive-Compulsive Disorder. Journal of Clinical Psychiatry, 2001, 62, 637-641.  | 2.3 | 71        |
| 78 | Electrophysiological correlates of behavioral response inhibition in patients with obsessive-compulsive disorder. Depression and Anxiety, 2007, 24, 22-31.  | 4.2 | 69        |
| 79 | Frontal P300 decrement and executive dysfunction in adolescents with conduct problems. Child Psychiatry and Human Development, 2001, 32, 93-106.  | 2.1 | 67        |
| 80 | An MEG study of alpha modulation in patients with schizophrenia and in subjects at high risk of developing psychosis. Schizophrenia Research, 2011, 126, 36-42.   | 2.1 | 64        |
| 81 | Phase-Specific Brain Change of Spatial Working Memory Processing in Genetic and Ultra-High Risk Groups of Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1189-1199.   | 4.6 | 63        |
| 82 | Increased water diffusivity in the frontal and temporal cortices of schizophrenic patients. NeuroImage, 2006, 30, 1285-1291.  | 4.4 | 62        |
| 83 | Cortical thinning in obsessive compulsive disorder. Human Brain Mapping, 2007, 28, 1128-1135.   | 3.7 | 61        |
| 84 | Testing the autogenous-reactive model of obsessions. Depression and Anxiety, 2005, 21, 118-129.   | 4.2 | 60        |
| 85 | Altered functional network architecture in orbitofronto-striato-thalamic circuit of unmedicated patients with obsessive-compulsive disorder. Human Brain Mapping, 2017, 38, 109-119.                                    | 3.7 | 60        |
| 86 | The Reliability and Validity of the Korean Version of the Structured Interview for Prodromal Syndrome. Psychiatry Investigation, 2010, 7, 257.  | 1.6 | 60        |
| 87 | Morphometric abnormality of the insula in schizophrenia: a comparison with obsessive-compulsive disorder and normal control using MRI. Schizophrenia Research, 2003, 60, 191-198.                                       | 2.1 | 59        |
| 88 | Dysfunction in Configural Face Processing in Patients With Schizophrenia. Schizophrenia Bulletin, 2007, 34, 538-543.  | 4.6 | 59        |
| 89 | Multi-level comparison of empathy in schizophrenia: An fMRI study of a cartoon task. Psychiatry Research - Neuroimaging, 2010, 181, 121-129.  | 1.9 | 59        |
| 90 | Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. Biological Psychology, 2002, 60, 109-120.   | 2.3 | 58        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Effects of Oxytocin on Neural Response to Facial Expressions in Patients with Schizophrenia. <i>Neuropsychopharmacology</i> , 2015, 40, 1919-1927.  | 5.6 | 57        |
| 92  | The effects of mindâ€“body training on stress reduction, positive affect, and plasma catecholamines. <i>Neuroscience Letters</i> , 2010, 479, 138-142.  | 2.1 | 55        |
| 93  | An overview of the first 5â€“years of the ENIGMA obsessiveâ€“compulsive disorder working group: The power of worldwide collaboration. <i>Human Brain Mapping</i> , 2022, 43, 23-36.   | 3.7 | 54        |
| 94  | Changes in Twinning Rates in South Korea: 1981â€“2002. <i>Twin Research and Human Genetics</i> , 2005, 8, 76-79.  | 0.7 | 53        |
| 95  | Decreased caudal anterior cingulate gyrus volume and positive symptoms in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 239-247.  | 1.9 | 53        |
| 96  | Power spectral aspects of the default mode network in schizophrenia: an MEG study. <i>BMC Neuroscience</i> , 2014, 15, 104.   | 1.8 | 53        |
| 97  | Effect of cognitive training focusing on organizational strategies in patients with obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 718-726.  | 2.3 | 52        |
| 98  | Taq1A polymorphism in the dopamine D2 receptor gene as a predictor of clinical response to aripiprazole. <i>European Neuropsychopharmacology</i> , 2008, 18, 897-907.   | 1.6 | 51        |
| 99  | Parental socioeconomic status and prognosis in individuals with ultra-high risk for psychosis: A 2-year follow-up study. <i>Schizophrenia Research</i> , 2015, 168, 56-61.  | 2.1 | 51        |
| 100 | A Proton MRSI Study of Brain &lt;char aid="99804048" id="ital"&gt;N&lt;/char&gt;-Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1202. | 8.7 | 51        |
| 101 | The relationship between antipsychotic D2 occupancy and change in frontal metabolism and working memory. <i>Psychopharmacology</i> , 2013, 227, 221-229.  | 3.1 | 50        |
| 102 | Gamma Oscillation in Schizophrenia. <i>Psychiatry Investigation</i> , 2011, 8, 288.   | 1.6 | 50        |
| 103 | Brominated flame retardants in black plastic kitchen utensils: Concentrations and human exposure implications. <i>Science of the Total Environment</i> , 2018, 610-611, 1138-1146.  | 8.2 | 49        |
| 104 | Dissociation of Working Memory Processing Associated with Native and Second Languages: PET Investigation. <i>NeuroImage</i> , 2002, 15, 879-891.  | 4.4 | 48        |
| 105 | LORETA imaging of P300 in schizophrenia with individual MRI and 128-channel EEG. <i>NeuroImage</i> , 2003, 20, 1552-1560.   | 4.4 | 48        |
| 106 | Neural Correlates of Response to Pharmacotherapy in Obsessive-Compulsive Disorder: Individualized Cortical Morphology-Based Structural Covariance. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 63, 126-133.                     | 5.0 | 48        |
| 107 | Structural neuroimaging biomarkers for obsessive-compulsive disorder in the ENIGMA-OCD consortium: medication matters. <i>Translational Psychiatry</i> , 2020, 10, 342.   | 4.9 | 48        |
| 108 | Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2021, 218, 344-351.   | 3.6 | 48        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Neuropsychological correlates of error negativity and positivity in schizophrenia patients. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 303-311.  | 2.3 | 47        |
| 110 | Social Functioning Deficits in Young People at Risk for Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 678-685.  | 2.8 | 47        |
| 111 | Diagnostic stability of first-episode psychosis and predictors of diagnostic shift from non-affective psychosis to bipolar disorder: A retrospective evaluation after recurrence. <i>Psychiatry Research</i> , 2011, 188, 29-33. | 3.4 | 47        |
| 112 | Symptomatic and functional remission of subjects at clinical high risk for psychosis: A 2-year naturalistic observational study. <i>Schizophrenia Research</i> , 2014, 156, 266-271.   | 2.1 | 47        |
| 113 | Can We Predict Psychosis Outside the Clinical High-Risk State? A Systematic Review of Non-Psychotic Risk Syndromes for Mental Disorders. <i>Schizophrenia Bulletin</i> , 2018, 44, 276-285.                                      | 4.6 | 47        |
| 114 | Thalamus surface shape deformity in obsessive-compulsive disorder and schizophrenia. <i>NeuroReport</i> , 2008, 19, 609-613.   | 1.2 | 46        |
| 115 | Early intervention in psychosis: Insights from Korea. <i>Asian Journal of Psychiatry</i> , 2012, 5, 98-105.  | 2.1 | 46        |
| 116 | Brain Structural Networks Associated with Intelligence and Visuomotor Ability. <i>Scientific Reports</i> , 2017, 7, 2177.  | 3.4 | 46        |
| 117 | The effect of immediate and delayed word repetition on event-related potential in a continuous recognition task. <i>Cognitive Brain Research</i> , 2001, 11, 387-396.  | 3.1 | 45        |
| 118 | Prevalence and Clinical Characteristics of Obsessive-Compulsive Symptoms Associated With Atypical Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 712-713.   | 1.4 | 44        |
| 119 | White matter alterations in male patients with obsessive-compulsive disorder. <i>NeuroReport</i> , 2009, 20, 735-739.  | 1.2 | 44        |
| 120 | Regional Brain Atrophy and Functional Disconnection in Broca's Area in Individuals at Ultra-High Risk for Psychosis and Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e51975.  | 2.5 | 44        |
| 121 | Comparison of the Effectiveness of Virtual Cue Exposure Therapy and Cognitive Behavioral Therapy for Nicotine Dependence. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2014, 17, 262-267.                           | 4.2 | 44        |
| 122 | Analysis of the hemispheric asymmetry using fractal dimension of a skeletonized cerebral surface. <i>IEEE Transactions on Biomedical Engineering</i> , 2004, 51, 1494-1498.  | 4.4 | 43        |
| 123 | Morphometric alterations of anterior superior temporal cortex in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2006, 23, 290-296.   | 4.2 | 43        |
| 124 | Aberrant Auditory Processing in Schizophrenia and in Subjects at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1258-1267.   | 4.6 | 42        |
| 125 | Regional cortical thinning in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 197-203.  | 2.1 | 42        |
| 126 | Involvement of purinergic system in the release of cytokines by macrophages exposed to glioma-conditioned medium. <i>Journal of Cellular Biochemistry</i> , 2015, 116, 721-729.  | 2.6 | 42        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Social cognition in post-traumatic stress disorder: A systematic review. <i>British Journal of Clinical Psychology</i> , 2020, 59, 117-138.   | 3.7 | 42        |
| 128 | Decrease in genu of the corpus callosum in medication-naïve, early-onset dysthymia and depressive personality disorder. <i>Biological Psychiatry</i> , 2002, 52, 1134-1143.   | 1.3 | 41        |
| 129 | Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376. | 4.2 | 41        |
| 130 | Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 313-316.   | 4.2 | 40        |
| 131 | Multidimensional Comparison of Personality Characteristics of the Big Five Model, Impulsiveness, and Affect in Pathological Gambling and Obsessive-Compulsive Disorder. <i>Journal of Gambling Studies</i> , 2012, 28, 351-362.   | 1.9 | 40        |
| 132 | Spatial memory impairments in amnesic mild cognitive impairment in a virtual radial arm maze. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 653.  | 2.2 | 39        |
| 133 | Fused tetraphenylethylene-triphenylamine as an efficient hole transporting material in perovskite solar cells. <i>Chemical Communications</i> , 2020, 56, 3159-3162.  | 4.2 | 39        |
| 134 | Predicting Remission in Subjects at Clinical High Risk for Psychosis Using Mismatch Negativity. <i>Schizophrenia Bulletin</i> , 2018, 44, 575-583.  | 4.6 | 38        |
| 135 | A Preliminary Validity Study of the Cambridge Neuropsychological Test Automated Battery for the Assessment of Executive Function in Schizophrenia and Bipolar Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 394.  | 1.6 | 38        |
| 136 | BOLD response during visual perception of biological motion in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 46-54.  | 3.4 | 37        |
| 137 | Diffusion tensor imaging of anterior commissural fibers in patients with schizophrenia. <i>Schizophrenia Research</i> , 2011, 130, 78-85.   | 2.1 | 37        |
| 138 | Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 13-21.  | 1.4 | 37        |
| 139 | Brain ageing in schizophrenia: evidence from 26 international cohorts via the ENIGMA Schizophrenia consortium. <i>Molecular Psychiatry</i> , 2023, 28, 1201-1209.   | 8.2 | 37        |
| 140 | Visual self-recognition in patients with schizophrenia. <i>Schizophrenia Research</i> , 2007, 94, 215-220.  | 2.1 | 36        |
| 141 | Processing of facial configuration in individuals at ultra-high risk for schizophrenia. <i>Schizophrenia Research</i> , 2010, 118, 81-87.   | 2.1 | 36        |
| 142 | The Immediate and Sustained Positive Effects of Meditation on Resilience Are Mediated by Changes in the Resting Brain. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 101.  | 2.1 | 36        |
| 143 | The physical activity of children and adolescents in Germany 2003-2017: The MoMo-study. <i>PLoS ONE</i> , 2020, 15, e0236117.   | 2.5 | 36        |
| 144 | Increased Intra-Individual Variability of Cognitive Processing in Subjects at Risk Mental State and Schizophrenia Patients. <i>PLoS ONE</i> , 2013, 8, e78354.  | 2.5 | 36        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Reactions of cyclic alkyl radicals. Part 2.â€”Photolysis of cyclopropane carboxaldehyde. Transactions of the Faraday Society, 1967, 63, 1369-1374.   | 0.9  | 35        |
| 146 | Association between EEG alpha power and visuospatial function in obsessive-compulsive disorder. Psychiatry and Clinical Neurosciences, 2004, 58, 16-20.  | 2.3  | 35        |
| 147 | Deformable model with surface registration for hippocampal shape deformity analysis in schizophrenia. NeuroImage, 2004, 22, 831-840.   | 4.4  | 35        |
| 148 | Longitudinal Patterns of Social Functioning and Conversion to Psychosis in Subjects at Ultra-High Risk. Australian and New Zealand Journal of Psychiatry, 2011, 45, 763-770.   | 2.8  | 35        |
| 149 | Away from home: the brain of the wandering mind as a model for schizophrenia. Schizophrenia Research, 2015, 165, 83-89.  | 2.1  | 35        |
| 150 | The effects of four days of intensive mindfulness meditation training (Templestay program) on resilience to stress: a randomized controlled trial. Psychology, Health and Medicine, 2018, 23, 497-504.   | 2.7  | 35        |
| 151 | White matter microstructure and its relation to clinical features of obsessiveâ€”compulsive disorder: findings from the ENIGMA OCD Working Group. Translational Psychiatry, 2021, 11, 173.   | 4.9  | 35        |
| 152 | Hippocampal shape deformity analysis in obsessiveâ€”compulsive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 185-190.  | 3.4  | 34        |
| 153 | Selective impairment in visual perception of biological motion in obsessive-compulsive disorder. Depression and Anxiety, 2008, 25, E15-E25.  | 4.2  | 34        |
| 154 | Clinical and neurocognitive profiles of subjects at high risk for psychosis with and without obsessiveâ€”compulsive symptoms. Australian and New Zealand Journal of Psychiatry, 2012, 46, 161-169.   | 2.8  | 34        |
| 155 | Genistein and daidzein, typical soy isoflavones, inhibit $\text{TNF-}\alpha$ -mediated downregulation of adiponectin expression via different mechanisms in 3T3L1 adipocytes. Molecular Nutrition and Food Research, 2012, 56, 1783-1793.              | 3.9  | 34        |
| 156 | Gray Matter Volumetric Abnormalities Associated with the Onset of Psychosis. Frontiers in Psychiatry, 2012, 3, 101.  | 2.7  | 34        |
| 157 | Reduced Binding Potential of GABA-A/Benzodiazepine Receptors in Individuals at Ultra-high Risk for Psychosis: An [18F]-Fluoroflumazenil Positron Emission Tomography Study. Schizophrenia Bulletin, 2014, 40, 548-557.                                 | 4.6  | 34        |
| 158 | Altered Fronto-Temporal Functional Connectivity in Individuals at Ultra-High-Risk of Developing Psychosis. PLoS ONE, 2015, 10, e0135347.   | 2.5  | 34        |
| 159 | Cavum septum pellucidum in subjects at ultra-high risk for psychosis: Compared with first-degree relatives of patients with schizophrenia and healthy volunteers. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1326-1330. | 5.0  | 33        |
| 160 | Coping Strategies and Their Relationship to Psychopathologies in People at Ultra High-Risk for Psychosis and With Schizophrenia. Journal of Nervous and Mental Disease, 2011, 199, 106-110.  | 1.0  | 33        |
| 161 | Renaming schizophrenia in South Korea. Lancet, The, 2013, 382, 683-684.  | 12.1 | 32        |
| 162 | Epistemic Privilege and Victimsâ€™ Duties to Resist their Oppression. Journal of Applied Philosophy, 2018, 35, 465-480.  | 1.0  | 32        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Comparison of serum protein profiles between major depressive disorder and bipolar disorder. <i>BMC Psychiatry</i> , 2020, 20, 145.   | 2.7 | 32        |
| 164 | Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.  | 2.1 | 32        |
| 165 | Integrating landscape structure and scale into natural resource management. , 2002, , 23-67.  |     | 31        |
| 166 | Neuropsychological profiles of patients with obsessive-compulsive disorder: early onset versus late onset. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 30-7.   | 2.3 | 31        |
| 167 | Generators of the gamma-band activities in response to rare and novel stimuli during the auditory oddball paradigm. <i>Neuroscience Letters</i> , 2007, 413, 210-215.   | 2.1 | 31        |
| 168 | Artificial shifting of fMRI activation localized by volume- and surface-based analyses. <i>NeuroImage</i> , 2008, 40, 1077-1089.  | 4.4 | 31        |
| 169 | Musical obsessions: A comprehensive review of neglected clinical phenomena. <i>Journal of Anxiety Disorders</i> , 2014, 28, 580-589.  | 3.4 | 31        |
| 170 | Neurocognitive function as a possible marker for remission from clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 153, 48-53.   | 2.1 | 31        |
| 171 | A Naturalistic Multicenter Trial of a 12-Week Weight Management Program for Overweight and Obese Patients With Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 555-562.                | 2.3 | 31        |
| 172 | Pharmacokinetic-pharmacodynamic modeling of risperidone effects on electroencephalography in healthy volunteers. <i>Psychopharmacology</i> , 1999, 144, 272-278.  | 3.1 | 30        |
| 173 | Three-Year Follow-Up of Women With the Sole Diagnosis of Depressive Personality Disorder: Subsequent Development of Dysthymia and Major Depression. <i>American Journal of Psychiatry</i> , 2000, 157, 1966-1972.                   | 8.7 | 30        |
| 174 | Shape deformity of the corpus striatum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007, 155, 257-264.  | 1.9 | 30        |
| 175 | Alterations of Gray and White Matter Networks in Patients with Obsessive-Compulsive Disorder: A Multimodal Fusion Analysis of Structural MRI and DTI Using mCCA+jICA. <i>PLoS ONE</i> , 2015, 10, e0127118.                         | 2.5 | 30        |
| 176 | Predicting Brain Occupancy from Plasma Levels using PET: Superiority of Combining Pharmacokinetics with Pharmacodynamics while Modeling the Relationship. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 759-768. | 4.6 | 29        |
| 177 | General intellectual functioning as a buffer against theory-of-mind deficits in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 149, 83-87.   | 2.1 | 29        |
| 178 | Exploring the brains of Baduk (Go) experts: gray matter morphometry, resting-state functional connectivity, and graph theoretical analysis. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 633.                                  | 2.1 | 29        |
| 179 | The relationship between dopamine receptor blockade and cognitive performance in schizophrenia: a [11C]-raclopride PET study with aripiprazole. <i>Translational Psychiatry</i> , 2018, 8, 87.                                      | 4.9 | 29        |
| 180 | Increased Attentional Bias Toward Visual Cues in Internet Gaming Disorder and Obsessive-Compulsive Disorder: An Event-Related Potential Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 315.                                       | 2.7 | 29        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Enhanced Attentional Network by Short-Term Intensive Meditation. <i>Frontiers in Psychology</i> , 2019, 10, 3073.  | 2.3 | 29        |
| 182 | Nonverbal memory and organizational dysfunctions are related with distinct symptom dimensions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2010, 180, 93-98.   | 3.4 | 28        |
| 183 | Disproportionate Alterations in the Anterior and Posterior Insular Cortices in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2011, 6, e22361.   | 2.5 | 28        |
| 184 | Reduced fronto-callosal fiber integrity in unmedicated OCD patients: A diffusion tractography study. <i>Human Brain Mapping</i> , 2012, 33, 2441-2452.   | 3.7 | 28        |
| 185 | Structural covariance of neostriatal and limbic regions in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 115-123.   | 2.8 | 28        |
| 186 | Psychosis research in Asia: advantage from low prevalence of cannabis use. <i>NPJ Schizophrenia</i> , 2016, 2, 1.  | 4.5 | 28        |
| 187 | Aberrant temporal behavior of mismatch negativity generators in schizophrenia patients and subjects at clinical high risk for psychosis. <i>Clinical Neurophysiology</i> , 2017, 128, 331-339.                                   | 2.0 | 28        |
| 188 | Internet-Based Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder in Korea. <i>Psychiatry Investigation</i> , 2016, 13, 373.   | 1.6 | 28        |
| 189 | Thalamic Connectivity System Across Psychiatric Disorders: Current Status and Clinical Implications. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 332-340.  | 2.8 | 28        |
| 190 | How does distortion correction correlate with anisotropic indices? A diffusion tensor imaging study. <i>Magnetic Resonance Imaging</i> , 2006, 24, 1369-1376.  | 1.9 | 27        |
| 191 | Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. <i>Psychiatry Investigation</i> , 2017, 14, 44.  | 1.6 | 27        |
| 192 | Functional imaging evidence of the relationship between recurrent psychotic episodes and neurodegenerative course in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 219-228.                              | 1.9 | 26        |
| 193 | Long-term efficacy and safety of aripiprazole in patients with schizophrenia, schizophreniform disorder, or schizoaffective disorder: 26-week prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 73-81. | 2.3 | 26        |
| 194 | Neural correlate of impulsivity in subjects at ultra-high risk for psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 165-169.   | 5.0 | 26        |
| 195 | Dysfunctional role of parietal lobe during self-face recognition in schizophrenia. <i>Schizophrenia Research</i> , 2014, 152, 81-88.   | 2.1 | 26        |
| 196 | Impact of the BDNF Val66Met Polymorphism on Regional Brain Gray Matter Volumes: Relevance to the Stress Response. <i>Psychiatry Investigation</i> , 2013, 10, 173.   | 1.6 | 26        |
| 197 | Asymmetry analysis of deformable hippocampal model using the principal component in schizophrenia. <i>Human Brain Mapping</i> , 2005, 25, 361-369.   | 3.7 | 25        |
| 198 | Distinct processing of facial emotion of own-race versus other-race. <i>NeuroReport</i> , 2008, 19, 1021-1025.   | 1.2 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Plant species richness and composition in a trans-Himalayan inner valley of Manang district, central Nepal. <i>Himalayan Journal of Sciences</i> , 2008, 4, 57-64.  | 0.3 | 25        |
| 200 | Altered Brain Activation in Ventral Frontal-Striatal Regions Following a 16-week Pharmacotherapy in Unmedicated Obsessive-Compulsive Disorder. <i>Journal of Korean Medical Science</i> , 2011, 26, 665.  | 4.0 | 25        |
| 201 | Symptom structure of antipsychotic-induced obsessive compulsive symptoms in schizophrenia patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 75-79.  | 5.0 | 25        |
| 202 | Altered asymmetry of the anterior cingulate cortex in subjects at genetic high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 150, 512-518.  | 2.1 | 25        |
| 203 | Cerebellar Structural Abnormalities Associated With Cognitive Function in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2018, 9, 286.   | 2.7 | 25        |
| 204 | Tuning strain-induced $\beta$ -to- $\mu$ martensitic transformation of biomedical Co-Cr-Mo alloys by introducing parent phase lattice defects. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 90, 523-529.           | 3.1 | 25        |
| 205 | Associated Factors of Quality of Life in First-Episode Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2011, 8, 201.  | 1.6 | 25        |
| 206 | Functional disconnection of the semantic networks in schizophrenia. <i>NeuroReport</i> , 2005, 16, 355-359.   | 1.2 | 24        |
| 207 | Auditory P300 as a predictor of short-term prognosis in subjects at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 165, 138-144.   | 2.1 | 24        |
| 208 | Individualized covariance profile of cortical morphology for auditory hallucinations in first-episode psychosis. <i>Human Brain Mapping</i> , 2016, 37, 1051-1065.  | 3.7 | 24        |
| 209 | The relationship between grey matter volume and striatal dopamine function in psychosis: a multimodal 18F-DOPA PET and voxel-based morphometry study. <i>Molecular Psychiatry</i> , 2021, 26, 1332-1345.  | 8.2 | 24        |
| 210 | Development of a Korean Liver Allocation System using Model for End Stage Liver Disease Scores: A Nationwide, Multicenter study. <i>Scientific Reports</i> , 2019, 9, 7495.   | 3.4 | 23        |
| 211 | The thalamus and its subnuclei—a gateway to obsessive-compulsive disorder. <i>Translational Psychiatry</i> , 2022, 12, 70.  | 4.9 | 23        |
| 212 | Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. <i>Brain Topography</i> , 2003, 15, 233-238.   | 1.8 | 22        |
| 213 | Modified Magnetic Resonance Image Based Parcellation Method for Cerebral Cortex using Successive Fuzzy Clustering and Boundary Detection. <i>Annals of Biomedical Engineering</i> , 2003, 31, 441-447.  | 2.6 | 22        |
| 214 | N-Methyl-d-aspartate receptor in working memory impairments in schizophrenia: event-related potential study of late stage of working memory process. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 993-999. | 5.0 | 22        |
| 215 | Sex differences in the temporal lobe white matter and the corpus callosum: a diffusion tensor tractography study. <i>NeuroReport</i> , 2010, 21, 73-77.   | 1.2 | 22        |
| 216 | Gray matter volume reduction in obsessive-compulsive disorder with schizotypal personality trait. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1146-1149.  | 5.0 | 21        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 217 | Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 174-178.  | 1.9  | 21        |
| 218 | Decreased connectivity of the default mode network in pathological gambling: A resting state functional MRI study. <i>Neuroscience Letters</i> , 2014, 583, 120-125.   | 2.1  | 21        |
| 219 | Aberrant within- and between-network connectivity of the mirror neuron system network and the mentalizing network in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 243-249.  | 2.1  | 21        |
| 220 | First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea. <i>PLoS Medicine</i> , 2022, 19, e1003945.  | 8.4  | 21        |
| 221 | Pharmacotherapy and clinical characteristics of ultra-high risk for psychosis according to conversion status: a naturalistic observational study. <i>Microbial Biotechnology</i> , 2012, 6, 30-37.   | 1.9  | 20        |
| 222 | Abnormalities in brain white matter in adolescents with 22q11.2 deletion syndrome and psychotic symptoms. <i>Brain Imaging and Behavior</i> , 2017, 11, 1353-1364.   | 2.1  | 20        |
| 223 | Randomized, double-blind, placebo, and risperidone-controlled study of lurasidone in the treatment of schizophrenia: Results of an inconclusive 6-week trial. <i>Asia-Pacific Psychiatry</i> , 2019, 11, e12354.                           | 2.3  | 20        |
| 224 | Local Force Measurements on Finite-Span Cylinders in a Cross-Flow. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 1987, 109, 136-143.  | 1.6  | 19        |
| 225 | A 12-week, naturalistic switch study of the efficacy and tolerability of aripiprazole in stable outpatients with schizophrenia or schizoaffective disorder. <i>International Clinical Psychopharmacology</i> , 2009, 24, 181-188.          | 1.8  | 19        |
| 226 | Validation of the Korean version of the Eppendorf Schizophrenia Inventory as a screening measure to detect adolescents at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 71-79.                                  | 1.9  | 19        |
| 227 | Partial Volume Correction using Structural-Functional Synergistic Resolution Recovery: Comparison with Geometric Transfer Matrix Method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 914-920.                         | 4.6  | 19        |
| 228 | Decomposing P300 into correlates of genetic risk and current symptoms in schizophrenia: An inter-trial variability analysis. <i>Schizophrenia Research</i> , 2018, 192, 232-239.   | 2.1  | 19        |
| 229 | Dysfunctional attentional bias and inhibitory control during anti-saccade task in patients with internet gaming disorder: An eye tracking study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 95, 109717. | 5.0  | 19        |
| 230 | Depressive Symptoms and Brain Metabolite Alterations in Subjects at Ultra-high Risk for Psychosis: A Preliminary Study. <i>Psychiatry Investigation</i> , 2009, 6, 264.  | 1.6  | 18        |
| 231 | Do pathological gambling and obsessive-compulsive disorder overlap? a neurocognitive perspective. <i>CNS Spectrums</i> , 2012, 17, 207-213.  | 1.3  | 18        |
| 232 | Disparity between dorsal and ventral networks in patients with obsessive-compulsive disorder: evidence revealed by graph theoretical analysis based on cortical thickness from MRI. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 302. | 2.1  | 18        |
| 233 | Interfacial interactions of hard polyelectrolyte-stabilized luminescent colloids with substrates. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 482, 231-240.  | 4.8  | 18        |
| 234 | Biological Motion Perception, Brain Responses, and Schizotypal Personality Disorder. <i>JAMA Psychiatry</i> , 2016, 73, 260.   | 11.4 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Prediction of individual responses to electroconvulsive therapy in patients with schizophrenia: Machine learning analysis of resting-state electroencephalography. <i>Schizophrenia Research</i> , 2020, 216, 147-153.  | 2.1 | 18        |
| 236 | Prediction of psychosis: model development and internal validation of a personalized risk calculator. <i>Psychological Medicine</i> , 2022, 52, 2632-2640.  | 5.2 | 18        |
| 237 | Impact of coexistent schizotypal personality traits on frontal lobe function in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 472-478.   | 5.0 | 17        |
| 238 | MRI study of the cavum septum pellucidum in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 337-343.   | 3.4 | 17        |
| 239 | Satisfaction of immediate or delayed switch to paliperidone palmitate in patients unsatisfied with current oral atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2015, 30, 320-328.  | 1.8 | 17        |
| 240 | Electrophysiological correlates of personality dimensions measured by Temperament and Character Inventory. <i>Psychiatry and Clinical Neurosciences</i> , 2002, 56, 631-635.  | 2.3 | 16        |
| 241 | Midsagittal structural differences and sexual dimorphism of the corpus callosum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 147-153.   | 1.9 | 16        |
| 242 | Johyeonbyung (attunement disorder): Renaming mind splitting disorder as a way to reduce stigma of patients with schizophrenia in Korea. <i>Asian Journal of Psychiatry</i> , 2014, 8, 118-120.  | 2.1 | 16        |
| 243 | Frontostriatal functional connectivity and striatal dopamine synthesis capacity in schizophrenia in terms of antipsychotic responsiveness: an [ <sup>18</sup> F]DOPA PET and fMRI study. <i>Psychological Medicine</i> , 2019, 49, 2533-2542.   | 5.2 | 16        |
| 244 | Dopamine dysregulation in psychotic relapse after antipsychotic discontinuation: an [18F]DOPA and [11C]raclopride PET study in first-episode psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 3476-3488.  | 8.2 | 16        |
| 245 | Executive Dysfunction in Obsessive-Compulsive Disorder and Anterior Cingulate-Based Resting State Functional Connectivity. <i>Psychiatry Investigation</i> , 2017, 14, 333.   | 1.6 | 16        |
| 246 | Neuroanatomical heterogeneity and homogeneity in individuals at clinical high risk for psychosis. <i>Translational Psychiatry</i> , 2022, 12, .   | 4.9 | 16        |
| 247 | Independent component model for cognitive functions of multiple subjects using [15O]H <sub>2</sub> O PET images. <i>Human Brain Mapping</i> , 2003, 18, 284-295.  | 3.7 | 15        |
| 248 | Structural abnormalities of the right inferior colliculus in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008, 164, 160-165.   | 1.9 | 15        |
| 249 | Longitudinal change in neurocognition and its relation to symptomatic and functional changes over 2 years in individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2016, 174, 50-57.   | 2.1 | 15        |
| 250 | Functional and Structural Connectivity of the Cerebellar Nuclei With the Striatum and Cerebral Cortex in First-Episode Psychosis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019, 31, 143-151.   | 2.0 | 15        |
| 251 | Disruption of function: Neurophysiological markers of cognitive deficits in retired football players. <i>Clinical Neurophysiology</i> , 2019, 130, 111-121.   | 2.0 | 15        |
| 252 | Resting-state functional connectivity of the striatum predicts improvement in negative symptoms and general functioning in patients with first-episode psychosis: A 1-year naturalistic follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 509-518. | 2.8 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Defining data-driven subgroups of obsessive-compulsive disorder with different treatment responses based on resting-state functional connectivity. <i>Translational Psychiatry</i> , 2020, 10, 359.                      | 4.9 | 15        |
| 254 | Impairment of recognition memory in schizophrenia: Event-related potential study using a continuous recognition task. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 465-472.                                  | 2.3 | 14        |
| 255 | Implicit and explicit memory in patients with obsessive-compulsive disorder: An event-related potential study. <i>Journal of Psychiatric Research</i> , 2006, 40, 541-549.   | 3.2 | 14        |
| 256 | Quantitative analysis of ataxic gait in patients with schizophrenia: The influence of age and visual control. <i>Psychiatry Research</i> , 2007, 152, 155-164.   | 3.4 | 14        |
| 257 | Prospective outcome of early intervention for individuals at ultra-high-risk for psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 277-284.   | 1.9 | 14        |
| 258 | Volumetric differences in the pituitary between drug-naïve and medicated male patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 605-609.    | 5.0 | 14        |
| 259 | Do organizational strategies mediate nonverbal memory impairment in drug-naïve patients with obsessive-compulsive disorder?. <i>Neuropsychology</i> , 2010, 24, 527-533.   | 1.2 | 14        |
| 260 | Compressed sensing joint reconstruction for multi-view images. <i>Electronics Letters</i> , 2010, 46, 1548.  | 1.0 | 14        |
| 261 | Increased white matter integrity in the corpus callosum in subjects with high genetic loading for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 50-55.                | 5.0 | 14        |
| 262 | Korean Self-Report Version of the Yale-Brown Obsessive-Compulsive Scale: Factor Structure, Reliability, and Validity. <i>Psychiatry Investigation</i> , 2013, 10, 17.  | 1.6 | 14        |
| 263 | Intraindividual neurophysiological variability in ultra-high-risk for psychosis and schizophrenia patients: single-trial analysis. <i>NPJ Schizophrenia</i> , 2015, 1, 15031.  | 4.5 | 14        |
| 264 | Effects of Intranasal Oxytocin on Emotion Recognition in Korean Male: A Dose-Response Study. <i>Psychiatry Investigation</i> , 2018, 15, 710-716.  | 1.6 | 14        |
| 265 | Relationship between resting-state theta phase-gamma amplitude coupling and neurocognitive functioning in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 216, 154-160.                     | 2.1 | 14        |
| 266 | A transdiagnostic perspective of constructs underlying obsessive-compulsive and related disorders: An international Delphi consensus study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 719-731. | 2.8 | 14        |
| 267 | Effects of Renaming Schizophrenia in Korea: from "Split-Mind Disorder" to "Attunement Disorder". <i>Psychiatry Investigation</i> , 2018, 15, 656-662.  | 1.6 | 14        |
| 268 | Anomalies in the physical properties of the $\hat{\pm}$ form of bismuth oxide. <i>Physics of the Solid State</i> , 1997, 39, 770-774.  | 0.5 | 13        |
| 269 | Neurological abnormalities in schizophrenia and obsessive-compulsive disorder. <i>Current Opinion in Psychiatry</i> , 2004, 17, 215-220.   | 6.6 | 13        |
| 270 | Neuromagnetic auditory response and its relation to cortical thickness in ultra-high-risk for psychosis. <i>Schizophrenia Research</i> , 2012, 140, 93-98.   | 2.1 | 13        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. <i>Psychiatric Genetics</i> , 2015, 25, 147-154.   | 1.1 | 13        |
| 272 | Factors contributing to the duration of untreated prodromal positive symptoms in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 64-66.                                | 2.1 | 13        |
| 273 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.                           | 4.8 | 13        |
| 274 | Prenatal maternal biomarkers for the early diagnosis of congenital malformations: A review. <i>Pediatric Research</i> , 2019, 86, 560-566.  | 2.4 | 13        |
| 275 | Neurophysiological Mechanisms of Resilience as a Protective Factor in Patients with Internet Gaming Disorder: A Resting-State EEG Coherence Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 49.           | 2.5 | 13        |
| 276 | Neurophysiological Correlate of Emotion Regulation by Cognitive Reappraisal and Its Association With Psychotic Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 87-96.                    | 4.6 | 13        |
| 277 | Identification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography-tandem mass spectrometry. <i>Psychiatry Research</i> , 2021, 299, 113850.   | 3.4 | 13        |
| 278 | Functional Connectivity of the Striatum as a Neural Correlate of Symptom Severity in Patient with Obsessive-Compulsive Disorder. <i>Psychiatry Investigation</i> , 2020, 17, 87-95.                             | 1.6 | 13        |
| 279 | Neuropsychological correlates of N400 anomalies in patients with schizophrenia: A preliminary report. <i>Neuroscience Letters</i> , 2008, 448, 226-230.   | 2.1 | 12        |
| 280 | The use of healthy volunteers instead of patients to inform drug dosing studies: a [ <sup>11</sup> C]raclopride PET study. <i>Psychopharmacology</i> , 2011, 217, 515-523.                                      | 3.1 | 12        |
| 281 | Decreased neural response for facial emotion processing in subjects with high genetic load for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 90-96.          | 5.0 | 12        |
| 282 | Global and Specific Profiles of Executive Functioning in Prodromal and Early Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 356.   | 2.7 | 12        |
| 283 | Quantitative Proteomic Approach for Discriminating Major Depressive Disorder and Bipolar Disorder by Multiple Reaction Monitoring-Mass Spectrometry. <i>Journal of Proteome Research</i> , 2021, 20, 3188-3203. | 3.8 | 12        |
| 284 | The functional connectome in obsessive-compulsive disorder: resting-state mega-analysis and machine learning classification for the ENIGMA-OCD consortium. <i>Molecular Psychiatry</i> , 2023, 28, 4307-4319.   | 8.2 | 12        |
| 285 | Single-channel polychromatic pattern recognition by the use of a joint-transform correlator. <i>Applied Optics</i> , 1996, 35, 6382.  | 2.1 | 11        |
| 286 | Self-initiated encoding facilitates object working memory in schizophrenia: Implications for the etiology of working memory deficit. <i>Schizophrenia Research</i> , 2006, 82, 65-74.                           | 2.1 | 11        |
| 287 | Effects of DRD2 and CYP2D6 genotypes on delta EEG power response to aripiprazole in healthy male volunteers: a preliminary study. <i>Human Psychopharmacology</i> , 2006, 21, 519-528.                          | 1.7 | 11        |
| 288 | Impairment of source memory in patients with obsessive-compulsive disorder: Equivalent current dipole analysis. <i>Psychiatry Research</i> , 2009, 165, 47-59.  | 3.4 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Genome-wide linkage scan of quantitative traits representing symptom dimensions in multiplex schizophrenia families. <i>Psychiatry Research</i> , 2013, 210, 756-760.  | 3.4 | 11        |
| 290 | Feasibility study of efficient wireless power transmission in satellite interior. <i>Microwave and Optical Technology Letters</i> , 2016, 58, 2518-2522.   | 1.5 | 11        |
| 291 | Quantitative analysis of group-specific brain tissue probability map for schizophrenic patients. <i>NeuroImage</i> , 2005, 26, 502-512.  | 4.4 | 10        |
| 292 | Objects and their icons in the brain: The neural correlates of visual concept formation. <i>Neuroscience Letters</i> , 2008, 436, 300-304.   | 2.1 | 10        |
| 293 | Taq1A polymorphism in the dopamine D2 receptor gene predicts brain metabolic response to aripiprazole in healthy male volunteers. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 91-97.  | 1.6 | 10        |
| 294 | Social functioning and quality of life as measures of effectiveness in the treatment of schizophrenia. <i>World Psychiatry</i> , 2009, 8, 35-36.   | 9.6 | 10        |
| 295 | The efficacy and safety of 12 weeks of treatment with sertindole or olanzapine in patients with chronic schizophrenia who did not respond successfully to their previous treatments. <i>International Clinical Psychopharmacology</i> , 2012, 27, 1. | 1.8 | 10        |
| 296 | The impact of genetic variation in comt and bdnf on resting-state functional connectivity. <i>International Journal of Imaging Systems and Technology</i> , 2012, 22, 97-102.  | 4.0 | 10        |
| 297 | Vitamin D intake of Dutch infants from the combination of (fortified) foods, infant formula, and dietary supplements. <i>European Journal of Nutrition</i> , 2017, 56, 581-590.  | 4.0 | 10        |
| 298 | Higher serotonin transporter availability in early-onset obsessive-compulsive disorder patients undergoing escitalopram treatment: A [ <sup>11</sup> C]DASB PET study. <i>Human Psychopharmacology</i> , 2018, 33, e2642.                            | 1.7 | 10        |
| 299 | Embryonic stem cell microenvironment suppresses the malignancy of cutaneous melanoma cells by down-regulating PI3K/AKT pathway. <i>Cancer Medicine</i> , 2019, 8, 4265-4277.   | 2.9 | 10        |
| 300 | Neural bases of the clinical and neurocognitive differences between early and late-onset obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 234-242.   | 2.8 | 10        |
| 301 | Thalamocortical dysrhythmia in patients with schizophrenia spectrum disorder and individuals at clinical high risk for psychosis. <i>Neuropsychopharmacology</i> , 2022, 47, 673-680.  | 5.6 | 10        |
| 302 | Intrinsic cerebellar functional connectivity of social cognition and theory of mind in first-episode psychosis patients. <i>NPJ Schizophrenia</i> , 2021, 7, 59.   | 4.5 | 10        |
| 303 | Volume deficits in hippocampal subfields in unaffected relatives of schizophrenia patients with high genetic loading but without any psychiatric symptoms. <i>Schizophrenia Research</i> , 2022, 240, 125-131.                                       | 2.1 | 10        |
| 304 | Surface-based functional magnetic resonance imaging analysis of partial brain echo planar imaging data at 1.5 T. <i>Magnetic Resonance Imaging</i> , 2009, 27, 691-700.  | 1.9 | 9         |
| 305 | What is the optimal dose of escitalopram for the treatment of obsessive-compulsive disorder? A naturalistic open-label study. <i>International Clinical Psychopharmacology</i> , 2011, 26, 284-290.  | 1.8 | 9         |
| 306 | Eating-Behavior Changes Associated With Antipsychotic Medications in Patients With Schizophrenia as Measured by the Drug-Related Eating Behavior Questionnaire. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 120-122.                   | 1.4 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Baseline putamen volume as a predictor of positive symptom reduction in patients at clinical high risk for psychosis: A preliminary study. <i>Schizophrenia Research</i> , 2015, 169, 178-185.  | 2.1 | 9         |
| 308 | Regional Differences in Serotonin Transporter Occupancy by Escitalopram: An [11C]DASB PK-PD Study. <i>Clinical Pharmacokinetics</i> , 2017, 56, 371-381.  | 3.6 | 9         |
| 309 | Fourteen years of anthropization dynamics in the Uapaca bojeri Baill. forest of Madagascar. <i>Landscape and Ecological Engineering</i> , 2018, 14, 135-146.  | 1.7 | 9         |
| 310 | Incidental inflammatory adenoma with $\beta$ -catenin activation in the setting of paediatric NASH. <i>Pediatric Obesity</i> , 2018, 13, 70-73.   | 2.8 | 9         |
| 311 | Effectiveness of antipsychotic drugs in schizophrenia: a 10-year retrospective study in a Korean tertiary hospital. <i>NPJ Schizophrenia</i> , 2020, 6, 32.   | 4.5 | 9         |
| 312 | Validation of the Korean Version of the Prodromal Questionnaire-Brief Version in Non-Help-Seeking Individuals. <i>Psychiatry Investigation</i> , 2019, 16, 109-114.   | 1.6 | 9         |
| 313 | Glucagon-Like Peptide-1 Receptor Agonist Differentially Affects Brain Activation in Response to Visual Food Cues in Lean and Obese Individuals with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 248. | 4.4 | 9         |
| 314 | Mapping thalamocortical functional connectivity with large-scale brain networks in patients with first-episode psychosis. <i>Scientific Reports</i> , 2021, 11, 19815.  | 3.4 | 9         |
| 315 | Calculating Occupancy when One does not have Baseline: A Comparison of Different Options. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1760-1767.   | 4.6 | 8         |
| 316 | Impaired body but not face perception in patients with obsessive-compulsive disorder. <i>Journal of Neuropsychology</i> , 2013, 7, 58-71.   | 1.8 | 8         |
| 317 | Reduced cortical gyrification in the posteromedial cortex in unaffected relatives of schizophrenia patients with high genetic loading. <i>NPJ Schizophrenia</i> , 2021, 7, 17.  | 4.5 | 8         |
| 318 | Mediating Effect of Executive Function on Memory in Normal Aging Adults. <i>Psychiatry Investigation</i> , 2013, 10, 108.   | 1.6 | 8         |
| 319 | High-Dose Escitalopram Treatment in Patients With Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 108-110.   | 1.4 | 7         |
| 320 | Cortical network dynamics during source memory retrieval: Current density imaging with individual MRI. <i>Human Brain Mapping</i> , 2009, 30, 78-91.  | 3.7 | 7         |
| 321 | Micro/nanofabrication for a realistic beetle wing with a superhydrophobic surface. <i>Bioinspiration and Biomimetics</i> , 2012, 7, 016011.   | 2.9 | 7         |
| 322 | Reduced volume in the anterior internal capsule but its maintained correlation with the frontal gray matter in subjects at ultra-high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 82-90.               | 1.9 | 7         |
| 323 | Switching strategy underlies phonemic verbal fluency impairment in obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2012, 1, 221-227.  | 1.5 | 7         |
| 324 | Predicting Symptomatic and Functional Improvements over 1 Year in Patients with First-Episode Psychosis Using Resting-State Electroencephalography. <i>Psychiatry Investigation</i> , 2019, 16, 695-703.                              | 1.6 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | The Impact of Personality Traits on Ratings of Obsessive-Compulsive Symptoms. <i>Psychiatry Investigation</i> , 2013, 10, 259.  | 1.6 | 7         |
| 326 | The Relationship Between Frontostriatal Connectivity and Striatal Dopamine Function in Schizophrenia: An 18F-DOPA PET and Diffusion Tensor Imaging Study in Treatment Responsive and Resistant Patients. <i>Psychiatry Investigation</i> , 2022, 19, 570-579. | 1.6 | 7         |
| 327 | Large-Scale Thalamocortical Triple Network Dysconnectivities in Patients With First-Episode Psychosis and Individuals at Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2023, 49, 375-384.   | 4.6 | 7         |
| 328 | Activity of left inferior frontal gyrus related to word repetition effects: LORETA imaging with 128-channel EEG and individual MRI. <i>NeuroImage</i> , 2006, 29, 712-720.  | 4.4 | 6         |
| 329 | Equivalent Current Dipole of Word Repetition Effects in Patients with Obsessive-Compulsive Disorder. <i>Brain Topography</i> , 2006, 18, 201-212.   | 1.8 | 6         |
| 330 | An MRI study of structural variations in schizophrenia using deformation field morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2006, 146, 171-177.   | 1.9 | 6         |
| 331 | Brain network characteristics separating individuals at clinical high risk for psychosis into normality or psychosis. <i>Schizophrenia Research</i> , 2017, 190, 107-114.   | 2.1 | 6         |
| 332 | Higher extrinsic and lower intrinsic connectivity in resting state networks for professional Baduk (Go) players. <i>Brain and Behavior</i> , 2017, 7, e00853.   | 2.3 | 6         |
| 333 | Differential Risk of Peptic Ulcer Among Users of Antidepressants Combined With Nonsteroidal Anti-inflammatory Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 239-245.   | 1.4 | 6         |
| 334 | The effect of transcranial direct current stimulation on auditory hallucination in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 489-490.   | 2.1 | 6         |
| 335 | Altered Eye-Movement Patterns During Text Reading in Obsessive-Compulsive Disorder and Internet Gaming Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 248.   | 2.1 | 6         |
| 336 | The evolving understanding of factor VIII binding sites and implications for the treatment of hemophilia A. <i>Blood Reviews</i> , 2019, 33, 1-5.   | 6.2 | 6         |
| 337 | Thyroid hormone-induced expression of Foxl1 in subepithelial fibroblasts correlates with adult stem cell development during <i>Xenopus</i> intestinal remodeling. <i>Scientific Reports</i> , 2020, 10, 20715.  | 3.4 | 6         |
| 338 | Distinct neural networks associated with obsession and delusion: a connectome-wide association study. <i>Psychological Medicine</i> , 2021, 51, 1320-1328.  | 5.2 | 6         |
| 339 | Association between memory impairment and brain metabolite concentrations in North Korean refugees with posttraumatic stress disorder. <i>PLoS ONE</i> , 2017, 12, e0188953.  | 2.5 | 6         |
| 340 | Effect of tDCS on Aberrant Functional Network Connectivity in Refractory Hallucinatory Schizophrenia: A Pilot Study. <i>Psychiatry Investigation</i> , 2019, 16, 244-248.   | 1.6 | 6         |
| 341 | Impaired Performance on the Reading the Mind in the Eyes Test in First-Episode Psychosis and Clinical High Risk for Psychosis. <i>Psychiatry Investigation</i> , 2020, 17, 1200-1206.   | 1.6 | 6         |
| 342 | Changes in Effective Connectivity According to Working Memory Load: An fMRI Study of Face and Location Working Memory Tasks. <i>Psychiatry Investigation</i> , 2012, 9, 283.  | 1.6 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Shape analysis of subcortical structures in obsessive-compulsive disorder and the relationship with comorbid anxiety, depression, and medication use: A meta-analysis by the OCD Brain Imaging Consortium. <i>Brain and Behavior</i> , 2022, 12, . | 2.3 | 6         |
| 344 | A method for loading equine platelets with the fluorescent calcium indicator Fura-2: ADP induces a rise in the cytosolic free calcium ion concentration. <i>Equine Veterinary Journal</i> , 1993, 25, 45-48.                                       | 1.7 | 5         |
| 345 | Classification of frequency distributions of diagnostic criteria scores in twelve personality disorders by the curve fitting method. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 417-423.   | 2.3 | 5         |
| 346 | Is There an Association Between Mismatch Negativity and Cortical Thickness in Schizophrenia Patients?. <i>Clinical EEG and Neuroscience</i> , 2017, 48, 383-392.   | 1.8 | 5         |
| 347 | Design and comparison of electrically excited double rotor flux switching motor drive systems for automotive applications. <i>CES Transactions on Electrical Machines and Systems</i> , 2018, 2, 191-199.  | 3.8 | 5         |
| 348 | Auditory P300 as a Neurophysiological Correlate of Symptomatic Improvement by Transcranial Direct Current Stimulation in Patients With Schizophrenia: A Pilot Study. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 252-258.                     | 1.8 | 5         |
| 349 | The Neurobehavioral Mechanisms Underlying Attitudes Toward People With Mental or Physical Illness. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 571225.   | 2.1 | 5         |
| 350 | Forecasting prognostic trajectories with mismatch negativity in early psychosis. <i>Psychological Medicine</i> , 2023, 53, 1489-1499.  | 5.2 | 5         |
| 351 | Management of Schizophrenia with: Obsessive-Disorder Compulsive. <i>Psychiatric Annals</i> , 2005, 35, 36-43.  | 0.2 | 5         |
| 352 | Sex differences in the behavioral inhibition system and ventromedial prefrontal cortex connectivity. <i>Social Cognitive and Affective Neuroscience</i> , 2022, 17, 571-578.   | 3.3 | 5         |
| 353 | Alterations in blood proteins in the prodromal stage of bipolar II disorders. <i>Scientific Reports</i> , 2022, 12, 3174.  | 3.4 | 5         |
| 354 | Aberrant cortico-striatal white matter connectivity and associated subregional microstructure of the striatum in obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2022, 27, 3460-3467.   | 8.2 | 5         |
| 355 | Are Brain Responses to Emotion a Reliable Endophenotype of Schizophrenia? An Image-Based Functional Magnetic Resonance Imaging Meta-analysis. <i>Biological Psychiatry</i> , 2023, 93, 167-177.  | 1.3 | 5         |
| 356 | Algorithm-driven treatment for bipolar disorder in Korea: Clinical feasibility, efficacy, and safety. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009, 13, 122-129.   | 2.7 | 4         |
| 357 | Efficacy and Tolerability of Aripiprazole: A 26-Week Switching Study from Oral Antipsychotics. <i>Psychiatry Investigation</i> , 2010, 7, 189.   | 1.6 | 4         |
| 358 | Mutual information-based evolution of hypernetworks for brain data analysis. , 2011, , .   |     | 4         |
| 359 | Lower glutamate level in temporo-parietal junction may predict a better response to tDCS in schizophrenia. <i>Schizophrenia Research</i> , 2018, 201, 422-423.   | 2.1 | 4         |
| 360 | Plastic Changes in the White Matter Induced by Templestay, a 4-Day Intensive Mindfulness Meditation Program. <i>Mindfulness</i> , 2019, 10, 2294-2301.   | 3.0 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Public Attention to Crime of Schizophrenia and Its Correlation with Use of Mental Health Services in Patients with Schizophrenia. Korean Journal of Schizophrenia Research, 2019, 22, 34.  | 0.3 | 4         |
| 362 | Intrinsic functional connectivity of blue and red brains: neurobiological evidence of different stress resilience between political attitudes. Scientific Reports, 2020, 10, 15877.  | 3.4 | 4         |
| 363 | White Matter Correlates of Theory of Mind in Patients With First-Episode Psychosis. Frontiers in Psychiatry, 2021, 12, 617683.   | 2.7 | 4         |
| 364 | Impaired error-related processing in patients with first episode psychosis and subjects at clinical high risk for psychosis: An event-related potential study. Psychiatry and Clinical Neurosciences, 2021, 75, 219-226.               | 2.3 | 4         |
| 365 | Fronto-striato-thalamic circuit connectivity and neuromelanin in schizophrenia: an fMRI and neuromelanin-MRI study. Schizophrenia, 2023, 9, .  | 2.1 | 4         |
| 366 | Response to Rosburg: A voxel-based statistical parametric mapping of MMN current densities. Human Brain Mapping, 2004, 21, 46-48.  | 3.7 | 3         |
| 367 | Intra- and interday repeatability of peripheral arterial function: suitability and potential limitations. Microcirculation, 2016, 23, 503-511.   | 1.9 | 3         |
| 368 | Beyond Domain-Specific Expertise: Neural Signatures of Face and Spatial Working Memory in Baduk (Go) Tj ETQq0,0,0 rgBT /Overlock 1   | 2.1 | 3         |
| 369 | Attenuated Resting-State Functional Anticorrelation between Attention and Executive Control Networks in Schizotypal Personality Disorder. Journal of Clinical Medicine, 2021, 10, 312.   | 2.5 | 3         |
| 370 | Reliability and validity of the Korean version of the comprehensive assessment of <scp>atâ€risk</scp> mental states. Microbial Biotechnology, 2021, 15, 1730-1737.   | 1.9 | 3         |
| 371 | Triple-Network Dysconnectivity in Patients With First-Episode Psychosis and Individuals at Clinical High Risk for Psychosis. Psychiatry Investigation, 2022, 19, 1037-1045.  | 1.6 | 3         |
| 372 | Latent class analysis of psychotic-affective disorders with data-driven plasma proteomics. Translational Psychiatry, 2023, 13, .   | 4.9 | 3         |
| 373 | Representative brain selection using a group-specific tissue probability map. Magnetic Resonance Imaging, 2005, 23, 809-815.   | 1.9 | 2         |
| 374 | The Curse of Apneic Spells. Seminars in Pediatric Neurology, 2018, 26, 56-58.  | 1.9 | 2         |
| 375 | Intact thalamic microstructure in asymptomatic relatives of schizophrenia patients with high genetic loading. Schizophrenia Research, 2021, 230, 111-113.  | 2.1 | 2         |
| 376 | Eye movement as a biomarker of impaired organizational strategies during visual memory encoding in obsessive-compulsive disorder. Scientific Reports, 2021, 11, 18402.   | 3.4 | 2         |
| 377 | Necessity of Reorganization of Mental Health Welfare Act to Decrease in Social Anxiety Related to Patients with Schizophrenia and to Ensure Proper Human Rights for Mentally Ill Persons. Psychiatry Investigation, 2018, 15, 745-746. | 1.6 | 2         |
| 378 | The Emotional Characteristics of Schizotypy. Psychiatry Investigation, 2008, 5, 148.   | 1.6 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Research Trends in Individuals at High Risk for Psychosis: A Bibliometric Analysis. <i>Frontiers in Psychiatry</i> , 2022, 13, 853296.  | 2.7 | 2         |
| 380 | Are the conditions of the Italian forests worsening due to extreme climatic events? Evidence from the national monitoring networks ICP Forests - CON. <i>ECO.FOR.. Forest@</i> , 2022, 19, 74-81.                                       | 0.4 | 2         |
| 381 | Aberrant cortico-thalamo-cerebellar network interactions and their association with impaired cognitive functioning in patients with schizophrenia. <i>Schizophrenia</i> , 2023, 9, .  | 2.1 | 2         |
| 382 | Accelerating Medicines Partnership® Schizophrenia (AMP® SCZ): Rationale and Study Design of the Largest Global Prospective Cohort Study of Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2024, 50, 496-512.         | 4.6 | 2         |
| 383 | Neurocomputational model of compulsivity: deviating from an uncertain goal-directed system. <i>Brain</i> , 2024, 147, 2230-2244.  | 8.0 | 2         |
| 384 | Change in health knowledge of Bangladeshi children five years experience. <i>Public Health</i> , 2001, 115, 380-386.  | 3.0 | 1         |
| 385 | Temporal association of MMN multiple generators: high density recording (128 channels). <i>International Congress Series</i> , 2002, 1232, 335-338.   | 0.2 | 1         |
| 386 | Domain wall drag due to dc current injection into ferromagnetic nano-wires. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E1347-E1348.  | 2.3 | 1         |
| 387 | Gray matter abnormalities in paranoid schizophrenia and their clinical correlations. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 251-251.  | 1.9 | 1         |
| 388 | Gender classification with cortical thickness measurement from magnetic resonance imaging by using a feature selection method based on evolutionary hypernetworks. , 2009, , .  |     | 1         |
| 389 | Effects of the functioning and antipsychotic use on clinical high risk for psychosis: A response to Yung et al.. <i>Schizophrenia Research</i> , 2014, 159, 254-255.  | 2.1 | 1         |
| 390 | PT735. Multisensory integration of social interaction. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 67-68.   | 2.1 | 1         |
| 391 | A pilot study investigating the effect of transcranial direct current stimulation on the electrophysiological correlates of working memory in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 284, 9-12. | 1.9 | 1         |
| 392 | A Prospective Study for Prediction of Psychotic Relapse Using the Korean Early Signs Scale in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 451-456.   | 1.4 | 1         |
| 393 | RIFM fragrance ingredient safety assessment, n-furfurylpyrrole, CAS Registry Number 1438-94-4. <i>Food and Chemical Toxicology</i> , 2020, 141, 111345.   | 3.7 | 1         |
| 394 | Searching for religious discrimination among childcare workers. <i>Review of Development Economics</i> , 2020, 24, 362-382.   | 1.8 | 1         |
| 395 | Characteristics of Impulsive and Premeditated Aggression Subtypes in Patients with Schizophrenia in South Korea Who Committed a Crime. <i>Korean Journal of Schizophrenia Research</i> , 2021, 24, 8-16.                                | 0.3 | 1         |
| 396 | Brain Activation of Patients With Obsessive-Compulsive Disorder During a Mental Rotation Task: A Functional MRI Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 659121.   | 2.7 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Effects of Oxytocin on Social Comparisons in Intergroup Situations. <i>Brain Sciences</i> , 2021, 11, 1227.   | 2.4 | 1         |
| 398 | Reconsidering Clinical Staging Model: A Case of Genetic High Risk for Schizophrenia. <i>Psychiatry Investigation</i> , 2017, 14, 107.   | 1.6 | 1         |
| 399 | Chromosomal Rearrangements Affecting ABL1 in T-Cell Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2004, 104, 2894-2894.   | 1.4 | 1         |
| 400 | Thalamo-cortical system involving higher-order nuclei in patients with first-episode psychosis. <i>BMB Reports</i> , 2018, 51, 427-428.   | 2.5 | 1         |
| 401 | Restingâ€state theta phaseâ€gamma amplitude coupling as a biomarker for the transdiagnostic dimensional approach in psychiatric disorders. <i>Psychiatry and Clinical Neurosciences</i> , 0, , .  | 2.3 | 1         |
| 402 | Low-grade mucinous neoplasm arising from mature ovarian teratoma with pseudomyxoma peritonei. <i>International Journal of Gynecological Cancer</i> , 2023, 33, 1005-1006.   | 2.8 | 1         |
| 403 | Anti-Inflammatory Effects of Fermented Products with <i>Avena sativa</i> on RAW264.7 and HT-29 Cells via Inhibition of Inflammatory Mediators. <i>Natural Product Sciences</i> , 2020, 26, 244-251.   | 0.8 | 1         |
| 404 | White matter diffusion estimates in obsessive-compulsive disorder across 1653 individuals: machine learning findings from the ENIGMA OCD Working Group. <i>Molecular Psychiatry</i> , 2024, 29, 1063-1074.  | 8.2 | 1         |
| 405 | Digital Phenotypes for Early Detection of Internet Gaming Disorder in Adolescent Students: Explorative Data-Driven Study. <i>JMIR Mental Health</i> , 0, 11, e50259.  | 3.4 | 1         |
| 406 | Functional imaging of obsessiveâ€compulsive disorder. , 0, , 247-259.   |     | 0         |
| 407 | Group 15 Elements. , 2015, , 103-122.   |     | 0         |
| 408 | Verband der Schwesternschaften vom DRK e.â€...V.. <i>Psychiatrische Pflege Heute: Fachzeitschrift Fuer Die Psychiatrische Pflege</i> , 2015, 21, 228-228.   | 0.3 | 0         |
| 409 | PM526. Cognitive Distractions by Auditory Verbal Hallucinations: A Social Cognitive Approach. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 91-91.  | 2.1 | 0         |
| 410 | PM460. Association between increased resting-state functional connectivity and reduced symptoms of schizotypal personality disorder: neural evidence for compensatory brain responses. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 67-67. | 2.1 | 0         |
| 411 | PM438. Functional connectivity and striatal dopamine synthesis in schizophrenia treated with antipsychotic drugs: multimodal imaging study using [18F]DOPA PET and resting MRI. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 59-60.        | 2.1 | 0         |
| 412 | PM458. Altered Frontal and Temporal Microstructure in Patients with First-Episode Psychosis: Diffusion Kurtosis Study. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 66-66.   | 2.1 | 0         |
| 413 | PM461. Inflammation in schizophrenia: Imaging genetics. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 67-68.  | 2.1 | 0         |
| 414 | PM466. Neuroanatomical implications of concomitant mood disorders in subjects at clinical high risk for psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 69-70.   | 2.1 | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | PM468. Alterations of structural connectivity in patients with schizophrenia: a systematic review. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 70-70.   | 2.1 | 0         |
| 416 | PM474. Brain metabolite differences in subjects with high genetic risk of schizophrenia using 1H magnetic resonance spectroscopy. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 72-72.  | 2.1 | 0         |
| 417 | Hot Forming and Superplastic Forming: Presses Evolution and New Applications in the Aerospace Industry. <i>Materials Science Forum</i> , 2016, 838-839, 563-567.  | 0.2 | 0         |
| 418 | Need for the complete revision of the Mental Health and Welfare Act. <i>Journal of the Korean Medical Association</i> , 2017, 60, 710.  | 0.3 | 0         |
| 419 | Terahertz InP DHBT-Based Detectors for Studies of Water Status of Sorghum Leaves. , 2018, , .   |     | 0         |
| 420 | Strategy of an in vivo Study of the Evolution of Drugs via X-Ray Diffraction with Synchrotron Radiation. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2018, 82, 895-897.   | 0.6 | 0         |
| 421 | 79. Association Between Illness Duration and Psychotropic Medication in Obsessive-Compulsive Disorder and Altered Brain Structural Covariance Networks: A Multi-Center Analysis. <i>Biological Psychiatry</i> , 2019, 85, S33.  | 1.3 | 0         |
| 422 | Functional Magnetic Resonance Imaging Studies of Obsessive-Compulsive and Related Disorders. , 2019, , 85-112.  |     | 0         |
| 423 | Association of affected lower limb flexor muscle strength with swing phase duration and gait speed in elderly post-stroke patients. <i>NeuroRehabilitation</i> , 2020, 47, 443-450.   | 1.3 | 0         |
| 424 | In vivo gamma-aminobutyric acid/benzodiazepine receptor availability and genetic liability in asymptomatic individuals with high genetic loading of schizophrenia: A [11C]flumazenil positron emission tomography study. <i>Human Psychopharmacology</i> , 2021, 36, e2766. | 1.7 | 0         |
| 425 | Humanism in medicine. <i>International Journal of Whole Person Care</i> , 2021, 8, 3-6.   | 0.0 | 0         |
| 426 | Entités institutionnelles et attitudes mentales. <i>Dialogue-Canadian Philosophical Review</i> , 0, , 1-37.   | 0.3 | 0         |
| 427 | The Study on Classification Method of Obsessive-Compulsive Disorder with Schizotypal Trait using Frontal Lobe Function Test. <i>Journal of Korean Society of Medical Informatics</i> , 2006, 12, 141.   | 0.2 | 0         |
| 428 | Der AKT/mTOR-Signalweg besitzt eine wesentliche Bedeutung für die Tumorentstehung in der Insulin-induzierten Hepatokarzinogenese. <i>Zeitschrift Fur Gastroenterologie</i> , 2010, 48, .  | 0.3 | 0         |
| 429 | Comorbid Obsessive-Compulsive Symptoms in Schizophrenia: Neurocognitive Profile. <i>Psychiatric Annals</i> , 2018, 48, 557-560.   | 0.2 | 0         |
| 430 | A robust multivariate structure of interindividual covariation between psychosocial characteristics and arousal responses to visual narratives. <i>PLoS ONE</i> , 2022, 17, e0263817.   | 2.5 | 0         |
| 431 | A Comparative Evaluation of Cyclic Fatigue Resistance of Two Rotary Nickel - Titanium Endodontic Systems - An In Vitro Study. <i>Endodontology</i> , 2008, 20, 22.  | 0.2 | 0         |
| 432 | Certain averaging operators on Triebel-Lizorkin spaces. <i>Applied Mathematics</i> , 2022, 37, 546-562.   | 1.0 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Compromised Cerebello-Thalamic White Matter Integrity in Medication-Free Patients With Obsessive-Compulsive Disorder. <i>Psychiatry Investigation</i> , 2023, 20, 550-558.   | 1.6 | 0         |
| 434 | Magnetic resonance texture analysis reveals stagewise nonlinear alterations of the frontal gray matter in patients with early psychosis. <i>Molecular Psychiatry</i> , 2023, 28, 5309-5318.  | 8.2 | 0         |
| 435 | Using brain structural neuroimaging measures to predict psychosis onset for individuals at clinical high-risk. <i>Molecular Psychiatry</i> , 2024, 29, 1465-1477.  | 8.2 | 0         |
| 436 | Using brain structural neuroimaging measures to predict psychosis onset for individuals at clinical high-risk. <i>Molecular Psychiatry</i> , 2024, 29, 1465-1477.  | 8.2 | 0         |
| 437 | Blunted brain responses to neutral faces in healthy first-degree relatives of patients with schizophrenia: an image-based fMRI meta-analysis. <i>Schizophrenia</i> , 2024, 10, .   | 2.1 | 0         |
| 438 | Comparative Study of the Efficacy and Side Effects of Brand-Name and Generic Clozapine for Long-Term Maintenance Treatment Among Korean Patients With Schizophrenia: A Retrospective Naturalistic Mirror-Image Study. <i>Psychiatry Investigation</i> , 2024, 21, 311-320. | 1.6 | 0         |
| 439 | How ATP suppresses the fibrillation of amyloid peptides: analysis of the free-energy contributions. <i>Physical Chemistry Chemical Physics</i> , 2024, 26, 11880-11892.  | 2.9 | 0         |
| 440 | Constructing the KOR152 Korean Young Adult Brain Atlas Utilizing the State-of-the-Art Method for the Age-Specific Population. <i>Psychiatry Investigation</i> , 2024, 21, 664-671.   | 1.6 | 0         |
| 441 | Characteristics of Patients With Intractable Obsessive-Compulsive Disorder With High/Low Responsiveness to Gamma Knife Surgery. <i>Psychiatry Investigation</i> , 2024, 21, 629-636.   | 1.6 | 0         |
| 442 | Clinical Efficacy Analysis of Different Surgical Modalities in the Treatment of Endometrial Polyps Under Hysteroscopy. <i>Advances in Obstetrics and Gynecology Research</i> , 2024, 2, 25-30.   | 0.0 | 0         |
| 443 | Verbal Learning and Memory Deficits across Neurological and Neuropsychiatric Disorders: Insights from an ENIGMA Mega Analysis. <i>Brain Sciences</i> , 2024, 14, 669.  | 2.4 | 0         |
| 444 | MRI textural plasticity in limbic gray matter associated with clinical response to electroconvulsive therapy for psychosis. <i>Molecular Psychiatry</i> , 0, , .   | 8.2 | 0         |