

Jun Soo Kwon

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/2902697/publications.pdf](https://exaly.com/author-pdf/2902697/publications.pdf)

Version: 2024-02-01

444
papers

19,549
citations

11078

71
h-index

22041

114
g-index

502
all docs

502
docs citations

502
times ranked

24051
citing authors

#	ARTICLE	IF	CITATIONS
1	Using brain structural neuroimaging measures to predict psychosis onset for individuals at clinical high-risk. <i>Molecular Psychiatry</i> , 2024, 29, 1465-1477.	8.2	0
2	Using brain structural neuroimaging measures to predict psychosis onset for individuals at clinical high-risk. <i>Molecular Psychiatry</i> , 2024, 29, 1465-1477.	8.2	0
3	White matter diffusion estimates in obsessive-compulsive disorder across 1653 individuals: machine learning findings from the ENIGMA OCD Working Group. <i>Molecular Psychiatry</i> , 2024, 29, 1063-1074.	8.2	1
4	Accelerating Medicines Partnership® Schizophrenia (AMP® SCZ): Rationale and Study Design of the Largest Global Prospective Cohort Study of Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2024, 50, 496-512.	4.6	2
5	Blunted brain responses to neutral faces in healthy first-degree relatives of patients with schizophrenia: an image-based fMRI meta-analysis. <i>Schizophrenia</i> , 2024, 10, .	2.1	0
6	Comparative Study of the Efficacy and Side Effects of Brand-Name and Generic Clozapine for Long-Term Maintenance Treatment Among Korean Patients With Schizophrenia: A Retrospective Naturalistic Mirror-Image Study. <i>Psychiatry Investigation</i> , 2024, 21, 311-320.	1.6	0
7	How ATP suppresses the fibrillation of amyloid peptides: analysis of the free-energy contributions. <i>Physical Chemistry Chemical Physics</i> , 2024, 26, 11880-11892.	2.9	0
8	Neurocomputational model of compulsivity: deviating from an uncertain goal-directed system. <i>Brain</i> , 2024, 147, 2230-2244.	8.0	2
9	Constructing the KOR152 Korean Young Adult Brain Atlas Utilizing the State-of-the-Art Method for the Age-Specific Population. <i>Psychiatry Investigation</i> , 2024, 21, 664-671.	1.6	0
10	Characteristics of Patients With Intractable Obsessive-Compulsive Disorder With High/Low Responsiveness to Gamma Knife Surgery. <i>Psychiatry Investigation</i> , 2024, 21, 629-636.	1.6	0
11	Clinical Efficacy Analysis of Different Surgical Modalities in the Treatment of Endometrial Polyps Under Hysteroscopy. <i>Advances in Obstetrics and Gynecology Research</i> , 2024, 2, 25-30.	0.0	0
12	Verbal Learning and Memory Deficits across Neurological and Neuropsychiatric Disorders: Insights from an ENIGMA Mega Analysis. <i>Brain Sciences</i> , 2024, 14, 669.	2.4	0
13	Forecasting prognostic trajectories with mismatch negativity in early psychosis. <i>Psychological Medicine</i> , 2023, 53, 1489-1499.	5.2	5
14	Are Brain Responses to Emotion a Reliable Endophenotype of Schizophrenia? An Image-Based Functional Magnetic Resonance Imaging Meta-analysis. <i>Biological Psychiatry</i> , 2023, 93, 167-177.	1.3	5
15	Brain ageing in schizophrenia: evidence from 26 international cohorts via the ENIGMA Schizophrenia consortium. <i>Molecular Psychiatry</i> , 2023, 28, 1201-1209.	8.2	37
16	Large-Scale Thalamocortical Triple Network Dysconnectivities in Patients With First-Episode Psychosis and Individuals at Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2023, 49, 375-384.	4.6	7
17	Latent class analysis of psychotic-affective disorders with data-driven plasma proteomics. <i>Translational Psychiatry</i> , 2023, 13, .	4.9	3
18	Low-grade mucinous neoplasm arising from mature ovarian teratoma with pseudomyxoma peritonei. <i>International Journal of Gynecological Cancer</i> , 2023, 33, 1005-1006.	2.8	1

#	ARTICLE	IF	CITATIONS
19	The functional connectome in obsessive-compulsive disorder: resting-state mega-analysis and machine learning classification for the ENIGMA-OCD consortium. <i>Molecular Psychiatry</i> , 2023, 28, 4307-4319.	8.2	12
20	Compromised Cerebello-Thalamic White Matter Integrity in Medication-Free Patients With Obsessive-Compulsive Disorder. <i>Psychiatry Investigation</i> , 2023, 20, 550-558.	1.6	0
21	Magnetic resonance texture analysis reveals stagewise nonlinear alterations of the frontal gray matter in patients with early psychosis. <i>Molecular Psychiatry</i> , 2023, 28, 5309-5318.	8.2	0
22	Aberrant cortico-thalamo-cerebellar network interactions and their association with impaired cognitive functioning in patients with schizophrenia. <i>Schizophrenia</i> , 2023, 9, .	2.1	2
23	Fronto-striato-thalamic circuit connectivity and neuromelanin in schizophrenia: an fMRI and neuromelanin-MRI study. <i>Schizophrenia</i> , 2023, 9, .	2.1	4
24	Prediction of psychosis: model development and internal validation of a personalized risk calculator. <i>Psychological Medicine</i> , 2022, 52, 2632-2640.	5.2	18
25	An overview of the first 5 years of the ENIGMA obsessive-compulsive disorder working group: The power of worldwide collaboration. <i>Human Brain Mapping</i> , 2022, 43, 23-36.	3.7	54
26	Sex differences in the behavioral inhibition system and ventromedial prefrontal cortex connectivity. <i>Social Cognitive and Affective Neuroscience</i> , 2022, 17, 571-578.	3.3	5
27	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.2	41
28	Thalamic Connectivity System Across Psychiatric Disorders: Current Status and Clinical Implications. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 332-340.	2.8	28
29	Thalamocortical dysrhythmia in patients with schizophrenia spectrum disorder and individuals at clinical high risk for psychosis. <i>Neuropsychopharmacology</i> , 2022, 47, 673-680.	5.6	10
30	Volume deficits in hippocampal subfields in unaffected relatives of schizophrenia patients with high genetic loading but without any psychiatric symptoms. <i>Schizophrenia Research</i> , 2022, 240, 125-131.	2.1	10
31	The thalamus and its subnuclei—a gateway to obsessive-compulsive disorder. <i>Translational Psychiatry</i> , 2022, 12, 70.	4.9	23
32	Alterations in blood proteins in the prodromal stage of bipolar II disorders. <i>Scientific Reports</i> , 2022, 12, 3174.	3.4	5
33	First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea. <i>PLoS Medicine</i> , 2022, 19, e1003945.	8.4	21
34	A robust multivariate structure of interindividual covariation between psychosocial characteristics and arousal responses to visual narratives. <i>PLoS ONE</i> , 2022, 17, e0263817.	2.5	0
35	Research Trends in Individuals at High Risk for Psychosis: A Bibliometric Analysis. <i>Frontiers in Psychiatry</i> , 2022, 13, 853296.	2.7	2
36	Aberrant cortico-striatal white matter connectivity and associated subregional microstructure of the striatum in obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2022, 27, 3460-3467.	8.2	5

#	ARTICLE	IF	CITATIONS
37	Are the conditions of the Italian forests worsening due to extreme climatic events? Evidence from the national monitoring networks ICP Forests - CON. ECO.FOR.. Forest@, 2022, 19, 74-81.	0.4	2
38	Neuroanatomical heterogeneity and homogeneity in individuals at clinical high risk for psychosis. Translational Psychiatry, 2022, 12, .	4.9	16
39	The Relationship Between Frontostriatal Connectivity and Striatal Dopamine Function in Schizophrenia: An 18F-DOPA PET and Diffusion Tensor Imaging Study in Treatment Responsive and Resistant Patients. Psychiatry Investigation, 2022, 19, 570-579.	1.6	7
40	Shape analysis of subcortical structures in obsessive-compulsive disorder and the relationship with comorbid anxiety, depression, and medication use: A meta-analysis by the OCD Brain Imaging Consortium. Brain and Behavior, 2022, 12, .	2.3	6
41	Triple-Network Dysconnectivity in Patients With First-Episode Psychosis and Individuals at Clinical High Risk for Psychosis. Psychiatry Investigation, 2022, 19, 1037-1045.	1.6	3
42	Certain averaging operators on Triebel-Lizorkin spaces. Applied Mathematics, 2022, 37, 546-562.	1.0	0
43	Intact thalamic microstructure in asymptomatic relatives of schizophrenia patients with high genetic loading. Schizophrenia Research, 2021, 230, 111-113.	2.1	2
44	Dopamine dysregulation in psychotic relapse after antipsychotic discontinuation: an [18F]DOPA and [11C]raclopride PET study in first-episode psychosis. Molecular Psychiatry, 2021, 26, 3476-3488.	8.2	16
45	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. Schizophrenia Research, 2021, 227, 10-17.	2.1	32
46	Neurophysiological Correlate of Emotion Regulation by Cognitive Reappraisal and Its Association With Psychotic Symptoms in Early Psychosis. Schizophrenia Bulletin, 2021, 47, 87-96.	4.6	13
47	In vivo gamma-aminobutyric acid/benzodiazepine receptor availability and genetic liability in asymptomatic individuals with high genetic loading of schizophrenia: A [11C]flumazenil positron emission tomography study. Human Psychopharmacology, 2021, 36, e2766.	1.7	0
48	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. JAMA Psychiatry, 2021, 78, 47.	11.4	158
49	The relationship between grey matter volume and striatal dopamine function in psychosis: a multimodal 18F-DOPA PET and voxel-based morphometry study. Molecular Psychiatry, 2021, 26, 1332-1345.	8.2	24
50	Attenuated Resting-State Functional Anticorrelation between Attention and Executive Control Networks in Schizotypal Personality Disorder. Journal of Clinical Medicine, 2021, 10, 312.	2.5	3
51	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: nationwide cohort study. British Journal of Psychiatry, 2021, 218, 344-351.	3.6	48
52	Reliability and validity of the Korean version of the comprehensive assessment of mental states. Microbial Biotechnology, 2021, 15, 1730-1737.	1.9	3
53	Reduced cortical gyrification in the posteromedial cortex in unaffected relatives of schizophrenia patients with high genetic loading. NPJ Schizophrenia, 2021, 7, 17.	4.5	8
54	White Matter Correlates of Theory of Mind in Patients With First-Episode Psychosis. Frontiers in Psychiatry, 2021, 12, 617683.	2.7	4

#	ARTICLE	IF	CITATIONS
55	White matter microstructure and its relation to clinical features of obsessive-compulsive disorder: findings from the ENIGMA OCD Working Group. <i>Translational Psychiatry</i> , 2021, 11, 173.	4.9	35
56	Characteristics of Impulsive and Premeditated Aggression Subtypes in Patients with Schizophrenia in South Korea Who Committed a Crime. <i>Korean Journal of Schizophrenia Research</i> , 2021, 24, 8-16.	0.3	1
57	Identification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography-tandem mass spectrometry. <i>Psychiatry Research</i> , 2021, 299, 113850.	3.4	13
58	Quantitative Proteomic Approach for Discriminating Major Depressive Disorder and Bipolar Disorder by Multiple Reaction Monitoring-Mass Spectrometry. <i>Journal of Proteome Research</i> , 2021, 20, 3188-3203.	3.8	12
59	Impaired error-related processing in patients with first-episode psychosis and subjects at clinical high risk for psychosis: An event-related potential study. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 219-226.	2.3	4
60	Brain Activation of Patients With Obsessive-Compulsive Disorder During a Mental Rotation Task: A Functional MRI Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 659121.	2.7	1
61	Humanism in medicine. <i>International Journal of Whole Person Care</i> , 2021, 8, 3-6.	0.0	0
62	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	11.4	89
63	Effects of Oxytocin on Social Comparisons in Intergroup Situations. <i>Brain Sciences</i> , 2021, 11, 1227.	2.4	1
64	Eye movement as a biomarker of impaired organizational strategies during visual memory encoding in obsessive-compulsive disorder. <i>Scientific Reports</i> , 2021, 11, 18402.	3.4	2
65	Distinct neural networks associated with obsession and delusion: a connectome-wide association study. <i>Psychological Medicine</i> , 2021, 51, 1320-1328.	5.2	6
66	The Role of Estrogen Receptors and Their Signaling across Psychiatric Disorders. <i>International Journal of Molecular Sciences</i> , 2021, 22, 373.	4.2	97
67	Mapping thalamocortical functional connectivity with large-scale brain networks in patients with first-episode psychosis. <i>Scientific Reports</i> , 2021, 11, 19815.	3.4	9
68	Intrinsic cerebellar functional connectivity of social cognition and theory of mind in first-episode psychosis patients. <i>NPJ Schizophrenia</i> , 2021, 7, 59.	4.5	10
69	Auditory P300 as a Neurophysiological Correlate of Symptomatic Improvement by Transcranial Direct Current Stimulation in Patients With Schizophrenia: A Pilot Study. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 252-258.	1.8	5
70	Mapping Cortical and Subcortical Asymmetry in Obsessive-Compulsive Disorder: Findings From the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, 1022-1034.	1.3	77
71	Social cognition in post-traumatic stress disorder: A systematic review. <i>British Journal of Clinical Psychology</i> , 2020, 59, 117-138.	3.7	42
72	Resting-state functional connectivity of the striatum predicts improvement in negative symptoms and general functioning in patients with first-episode psychosis: A 1-year naturalistic follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 509-518.	2.8	15

#	ARTICLE	IF	CITATIONS
73	Relationship between resting-state theta phase-gamma amplitude coupling and neurocognitive functioning in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 216, 154-160.	2.1	14
74	Prediction of individual responses to electroconvulsive therapy in patients with schizophrenia: Machine learning analysis of resting-state electroencephalography. <i>Schizophrenia Research</i> , 2020, 216, 147-153.	2.1	18
75	Structural neuroimaging biomarkers for obsessive-compulsive disorder in the ENIGMA-OCD consortium: medication matters. <i>Translational Psychiatry</i> , 2020, 10, 342.	4.9	48
76	The physical activity of children and adolescents in Germany 2003-2017: The MoMo-study. <i>PLoS ONE</i> , 2020, 15, e0236117.	2.5	36
77	Effectiveness of antipsychotic drugs in schizophrenia: a 10-year retrospective study in a Korean tertiary hospital. <i>NPJ Schizophrenia</i> , 2020, 6, 32.	4.5	9
78	The Neurobehavioral Mechanisms Underlying Attitudes Toward People With Mental or Physical Illness. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 571225.	2.1	5
79	Thyroid hormone-induced expression of Foxl1 in subepithelial fibroblasts correlates with adult stem cell development during <i>Xenopus</i> intestinal remodeling. <i>Scientific Reports</i> , 2020, 10, 20715.	3.4	6
80	Association of affected lower limb flexor muscle strength with swing phase duration and gait speed in elderly post-stroke patients. <i>NeuroRehabilitation</i> , 2020, 47, 443-450.	1.3	0
81	Defining data-driven subgroups of obsessive-compulsive disorder with different treatment responses based on resting-state functional connectivity. <i>Translational Psychiatry</i> , 2020, 10, 359.	4.9	15
82	Intrinsic functional connectivity of blue and red brains: neurobiological evidence of different stress resilience between political attitudes. <i>Scientific Reports</i> , 2020, 10, 15877.	3.4	4
83	A Prospective Study for Prediction of Psychotic Relapse Using the Korean Early Signs Scale in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 451-456.	1.4	1
84	Neural bases of the clinical and neurocognitive differences between early and late-onset obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 234-242.	2.8	10
85	A transdiagnostic perspective of constructs underlying obsessive-compulsive and related disorders: An international Delphi consensus study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 719-731.	2.8	14
86	RIFM fragrance ingredient safety assessment, n-furfurylpyrrole, CAS Registry Number 1438-94-4. <i>Food and Chemical Toxicology</i> , 2020, 141, 111345.	3.7	1
87	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	4.4	153
88	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843.	8.7	139
89	Searching for religious discrimination among childcare workers. <i>Review of Development Economics</i> , 2020, 24, 362-382.	1.8	1
90	Fused tetraphenylethylene-triphenylamine as an efficient hole transporting material in perovskite solar cells. <i>Chemical Communications</i> , 2020, 56, 3159-3162.	4.2	39

#	ARTICLE	IF	CITATIONS
91	Comparison of serum protein profiles between major depressive disorder and bipolar disorder. <i>BMC Psychiatry</i> , 2020, 20, 145.	2.7	32
92	Functional Connectivity of the Striatum as a Neural Correlate of Symptom Severity in Patient with Obsessive-Compulsive Disorder. <i>Psychiatry Investigation</i> , 2020, 17, 87-95.	1.6	13
93	Impaired Performance on the Reading the Mind in the Eyes Test in First-Episode Psychosis and Clinical High Risk for Psychosis. <i>Psychiatry Investigation</i> , 2020, 17, 1200-1206.	1.6	6
94	Glucagon-Like Peptide-1 Receptor Agonist Differentially Affects Brain Activation in Response to Visual Food Cues in Lean and Obese Individuals with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 248.	4.4	9
95	Anti-Inflammatory Effects of Fermented Products with <i>Avena sativa</i> on RAW264.7 and HT-29 Cells via Inhibition of Inflammatory Mediators. <i>Natural Product Sciences</i> , 2020, 26, 244-251.	0.8	1
96	The evolving understanding of factor VIII binding sites and implications for the treatment of hemophilia A. <i>Blood Reviews</i> , 2019, 33, 1-5.	6.2	6
97	Plastic Changes in the White Matter Induced by Templestay, a 4-Day Intensive Mindfulness Meditation Program. <i>Mindfulness</i> , 2019, 10, 2294-2301.	3.0	4
98	Dysfunctional attentional bias and inhibitory control during anti-saccade task in patients with internet gaming disorder: An eye tracking study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 95, 109717.	5.0	19
99	Global and Specific Profiles of Executive Functioning in Prodromal and Early Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 356.	2.7	12
100	Prenatal maternal biomarkers for the early diagnosis of congenital malformations: A review. <i>Pediatric Research</i> , 2019, 86, 560-566.	2.4	13
101	Embryonic stem cell microenvironment suppresses the malignancy of cutaneous melanoma cells by downregulating PI3K/AKT pathway. <i>Cancer Medicine</i> , 2019, 8, 4265-4277.	2.9	10
102	79. Association Between Illness Duration and Psychotropic Medication in Obsessive-Compulsive Disorder and Altered Brain Structural Covariance Networks: A Multi-Center Analysis. <i>Biological Psychiatry</i> , 2019, 85, S33.	1.3	0
103	Development of a Korean Liver Allocation System using Model for End Stage Liver Disease Scores: A Nationwide, Multicenter study. <i>Scientific Reports</i> , 2019, 9, 7495.	3.4	23
104	Global trends in mortality from intrahepatic and extrahepatic cholangiocarcinoma. <i>Journal of Hepatology</i> , 2019, 71, 104-114.	3.9	391
105	Randomized, double-blind, placebo, and risperidone-controlled study of lurasidone in the treatment of schizophrenia: Results of an inconclusive 6-week trial. <i>Asia-Pacific Psychiatry</i> , 2019, 11, e12354.	2.3	20
106	The Immediate and Sustained Positive Effects of Meditation on Resilience Are Mediated by Changes in the Resting Brain. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 101.	2.1	36
107	Functional Magnetic Resonance Imaging Studies of Obsessive-Compulsive and Related Disorders. , 2019, , 85-112.		0
108	Public Attention to Crime of Schizophrenia and Its Correlation with Use of Mental Health Services in Patients with Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2019, 22, 34.	0.3	4

#	ARTICLE	IF	CITATIONS
109	Functional and Structural Connectivity of the Cerebellar Nuclei With the Striatum and Cerebral Cortex in First-Episode Psychosis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019, 31, 143-151.	2.0	15
110	Frontostriatal functional connectivity and striatal dopamine synthesis capacity in schizophrenia in terms of antipsychotic responsiveness: an [¹⁸ F]DOPA PET and fMRI study. <i>Psychological Medicine</i> , 2019, 49, 2533-2542.	5.2	16
111	Neurophysiological Mechanisms of Resilience as a Protective Factor in Patients with Internet Gaming Disorder: A Resting-State EEG Coherence Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 49.	2.5	13
112	A pilot study investigating the effect of transcranial direct current stimulation on the electrophysiological correlates of working memory in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 284, 9-12.	1.9	1
113	Tuning strain-induced β -to- μ martensitic transformation of biomedical Co-Cr-Mo alloys by introducing parent phase lattice defects. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 90, 523-529.	3.1	25
114	Disruption of function: Neurophysiological markers of cognitive deficits in retired football players. <i>Clinical Neurophysiology</i> , 2019, 130, 111-121.	2.0	15
115	Enhanced Attentional Network by Short-Term Intensive Meditation. <i>Frontiers in Psychology</i> , 2019, 10, 3073.	2.3	29
116	Validation of the Korean Version of the Prodromal Questionnaire-Brief Version in Non-Help-Seeking Individuals. <i>Psychiatry Investigation</i> , 2019, 16, 109-114.	1.6	9
117	Effect of tDCS on Aberrant Functional Network Connectivity in Refractory Hallucinatory Schizophrenia: A Pilot Study. <i>Psychiatry Investigation</i> , 2019, 16, 244-248.	1.6	6
118	Predicting Symptomatic and Functional Improvements over 1 Year in Patients with First-Episode Psychosis Using Resting-State Electroencephalography. <i>Psychiatry Investigation</i> , 2019, 16, 695-703.	1.6	7
119	The relationship between dopamine receptor blockade and cognitive performance in schizophrenia: a [¹¹ C]-raclopride PET study with aripiprazole. <i>Translational Psychiatry</i> , 2018, 8, 87.	4.9	29
120	Aberrant within- and between-network connectivity of the mirror neuron system network and the mentalizing network in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 243-249.	2.1	21
121	Fourteen years of anthropization dynamics in the Uapaca bojeri Baill. forest of Madagascar. <i>Landscape and Ecological Engineering</i> , 2018, 14, 135-146.	1.7	9
122	Can We Predict Psychosis Outside the Clinical High-Risk State? A Systematic Review of Non-Psychotic Risk Syndromes for Mental Disorders. <i>Schizophrenia Bulletin</i> , 2018, 44, 276-285.	4.6	47
123	Racial and Ethnic Disparities and Bias in the Evaluation and Reporting of Abusive Head Trauma. <i>Journal of Pediatrics</i> , 2018, 198, 137-143.e1.	2.2	93
124	Incidental inflammatory adenoma with β -catenin activation in the setting of paediatric NASH. <i>Pediatric Obesity</i> , 2018, 13, 70-73.	2.8	9
125	Epistemic Privilege and Victims' Duties to Resist their Oppression. <i>Journal of Applied Philosophy</i> , 2018, 35, 465-480.	1.0	32
126	The Curse of Apneic Spells. <i>Seminars in Pediatric Neurology</i> , 2018, 26, 56-58.	1.9	2

#	ARTICLE	IF	CITATIONS
127	Decomposing P300 into correlates of genetic risk and current symptoms in schizophrenia: An inter-trial variability analysis. <i>Schizophrenia Research</i> , 2018, 192, 232-239.	2.1	19
128	The effect of transcranial direct current stimulation on auditory hallucination in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 489-490.	2.1	6
129	The effects of four days of intensive mindfulness meditation training (Templestay program) on resilience to stress: a randomized controlled trial. <i>Psychology, Health and Medicine</i> , 2018, 23, 497-504.	2.7	35
130	Brominated flame retardants in black plastic kitchen utensils: Concentrations and human exposure implications. <i>Science of the Total Environment</i> , 2018, 610-611, 1138-1146.	8.2	49
131	Cortical Abnormalities Associated With Pediatric and Adult Obsessive-Compulsive Disorder: Findings From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>American Journal of Psychiatry</i> , 2018, 175, 453-462.	8.7	209
132	Higher serotonin transporter availability in early-onset obsessive-compulsive disorder patients undergoing escitalopram treatment: A [¹¹ C]DASB PET study. <i>Human Psychopharmacology</i> , 2018, 33, e2642.	1.7	10
133	Predicting Remission in Subjects at Clinical High Risk for Psychosis Using Mismatch Negativity. <i>Schizophrenia Bulletin</i> , 2018, 44, 575-583.	4.6	38
134	Altered Eye-Movement Patterns During Text Reading in Obsessive-Compulsive Disorder and Internet Gaming Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 248.	2.1	6
135	Terahertz InP DHBT-Based Detectors for Studies of Water Status of Sorghum Leaves. , 2018, , .		0
136	Lower glutamate level in temporo-parietal junction may predict a better response to tDCS in schizophrenia. <i>Schizophrenia Research</i> , 2018, 201, 422-423.	2.1	4
137	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	699
138	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.6	327
139	Cerebellar Structural Abnormalities Associated With Cognitive Function in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2018, 9, 286.	2.7	25
140	Effects of Intranasal Oxytocin on Emotion Recognition in Korean Male: A Dose-Response Study. <i>Psychiatry Investigation</i> , 2018, 15, 710-716.	1.6	14
141	Design and comparison of electrically excited double rotor flux switching motor drive systems for automotive applications. <i>CES Transactions on Electrical Machines and Systems</i> , 2018, 2, 191-199.	3.8	5
142	Strategy of an in vivo Study of the Evolution of Drugs via X-Ray Diffraction with Synchrotron Radiation. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2018, 82, 895-897.	0.6	0
143	Beyond Domain-Specific Expertise: Neural Signatures of Face and Spatial Working Memory in Baduk (Go) Tj ETQq1, 1, 0.784314 rgBT /Dv	2.1	3
144	Increased Attentional Bias Toward Visual Cues in Internet Gaming Disorder and Obsessive-Compulsive Disorder: An Event-Related Potential Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 315.	2.7	29

#	ARTICLE	IF	CITATIONS
145	Effects of Renaming Schizophrenia in Korea: from "Split-Mind Disorder" to "Attunement Disorder". Psychiatry Investigation, 2018, 15, 656-662.	1.6	14
146	Necessity of Reorganization of Mental Health Welfare Act to Decrease in Social Anxiety Related to Patients with Schizophrenia and to Ensure Proper Human Rights for Mentally Ill Persons. Psychiatry Investigation, 2018, 15, 745-746.	1.6	2
147	Thalamo-cortical system involving higher-order nuclei in patients with first-episode psychosis. BMB Reports, 2018, 51, 427-428.	2.5	1
148	Comorbid Obsessive-Compulsive Symptoms in Schizophrenia: Neurocognitive Profile. Psychiatric Annals, 2018, 48, 557-560.	0.2	0
149	Vitamin D intake of Dutch infants from the combination of (fortified) foods, infant formula, and dietary supplements. European Journal of Nutrition, 2017, 56, 581-590.	4.0	10
150	Presynaptic Dopamine Capacity in Patients with Treatment-Resistant Schizophrenia Taking Clozapine: An [18F]DOPA PET Study. Neuropsychopharmacology, 2017, 42, 941-950.	5.6	104
151	Is There an Association Between Mismatch Negativity and Cortical Thickness in Schizophrenia Patients?. Clinical EEG and Neuroscience, 2017, 48, 383-392.	1.8	5
152	Brain Structural Networks Associated with Intelligence and Visuomotor Ability. Scientific Reports, 2017, 7, 2177.	3.4	46
153	Brain network characteristics separating individuals at clinical high risk for psychosis into normality or psychosis. Schizophrenia Research, 2017, 190, 107-114.	2.1	6
154	Aberrant temporal behavior of mismatch negativity generators in schizophrenia patients and subjects at clinical high risk for psychosis. Clinical Neurophysiology, 2017, 128, 331-339.	2.0	28
155	Cortical thickness in obsessive-compulsive disorder: Multisite mega-analysis of 780 brain scans from six centres. British Journal of Psychiatry, 2017, 210, 67-74.	3.6	90
156	Higher extrinsic and lower intrinsic connectivity in resting state networks for professional Baduk (Go) players. Brain and Behavior, 2017, 7, e00853.	2.3	6
157	Differential Risk of Peptic Ulcer Among Users of Antidepressants Combined With Nonsteroidal Anti-inflammatory Drugs. Journal of Clinical Psychopharmacology, 2017, 37, 239-245.	1.4	6
158	Abnormalities in brain white matter in adolescents with 22q11.2 deletion syndrome and psychotic symptoms. Brain Imaging and Behavior, 2017, 11, 1353-1364.	2.1	20
159	Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. Brain Imaging and Behavior, 2017, 11, 1497-1514.	2.1	161
160	Altered functional network architecture in orbitofronto-striato-thalamic circuit of unmedicated patients with obsessive-compulsive disorder. Human Brain Mapping, 2017, 38, 109-119.	3.7	60
161	Regional Differences in Serotonin Transporter Occupancy by Escitalopram: An [11C]DASB PK-PD Study. Clinical Pharmacokinetics, 2017, 56, 371-381.	3.6	9
162	Distinct Subcortical Volume Alterations in Pediatric and Adult OCD: A Worldwide Meta- and Mega-Analysis. American Journal of Psychiatry, 2017, 174, 60-69.	8.7	273

#	ARTICLE	IF	CITATIONS
163	Need for the complete revision of the Mental Health and Welfare Act. Journal of the Korean Medical Association, 2017, 60, 710.	0.3	0
164	Association between memory impairment and brain metabolite concentrations in North Korean refugees with posttraumatic stress disorder. PLoS ONE, 2017, 12, e0188953.	2.5	6
165	Reconsidering Clinical Staging Model: A Case of Genetic High Risk for Schizophrenia. Psychiatry Investigation, 2017, 14, 107.	1.6	1
166	Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. Psychiatry Investigation, 2017, 14, 44.	1.6	27
167	Executive Dysfunction in Obsessive-Compulsive Disorder and Anterior Cingulate-Based Resting State Functional Connectivity. Psychiatry Investigation, 2017, 14, 333.	1.6	16
168	PM526. Cognitive Distractions by Auditory Verbal Hallucinations: A Social Cognitive Approach. International Journal of Neuropsychopharmacology, 2016, 19, 91-91.	2.1	0
169	PT735. Multisensory integration of social interaction. International Journal of Neuropsychopharmacology, 2016, 19, 67-68.	2.1	1
170	PM460. Association between increased resting-state functional connectivity and reduced symptoms of schizotypal personality disorder: neural evidence for compensatory brain responses. International Journal of Neuropsychopharmacology, 2016, 19, 67-67.	2.1	0
171	Structural covariance of neostriatal and limbic regions in patients with obsessive-compulsive disorder. Journal of Psychiatry and Neuroscience, 2016, 41, 115-123.	2.8	28
172	PM438. Functional connectivity and striatal dopamine synthesis in schizophrenia treated with antipsychotic drugs: multimodal imaging study using [18F]DOPA PET and resting MRI. International Journal of Neuropsychopharmacology, 2016, 19, 59-60.	2.1	0
173	PM458. Altered Frontal and Temporal Microstructure in Patients with First-Episode Psychosis: Diffusion Kurtosis Study. International Journal of Neuropsychopharmacology, 2016, 19, 66-66.	2.1	0
174	PM461. Inflammation in schizophrenia: Imaging genetics. International Journal of Neuropsychopharmacology, 2016, 19, 67-68.	2.1	0
175	PM466. Neuroanatomical implications of concomitant mood disorders in subjects at clinical high risk for psychosis. International Journal of Neuropsychopharmacology, 2016, 19, 69-70.	2.1	0
176	PM468. Alterations of structural connectivity in patients with schizophrenia: a systematic review. International Journal of Neuropsychopharmacology, 2016, 19, 70-70.	2.1	0
177	PM474. Brain metabolite differences in subjects with high genetic risk of schizophrenia using 1H magnetic resonance spectroscopy. International Journal of Neuropsychopharmacology, 2016, 19, 72-72.	2.1	0
178	Individualized covariance profile of cortical morphology for auditory hallucinations in first-episode psychosis. Human Brain Mapping, 2016, 37, 1051-1065.	3.7	24
179	Feasibility study of efficient wireless power transmission in satellite interior. Microwave and Optical Technology Letters, 2016, 58, 2518-2522.	1.5	11
180	Longitudinal change in neurocognition and its relation to symptomatic and functional changes over 2 years in individuals at clinical high-risk for psychosis. Schizophrenia Research, 2016, 174, 50-57.	2.1	15

#	ARTICLE	IF	CITATIONS
181	Decreased neural response for facial emotion processing in subjects with high genetic load for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 90-96.	5.0	12
182	Intra- and interday repeatability of peripheral arterial function: suitability and potential limitations. <i>Microcirculation</i> , 2016, 23, 503-511.	1.9	3
183	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.8	13
184	Psychosis research in Asia: advantage from low prevalence of cannabis use. <i>NPJ Schizophrenia</i> , 2016, 2, 1.	4.5	28
185	Hot Forming and Superplastic Forming: Presses Evolution and New Applications in the Aerospace Industry. <i>Materials Science Forum</i> , 2016, 838-839, 563-567.	0.2	0
186	Altered Thalamo-Cortical White Matter Connectivity: Probabilistic Tractography Study in Clinical-High Risk for Psychosis and First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 723-731.	4.6	99
187	Biological Motion Perception, Brain Responses, and Schizotypal Personality Disorder. <i>JAMA Psychiatry</i> , 2016, 73, 260.	11.4	18
188	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	11.4	367
189	Internet-Based Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder in Korea. <i>Psychiatry Investigation</i> , 2016, 13, 373.	1.6	28
190	Intraindividual neurophysiological variability in ultra-high-risk for psychosis and schizophrenia patients: single-trial analysis. <i>NPJ Schizophrenia</i> , 2015, 1, 15031.	4.5	14
191	Satisfaction of immediate or delayed switch to paliperidone palmitate in patients unsatisfied with current oral atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2015, 30, 320-328.	1.8	17
192	Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. <i>Psychiatric Genetics</i> , 2015, 25, 147-154.	1.1	13
193	Alterations of Gray and White Matter Networks in Patients with Obsessive-Compulsive Disorder: A Multimodal Fusion Analysis of Structural MRI and DTI Using mCCA+jICA. <i>PLoS ONE</i> , 2015, 10, e0127118.	2.5	30
194	Altered Fronto-Temporal Functional Connectivity in Individuals at Ultra-High-Risk of Developing Psychosis. <i>PLoS ONE</i> , 2015, 10, e0135347.	2.5	34
195	Interfacial interactions of hard polyelectrolyte-stabilized luminescent colloids with substrates. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 482, 231-240.	4.8	18
196	Social cognitive functioning in prodromal psychosis: A meta-analysis. <i>Schizophrenia Research</i> , 2015, 164, 28-34.	2.1	133
197	Baseline putamen volume as a predictor of positive symptom reduction in patients at clinical high risk for psychosis: A preliminary study. <i>Schizophrenia Research</i> , 2015, 169, 178-185.	2.1	9
198	Involvement of purinergic system in the release of cytokines by macrophages exposed to glioma-conditioned medium. <i>Journal of Cellular Biochemistry</i> , 2015, 116, 721-729.	2.6	42

#	ARTICLE	IF	CITATIONS
199	Group 15 Elements. , 2015, , 103-122.		0
200	Factors contributing to the duration of untreated prodromal positive symptoms in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2015, 162, 64-66.	2.1	13
201	Auditory P300 as a predictor of short-term prognosis in subjects at clinical high risk for psychosis. Schizophrenia Research, 2015, 165, 138-144.	2.1	24
202	Effects of Oxytocin on Neural Response to Facial Expressions in Patients with Schizophrenia. Neuropsychopharmacology, 2015, 40, 1919-1927.	5.6	57
203	Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. Journal of Clinical Psychopharmacology, 2015, 35, 13-21.	1.4	37
204	Away from home: the brain of the wandering mind as a model for schizophrenia. Schizophrenia Research, 2015, 165, 83-89.	2.1	35
205	Parental socioeconomic status and prognosis in individuals with ultra-high risk for psychosis: A 2-year follow-up study. Schizophrenia Research, 2015, 168, 56-61.	2.1	51
206	Verband der Schwesternschaften vom DRK e.â€¦V.. Psychiatrische Pflege Heute: Fachzeitschrift Fuer Die Psychiatrische Pflege, 2015, 21, 228-228.	0.3	0
207	Neural Correlates of Response to Pharmacotherapy in Obsessive-Compulsive Disorder: Individualized Cortical Morphology-Based Structural Covariance. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 63, 126-133.	5.0	48
208	Unravelling the Intrinsic Functional Organization of the Human Striatum: A Parcellation and Connectivity Study Based on Resting-State fMRI. PLoS ONE, 2014, 9, e106768.	2.5	89
209	Spatial memory impairments in amnesic mild cognitive impairment in a virtual radial arm maze. Neuropsychiatric Disease and Treatment, 2014, 10, 653.	2.2	39
210	Comparison of the Effectiveness of Virtual Cue Exposure Therapy and Cognitive Behavioral Therapy for Nicotine Dependence. Cyberpsychology, Behavior, and Social Networking, 2014, 17, 262-267.	4.2	44
211	Power spectral aspects of the default mode network in schizophrenia: an MEG study. BMC Neuroscience, 2014, 15, 104.	1.8	53
212	Multicenter Voxel-Based Morphometry Mega-Analysis of Structural Brain Scans in Obsessive-Compulsive Disorder. American Journal of Psychiatry, 2014, 171, 340-349.	8.7	233
213	Ketamine: Current applications in anesthesia, pain, and critical care. Anesthesia: Essays and Researches, 2014, 8, 283.	0.5	271
214	Dysfunctional role of parietal lobe during self-face recognition in schizophrenia. Schizophrenia Research, 2014, 152, 81-88.	2.1	26
215	The Effects of Pharmacological Treatment on Functional Brain Connectome in Obsessive-Compulsive Disorder. Biological Psychiatry, 2014, 75, 606-614.	1.3	146
216	The crisis of minimal self-awareness in schizophrenia: A meta-analytic review. Schizophrenia Research, 2014, 152, 58-64.	2.1	123

#	ARTICLE	IF	CITATIONS
217	Decreased connectivity of the default mode network in pathological gambling: A resting state functional MRI study. <i>Neuroscience Letters</i> , 2014, 583, 120-125.	2.1	21
218	Musical obsessions: A comprehensive review of neglected clinical phenomena. <i>Journal of Anxiety Disorders</i> , 2014, 28, 580-589.	3.4	31
219	Reduced Binding Potential of GABA-A/Benzodiazepine Receptors in Individuals at Ultra-high Risk for Psychosis: An [18F]-Fluoroflumazenil Positron Emission Tomography Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 548-557.	4.6	34
220	Neurocognitive function as a possible marker for remission from clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 153, 48-53.	2.1	31
221	Effects of the functioning and antipsychotic use on clinical high risk for psychosis: A response to Yung et al.. <i>Schizophrenia Research</i> , 2014, 159, 254-255.	2.1	1
222	Johyeonbyung (attunement disorder): Renaming mind splitting disorder as a way to reduce stigma of patients with schizophrenia in Korea. <i>Asian Journal of Psychiatry</i> , 2014, 8, 118-120.	2.1	16
223	Symptomatic and functional remission of subjects at clinical high risk for psychosis: A 2-year naturalistic observational study. <i>Schizophrenia Research</i> , 2014, 156, 266-271.	2.1	47
224	A Preliminary Validity Study of the Cambridge Neuropsychological Test Automated Battery for the Assessment of Executive Function in Schizophrenia and Bipolar Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 394.	1.6	38
225	The effect of meditation on brain structure: cortical thickness mapping and diffusion tensor imaging. <i>Social Cognitive and Affective Neuroscience</i> , 2013, 8, 27-33.	3.3	174
226	Impaired body but not face perception in patients with obsessive-compulsive disorder. <i>Journal of Neuropsychology</i> , 2013, 7, 58-71.	1.8	8
227	Validation of the Korean version of the Eppendorf Schizophrenia Inventory as a screening measure to detect adolescents at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 71-79.	1.9	19
228	The relationship between antipsychotic D2 occupancy and change in frontal metabolism and working memory. <i>Psychopharmacology</i> , 2013, 227, 221-229.	3.1	50
229	Neural correlate of impulsivity in subjects at ultra-high risk for psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 165-169.	5.0	26
230	Genome-wide linkage scan of quantitative traits representing symptom dimensions in multiplex schizophrenia families. <i>Psychiatry Research</i> , 2013, 210, 756-760.	3.4	11
231	Neural correlates of altered response inhibition and dysfunctional connectivity at rest in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 40, 340-346.	5.0	87
232	Altered asymmetry of the anterior cingulate cortex in subjects at genetic high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 150, 512-518.	2.1	25
233	Abnormal corticostriatal-limbic functional connectivity in obsessive-compulsive disorder during reward processing and resting-state. <i>NeuroImage: Clinical</i> , 2013, 3, 27-38.	2.8	110
234	General intellectual functioning as a buffer against theory-of-mind deficits in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 149, 83-87.	2.1	29

#	ARTICLE	IF	CITATIONS
235	Renaming schizophrenia in South Korea. <i>Lancet, The</i> , 2013, 382, 683-684.	12.1	32
236	Partial Volume Correction using Structural-Functional Synergistic Resolution Recovery: Comparison with Geometric Transfer Matrix Method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 914-920.	4.6	19
237	The relationship between psychosocial functioning and resilience and negative symptoms in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 762-771.	2.8	75
238	Eating-Behavior Changes Associated With Antipsychotic Medications in Patients With Schizophrenia as Measured by the Drug-Related Eating Behavior Questionnaire. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 120-122.	1.4	9
239	Disparity between dorsal and ventral networks in patients with obsessive-compulsive disorder: evidence revealed by graph theoretical analysis based on cortical thickness from MRI. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 302.	2.1	18
240	Exploring the brains of Baduk (Go) experts: gray matter morphometry, resting-state functional connectivity, and graph theoretical analysis. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 633.	2.1	29
241	Korean Self-Report Version of the Yale-Brown Obsessive-Compulsive Scale: Factor Structure, Reliability, and Validity. <i>Psychiatry Investigation</i> , 2013, 10, 17.	1.6	14
242	Increased Intra-Individual Variability of Cognitive Processing in Subjects at Risk Mental State and Schizophrenia Patients. <i>PLoS ONE</i> , 2013, 8, e78354.	2.5	36
243	Mediating Effect of Executive Function on Memory in Normal Aging Adults. <i>Psychiatry Investigation</i> , 2013, 10, 108.	1.6	8
244	Impact of the BDNF Val66Met Polymorphism on Regional Brain Gray Matter Volumes: Relevance to the Stress Response. <i>Psychiatry Investigation</i> , 2013, 10, 173.	1.6	26
245	The Impact of Personality Traits on Ratings of Obsessive-Compulsive Symptoms. <i>Psychiatry Investigation</i> , 2013, 10, 259.	1.6	7
246	Aberrant Auditory Processing in Schizophrenia and in Subjects at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1258-1267.	4.6	42
247	The efficacy and safety of 12 weeks of treatment with sertindole or olanzapine in patients with chronic schizophrenia who did not respond successfully to their previous treatments. <i>International Clinical Psychopharmacology</i> , 2012, 27, 1.	1.8	10
248	Phase-Specific Brain Change of Spatial Working Memory Processing in Genetic and Ultra-High Risk Groups of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1189-1199.	4.6	63
249	Impulsivity in Internet Addiction: A Comparison with Pathological Gambling. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2012, 15, 373-377.	4.2	210
250	Clinical and neurocognitive profiles of subjects at high risk for psychosis with and without obsessive-compulsive symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 161-169.	2.8	34
251	Micro/nanofabrication for a realistic beetle wing with a superhydrophobic surface. <i>Bioinspiration and Biomimetics</i> , 2012, 7, 016011.	2.9	7
252	Do pathological gambling and obsessive-compulsive disorder overlap? a neurocognitive perspective. <i>CNS Spectrums</i> , 2012, 17, 207-213.	1.3	18

#	ARTICLE	IF	CITATIONS
253	Predicting Brain Occupancy from Plasma Levels using PET: Superiority of Combining Pharmacokinetics with Pharmacodynamics while Modeling the Relationship. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 759-768.	4.6	29
254	Genistein and daidzein, typical soy isoflavones, inhibit TNF α -mediated downregulation of adiponectin expression via different mechanisms in 3T3-L1 adipocytes. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1783-1793.	3.9	34
255	Multidimensional Comparison of Personality Characteristics of the Big Five Model, Impulsiveness, and Affect in Pathological Gambling and Obsessive-Compulsive Disorder. <i>Journal of Gambling Studies</i> , 2012, 28, 351-362.	1.9	40
256	Reduced volume in the anterior internal capsule but its maintained correlation with the frontal gray matter in subjects at ultra-high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 82-90.	1.9	7
257	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	4.6	85
258	Increased white matter integrity in the corpus callosum in subjects with high genetic loading for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 50-55.	5.0	14
259	Early intervention in psychosis: Insights from Korea. <i>Asian Journal of Psychiatry</i> , 2012, 5, 98-105.	2.1	46
260	Symptom structure of antipsychotic-induced obsessive compulsive symptoms in schizophrenia patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 75-79.	5.0	25
261	Neuromagnetic auditory response and its relation to cortical thickness in ultra-high-risk for psychosis. <i>Schizophrenia Research</i> , 2012, 140, 93-98.	2.1	13
262	Regional cortical thinning in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 197-203.	2.1	42
263	Switching strategy underlies phonemic verbal fluency impairment in obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2012, 1, 221-227.	1.5	7
264	Regional Brain Atrophy and Functional Disconnection in Broca's Area in Individuals at Ultra-High Risk for Psychosis and Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e51975.	2.5	44
265	Gray Matter Volumetric Abnormalities Associated with the Onset of Psychosis. <i>Frontiers in Psychiatry</i> , 2012, 3, 101.	2.7	34
266	Reduced fronto-callosal fiber integrity in unmedicated OCD patients: A diffusion tractography study. <i>Human Brain Mapping</i> , 2012, 33, 2441-2452.	3.7	28
267	Pharmacotherapy and clinical characteristics of ultra-high-risk for psychosis according to conversion status: a naturalistic observational study. <i>Microbial Biotechnology</i> , 2012, 6, 30-37.	1.9	20
268	The impact of genetic variation in comt and bdnf on resting-state functional connectivity. <i>International Journal of Imaging Systems and Technology</i> , 2012, 22, 97-102.	4.0	10
269	Altered Brain Activity during Reward Anticipation in Pathological Gambling and Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2012, 7, e45938.	2.5	97
270	Changes in Effective Connectivity According to Working Memory Load: An fMRI Study of Face and Location Working Memory Tasks. <i>Psychiatry Investigation</i> , 2012, 9, 283.	1.6	6

#	ARTICLE	IF	CITATIONS
271	An MEG study of alpha modulation in patients with schizophrenia and in subjects at high risk of developing psychosis. <i>Schizophrenia Research</i> , 2011, 126, 36-42.	2.1	64
272	Reduced prefrontal functional connectivity in the default mode network is related to greater psychopathology in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2011, 127, 58-65.	2.1	105
273	Diffusion tensor imaging of anterior commissural fibers in patients with schizophrenia. <i>Schizophrenia Research</i> , 2011, 130, 78-85.	2.1	37
274	Social cognition and neurocognition as predictors of conversion to psychosis in individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2011, 130, 170-175.	2.1	148
275	Increased default mode network connectivity associated with meditation. <i>Neuroscience Letters</i> , 2011, 487, 358-362.	2.1	217
276	Diagnostic stability of first-episode psychosis and predictors of diagnostic shift from non-affective psychosis to bipolar disorder: A retrospective evaluation after recurrence. <i>Psychiatry Research</i> , 2011, 188, 29-33.	3.4	47
277	Altered Brain Activation in Ventral Frontal-Striatal Regions Following a 16-week Pharmacotherapy in Unmedicated Obsessive-Compulsive Disorder. <i>Journal of Korean Medical Science</i> , 2011, 26, 665.	4.0	25
278	Disproportionate Alterations in the Anterior and Posterior Insular Cortices in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2011, 6, e22361.	2.5	28
279	Coping Strategies and Their Relationship to Psychopathologies in People at Ultra High-Risk for Psychosis and With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 106-110.	1.0	33
280	What is the optimal dose of escitalopram for the treatment of obsessive-compulsive disorder? A naturalistic open-label study. <i>International Clinical Psychopharmacology</i> , 2011, 26, 284-290.	1.8	9
281	Calculating Occupancy when One does not have Baseline: A Comparison of Different Options. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1760-1767.	4.6	8
282	Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 174-178.	1.9	21
283	Midsagittal structural differences and sexual dimorphism of the corpus callosum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 147-153.	1.9	16
284	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 313-316.	4.2	40
285	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. <i>Journal of Affective Disorders</i> , 2011, 131, 59-67.	4.2	113
286	The use of healthy volunteers instead of patients to inform drug dosing studies: a [¹¹ C]raclopride PET study. <i>Psychopharmacology</i> , 2011, 217, 515-523.	3.1	12
287	Cortical Thickness Reduction in Individuals at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 839-849.	4.6	128
288	Longitudinal Patterns of Social Functioning and Conversion to Psychosis in Subjects at Ultra-High Risk. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 763-770.	2.8	35

#	ARTICLE	IF	CITATIONS
289	Mutual information-based evolution of hypernetworks for brain data analysis. , 2011, , .		4
290	Associated Factors of Quality of Life in First-Episode Schizophrenia Patients. Psychiatry Investigation, 2011, 8, 201.	1.6	25
291	Gamma Oscillation in Schizophrenia. Psychiatry Investigation, 2011, 8, 288.	1.6	50
292	Sex differences in the temporal lobe white matter and the corpus callosum: a diffusion tensor tractography study. NeuroReport, 2010, 21, 73-77.	1.2	22
293	Do organizational strategies mediate nonverbal memory impairment in drug-naïve patients with obsessive-compulsive disorder?. Neuropsychology, 2010, 24, 527-533.	1.2	14
294	MRI study of the cavum septum pellucidum in obsessive-compulsive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 337-343.	3.4	17
295	Multi-level comparison of empathy in schizophrenia: An fMRI study of a cartoon task. Psychiatry Research - Neuroimaging, 2010, 181, 121-129.	1.9	59
296	Efficacy and Tolerability of Aripiprazole: A 26-Week Switching Study from Oral Antipsychotics. Psychiatry Investigation, 2010, 7, 189.	1.6	4
297	Compressed sensing joint reconstruction for multi-view images. Electronics Letters, 2010, 46, 1548.	1.0	14
298	Processing of facial configuration in individuals at ultra-high risk for schizophrenia. Schizophrenia Research, 2010, 118, 81-87.	2.1	36
299	White matter neuroplastic changes in long-term trained players of the game of "Baduk"(GO): A voxel-based diffusion-tensor imaging study. NeuroImage, 2010, 52, 9-19.	4.4	83
300	Altered resting-state connectivity in subjects at ultra-high risk for psychosis: an fMRI study. Behavioral and Brain Functions, 2010, 6, 58.	3.4	123
301	Functional connectivity in fronto-subcortical circuitry during the resting state in obsessive-compulsive disorder. Neuroscience Letters, 2010, 474, 158-162.	2.1	106
302	The effects of mind-body training on stress reduction, positive affect, and plasma catecholamines. Neuroscience Letters, 2010, 479, 138-142.	2.1	55
303	Integration of cross-modal emotional information in the human brain: An fMRI study. Cortex, 2010, 46, 161-169.	2.7	103
304	Nonverbal memory and organizational dysfunctions are related with distinct symptom dimensions in obsessive-compulsive disorder. Psychiatry Research, 2010, 180, 93-98.	3.4	28
305	The Reliability and Validity of the Korean Version of the Structured Interview for Prodromal Syndrome. Psychiatry Investigation, 2010, 7, 257.	1.6	60
306	Der AKT/mTOR-Signalweg besitzt eine wesentliche Bedeutung für die Tumorentstehung in der Insulin-induzierten Hepatokarzinogenese. Zeitschrift Fur Gastroenterologie, 2010, 48, .	0.3	0

#	ARTICLE	IF	CITATIONS
307	Depressive Symptoms and Brain Metabolite Alterations in Subjects at Ultra-high Risk for Psychosis: A Preliminary Study. <i>Psychiatry Investigation</i> , 2009, 6, 264.	1.6	18
308	Social functioning and quality of life as measures of effectiveness in the treatment of schizophrenia. <i>World Psychiatry</i> , 2009, 8, 35-36.	9.6	10
309	Neuroimaging in obsessive-compulsive disorder. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 255-269.	2.8	94
310	Long-term performance of a mudrock seal in natural CO2 storage. <i>Geology</i> , 2009, 37, 35-38.	4.3	77
311	Algorithm-driven treatment for bipolar disorder in Korea: Clinical feasibility, efficacy, and safety. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009, 13, 122-129.	2.7	4
312	Association of the Glutamate Transporter Gene SLC1A1 With Atypical Antipsychotics-Induced Obsessive-compulsive Symptoms. <i>Archives of General Psychiatry</i> , 2009, 66, 1233.	13.2	93
313	Cortical network dynamics during source memory retrieval: Current density imaging with individual MRI. <i>Human Brain Mapping</i> , 2009, 30, 78-91.	3.7	7
314	BOLD response during visual perception of biological motion in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 46-54.	3.4	37
315	Long-term efficacy and safety of aripiprazole in patients with schizophrenia, schizophreniform disorder, or schizoaffective disorder: 26-week prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 73-81.	2.3	26
316	Surface-based functional magnetic resonance imaging analysis of partial brain echo planar imaging data at 1.5 T. <i>Magnetic Resonance Imaging</i> , 2009, 27, 691-700.	1.9	9
317	Impairment of source memory in patients with obsessive-compulsive disorder: Equivalent current dipole analysis. <i>Psychiatry Research</i> , 2009, 165, 47-59.	3.4	11
318	Volumetric differences in the pituitary between drug-naïve and medicated male patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 605-609.	5.0	14
319	Pre-Attentive Auditory Processing in Ultra-High-Risk for Schizophrenia with Magnetoencephalography. <i>Biological Psychiatry</i> , 2009, 65, 1071-1078.	1.3	88
320	Proton magnetic resonance spectroscopy in subjects with high genetic risk of schizophrenia: Investigation of anterior cingulate, dorsolateral prefrontal cortex and thalamus. <i>Schizophrenia Research</i> , 2009, 111, 86-93.	2.1	72
321	Highly Fluorescent Rigid Supramolecular Polymeric Nanowires Constructed Through Multiple Hydrogen Bonds. <i>Journal of the American Chemical Society</i> , 2009, 131, 2076-2077.	14.6	89
322	Gender classification with cortical thickness measurement from magnetic resonance imaging by using a feature selection method based on evolutionary hypernetworks. , 2009, , .		1
323	White matter alterations in male patients with obsessive-compulsive disorder. <i>NeuroReport</i> , 2009, 20, 735-739.	1.2	44
324	A 12-week, naturalistic switch study of the efficacy and tolerability of aripiprazole in stable outpatients with schizophrenia or schizoaffective disorder. <i>International Clinical Psychopharmacology</i> , 2009, 24, 181-188.	1.8	19

#	ARTICLE	IF	CITATIONS
325	Selective impairment in visual perception of biological motion in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2008, 25, E15-E25.	4.2	34
326	Prospective outcome of early intervention for individuals at ultra-high-risk for psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 277-284.	1.9	14
327	Structural abnormalities of the right inferior colliculus in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008, 164, 160-165.	1.9	15
328	Deficit of theory of mind in individuals at ultra-high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 111-118.	2.1	139
329	Objects and their icons in the brain: The neural correlates of visual concept formation. <i>Neuroscience Letters</i> , 2008, 436, 300-304.	2.1	10
330	Neuropsychological correlates of N400 anomalies in patients with schizophrenia: A preliminary report. <i>Neuroscience Letters</i> , 2008, 448, 226-230.	2.1	12
331	Impact of coexistent schizotypal personality traits on frontal lobe function in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 472-478.	5.0	17
332	Cavum septum pellucidum in subjects at ultra-high risk for psychosis: Compared with first-degree relatives of patients with schizophrenia and healthy volunteers. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1326-1330.	5.0	33
333	Taq1A polymorphism in the dopamine D2 receptor gene as a predictor of clinical response to aripiprazole. <i>European Neuropsychopharmacology</i> , 2008, 18, 897-907.	1.6	51
334	Artificial shifting of fMRI activation localized by volume- and surface-based analyses. <i>NeuroImage</i> , 2008, 40, 1077-1089.	4.4	31
335	Randomized clinical trial of D2 and extended paraaortic lymphadenectomy in patients with gastric cancer. <i>International Journal of Clinical Oncology</i> , 2008, 13, 132-137.	2.3	84
336	Social Functioning Deficits in Young People at Risk for Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 678-685.	2.8	47
337	Thalamus surface shape deformity in obsessive-compulsive disorder and schizophrenia. <i>NeuroReport</i> , 2008, 19, 609-613.	1.2	46
338	Taq1A polymorphism in the dopamine D2 receptor gene predicts brain metabolic response to aripiprazole in healthy male volunteers. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 91-97.	1.6	10
339	High-Dose Escitalopram Treatment in Patients With Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 108-110.	1.4	7
340	Distinct processing of facial emotion of own-race versus other-race. <i>NeuroReport</i> , 2008, 19, 1021-1025.	1.2	25
341	Plant species richness and composition in a trans-Himalayan inner valley of Manang district, central Nepal. <i>Himalayan Journal of Sciences</i> , 2008, 4, 57-64.	0.3	25
342	A Naturalistic Multicenter Trial of a 12-Week Weight Management Program for Overweight and Obese Patients With Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 555-562.	2.3	31

#	ARTICLE	IF	CITATIONS
343	The Emotional Characteristics of Schizotypy. <i>Psychiatry Investigation</i> , 2008, 5, 148.	1.6	2
344	A Comparative Evaluation of Cyclic Fatigue Resistance of Two Rotary Nickel - Titanium Endodontic Systems - An In Vitro Study. <i>Endodontology</i> , 2008, 20, 22.	0.2	0
345	Neural correlates of cognitive inflexibility during task-switching in obsessive-compulsive disorder. <i>Brain</i> , 2007, 131, 155-164.	8.0	231
346	Dysfunction in Configural Face Processing in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 538-543.	4.6	59
347	Prevalence and Clinical Characteristics of Obsessive-Compulsive Symptoms Associated With Atypical Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 712-713.	1.4	44
348	Neuropsychological profiles of patients with obsessive-compulsive disorder: early onset versus late onset. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 30-7.	2.3	31
349	Quantitative analysis of ataxic gait in patients with schizophrenia: The influence of age and visual control. <i>Psychiatry Research</i> , 2007, 152, 155-164.	3.4	14
350	Generators of the gamma-band activities in response to rare and novel stimuli during the auditory oddball paradigm. <i>Neuroscience Letters</i> , 2007, 413, 210-215.	2.1	31
351	Spatial accuracy of fMRI activation influenced by volume- and surface-based spatial smoothing techniques. <i>NeuroImage</i> , 2007, 34, 550-564.	4.4	80
352	Pattern classification using principal components of cortical thickness and its discriminative pattern in schizophrenia. <i>NeuroImage</i> , 2007, 34, 1405-1415.	4.4	91
353	Visual self-recognition in patients with schizophrenia. <i>Schizophrenia Research</i> , 2007, 94, 215-220.	2.1	36
354	Electrophysiological correlates of behavioral response inhibition in patients with obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2007, 24, 22-31.	4.2	69
355	Cortical thinning in obsessive compulsive disorder. <i>Human Brain Mapping</i> , 2007, 28, 1128-1135.	3.7	61
356	White matter abnormalities associated with auditory hallucinations in schizophrenia: A combined study of voxel-based analyses of diffusion tensor imaging and structural magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 93-104.	1.9	148
357	Shape deformity of the corpus striatum in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007, 155, 257-264.	1.9	30
358	Hippocampal shape deformity analysis in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 185-190.	3.4	34
359	Activity of left inferior frontal gyrus related to word repetition effects: LORETA imaging with 128-channel EEG and individual MRI. <i>NeuroImage</i> , 2006, 29, 712-720.	4.4	6
360	Increased water diffusivity in the frontal and temporal cortices of schizophrenic patients. <i>NeuroImage</i> , 2006, 30, 1285-1291.	4.4	62

#	ARTICLE	IF	CITATIONS
361	Gender difference analysis of cortical thickness in healthy young adults with surface-based methods. <i>NeuroImage</i> , 2006, 31, 31-38.	4.4	291
362	Self-initiated encoding facilitates object working memory in schizophrenia: Implications for the etiology of working memory deficit. <i>Schizophrenia Research</i> , 2006, 82, 65-74.	2.1	11
363	Gray matter volume reduction in obsessive-compulsive disorder with schizotypal personality trait. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1146-1149.	5.0	21
364	A Proton MRSI Study of Brain N-Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1202-1207.	8.7	71
365	Neuropsychological correlates of error negativity and positivity in schizophrenia patients. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 303-311.	2.3	47
366	Effect of cognitive training focusing on organizational strategies in patients with obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 718-726.	2.3	52
367	Equivalent Current Dipole of Word Repetition Effects in Patients with Obsessive-Compulsive Disorder. <i>Brain Topography</i> , 2006, 18, 201-212.	1.8	6
368	How does distortion correction correlate with anisotropic indices? A diffusion tensor imaging study. <i>Magnetic Resonance Imaging</i> , 2006, 24, 1369-1376.	1.9	27
369	Implicit and explicit memory in patients with obsessive-compulsive disorder: An event-related potential study. <i>Journal of Psychiatric Research</i> , 2006, 40, 541-549.	3.2	14
370	An MRI study of structural variations in schizophrenia using deformation field morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2006, 146, 171-177.	1.9	6
371	Morphometric alterations of anterior superior temporal cortex in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2006, 23, 290-296.	4.2	43
372	Fractal dimension in human cortical surface: Multiple regression analysis with cortical thickness, sulcal depth, and folding area. <i>Human Brain Mapping</i> , 2006, 27, 994-1003.	3.7	182
373	Effects of DRD2 and CYP2D6 genotypes on delta EEG power response to aripiprazole in healthy male volunteers: a preliminary study. <i>Human Psychopharmacology</i> , 2006, 21, 519-528.	1.7	11
374	A Proton MRSI Study of Brain N-Acetylaspartate Level After 12 Weeks of Citalopram Treatment in Drug-Naive Patients With Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 1202.	8.7	51
375	Weight Management Program for Treatment-Emergent Weight Gain in Olanzapine-Treated Patients With Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 547-553.	2.3	123
376	The Study on Classification Method of Obsessive-Compulsive Disorder with Schizotypal Trait using Frontal Lobe Function Test. <i>Journal of Korean Society of Medical Informatics</i> , 2006, 12, 141.	0.2	0
377	Functional disconnection of the semantic networks in schizophrenia. <i>NeuroReport</i> , 2005, 16, 355-359.	1.2	24
378	Sex differences in the human corpus callosum: diffusion tensor imaging study. <i>NeuroReport</i> , 2005, 16, 795-798.	1.2	128

#	ARTICLE	IF	CITATIONS
379	Changes in Twinning Rates in South Korea: 1981â€“2002. <i>Twin Research and Human Genetics</i> , 2005, 8, 76-79.	0.7	53
380	Representative brain selection using a group-specific tissue probability map. <i>Magnetic Resonance Imaging</i> , 2005, 23, 809-815.	1.9	2
381	Persistent cognitive dysfunction in patients with obsessive-compulsive disorder: A naturalistic study. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 539-545.	2.3	75
382	Functional imaging evidence of the relationship between recurrent psychotic episodes and neurodegenerative course in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 219-228.	1.9	26
383	Decreased caudal anterior cingulate gyrus volume and positive symptoms in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 239-247.	1.9	53
384	Asymmetry analysis of deformable hippocampal model using the principal component in schizophrenia. <i>Human Brain Mapping</i> , 2005, 25, 361-369.	3.7	25
385	Testing the autogenous-reactive model of obsessions. <i>Depression and Anxiety</i> , 2005, 21, 118-129.	4.2	60
386	Familial risk for non-Hodgkin lymphoma and other lymphoproliferative malignancies by histopathologic subtype: the Swedish Family-Cancer Database. <i>Blood</i> , 2005, 106, 668-672.	1.4	94
387	Quantitative analysis of group-specific brain tissue probability map for schizophrenic patients. <i>NeuroImage</i> , 2005, 26, 502-512.	4.4	10
388	Fractal dimension of cerebral cortical surface in schizophrenia and obsessiveâ€“compulsive disorder. <i>Neuroscience Letters</i> , 2005, 384, 172-176.	2.1	91
389	Management of Schizophrenia with: Obsessive-Disorder Compulsive. <i>Psychiatric Annals</i> , 2005, 35, 36-43.	0.2	5
390	Association between EEG alpha power and visuospatial function in obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 16-20.	2.3	35
391	Impairment of recognition memory in schizophrenia: Event-related potential study using a continuous recognition task. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 465-472.	2.3	14
392	Left anterior subregion of orbitofrontal cortex volume reduction and impaired organizational strategies in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2004, 38, 193-199.	3.2	107
393	Analysis of the hemispheric asymmetry using fractal dimension of a skeletonized cerebral surface. <i>IEEE Transactions on Biomedical Engineering</i> , 2004, 51, 1494-1498.	4.4	43
394	Domain wall drag due to dc current injection into ferromagnetic nano-wires. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E1347-E1348.	2.3	1
395	Response to Rosburg: A voxel-based statistical parametric mapping of MMN current densities. <i>Human Brain Mapping</i> , 2004, 21, 46-48.	3.7	3
396	Gray matter abnormalities in paranoid schizophrenia and their clinical correlations. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 251-251.	1.9	1

#	ARTICLE	IF	CITATIONS
397	Deformable model with surface registration for hippocampal shape deformity analysis in schizophrenia. <i>NeuroImage</i> , 2004, 22, 831-840.	4.4	35
398	Volumetric Investigation of the Frontal-Subcortical Circuitry in Patients With Obsessive-Compulsive Disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 342-349.	2.0	85
399	Neurological abnormalities in schizophrenia and obsessive-compulsive disorder. <i>Current Opinion in Psychiatry</i> , 2004, 17, 215-220.	6.6	13
400	Chromosomal Rearrangements Affecting ABL1 in T-Cell Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2004, 104, 2894-2894.	1.4	1
401	Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. <i>Brain Topography</i> , 2003, 15, 233-238.	1.8	22
402	Neural correlates of clinical symptoms and cognitive dysfunctions in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 122, 37-47.	1.9	175
403	Neuropsychological correlates of P300 abnormalities in patients with schizophrenia and obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 123, 109-123.	1.9	72
404	Independent component model for cognitive functions of multiple subjects using [15O]H ₂ O PET images. <i>Human Brain Mapping</i> , 2003, 18, 284-295.	3.7	15
405	Classification of frequency distributions of diagnostic criteria scores in twelve personality disorders by the curve fitting method. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 417-423.	2.3	5
406	Modified Magnetic Resonance Image Based Parcellation Method for Cerebral Cortex using Successive Fuzzy Clustering and Boundary Detection. <i>Annals of Biomedical Engineering</i> , 2003, 31, 441-447.	2.6	22
407	Altered hemispheric asymmetry and positive symptoms in schizophrenia: equivalent current dipole of auditory mismatch negativity. <i>Schizophrenia Research</i> , 2003, 59, 253-260.	2.1	98
408	Morphometric abnormality of the insula in schizophrenia: a comparison with obsessive-compulsive disorder and normal control using MRI. <i>Schizophrenia Research</i> , 2003, 60, 191-198.	2.1	59
409	LORETA imaging of P300 in schizophrenia with individual MRI and 128-channel EEG. <i>NeuroImage</i> , 2003, 20, 1552-1560.	4.4	48
410	N-Methyl-d-aspartate receptor in working memory impairments in schizophrenia: event-related potential study of late stage of working memory process. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 993-999.	5.0	22
411	Functional Disconnection Between the Prefrontal and Parietal Cortices During Working Memory Processing in Schizophrenia: A [¹⁵ O]H ₂ O PET Study. <i>American Journal of Psychiatry</i> , 2003, 160, 919-923.	8.7	138
412	Decrease in genu of the corpus callosum in medication-naïve, early-onset dysthymia and depressive personality disorder. <i>Biological Psychiatry</i> , 2002, 52, 1134-1143.	1.3	41
413	Dissociation of Working Memory Processing Associated with Native and Second Languages: PET Investigation. <i>NeuroImage</i> , 2002, 15, 879-891.	4.4	48
414	Temporal association of MMN multiple generators: high density recording (128 channels). <i>International Congress Series</i> , 2002, 1232, 335-338.	0.2	1

#	ARTICLE	IF	CITATIONS
415	Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. <i>Biological Psychology</i> , 2002, 60, 109-120.	2.3	58
416	Integrating landscape structure and scale into natural resource management. , 2002, , 23-67.		31
417	Brain single photon emission computed tomography findings in depressive pseudodementia patients. <i>Journal of Affective Disorders</i> , 2002, 69, 159-166.	4.2	76
418	Neuropsychological profile in patients with obsessive-compulsive disorder over a period of 4-month treatment. <i>Journal of Psychiatric Research</i> , 2002, 36, 257-265.	3.2	96
419	Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. <i>Human Brain Mapping</i> , 2002, 17, 168-178.	3.7	100
420	Electrophysiological correlates of personality dimensions measured by Temperament and Character Inventory. <i>Psychiatry and Clinical Neurosciences</i> , 2002, 56, 631-635.	2.3	16
421	The effect of immediate and delayed word repetition on event-related potential in a continuous recognition task. <i>Cognitive Brain Research</i> , 2001, 11, 387-396.	3.1	45
422	Change in health knowledge of Bangladeshi children five years experience. <i>Public Health</i> , 2001, 115, 380-386.	3.0	1
423	Grey matter abnormalities in obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2001, 179, 330-334.	3.6	213
424	Frontal P300 decrement and executive dysfunction in adolescents with conduct problems. <i>Child Psychiatry and Human Development</i> , 2001, 32, 93-106.	2.1	67
425	Patterns of Temperament and Character in Subjects With Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 637-641.	2.3	71
426	Three-Year Follow-Up of Women With the Sole Diagnosis of Depressive Personality Disorder: Subsequent Development of Dysthymia and Major Depression. <i>American Journal of Psychiatry</i> , 2000, 157, 1966-1972.	8.7	30
427	Electrocardiographic Abnormalities in Patients Treated With Clozapine. <i>Journal of Clinical Psychiatry</i> , 2000, 61, 441-446.	2.3	84
428	Left Planum Temporale Volume Reduction in Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 142.	13.2	173
429	Gamma Frequency-Range Abnormalities to Auditory Stimulation in Schizophrenia. <i>Archives of General Psychiatry</i> , 1999, 56, 1001.	13.2	594
430	Pharmacokinetic-pharmacodynamic modeling of risperidone effects on electroencephalography in healthy volunteers. <i>Psychopharmacology</i> , 1999, 144, 272-278.	3.1	30
431	Lower Left Temporal Lobe MRI Volumes in Patients With First-Episode Schizophrenia Compared With Psychotic Patients With First-Episode Affective Disorder and Normal Subjects. <i>American Journal of Psychiatry</i> , 1998, 155, 1384-1391.	8.7	302
432	MRI Study of Cavum Septi Pellucidi in Schizophrenia, Affective Disorder, and Schizotypal Personality Disorder. <i>American Journal of Psychiatry</i> , 1998, 155, 509-515.	8.7	149

#	ARTICLE	IF	CITATIONS
433	Auditory Mismatch Negativity in Schizophrenia: Topographic Evaluation With a High-Density Recording Montage. <i>American Journal of Psychiatry</i> , 1998, 155, 1281-1284.	8.7	114
434	Anomalies in the physical properties of the $\hat{\iota}$ ± form of bismuth oxide. <i>Physics of the Solid State</i> , 1997, 39, 770-774.	0.5	13
435	Single-channel polychromatic pattern recognition by the use of a joint-transform correlator. <i>Applied Optics</i> , 1996, 35, 6382.	2.1	11
436	Right hemisphere abnormalities in major depression: Quantitative electroencephalographic findings before and after treatment. <i>Journal of Affective Disorders</i> , 1996, 40, 169-173.	4.2	104
437	A method for loading equine platelets with the fluorescent calcium indicator Fura $\hat{\iota}$ 2: ADP induces a rise in the cytosolic free calcium ion concentration. <i>Equine Veterinary Journal</i> , 1993, 25, 45-48.	1.7	5
438	Local Force Measurements on Finite-Span Cylinders in a Cross-Flow. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 1987, 109, 136-143.	1.6	19
439	Reactions of cyclic alkyl radicals. Part 2. $\hat{\iota}$ Photolysis of cyclopropane carboxaldehyde. <i>Transactions of the Faraday Society</i> , 1967, 63, 1369-1374.	0.9	35
440	Functional imaging of obsessive $\hat{\iota}$ compulsive disorder. , 0, , 247-259.		0
441	Entit $\hat{\iota}$ s institutionnelles et attitudes mentales. <i>Dialogue-Canadian Philosophical Review</i> , 0, , 1-37.	0.3	0
442	Resting $\hat{\iota}$ state theta phase $\hat{\iota}$ gamma amplitude coupling as a biomarker for the transdiagnostic dimensional approach in psychiatric disorders. <i>Psychiatry and Clinical Neurosciences</i> , 0, , .	2.3	1
443	Digital Phenotypes for Early Detection of Internet Gaming Disorder in Adolescent Students: Explorative Data-Driven Study. <i>JMIR Mental Health</i> , 0, 11, e50259.	3.4	1
444	MRI textural plasticity in limbic gray matter associated with clinical response to electroconvulsive therapy for psychosis. <i>Molecular Psychiatry</i> , 0, , .	8.2	0