Annelie Tjernlund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2903365/publications.pdf

Version: 2024-02-01

566801 414034 32 1,258 15 32 citations h-index g-index papers 32 32 32 2932 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Regular Use of Depot Medroxyprogesterone Acetate Causes Thinning of the Superficial Lining and Apical Distribution of Human Immunodeficiency Virus Target Cells in the Human Ectocervix. Journal of Infectious Diseases, 2022, 225, 1151-1161.	1.9	18
2	Preserved Mucosal-Associated Invariant T Cells in the Cervical Mucosa of HIV-Infected Women with Dominant Expression of the ⟨i⟩TRAV1-2–TRAJ20⟨/i⟩ T Cell Receptor α-Chain. Journal of Infectious Diseases, 2022, 226, 1428-1440.	1.9	4
3	Multi-omics analysis of the cervical epithelial integrity of women using depot medroxyprogesterone acetate. PLoS Pathogens, 2022, 18, e1010494.	2.1	8
4	HIV-Exposed Seronegative Sex Workers Express Low T-Cell Activation and an Intact Ectocervical Tissue Microenvironment. Vaccines, 2021, 9, 217.	2.1	3
5	In Situ Detection of MAIT Cells and MR1-Expressing Cells in Tissue Biopsies Utilizing Immunohistochemistry. Methods in Molecular Biology, 2020, 2098, 83-94.	0.4	1
6	Impact of Q-Griffithsin anti-HIV microbicide gel in non-human primates: In situ analyses of epithelial and immune cell markers in rectal mucosa. Scientific Reports, 2019, 9, 18120.	1.6	19
7	Increased Cervical CD4 ⁺ CCR5 ⁺ T Cells Among Kenyan Sex Working Women Using Depot Medroxyprogesterone Acetate. AIDS Research and Human Retroviruses, 2019, 35, 236-246.	0.5	17
8	Tissueâ€resident MAIT cell populations in human oral mucosa exhibit an activated profile and produce ILâ€17. European Journal of Immunology, 2019, 49, 133-143.	1.6	85
9	Human Immunodeficiency Virus-Infected Women Have High Numbers of CD103â^'CD8+ T Cells Residing Close to the Basal Membrane of the Ectocervical Epithelium. Journal of Infectious Diseases, 2018, 218, 453-465.	1.9	15
10	The vaginal microbiome amplifies sex hormoneâ€associated cyclic changes in cervicovaginal inflammation and epithelial barrier disruption. American Journal of Reproductive Immunology, 2018, 80, e12863.	1.2	45
11	The CD4 ^{â^'} CD8 ^{â^'} MAIT cell subpopulation is a functionally distinct subset developmentally related to the main CD8 ⁺ MAIT cell pool. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11513-E11522.	3.3	147
12	CD49a Expression Defines Tissue-Resident CD8 + T Cells Poised for Cytotoxic Function in Human Skin. Immunity, 2017, 46, 287-300.	6.6	465
13	Seminal plasma induces inflammation and enhances HIV-1 replication in human cervical tissue explants. PLoS Pathogens, 2017, 13, e1006402.	2.1	31
14	In Situ Staining and Laser Capture Microdissection of Lymph Node Residing SIV Gag-Specific CD8+ T cells—A Tool to Interrogate a Functional Immune Response Ex Vivo. PLoS ONE, 2016, 11, e0149907.	1.1	3
15	Innate Invariant NKT Cell Recognition of HIV-1–Infected Dendritic Cells Is an Early Detection Mechanism Targeted by Viral Immune Evasion. Journal of Immunology, 2016, 197, 1843-1851.	0.4	20
16	Progesterone-Based Intrauterine Device Use Is Associated with a Thinner Apical Layer of the Human Ectocervical Epithelium and a Lower ZO-1 mRNA Expression 1. Biology of Reproduction, 2015, 92, 68.	1.2	18
17	Comparable mRNA expression of inflammatory markers but lower claudin-1 mRNA levels in foreskin tissue of HSV-2 seropositive versus seronegative asymptomatic Kenyan young men. BMJ Open, 2015, 5, e006627-e006627.	0.8	3
18	Expression of MAIT Cells in Blood and Genital Mucosa of HIV Infected and Uninfected Women. AIDS Research and Human Retroviruses, 2014, 30, A47-A48.	0.5	2

#	Article	IF	CITATIONS
19	Expression Profiles of Antimicrobial Peptides in the Genital Tract of Women Using Progesterone Intrauterine Devices Versus Combined Oral Contraceptives. American Journal of Reproductive Immunology, 2014, 72, 475-484.	1.2	5
20	The Role of Serpin and Cystatin Antiproteases in Mucosal Innate Immunity and their Defense against <scp>HIV</scp> . American Journal of Reproductive Immunology, 2014, 71, 12-23.	1.2	31
21	Presence of CD8+ T Cells in the Ectocervical Mucosa Correlates with Genital Viral Shedding in HIV-Infected Women despite a Low Prevalence of HIV RNA–Expressing Cells in the Tissue. Journal of Immunology, 2014, 192, 3947-3957.	0.4	11
22	A Systems Biology Examination of the Human Female Genital Tract Shows Compartmentalization of Immune Factor Expression. Journal of Virology, 2013, 87, 5141-5150.	1.5	30
23	Stable CD4 Expression and Local Immune Activation in the Ectocervical Mucosa of HIV-Infected Women. Journal of Immunology, 2013, 191, 3948-3954.	0.4	19
24	HIV-specific CD8+ T cells from HIV+ individuals receiving HAART can be expanded ex vivo to augment systemic and mucosal immunity in vivo. Blood, 2011, 117, 5391-5402.	0.6	44
25	In situ detection of Gag-specific CD8+cells in the GI tract of SIV infected Rhesus macaques. Retrovirology, 2010, 7, 12.	0.9	30
26	Leukemia Inhibitor Factor (LIF) Inhibits HIV-1 Replication Via Restriction of Stat 3 Activation. AIDS Research and Human Retroviruses, 2007, 23, 398-406.	0.5	13
27	Early induction of leukemia inhibitor factor (LIF) in acute HIV-1 infection. Aids, 2006, 20, 11-19.	1.0	10
28	Suppression of leukemia inhibitor factor in lymphoid tissue in primary HIV infection: absence of HIV replication in gp130-positive cells. Aids, 2003, 17, 1303-1310.	1.0	11
29	African trypanosomes activate human fetal brain cells to proliferation and IFN- \hat{l}^3 production. NeuroReport, 2002, 13, 53-56.	0.6	6
30	Monocyte-derived dendritic cells express and secrete matrix-degrading metalloproteinases and their inhibitors and are imbalanced in multiple sclerosis. Journal of Neuroimmunology, 2002, 126, 161-171.	1.1	51
31	Endogenous Inhibitors of HIV: Potent Anti-HIV Activity of Leukemia Inhibitory Factor. Current Molecular Medicine, 2002, 2, 713-722.	0.6	15
32	RANTES promotes growth and survival of human first-trimester forebrain astrocytes. Nature Cell Biology, 2001, 3, 150-157.	4.6	78