

Tatsuaki Goh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2904869/publications.pdf>

Version: 2024-02-01

23
papers

2,164
citations

516561

16
h-index

677027

22
g-index

24
all docs

24
docs citations

24
times ranked

2963
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A Physical Model to Identify the Common Organ Shape Across Species. <i>Seibutsu Butsuri</i> , 2022, 62, 7-12. | 0.0 | 0 |
| 2 | Autophagy promotes organelle clearance and organized cell separation of living root cap cells in <i>Arabidopsis thaliana</i> . <i>Development (Cambridge)</i> , 2022, 149, . | 1.2 | 12 |
| 3 | Tissue growth constrains root organ outlines into an isometrically scalable shape. <i>Development (Cambridge)</i> , 2021, 148, . | 1.2 | 8 |
| 4 | Lateral root initiation requires the sequential induction of transcription factors LBD16 and PUCHI in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2019, 224, 749-760. | 3.5 | 50 |
| 5 | Cytoskeleton Dynamics Are Necessary for Early Events of Lateral Root Initiation in <i>Arabidopsis</i> . <i>Current Biology</i> , 2019, 29, 2443-2454.e5. | 1.8 | 63 |
| 6 | PUCHI regulates very long chain fatty acid biosynthesis during lateral root and callus formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 14325-14330. | 3.3 | 46 |
| 7 | Long-term live-cell imaging approaches to study lateral root formation in <i>Arabidopsis thaliana</i> . <i>Microscopy (Oxford, England)</i> , 2019, 68, 4-12. | 0.7 | 15 |
| 8 | Lateral Inhibition by a Peptide Hormone-Receptor Cascade during <i>Arabidopsis</i> Lateral Root Founder Cell Formation. <i>Developmental Cell</i> , 2019, 48, 64-75.e5. | 3.1 | 67 |
| 9 | Plant Biology: Building Barriers in Roots. <i>Current Biology</i> , 2017, 27, R172-R174. | 1.8 | 8 |
| 10 | Chloroplastic ATP synthase builds up a proton motive force preventing production of reactive oxygen species in photosystem I. <i>Plant Journal</i> , 2017, 91, 306-324. | 2.8 | 96 |
| 11 | Shaping 3D Root System Architecture. <i>Current Biology</i> , 2017, 27, R919-R930. | 1.8 | 162 |
| 12 | RALFL34 regulates formative cell divisions in <i>Arabidopsis</i> pericycle during lateral root initiation. <i>Journal of Experimental Botany</i> , 2016, 67, 4863-4875. | 2.4 | 66 |
| 13 | Quiescent center initiation in the <i>Arabidopsis</i> lateral root primordia is dependent on the SCARECROW transcription factor. <i>Development (Cambridge)</i> , 2016, 143, 3363-71. | 1.2 | 61 |
| 14 | Lateral root emergence in <i>Arabidopsis</i> is dependent on transcription factor LBD29 regulating auxin influx carrier LAX3. <i>Development (Cambridge)</i> , 2016, 143, 3340-9. | 1.2 | 111 |
| 15 | Quiescent center initiation in the <i>Arabidopsis</i> lateral root primordia is dependent on the SCARECROW transcription factor. <i>Journal of Cell Science</i> , 2016, 129, e1.2-e1.2. | 1.2 | 1 |
| 16 | Inference of the <i>Arabidopsis</i> Lateral Root Gene Regulatory Network Suggests a Bifurcation Mechanism That Defines Primordia Flanking and Central Zones. <i>Plant Cell</i> , 2015, 27, 1368-1388. | 3.1 | 105 |
| 17 | The circadian clock rephases during lateral root organ initiation in <i>Arabidopsis thaliana</i> . <i>Nature Communications</i> , 2015, 6, 7641. | 5.8 | 119 |
| 18 | A role for LATERAL ORGAN BOUNDARIES DOMAIN 16 during the interaction <i>Arabidopsis thaliana</i> × <i>Meloidogyne</i> spp. provides a molecular link between lateral root and root-knot nematode feeding site development. <i>New Phytologist</i> , 2014, 203, 632-645. | 3.5 | 61 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Systems biology approaches to understand the role of auxin in root growth and development. <i>Physiologia Plantarum</i> , 2014, 151, 73-82. | 2.6 | 15 |
| 20 | Plant Vacuolar Trafficking Occurs through Distinctly Regulated Pathways. <i>Current Biology</i> , 2014, 24, 1375-1382. | 1.8 | 129 |
| 21 | Lateral root development in <i>Arabidopsis</i> : fifty shades of auxin. <i>Trends in Plant Science</i> , 2013, 18, 450-458. | 4.3 | 536 |
| 22 | Multiple AUX/IAA-ARF modules regulate lateral root formation: the role of <i>Arabidopsis</i> SHY2/IAA3-mediated auxin signalling. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012, 367, 1461-1468. | 1.8 | 180 |
| 23 | The establishment of asymmetry in <i>Arabidopsis</i> lateral root founder cells is regulated by LBD16/ASL18 and related LBD/ASL proteins. <i>Development (Cambridge)</i> , 2012, 139, 883-893. | 1.2 | 253 |