

# Victor Kuete

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2907487/publications.pdf>

Version: 2024-02-01

310  
papers

10,646  
citations

22146  
59  
h-index

60616  
81  
g-index

325  
all docs

325  
docs citations

325  
times ranked

8372  
citing authors

#	ARTICLE	IF	CITATIONS
1	Roeperone A, a new tetraoxygenated xanthone and other compounds from the leaves of <i>Hypericum roeperianum</i> Schimp. (Hypericaceae). Natural Product Research, 2022, 36, 2071-2077.	1.8	10
2	Antibacterial secondary metabolites from <i>Vernonia auriculifera</i> Hiern (Asteraceae) against MDR phenotypes. Natural Product Research, 2022, 36, 3203-3206.	1.8	9
3	Methanol extract from the seeds of <i>Persea americana</i> displays antibacterial and wound healing activities in rat model. Journal of Ethnopharmacology, 2022, 282, 114573.	4.1	21
4	Radical Scavenging Activities, Total Reducing Power, Total Phenolic and Flavonoids Contents of Four Common Vegetables. European Journal of Biology and Biotechnology, 2022, 3, 75-80.	0.3	4
5	Modes of action of the methanol extract and 3-O-[[2-galactopyranosyl-(1 $\rightarrow$ 4)-1 $\rightarrow$ 2-D-galactopyranosyl]-oleanolic acid from <i>Acacia polyacantha</i> against multi-resistant Gram-negative bacteria. Investigational Medicinal Chemistry and Pharmacology, 2022, 5, 1-9.	0.1	0
6	Antibacterial and antibiotic-potentiating activities of nine Cameroonian medicinal plants against multidrug-resistant bacteria expressing active efflux pumps. Investigational Medicinal Chemistry and Pharmacology, 2022, 5, 1-11.	0.1	2
7	Antibacterial and antibiotic-modulating activities of <i>Rhinella jimi</i> and three other animal extracts against multidrug-resistant Gram-negative phenotypes. Investigational Medicinal Chemistry and Pharmacology, 2022, 5, 1-15.	0.1	0
8	Botanical from the Fruits Mesocarp of <i>Raphia vinifera</i> Displays Antiproliferative Activity and Is Harmless as Evidenced by Toxicological Assessments. Evidence-based Complementary and Alternative Medicine, 2022, 2022, 1-13.	1.2	3
9	Antibacterial and antibiotic-potentiating activities of <i>Desmodium uncinatum</i> , <i>Neoboutonia glabrescens</i> , <i>Ternstroemia cameroonensis</i> and eight other Cameroonian medicinal plants against multi-drug resistant bacteria expressing active efflux pumps. Investigational Medicinal Chemistry and Pharmacology, 2022, 5, 1-16.	0.1	0
10	A New Chalcone and Antimicrobial Chemical Constituents of <i>Dracaena stedneuri</i> . Pharmaceuticals, 2022, 15, 725.	3.8	6
11	Cytotoxicity, acute and sub-chronic toxicities of the fruit extract of <i>Tetrapleura tetraptera</i> (Schumm.) Tj ETQq1 1 0.784314 rgBT /Overlo	2.7	7
12	Antibacterial and antibiotic-potentiating activities of the hydro-ethanolic extract and protoberberine alkaloids from the stem bark of <i>Enantia chlorantha</i> against multidrug-resistant bacteria expressing active efflux pumps. Journal of Ethnopharmacology, 2022, 296, 115518.	4.1	4
13	A new polyketide from the bark of <i>Hypericum roeperianum</i> Schimp. (Hypericaceae). Natural Product Research, 2021, 35, 2381-2387.	1.8	18
14	Saponin with antibacterial activity from the roots of <i>Albizia adianthifolia</i> . Natural Product Research, 2021, 35, 2831-2839.	1.8	24
15	A phenanthridin-6-one derivative and a lanostane-type triterpene with antibacterial properties from <i>Anonidium mannii</i> (Oliv). Engl. & Diels (Annonaceae). Natural Product Research, 2021, 35, 4041-4050.	1.8	7
16	Synthesis and structural characterization of novel O-substituted phenolic and chalcone derivatives with antioxidant activity. Journal of Chemical Research, 2021, 45, 159-165.	1.3	4
17	Medicinal plants and phytochemicals against multidrug-resistant tumor cells expressing ABCB1, ABCG2, or ABCB5: a synopsis of 2 decades. Phytochemistry Reviews, 2021, 20, 7-53.	6.5	32
18	The alkaloid, soyauxinium chloride, displays remarkable cytotoxic effects towards a panel of cancer cells, inducing apoptosis, ferroptosis and necroptosis. Chemico-Biological Interactions, 2021, 333, 109334.	4.0	30

#	ARTICLE	IF	CITATIONS
19	Cytotoxic phytochemicals from the crude extract of <i>Tetrapleura tetraptera</i> fruits towards multi-factorial drug resistant cancer cells. <i>Journal of Ethnopharmacology</i> , 2021, 267, 113632.	4.1	18
20	Cytotoxicity of botanicals and isolated phytochemicals from <i>Araliopsis soyauxii</i> Engl. (Rutaceae) towards a panel of human cancer cells. <i>Journal of Ethnopharmacology</i> , 2021, 267, 113535.	4.1	11
21	Design, synthesis, characterization, and anticancer activity of a novel series of O-substituted chalcone derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 35, 127827.	2.2	20
22	Antibacterial Activities and Phytochemical Screening of Crude Extracts from Kenyan <i>Macaranga</i> Species Towards MDR Phenotypes Expressing Efflux Pumps. <i>Pharmacognosy Communications</i> , 2021, 11, 119-126.	0.5	7
23	Bioactivity of fractions and constituents of <i>Piper capense</i> fruits towards a broad panel of cancer cells. <i>Journal of Ethnopharmacology</i> , 2021, 271, 113884.	4.1	24
24	An Efflux Pumps Inhibitor Significantly Improved the Antibacterial Activity of Botanicals from <i>Plectranthus glandulosus</i> towards MDR Phenotypes. <i>Scientific World Journal</i> , The, 2021, 2021, 1-8.	2.1	6
25	CD24 gene inhibition and TIMP-4 gene upregulation by <i>Imperata cylindrica</i> 's root extract prevents metastasis of CaSki cells via inhibiting PI3K/Akt/snail signaling pathway and blocking EMT. <i>Journal of Ethnopharmacology</i> , 2021, 275, 114111.	4.1	13
26	Prenylated Flavonoids and C-15 Isoprenoid Analogues with Antibacterial Properties from the Whole Plant of <i>Imperata cylindrica</i> (L.) Raeusch (Gramineae). <i>Molecules</i> , 2021, 26, 4717.	3.8	16
27	Phytochemical analysis and antibiotic-modulating activity of <i>Cocos nucifera</i> , <i>Glycine max</i> and <i>Musa sapientum</i> methanol extracts against multidrug resistant Gram-negative bacteria. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2021, 4, 1-12.	0.1	5
28	Botanicals and phytochemicals from the bark of <i>Hypericum roeperianum</i> (Hypericaceae) had strong antibacterial activity and showed synergistic effects with antibiotics against multidrug-resistant bacteria expressing active efflux pumps. <i>Journal of Ethnopharmacology</i> , 2021, 277, 114257.	4.1	25
29	Botanical from <i>Piper capense</i> Fruit Can Help to Combat the Melanoma as Demonstrated by In Vitro and In Vivo Studies. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-15.	1.2	9
30	Antibiotic-potential activities of three animal species extracts, <i>Bitis arietans</i> , <i>Helix aspersa</i> , and <i>Aristaeomorpha foliacea</i> and mode of action against MDR Gram-negative bacteria phenotypes. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2021, 4, 1-15.	0.1	4
31	In vitro antibacterial and antibiotic-potential activities of five edible plant extracts and mode of action against several MDR Gram-negative phenotypes. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2021, 4, 1-14.	0.1	7
32	Antibacterial and Therapeutic Potentials of the <i>Capsicum annuum</i> Extract against Infected Wound in a Rat Model with Its Mechanisms of Antibacterial Action. <i>BioMed Research International</i> , 2021, 2021, 1-17.	1.9	11
33	In Vitro Anticancer Activity of <i>Imperata cylindrica</i> Root's Extract toward Human Cervical Cancer and Identification of Potential Bioactive Compounds. <i>BioMed Research International</i> , 2021, 2021, 1-12.	1.9	8
34	Collateral sensitivity of natural products in drug-resistant cancer cells. <i>Biotechnology Advances</i> , 2020, 38, 107342.	11.7	95
35	Plant-derived secondary metabolites as the main source of efflux pump inhibitors and methods for identification. <i>Journal of Pharmaceutical Analysis</i> , 2020, 10, 277-290.	5.3	85
36	Cytotoxic Constituents of the Bark of <i>Hypericum roeperianum</i> towards Multidrug-Resistant Cancer Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-11.	1.2	20

#	ARTICLE	IF	CITATIONS
37	Steroidal saponins from <i>Raphia vinifera</i> and their cytotoxic activity. <i>Steroids</i> , 2020, 163, 108724.	1.8	12
38	Bark extract of <i>Cassia sieberiana</i> DC. (Caesalpiniaceae) displayed good antibacterial activity against MDR gram-negative phenotypes in the presence of phenylalanine-arginine $\beta$ -naphthylamide. <i>BMC Complementary Medicine and Therapies</i> , 2020, 20, 342.	2.7	15
39	Botanicals from the leaves of <i>Acacia sieberiana</i> had better cytotoxic effects than isolated phytochemicals towards MDR cancer cells lines. <i>Heliyon</i> , 2020, 6, e05412.	3.2	22
40	<i>Plukenetia huayllabambana</i> Fruits: Analysis of Bioactive Compounds, Antibacterial Activity and Relative Action Mechanisms. <i>Plants</i> , 2020, 9, 1111.	3.5	5
41	A botanical from the antiproliferative Cameroonian spice, <i>Imperata cylindrica</i> is safe at lower doses, as demonstrated by oral acute and sub-chronic toxicity screenings. <i>BMC Complementary Medicine and Therapies</i> , 2020, 20, 273.	2.7	12
42	Antioxidant Activities of Methanol Extracts of Thirteen Cameroonian Antibacterial Dietary Plants. <i>Journal of Chemistry</i> , 2020, 2020, 1-13.	1.9	3
43	Botanical from the medicinal spice, <i>Piper capense</i> is safe as demonstrated by oral acute and subchronic toxicity investigations. <i>Heliyon</i> , 2020, 6, e05470.	3.2	4
44	Haematological Features and Urologic Pathologies of Diabetic Subjects at Bafoussam Regional Hospital: A Cross-Sectional Study. <i>International Journal of Chronic Diseases</i> , 2020, 2020, 1-10.	1.0	0
45	N-acetylglycoside of oleanolic acid (aridanin) displays promising cytotoxicity towards human and animal cancer cells, inducing apoptotic, ferroptotic and necroptotic cell death. <i>Phytomedicine</i> , 2020, 76, 153261.	5.3	45
46	Acute and Subacute Toxicity Profiles of the Methanol Extract of <i>Lycopersicon esculentum</i> L. Leaves (Tomato), a Botanical with Promising <i>In Vitro</i> Anticancer Potential. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-10.	1.2	22
47	Synthesis of Functionalized $\alpha$ -aryl-phenylthiazolylpropanoids and Their Potential as Anticancer Agents. <i>ChemistrySelect</i> , 2020, 5, 7675-7678.	1.5	1
48	8,8-bis-(Dihydroconiferyl)-diferulate displayed impressive cytotoxicity towards a panel of human and animal cancer cells. <i>Phytomedicine</i> , 2020, 70, 153215.	5.3	34
49	Antistaphylococcal Activity of Extracts, Fractions, and Compounds of <i>Acacia polyacantha</i> Wild (Fabaceae). <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-10.	1.2	8
50	Cytotoxicity of a naturally occurring spirostanol saponin, progenin III, towards a broad range of cancer cell lines by induction of apoptosis, autophagy and necroptosis. <i>Chemico-Biological Interactions</i> , 2020, 326, 109141.	4.0	35
51	Profiling Virulence and Antimicrobial Resistance Markers of Enterovirulent <i>Escherichia Coli</i> from Fecal Isolates of Adult Patients with Enteric Infections in West Cameroon. <i>Osong Public Health and Research Perspectives</i> , 2020, 11, 216-230.	1.9	7
52	Immunological Profile and Bacterial Drug Resistance in Pregnant Women: A Cross Sectional Study. <i>Osong Public Health and Research Perspectives</i> , 2020, 11, 319-326.	1.9	2
53	Antibacterial potential and mechanism of action of botanicals and phytochemicals from <i>Stachytarpheta cayennensis</i> (Verbenaceae) against Gram-negative multidrug-resistant phenotypes expressing efflux pumps. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2020, 3, 1-9.	0.1	11
54	Methanol Extracts from <i>Manilkara zapota</i> with Moderate Antibacterial Activity Displayed Strong Antibiotic-Modulating Effects against Multidrug-Resistant Phenotypes. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2020, 3, 1-8.	0.1	7

#	ARTICLE	IF	CITATIONS
55	Mechanisms of action of roots crude extract and adianthifolioside GS1 from <i>Albizia adianthifolia</i> (Fabaceae) against MDR Gram-negative enteric bacteria. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2020, 3, 1-13.	0.1	6
56	Synthesis and Biological Evaluation of Four New Ricinoleic Acid-Derived 1-O-alkylglycerols. <i>Marine Drugs</i> , 2020, 18, 113.	4.6	12
57	Methicillin-resistant <i>Staphylococcus aureus</i> in Metabolic Syndrome Patients at the Mbouda Hospitals, West Region of Cameroon. <i>Cureus</i> , 2020, 12, e7274.	0.5	0
58	Resistance Profiles of <i>Staphylococcus aureus</i> and Immunological Status in Pregnant Women at Bafang, West Region of Cameroon: A Cross-Sectional Study. <i>Cureus</i> , 2020, 12, e8648.	0.5	0
59	HETEROCYCLES 47. SYNTHESIS, CHARACTERIZATION AND BIOLOGICAL EVALUATION OF SOME NEW THIAZOLE AURONES AS ANTIPROLIFERATIVE AGENTS. <i>Farmacia</i> , 2020, 68, 492-506.	0.4	5
60	HETEROCYCLES 45. SYNTHESIS, CHARACTERIZATION AND BIOLOGICAL EVALUATION OF 3-INDOLYL-1-PYRIDYL-2-PROPENONES AS ANTICANCER AGENTS. <i>Farmacia</i> , 2020, 68, 697-703.	0.4	0
61	Antibiotic Resistance Profile of Uropathogenic Bacteria in Diabetic Patients at the Bafoussam Regional Hospital, West Cameroon Region. <i>Cureus</i> , 2020, 12, e9345.	0.5	4
62	Biopiracy versus One-World Medicineâ€œFrom colonial relicts to global collaborative concepts. <i>Phytomedicine</i> , 2019, 53, 319-331.	5.3	13
63	Polyacanthoside A, a new oleanane-type triterpenoid saponin with cytotoxic effects from the leaves of <i>Acacia polyacantha</i> (Fabaceae). <i>Natural Product Research</i> , 2019, 33, 3521-3526.	1.8	21
64	Cytotoxicity of Crude Extract and Isolated Constituents of the <i>Dichrostachys cinerea</i> Bark towards Multifactorial Drug-Resistant Cancer Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-11.	1.2	24
65	Caffeate and piperidine-3-ol derivatives from the stem bark of <i>Cassia sieberiana</i> . <i>Natural Product Research</i> , 2019, 35, 1-8.	1.8	4
66	Antibiotic Resistance of Enteric Bacteria in HIV-Infected Patients at the Banka Ad-Lucem Hospital, West Region of Cameroon. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , 2019, 2019, 1-7.	1.9	7
67	Furoquinolines and dihydrooxazole alkaloids with cytotoxic activity from the stem bark of <i>Araliopsis soyauxii</i> . <i>FÄ-toterapÄ-Ä</i> , 2019, 133, 193-199.	2.2	40
68	Cytotoxicity of the crude extract and constituents of the bark of <i>Fagara tessmannii</i> towards multi-factorial drug resistant cancer cells. <i>Journal of Ethnopharmacology</i> , 2019, 235, 28-37.	4.1	34
69	Cytotoxicity of isoflavones and biflavonoids from <i>Ormocarpum kirkii</i> towards multi-factorial drug resistant cancer. <i>Phytomedicine</i> , 2019, 58, 152853.	5.3	45
70	Urinary tract infections, bacterial resistance and immunological status: a cross sectional study in pregnant and non-pregnant women at Mbouda Ad-Lucem Hospital. <i>African Health Sciences</i> , 2019, 19, 1525.	0.7	9
71	Antibacterial and antibiotic-modifying activities of fractions and compounds from <i>Albizia adianthifolia</i> against MDR Gram-negative enteric bacteria. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 120.	3.7	16
72	Prevalence of Metabolic Syndrome and Its Components in Bamboutos Divisionâ€™s Adults, West Region of Cameroon. <i>BioMed Research International</i> , 2019, 2019, 1-12.	1.9	24

#	ARTICLE	IF	CITATIONS
73	Collateral sensitivity of drug-resistant ABCB5- and mutation-activated EGFR overexpressing cells towards resveratrol due to modulation of SIRT1 expression. <i>Phytomedicine</i> , 2019, 59, 152890.	5.3	18
74	Two new polyhydroxylated pentacyclic triterpenes with cytotoxic activities from <i>Manilkara pellegriniana</i> (Sapotaceae). <i>Phytochemistry Letters</i> , 2019, 31, 161-165.	1.2	9
75	Antibacterial and Antibiotic Modifying Potential of Crude Extracts, Fractions, and Compounds from <i>Acacia polyacantha</i> Willd. against MDR Gram-Negative Bacteria. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-13.	1.2	16
76	Evaluation of Acute and Subacute Toxicities of <i>Psidium guajava</i> Methanolic Bark Extract: A Botanical with <i>In Vitro</i> Antiproliferative Potential. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-13.	1.2	20
77	Cytotoxicity of ungeremine towards multi-factorial drug resistant cancer cells and induction of apoptosis, ferroptosis, necroptosis and autophagy. <i>Phytomedicine</i> , 2019, 60, 152832.	5.3	83
78	Cytotoxicity of naturally occurring phenolics and terpenoids from Kenyan flora towards human carcinoma cells. <i>Journal of Ayurveda and Integrative Medicine</i> , 2019, 10, 178-184.	1.7	19
79	Guttiferone BL with antibacterial activity from the fruits of <i>Allanblackia gabonensis</i> . <i>Natural Product Research</i> , 2019, 33, 2638-2646.	1.8	18
80	Cytotoxic flavonoids from two <i>Lonchocarpus</i> species. <i>Natural Product Research</i> , 2019, 33, 2609-2617.	1.8	22
81	<i>Cinnamomum zeylanicum</i> , <i>Dichrostachys glomerata</i> and three other plants had anti-staphylococcal and antibiotic-modifying activity against drug-resistant phenotypes. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2019, 2, 1-8.	0.1	1
82	<i>Cinnamomum zeylanicum</i> , <i>Dichrostachys glomerata</i> and three other plants had anti-staphylococcal and antibiotic-modifying activity against drug-resistant phenotypes. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2019, 2, 1-8.	0.1	0
83	Rapid Screening using GIBEX Screens-to-nature System of Ethnomedicinal Plants from Ngong Forest, Kenya for Potency against Infectious Diseases and Antioxidant Activities: A Qualitative Study. <i>Pharmacognosy Communications</i> , 2019, 9, 59-74.	0.5	2
84	Heterocycles 44. Synthesis, characterization and anticancer activity of new thiazole ortho-hydroxychalcones. <i>Medicinal Chemistry Research</i> , 2018, 27, 1396-1407.	2.4	13
85	Cytotoxicity of epunctanone and four other phytochemicals isolated from the medicinal plants <i>Garcinia epunctata</i> and <i>Ptychobium contortum</i> towards multi-factorial drug resistant cancer cells. <i>Phytomedicine</i> , 2018, 48, 112-119.	5.3	76
86	Cytotoxic benzylbenzofuran derivatives from <i>Dorstenia kameruniana</i> . <i>Fä-toterapÄ-Ä</i> , 2018, 128, 26-30.	2.2	29
87	Cytotoxicity of 18 Cameroonian medicinal plants against drug sensitive and multi-factorial drug resistant cancer cells. <i>Journal of Ethnopharmacology</i> , 2018, 222, 21-33.	4.1	50
88	A naturally occurring triterpene saponin ardisiacrispin B displayed cytotoxic effects in multi-factorial drug resistant cancer cells via ferroptotic and apoptotic cell death. <i>Phytomedicine</i> , 2018, 43, 78-85.	5.3	90
89	Antibacterial and Antibiotic-Potentiating Activities of Thirteen Cameroonian Edible Plants against Gram-Negative Resistant Phenotypes. <i>Scientific World Journal</i> , The, 2018, 2018, 1-14.	2.1	26
90	<i>Syzygium jambos</i> Displayed Antibacterial and Antibiotic-Modulating Activities against Resistant Phenotypes. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-12.	1.2	22



#	ARTICLE	IF	CITATIONS
91	<i>Tristemma hirtum</i> and Five Other Cameroonian Edible Plants with Weak or No Antibacterial Effects Modulate the Activities of Antibiotics against Gram-Negative Multidrug-Resistant Phenotypes. <i>Scientific World Journal</i> , The, 2018, 2018, 1-12.	2.1	8
92	Antistaphylococcal and Antibiotic Resistance Modulatory Activities of Thirteen Cameroonian Edible Plants against Resistant Phenotypes. <i>International Journal of Microbiology</i> , 2018, 2018, 1-12.	2.3	9
93	Oridonin Targets Multiple Drug-Resistant Tumor Cells as Determined by in Silico and in Vitro Analyses. <i>Frontiers in Pharmacology</i> , 2018, 9, 355.	3.5	18
94	In vitro antibacterial and antibiotic modifying activity of crude extract, fractions and 3,4,7-trihydroxyflavone from <i>Myristica fragrans</i> Hoult against MDR Gram-negative enteric bacteria. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 15.	3.7	39
95	Cytotoxicity of seputhecarpan D, thonningiol and 12 other phytochemicals from African flora towards human carcinoma cells. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 36.	3.7	15
96	Prospecting for cytotoxic and antiprotozoal 4-hydroxychromenes and 10-aryldihydropyrano[2,3-f]chromenes. <i>Archiv Der Pharmazie</i> , 2018, 351, e1800100.	4.1	10
97	Ardisinol III, a naturally occurring alkenylmethylresorcinol displayed cytotoxic effects in carcinoma cells. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2018, 1, 1-6.	0.1	13
98	Further antibacterial compounds from <i>Myristica fragrans</i> . <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2018, 1, 1-5.	0.1	4
99	Anti-staphylococcal activity and antibiotic-modulating effect of <i>Olex subscorpioidea</i> , <i>Piper guineense</i> , <i>Scorodophloeus zenkeri</i> , <i>Fagara lepreurii</i> , and <i>Monodora myristica</i> against resistant phenotypes. <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2018, 1, 1-10.	0.1	3
100	Influence of the harvesting area on the nutritional value, antioxidant and hypoglycemic properties of <i>Spirulina platensis</i> (Gom.) in diabetic rats (type I diabetic). <i>Investigational Medicinal Chemistry and Pharmacology</i> , 2018, 1, 1-11.	0.1	6
101	Antibacterial activities of the methanol extracts of <i>Albizia adianthifolia</i> , <i>Alchornea laxiflora</i> , <i>Laportea ovalifolia</i> and three other Cameroonian plants against multi-drug resistant Gram-negative bacteria. <i>Saudi Journal of Biological Sciences</i> , 2017, 24, 950-955.	3.8	39
102	Bacterial resistance and immunological profiles in HIV-infected and non-infected patients at Mbouda AD LUCEM Hospital in Cameroon. <i>Journal of Infection and Public Health</i> , 2017, 10, 269-276.	4.1	20
103	Antibacterial and antibiotic resistance modulatory activities of leaves and bark extracts of <i>Recinodindron heudelotii</i> (Euphorbiaceae) against multidrug-resistant Gram-negative bacteria. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 168.	3.7	24
104	Antibacterial activities of the methanol extract, fractions and compounds from <i>Elaeophorbia drupifera</i> (Thonn.) Stapf. (Euphorbiaceae). <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 28.	3.7	26
105	Cytotoxicity of the extracts and fractions from <i>Allanblackia gabonensis</i> (Clusiaceae) towards a panel of cancer cell lines. <i>South African Journal of Botany</i> , 2017, 111, 29-36.	2.5	8
106	In vitro cytotoxicity of compounds isolated from <i>Desbordesia glaucescens</i> against human carcinoma cell lines. <i>South African Journal of Botany</i> , 2017, 111, 37-43.	2.5	17
107	Cytotoxicity and mode of action of a naturally occurring naphthoquinone, 2-acetyl-7-methoxynaphtho[2,3-b]furan-4,9-quinone towards multi-factorial drug-resistant cancer cells. <i>Phytomedicine</i> , 2017, 33, 62-68.	5.3	66
108	Cytotoxicity of the methanol extracts of <i>Elephantopus mollis</i> , <i>Kalanchoe crenata</i> and 4 other Cameroonian medicinal plants towards human carcinoma cells. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 280.	3.7	37

#	ARTICLE	IF	CITATIONS
109	Potential of Central, Eastern and Western Africa Medicinal Plants for Cancer Therapy: Spotlight on Resistant Cells and Molecular Targets. <i>Frontiers in Pharmacology</i> , 2017, 8, 343.	3.5	95
110	Antiemetic African Medicinal Spices and Vegetables. , 2017, , 299-313.		6
111	Other Health Benefits of African Medicinal Spices and Vegetables. , 2017, , 329-349.		4
112	<i>Lactuca sativa</i> . , 2017, , 437-449.		17
113	Anti-inflammatory and Anti-nociceptive Activities of African Medicinal Spices and Vegetables. , 2017, , 239-270.		42
114	Anticancer Activities of African Medicinal Spices and Vegetables. , 2017, , 271-297.		39
115	Antimicrobial Activities of African Medicinal Spices and Vegetables. , 2017, , 207-237.		72
116	Antibacterial and Antibiotic-Modifying Activity of Methanol Extracts from Six Cameroonian Food Plants against Multidrug-Resistant Enteric Bacteria. <i>BioMed Research International</i> , 2017, 2017, 1-19.	1.9	34
117	Multidrug resistant bacteria are sensitive to <i>Euphorbia prostrata</i> and six others Cameroonian medicinal plants extracts. <i>BMC Research Notes</i> , 2017, 10, 321.	1.4	26
118	<i>Cinnamom</i> Species. , 2017, , 385-395.		8
119	Antibacterial activities and structure-activity relationships of a panel of 48 compounds from Kenyan plants against multidrug resistant phenotypes. <i>SpringerPlus</i> , 2016, 5, 901.	1.2	63
120	Synthesis and Cytotoxicity of 1,4-dihydropyridines and an Unexpected 1,3-Oxazin-6-one. <i>Helvetica Chimica Acta</i> , 2016, 99, 310-314.	1.6	9
121	Cytotoxicity of methanol extracts of <i>Annona muricata</i> , <i>Passiflora edulis</i> and nine other Cameroonian medicinal plants towards multi-factorial drug-resistant cancer cell lines. <i>SpringerPlus</i> , 2016, 5, 1666.	1.2	56
122	Quercetin and Cisplatin combined treatment altered cell cycle and mitogen activated protein kinase expressions in malignant mesotelioma cells. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 281.	3.7	21
123	Cytotoxicity of 15 Cameroonian medicinal plants against drug sensitive and multi-drug resistant cancer cells. <i>Journal of Ethnopharmacology</i> , 2016, 186, 196-204.	4.1	33
124	In vitro antibacterial activities of p-toluenesulfonyl-hydrazinothiazoles and hydrazinoselenazoles against multi-drug resistant Gram-negative phenotypes. <i>BMC Pharmacology &amp; Toxicology</i> , 2016, 17, 3.	2.4	14
125	Antibacterial and antibiotic-modulation activity of six Cameroonian medicinal plants against Gram-negative multi-drug resistant phenotypes. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 124.	3.7	20
126	Antibacterial and antibiotic-resistance modifying activity of the extracts and compounds from <i>Nauclea pobeguini</i> against Gram-negative multi-drug resistant phenotypes. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 193.	3.7	49



#	ARTICLE	IF	CITATIONS
127	Antibacterial activity of six medicinal Cameroonian plants against Gram-positive and Gram-negative multidrug resistant phenotypes. BMC Complementary and Alternative Medicine, 2016, 16, 388.	3.7	57
128	Three New Derivatives and Others Constituents from the Roots and Twigs of <i>Trilepisium madagascariense</i> DC. Helvetica Chimica Acta, 2016, 99, 642-649.	1.6	3
129	Two new pterocarpan and a new pyrone derivative with cytotoxic activities from <i>Ptycholobium contortum</i> (N.E.Br.) Brummitt (Leguminosae): revised NMR assignment of mundulea lactone. Chemistry Central Journal, 2016, 10, 58.	2.6	9
130	Cytotoxicity of methanol extracts of 10 Cameroonian medicinal plants towards multi-factorial drug-resistant cancer cell lines. BMC Complementary and Alternative Medicine, 2016, 16, 267.	3.7	42
131	Cytotoxicity of Plumbagin, Rapanone and 12 other naturally occurring Quinones from Kenyan Flora towards human carcinoma cells. BMC Pharmacology & Toxicology, 2016, 17, 60.	2.4	38
132	Cytotoxicity of seven naturally occurring phenolic compounds towards multi-factorial drug-resistant cancer cells. Phytomedicine, 2016, 23, 856-863.	5.3	100
133	Antibacterial activities of the methanol extracts, fractions and compounds from <i>Harungana madagascariensis</i> Lam. ex Poir. (Hypericaceae). Journal of Ethnopharmacology, 2016, 190, 100-105.	4.1	32
134	Antibacterial activities of methanol extracts from <i>Alchornea cordifolia</i> and four other Cameroonian plants against MDR phenotypes. Journal of Taibah University Medical Sciences, 2016, 11, 121-127.	0.9	19
135	Biopiracy of natural products and good bioprospecting practice. Phytomedicine, 2016, 23, 166-173.	5.3	41
136	Antibacterial activities of the methanol extracts and compounds from <i>Uapaca togoensis</i> against Gram-negative multi-drug resistant phenotypes. South African Journal of Botany, 2016, 103, 1-5.	2.5	32
137	Ericoside, a new antibacterial biflavonoid from <i>Erica mannii</i> (Ericaceae). F&A-toterap, 2016, 109, 206-211.	2.2	18
138	Individual and combined antiparasitic effect of six plant metabolites against <i>Leishmania amazonensis</i> and <i>Trypanosoma cruzi</i> . Bioorganic and Medicinal Chemistry Letters, 2016, 26, 1772-1775.	2.2	27
139	Cytotoxicity of an unprecedented brominated oleanolide and a new furoceramide from the Cameroonian spice, <i>Echinops giganteus</i> . Natural Product Research, 2016, 30, 2529-2537.	1.8	20
140	Cytotoxicity of 91 Kenyan indigenous medicinal plants towards human CCRF-CEM leukemia cells. Journal of Ethnopharmacology, 2016, 179, 177-196.	4.1	37
141	Antibacterial activities of the methanol extracts of <i>Canarium schweinfurthii</i> and four other Cameroonian dietary plants against multi-drug resistant Gram-negative bacteria. Saudi Journal of Biological Sciences, 2016, 23, 565-570.	3.8	49
142	Cytotoxicity of selected Cameroonian medicinal plants and <i>Nauclea pobeguini</i> towards multi-factorial drug-resistant cancer cells. BMC Complementary and Alternative Medicine, 2015, 15, 309.	3.7	41
143	In vitro antibacterial and antibiotic-potential activities of the methanol extracts from <i>Beilschmiedia acuta</i> , <i>Clausena anisata</i> , <i>Newbouldia laevis</i> and <i>Polyscias fulva</i> against multidrug-resistant Gram-negative bacteria. BMC Complementary and Alternative Medicine, 2015, 15, 412.	3.7	35
144	Antibacterial activity of nineteen selected natural products against multi-drug resistant Gram-negative phenotypes. SpringerPlus, 2015, 4, 823.	1.2	71

#	ARTICLE	IF	CITATIONS
145	Antibacterial activities of <i>Fagara macrophylla</i> , <i>Canarium schweinfurthii</i> , <i>Myrianthus arboreus</i> , <i>Dischistocalyx grandifolius</i> and <i>Tragia benthamii</i> against multi-drug resistant Gram-negative bacteria. SpringerPlus, 2015, 4, 567.	1.2	23
146	Antibacterial activities of the methanol extracts and compounds from <i>Erythrina sigmoidea</i> against Gram-negative multi-drug resistant phenotypes. BMC Complementary and Alternative Medicine, 2015, 15, 453.	3.7	36
147	Antibacterial and antibiotic-modifying activities of three food plants ( <i>Xanthosoma mafaffa</i> Lam.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 Gram-negative bacteria. BMC Complementary and Alternative Medicine, 2015, 16, 9.	3.7	64
148	Pyridinoacridine alkaloids of marine origin: NMR and MS spectral data, synthesis, biosynthesis and biological activity. Beilstein Journal of Organic Chemistry, 2015, 11, 1667-1699.	2.2	9
149	African Flora Has the Potential to Fight Multidrug Resistance of Cancer. BioMed Research International, 2015, 2015, 1-24.	1.9	151
150	Cytotoxicity of two naturally occurring flavonoids (dorsmanin F and poinsettifolin B) towards multi-factorial drug-resistant cancer cells. Phytomedicine, 2015, 22, 737-743.	5.3	22
151	Cytotoxicity of anthraquinones from the roots of <i>Pentas schimperi</i> towards multi-factorial drug-resistant cancer cells. Investigational New Drugs, 2015, 33, 861-869.	2.6	38
152	Cytotoxicity of a naturally occurring furoquinoline alkaloid and four acridone alkaloids towards multi-factorial drug-resistant cancer cells. Phytomedicine, 2015, 22, 946-951.	5.3	38
153	Anti-leukemia activity of semi-synthetic phenolic derivatives from <i>Polygonum limbatum</i> Meisn.. Chemistry Central Journal, 2015, 9, 40.	2.6	7
154	Unprecedented new nonadecyl<i>para</i>-hydroperoxycinnamate isolated from<i>Erythrina excelsa</i> and its cytotoxic activity. Natural Product Research, 2015, 29, 921-925.	1.8	15
155	Antibacterial activities of the methanol extracts, fractions and compounds from <i>Fagara tessmannii</i> . Journal of Ethnopharmacology, 2015, 169, 275-279.	4.1	28
156	Tetracycline improved the efficiency of other antimicrobials against Gram-negative multidrug-resistant bacteria. Journal of Infection and Public Health, 2015, 8, 226-233.	4.1	13
157	Antibacterial and antibiotic resistance modifying activity of the extracts from <i>allanblackia gabonensis</i> , <i>combretum molle</i> and <i>gladiolus quartinianus</i> against Gram-negative bacteria including multi-drug resistant phenotypes. BMC Complementary and Alternative Medicine, 2015, 15, 206.	3.7	57
158	Lemairones A and B: Two new antibacterial tetraflavonoids from the leaves of <i>Zanthoxylum lemairei</i> (Rutaceae). Phytochemistry Letters, 2015, 14, 1-7.	1.2	23
159	Cytotoxicity of three naturally occurring flavonoid derived compounds (artocarpesin,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 Phytomedicine, 2015, 22, 1096-1102.	5.3	58
160	Cytotoxicity of compounds from <i>Xylopia aethiopica</i> towards multi-factorial drug-resistant cancer cells. Phytomedicine, 2015, 22, 1247-1254.	5.3	47
161	Pharmacogenomic and molecular docking studies on the cytotoxicity of the natural steroid wortmannin against multidrug-resistant tumor cells. Phytomedicine, 2015, 22, 120-127.	5.3	22
162	Activities of selected medicinal plants against multi-drug resistant Gram-negative bacteria in Cameroon. African Health Sciences, 2014, 14, 167.	0.7	27

#	ARTICLE	IF	CITATIONS
163	Review of the Chemistry and Pharmacology of 7-Methyljugulone. African Health Sciences, 2014, 14, 201.	0.7	15
164	Cytotoxic Compounds from the Fruits of <i>Uapaca togoensis</i> towards Multifactorial Drug-Resistant Cancer Cells. <i>Planta Medica</i> , 2014, 81, 32-38.	1.3	22
165	Established Anticancer Drugs from Natural Origin. , 2014, , 343-389.		1
166	Biochemical Parameters in Toxicological Studies in Africa. , 2014, , 659-715.		21
167	Toxic Plants Used in African Traditional Medicine. , 2014, , 135-180.		6
168	Cytotoxic flavonoids and isoflavonoids from <i>Erythrina sigmoidea</i> towards multi-factorial drug resistant cancer cells. <i>Investigational New Drugs</i> , 2014, 32, 1053-1062.	2.6	85
169	Cytotoxicity of four <i>Aframomum</i> species ( <i>A. arundinaceum</i> , <i>A. albobolaceum</i> , <i>A. kayserianum</i> and <i>A. Tj</i> ETQq1 1 0.784314 rgBT /Overlo Alternative Medicine, 2014, 14, 340.	3.7	43
170	Cytotoxic Benzophenanthridine and Furoquinoline Alkaloids from <i>Zanthoxylum buesgenii</i> (Rutaceae). <i>Chemistry Central Journal</i> , 2014, 8, 61.	2.6	43
171	Hepatotoxicity and Hepatoprotective Effects of African Medicinal Plants. , 2014, , 323-355.		9
172	Acute and Subacute Toxicities of African Medicinal Plants. , 2014, , 63-98.		20
173	Physical, Hematological, and Histopathological Signs of Toxicity Induced by African Medicinal Plants. , 2014, , 635-657.		25
174	Elatumic Acid: A New Ursolic Acid Congener from <i>Omphalocarpum elatum</i> Miers (Sapotaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2014, 69, 276-282.	1.4	11
175	Methanolic Extract of <i>Piper nigrum</i> Fruits Improves Memory Impairment by Decreasing Brain Oxidative Stress in Amyloid Beta(1 $\beta$ 42) Rat Model of Alzheimer's Disease. <i>Cellular and Molecular Neurobiology</i> , 2014, 34, 437-449.	3.3	103
176	Control of malaria and other vector-borne protozoan diseases in the tropics: enduring challenges despite considerable progress and achievements. <i>Infectious Diseases of Poverty</i> , 2014, 3, 1.	3.7	88
177	Cytotoxicity and modes of action of five Cameroonian medicinal plants against multi-factorial drug resistance of tumor cells. <i>Journal of Ethnopharmacology</i> , 2014, 153, 207-219.	4.1	86
178	In Vitro and In Vivo antifungal activities of selected Cameroonian dietary spices. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 58.	3.7	42
179	Harmful and Protective Effects of Terpenoids from African Medicinal Plants. , 2014, , 557-576.		18
180	Health Effects of Alkaloids from African Medicinal Plants. , 2014, , 611-633.		33

#	ARTICLE	IF	CITATIONS
181	Mutagenicity and Carcinogenicity of African Medicinal Plants. , 2014, , 277-322.		6
182	Cytotoxicity of the bisphenolic honokiol from <i>Magnolia officinalis</i> against multiple drug-resistant tumor cells as determined by pharmacogenomics and molecular docking. <i>Phytomedicine</i> , 2014, 21, 1525-1533.	5.3	24
183	Cytotoxicity and modes of action of 4-hydroxy-2,6-dimethoxychalcone and other flavonoids toward drug-sensitive and multidrug-resistant cancer cell lines. <i>Phytomedicine</i> , 2014, 21, 1651-1657.	5.3	68
184	Albiziaflavane A: a new flavane from <i>Albizia ferruginea</i> (Mimosoideae). <i>Natural Product Research</i> , 2014, 28, 1574-1578.	1.8	9
185	Antibacterial and antibiotic-potential activities of some Cameroonian food plants against multi-drug resistant gram-negative bacteria. <i>Chinese Journal of Integrative Medicine</i> , 2014, 20, 546-554.	1.6	22
186	Antibacterial activities of <i>Beilschmiedia obscura</i> and six other Cameroonian medicinal plants against multi-drug resistant Gram-negative phenotypes. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 241.	3.7	75
187	Antibiotic-potential activities of four Cameroonian dietary plants against multidrug-resistant Gram-negative bacteria expressing efflux pumps. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 258.	3.7	70
188	The 15-lipoxygenase inhibitory, antioxidant, antimycobacterial activity and cytotoxicity of fourteen ethnomedicinally used African spices and culinary herbs. <i>Journal of Ethnopharmacology</i> , 2014, 156, 1-8.	4.1	28
189	Harmful and Protective Effects of Phenolic Compounds from African Medicinal Plants. , 2014, , 577-609.		34
190	Activity of three cytotoxic isoflavonoids from <i>Erythrina excelsa</i> and <i>Erythrina senegalensis</i> (neobavaisoflavone, sigmoidin H and isoneorautenol) toward multi-factorial drug resistant cancer cells. <i>Phytomedicine</i> , 2014, 21, 682-688.	5.3	60
191	Cytotoxicity and modes of action of three naturally occurring xanthenes (8-hydroxycudraxanthone) <i>Tj ETQq1 1 0.784314 rgBT /Overl</i> <i>Phytomedicine</i> , 2014, 21, 315-322.	5.3	93
192	Contribution of African Flora in a Global Fight against Cancer. , 2014, , 289-305.		0
193	Heterocycles 23: Synthesis, characterization and anticancer activity of new hydrazinoselenazole derivatives. <i>Medicinal Chemistry Research</i> , 2013, 22, 5670-5679.	2.4	20
194	Cytotoxicity and modes of action of four Cameroonian dietary spices ethno-medically used to treat Cancers: <i>Echinops giganteus</i> , <i>Xylopia aethiopica</i> , <i>Imperata cylindrica</i> and <i>Piper capense</i> . <i>Journal of Ethnopharmacology</i> , 2013, 149, 245-253.	4.1	107
195	African Medicinal Plants Acting on the Reproductive, Cardiovascular, and Central Nervous Systems. , 2013, , 805-841.		3
196	Antibacterial activities of selected edible plants extracts against multidrug-resistant Gram-negative bacteria. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 164.	3.7	174
197	Antibacterial constituents of three Cameroonian medicinal plants: <i>Garcinia nobilis</i> , <i>Orcia suaveolens</i> and <i>Balsamocitrus camerunensis</i> . <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 81.	3.7	38
198	Cytotoxic and antimicrobial activity of selected Cameroonian edible plants. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 78.	3.7	38

#	ARTICLE	IF	CITATIONS
199	Antibacterial activities of the methanol extracts of ten Cameroonian vegetables against Gram-negative multidrug-resistant bacteria. BMC Complementary and Alternative Medicine, 2013, 13, 26.	3.7	78
200	Antibacterial activities of the methanol extracts of seven Cameroonian dietary plants against bacteria expressing MDR phenotypes. SpringerPlus, 2013, 2, 363.	1.2	70
201	Antimalarial and Other Antiprotozoal Products from African Medicinal Plants. , 2013, , 661-709.		12
202	Triterpenes and Steroids from the Medicinal Plants of Africa. , 2013, , 135-202.		21
203	Alkaloids from the Medicinal Plants of Africa. , 2013, , 557-605.		19
204	Chemistry and pharmacology of 4-hydroxylonchocarpin: A review. Chinese Journal of Integrative Medicine, 2013, 19, 475-480.	1.6	11
205	Omphalocarpoidone, a new lanostane-type furano-spiro-Î <sup>3</sup> -lactone from the wood of Tridesmostemon omphalocarpoides Engl. (Sapotaceae). Phytochemistry Letters, 2013, 6, 676-680.	1.2	12
206	Coumarins and Related Compounds from the Medicinal Plants of Africa. , 2013, , 261-300.		21
207	Simple Phenols, Phenolic Acids, and Related Esters from the Medicinal Plants of Africa. , 2013, , 225-249.		5
208	Quinones and Benzophenones from the Medicinal Plants of Africa. , 2013, , 351-391.		19
209	Antidiabetes Activity of African Medicinal Plants. , 2013, , 753-786.		6
210	Xanthones and Anthranoids from the Medicinal Plants of Africa. , 2013, , 393-434.		13
211	Cytotoxicity of Elaeophorbia drupifera and other Cameroonian medicinal plants against drug sensitive and multidrug resistant cancer cells. BMC Complementary and Alternative Medicine, 2013, 13, 250.	3.7	29
212	Phytochemical analysis, antimicrobial and radical-scavenging properties of Acalypha manniana leaves. SpringerPlus, 2013, 2, 503.	1.2	19
213	In Vitro antibacterial and antibiotic-potential activities of four edible plants against multidrug-resistant gram-negative species. BMC Complementary and Alternative Medicine, 2013, 13, 190.	3.7	52
214	Cytotoxicity, mode of action and antibacterial activities of selected Saudi Arabian medicinal plants. BMC Complementary and Alternative Medicine, 2013, 13, 354.	3.7	35
215	Antiproliferative Potential of African Medicinal Plants. , 2013, , 711-724.		17
216	A 4-week repeated oral dose toxicity study of the methanol extract from Diospyros canaliculata in rats. Comparative Clinical Pathology, 2013, 22, 75-81.	0.7	5

#	ARTICLE	IF	CITATIONS
217	Cytotoxicity and modes of action of four naturally occurring benzophenones: 2,2â€²,5,6â€²-Tetrahydroxybenzophenone, guttiferone E, isogarcinol and isoxanthochymol. <i>Phytomedicine</i> , 2013, 20, 528-536.	5.3	88
218	Review of the Antifungal Potential of African Medicinal Plants. , 2013, , 79-153.		3
219	Flavonoids and Related Compounds from the Medicinal Plants of Africa. , 2013, , 301-350.		19
220	Antimicrobial Prenylated Xanthenes and Anthraquinones from Barks and Fruits of <i>Psorospermum adamaouense</i> (Engl). <i>Natural Products Journal</i> , 2013, 3, 60-65.	0.3	5
221	Sesquiterpenes from the Medicinal Plants of Africa. , 2013, , 33-103.		18
222	Antimicrobial and Antioxidant Isoflavonoid Derivatives from the Roots of <i>Amphimas pterocarpoides</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2013, 68, 931-938.	0.7	12
223	Cytotoxicity and Modes of Action of the Methanol Extracts of Six Cameroonian Medicinal Plants against Multidrug-Resistant Tumor Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-10.	1.2	64
224	Antiangiogenic Activity and Pharmacogenomics of Medicinal Plants from Traditional Korean Medicine. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-13.	1.2	27
225	Cytotoxicity and Pharmacogenomics of Medicinal Plants from Traditional Korean Medicine. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-14.	1.2	16
226	Medicinal Plants Market and Industry in Africa. , 2013, , 859-890.		14
227	Diterpenoids from the Medicinal Plants of Africa. , 2013, , 105-133.		4
228	Monoterpenes and Related Compounds from the Medicinal Plants of Africa. , 2013, , 1-32.		4
229	Phenylpropanoids and Related Compounds from the Medicinal Plants of Africa. , 2013, , 251-260.		2
230	Lignans and Stilbenes from African Medicinal Plants. , 2013, , 435-478.		16
231	Ceramides, Cerebrosides, and Related Long Chains Containing Derivatives from the Medicinal Plants of Africa. , 2013, , 607-620.		6
232	Microwave-Assisted Synthesis of New Selenazole Derivatives with Antiproliferative Activity. <i>Molecules</i> , 2013, 18, 4679-4688.	3.8	20
233	Bioactivity of Plant Constituents againstÂVancomycin-Resistant Enterococci. , 2013, , 23-30.		2
234	Molecular determinants of cancer cell sensitivity and resistance towards the sesquiterpene farnesol. <i>Die Pharmazie</i> , 2013, 68, 608-15.	0.5	17



#	ARTICLE	IF	CITATIONS
235	Antibacterial Activities of Selected Cameroonian Plants and Their Synergistic Effects with Antibiotics against Bacteria Expressing MDR Phenotypes. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-11.	1.2	51
236	Antibacterial Activity and Cytotoxicity of Selected Egyptian Medicinal Plants. Planta Medica, 2012, 78, 193-199.	1.3	64
237	Cytotoxicity and Antimicrobial Activity of the Methanol Extract and Compounds from Polygonum limbatum. Planta Medica, 2012, 78, 787-792.	1.3	67
238	Anti-Infective and Antiproliferative Potential of African Medicinal Plants. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-2.	1.2	0
239	A New Sphingolipid and Furanocoumarins with Antimicrobial Activity from <i>Ficus exasperata</i> . Chemical and Pharmaceutical Bulletin, 2012, 60, 1072-1075.	1.3	30
240	Antibacterial activity of selected Cameroonian dietary spices ethno-medically used against strains of Mycobacterium tuberculosis. Journal of Ethnopharmacology, 2012, 142, 374-382.	4.1	56
241	Antibacterial activities of the extracts, fractions and compounds from Dioscorea bulbifera. BMC Complementary and Alternative Medicine, 2012, 12, 228.	3.7	48
242	Antimicrobial activity of selected South African medicinal plants. BMC Complementary and Alternative Medicine, 2012, 12, 74.	3.7	62
243	Antimicrobial activities of the methanol extract and compounds from the twigs of Dorstenia mannii (Moraceae). BMC Complementary and Alternative Medicine, 2012, 12, 83.	3.7	32
244	Cytotoxicity, anti-angiogenic, apoptotic effects and transcript profiling of a naturally occurring naphthyl butenone, guieranone A. Cell Division, 2012, 7, 16.	2.4	21
245	Antibacterial and antibiotic-potential activities of the methanol extract of some cameroonian spices against Gram-negative multi-drug resistant phenotypes. BMC Research Notes, 2012, 5, 299.	1.4	60
246	A new fatty aldol ester from the aerial part of Mimosa invisa (Mimosaceae). Natural Product Research, 2012, 26, 1831-1836.	1.8	7
247	Chemical constituents of Trilepisium madagascariense (Moraceae) and their antimicrobial activity. Phytochemistry Letters, 2012, 5, 524-528.	1.2	23
248	Ceramides and cytotoxic constituents from Ficus glumosa Del. (Moraceae). Journal of the Brazilian Chemical Society, 2012, 23, 482-487.	0.6	26
249	Cobalt mediated ring contraction reaction of lapachol and initial antibacterial evaluation of naphthoquinones derived from lapachol. Medicinal Chemistry Research, 2012, 21, 2117-2122.	2.4	9
250	Isobavachalcone: An overview. Chinese Journal of Integrative Medicine, 2012, 18, 543-547.	1.6	80
251	Donellanic acids A-C: new cyclopropanic oleanane derivatives from Donella ubanguiensis (Sapotaceae). Tetrahedron, 2012, 68, 4621-4627.	1.9	14
252	Cytotoxicity and Mode of Action of Four Naturally Occuring Flavonoids from the Genus <i>Dorstenia</i> : Gancaonin Q, 4-Hydroxylonchocarpin, 6-Prenylapigenin, and 6,8-Diprenyleryiodictyol. Planta Medica, 2011, 77, 1984-1989.	1.3	73

#	ARTICLE	IF	CITATIONS
253	Antioxidant, antitumor and antimicrobial activities of the crude extract and compounds of the root bark of <i>Allanblackia floribunda</i> . <i>Pharmaceutical Biology</i> , 2011, 49, 57-65.	2.9	35
254	Antibacterial activity of some natural products against bacteria expressing a multidrug-resistant phenotype. <i>International Journal of Antimicrobial Agents</i> , 2011, 37, 156-161.	2.5	134
255	Evaluation of four Cameroonian medicinal plants for anticancer, anticonorrheal and antireverse transcriptase activities. <i>Environmental Toxicology and Pharmacology</i> , 2011, 32, 162-7.	4.0	38
256	Cytotoxicity of some Cameroonian spices and selected medicinal plant extracts. <i>Journal of Ethnopharmacology</i> , 2011, 134, 803-812.	4.1	148
257	Pharmacogenomics of Cameroonian traditional herbal medicine for cancer therapy. <i>Journal of Ethnopharmacology</i> , 2011, 137, 752-766.	4.1	81
258	Bio-guided isolation of potential antimicrobial and antioxidant agents from the stem bark of <i>Trilepisium madagascariense</i> . <i>South African Journal of Botany</i> , 2011, 77, 319-327.	2.5	27
259	A new acylated triterpene with antimicrobial activity from the leaves of <i>Rauvolfia vomitoria</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 404-407.	0.8	9
260	Antibacterial activities of selected Cameroonian spices and their synergistic effects with antibiotics against multidrug-resistant phenotypes. <i>BMC Complementary and Alternative Medicine</i> , 2011, 11, 104.	3.7	124
261	Antimicrobial activities of the methanol extract and compounds from <i>Artocarpus communis</i> (Moraceae). <i>BMC Complementary and Alternative Medicine</i> , 2011, 11, 42.	3.7	59
262	Antimicrobial activities of the methanol extract, fractions and compounds from <i>Ficus polita</i> Vahl. (Moraceae). <i>BMC Complementary and Alternative Medicine</i> , 2011, 11, 6.	3.7	75
263	A new friedelane triterpenoid and saponin with moderate antimicrobial activity from the stems of <i>Drypetes laciniata</i> . <i>Chinese Chemical Letters</i> , 2011, 22, 171-174.	9.0	11
264	Phytotoxic, antifungal activities and acute toxicity studies of the crude extract and compounds from <i>Diospyros canaliculata</i> . <i>Natural Product Research</i> , 2011, 25, 741-749.	1.8	21
265	Antimicrobial activities of the CH <sub>2</sub> Cl <sub>2</sub> and CH <sub>3</sub> OH (1:1) extracts and compounds from the roots and fruits of <i>Pycnanthus angolensis</i> (Myristicaceae). <i>Natural Product Research</i> , 2011, 25, 432-443.	1.8	29
266	Anticancer Activities of Six Selected Natural Compounds of Some Cameroonian Medicinal Plants. <i>PLoS ONE</i> , 2011, 6, e21762.	2.5	91
267	Antimicrobial activity of the methanolic extract and compounds from the stem bark of <i>Drypetes tessmanniana</i> . <i>Chinese Journal of Integrative Medicine</i> , 2010, 16, 337-343.	1.6	24
268	Antimycobacterial, antibacterial and antifungal activities of <i>Terminalia superba</i> (Combretaceae). <i>South African Journal of Botany</i> , 2010, 76, 125-131.	2.5	35
269	Antimycobacterial, antibacterial and antifungal activities of the methanol extract and compounds from <i>Thecacoris annobonae</i> (Euphorbiaceae). <i>South African Journal of Botany</i> , 2010, 76, 536-542.	2.5	25
270	Evaluation of the genus <i>Treculia</i> for antimycobacterial, anti-reverse transcriptase, radical scavenging and antitumor activities. <i>South African Journal of Botany</i> , 2010, 76, 530-535.	2.5	10

#	ARTICLE	IF	CITATIONS
271	Synthesis of some p-toluenesulfonyl-hydrazinothiazoles and hydrazino-bis-thiazoles and their anticancer activity. European Journal of Medicinal Chemistry, 2010, 45, 5080-5085.	5.5	69
272	Efflux Pumps Are Involved in the Defense of Gram-Negative Bacteria against the Natural Products Isobavachalcone and Diospyrone. Antimicrobial Agents and Chemotherapy, 2010, 54, 1749-1752.	3.2	95
273	Antidiarrheal activity of extracts and compound from <i>Trilepisium madagascariense</i> stem bark. Indian Journal of Pharmacology, 2010, 42, 157.	0.7	10
274	Potential of Cameroonian Plants and Derived Products against Microbial Infections: A Review. Planta Medica, 2010, 76, 1479-1491.	1.3	471
275	Cameroonian Medicinal Plants: Pharmacology and Derived Natural Products. Frontiers in Pharmacology, 2010, 1, 123.	3.5	202
276	Pycnanthulignenes Aâ <sup>~</sup> D, Antimicrobial Cyclolignene Derivatives from the Roots of <i>Pycnanthus angolensis</i> . Journal of Natural Products, 2010, 73, 213-216.	3.0	69
277	Toxicological evaluation of the hydroethanol extract of <i>Tabernaemontana crassa</i> (Apocynaceae) stem bark. Journal of Ethnopharmacology, 2010, 130, 470-476.	4.1	15
278	Evaluation of flavonoids from <i>Dorstenia barteri</i> for their antimycobacterial, antigonorrheal and anti-reverse transcriptase activities. Acta Tropica, 2010, 116, 100-104.	2.0	60
279	Antidermatophytic Activity and Dermal Toxicity of Essential Oil from the Leaves of <i>Ageratum houstonianum</i> (Asteraceae). Journal of Biological Sciences, 2010, 10, 448-454.	0.3	10
280	Coumestan Glycosides from the Stem Bark of <i>Cylicodiscus Gabunensis</i> . Natural Product Communications, 2009, 4, 1934578X0900400.	0.5	5
281	Evaluation of <i>Antiaris africana</i> methanol extract and compounds for antioxidant and antitumor activities. Pharmaceutical Biology, 2009, 47, 1042-1049.	2.9	27
282	Antibacterial and antifungal activities of the crude extract and compounds from <i>Dorstenia turbinata</i> (Moraceae). South African Journal of Botany, 2009, 75, 256-261.	2.5	46
283	Triumfettosterol Id and Triumfettosaponin, a New (Fatty Acyl)-Substituted Steroid and a Triterpenoid â <sup>~</sup> Dimerâ <sup>™</sup> Bis( <sup>2</sup> â <sup>~</sup> D-glucopyranosyl) Ester from the Leaves of Wild <i>Triumfetta cordifolia</i> A. Rich. (Tiliaceae). Helvetica Chimica Acta, 2009, 92, 1748-1759.	1.6	10
284	Antimicrobial activity of the crude extract, fractions and compounds from stem bark of <i>Ficus ovata</i> (Moraceae). Journal of Ethnopharmacology, 2009, 124, 556-561.	4.1	91
285	Antimicrobial activity of the methanolic extract and compounds from <i>Morus mesozygia</i> stem bark. Journal of Ethnopharmacology, 2009, 124, 551-555.	4.1	88
286	Diospyrone, crassiflorone and plumbagin: three antimycobacterial and antigonorrhoeal naphthoquinones from two <i>Diospyros</i> spp.. International Journal of Antimicrobial Agents, 2009, 34, 322-325.	2.5	63
287	Two New Antimicrobial Dimeric Compounds: Febrifuquinone, a Vismione-Anthraquinone Coupled Pigment and Adamabianthrone, from two <i>Psorospermum</i> Species. Chemical and Pharmaceutical Bulletin, 2009, 57, 1113-1118.	1.3	27
288	Antimicrobial and antileishmanial xanthenes from the stem bark of <i>Allanblackia gabonensis</i> . Chemistry of Natural Compounds, 2008, 44, 582-587.	0.8	14

#	ARTICLE	IF	CITATIONS
289	Semisynthesis and antitumoral activity of 2-acetylfuranonaphthoquinone and other naphthoquinone derivatives from lapachol. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 5387-5390.	2.2	73
290	Antimicrobial activity of the methanolic extracts and compounds from <i>Treculia africana</i> and <i>Treculia acuminata</i> (Moraceae). <i>South African Journal of Botany</i> , 2008, 74, 111-115.	2.5	21
291	Fertilization-induced changes in growth parameters and antimycobacterial activity of <i>Euclea natalensis</i> (Ebenaceae). <i>South African Journal of Botany</i> , 2008, 74, 244-250.	2.5	5
292	Antimicrobial activity of the methanolic extract and compounds from <i>Teclea afzelii</i> (Rutaceae). <i>South African Journal of Botany</i> , 2008, 74, 572-576.	2.5	72
293	Antitumor, antioxidant and antimicrobial activities of <i>Bersama engleriana</i> (Melianthaceae). <i>Journal of Ethnopharmacology</i> , 2008, 115, 494-501.	4.1	73
294	Antimicrobial activity of the crude extracts and five flavonoids from the twigs of <i>Dorstenia barteri</i> (Moraceae). <i>Journal of Ethnopharmacology</i> , 2008, 116, 483-489.	4.1	143
295	Antimicrobial activity of the crude extracts and compounds from <i>Ficus chlamydocarpa</i> and <i>Ficus cordata</i> (Moraceae). <i>Journal of Ethnopharmacology</i> , 2008, 120, 17-24.	4.1	168
296	Antimicrobial and antileishmanial xanthenes from the stem bark of <i>Allanblackia gabonensis</i> (Guttiferae). <i>Natural Product Research</i> , 2008, 22, 333-341.	1.8	26
297	Flavanones from the Stem Bark of <i>Erythrina Sigmoides</i> . <i>Natural Product Communications</i> , 2008, 3, 1934578X0800301.	0.5	1
298	Antimicrobial activity of the methanolic extracts and compounds from <i>Vismia laurentii</i> De Wild (Guttiferae). <i>Journal of Ethnopharmacology</i> , 2007, 109, 372-379.	4.1	91
299	Antimicrobial activity of the methanolic extract, fractions and four flavonoids from the twigs of <i>Dorstenia angusticornis</i> Engl. (Moraceae). <i>Journal of Ethnopharmacology</i> , 2007, 112, 271-277.	4.1	71
300	Antimicrobial activity of the methanolic extracts and compounds from <i>Treculia obovoidea</i> (Moraceae). <i>Journal of Ethnopharmacology</i> , 2007, 112, 531-536.	4.1	62
301	Antimicrobial activity of the methanolic extract, fractions and compounds from the stem bark of <i>Irvingia gabonensis</i> (Ixonanthaceae). <i>Journal of Ethnopharmacology</i> , 2007, 114, 54-60.	4.1	90
302	Antimicrobial components of the methanolic extract from the stem bark of <i>Garcinia smeathmannii</i> Oliver (Clusiaceae). <i>South African Journal of Botany</i> , 2007, 73, 347-354.	2.5	25
303	Antimicrobial activity of the methanolic extract and of the chemical constituents isolated from <i>Newbouldia laevis</i> . <i>Die Pharmazie</i> , 2007, 62, 552-6.	0.5	57
304	Antimicrobial activity of the methanolic extract from the stem bark of <i>tridesmostemon omphalocarpoides</i> (Sapotaceae). <i>Journal of Ethnopharmacology</i> , 2006, 104, 5-11.	4.1	39
305	Newbouldiaquinone A: A naphthoquinone–anthraquinone ether coupled pigment, as a potential antimicrobial and antimalarial agent from <i>Newbouldia laevis</i> . <i>Phytochemistry</i> , 2006, 67, 605-609.	2.9	77
306	Crassiflorone, a new naphthoquinone from <i>Diospyros crassiflora</i> (Hien). <i>Tetrahedron Letters</i> , 2006, 47, 3067-3070.	1.4	97

#	ARTICLE	IF	CITATIONS
307	Laurentixanthonones A and B, antimicrobial xanthonones from <i>Vismia laurentii</i> . <i>Phytochemistry</i> , 2006, 67, 1341-1346.	2.9	71
308	Xanthonones from <i>Garcinia smeathmannii</i> (Oliver) and their antimicrobial activity. <i>Phytochemistry</i> , 2005, 66, 1713-1717.	2.9	50
309	<b>ANTIMICROBIAL DITERPENOID ALKALOIDS FROM <i>ERYTHROPHLEUM SUAVEOLENS</i></b> (GUILL. & PERR.) BRENAN<b>. Bulletin of the Chemical Society of Ethiopia, 2005, 19, 221.	1.1	22
310	Antibacterial phytocomplexes and compounds from <i>Psychotria sycophylla</i> (Rubiaceae) against drug-resistant bacteria. <i>Advances in Traditional Medicine</i> , 0, , 1.	2.0	4