Max Crispin

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2908510/max-crispin-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181 9,790 95 54 h-index g-index citations papers 6.56 12,480 201 9.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
181	Nucleic acid delivery of immune-focused SARS-CoV-2 nanoparticles drives rapid and potent immunogenicity capable of single-dose protection <i>Cell Reports</i> , 2022 , 110318	10.6	2
180	High thermostability improves neutralizing antibody responses induced by native-like HIV-1 envelope trimers <i>Npj Vaccines</i> , 2022 , 7, 27	9.5	1
179	Principles of SARS-CoV-2 Glycosylation. <i>Current Opinion in Structural Biology</i> , 2022 , 102402	8.1	O
178	The glycan hole area of HIV-1 envelope trimers contributes prominently to the induction of autologous neutralization. <i>Journal of Virology</i> , 2021 , JVI0155221	6.6	2
177	Engineering well-expressed, V2-immunofocusing HIV-1 envelope glycoprotein membrane trimers for use in heterologous prime-boost vaccine regimens. <i>PLoS Pathogens</i> , 2021 , 17, e1009807	7.6	1
176	Suppression of O-Linked Glycosylation of the SARS-CoV-2 Spike by Quaternary Structural Restraints. <i>Analytical Chemistry</i> , 2021 , 93, 14392-14400	7.8	4
175	Glycosylation and Serological Reactivity of an Expression-enhanced SARS-CoV-2 Viral Spike Mimetic. <i>Journal of Molecular Biology</i> , 2021 , 434, 167332	6.5	1
174	A cross-neutralizing antibody between HIV-1 and influenza virus. <i>PLoS Pathogens</i> , 2021 , 17, e1009407	7.6	9
173	Site-specific steric control of SARS-CoV-2 spike glycosylation 2021 ,		3
172	Two-component spike nanoparticle vaccine protects macaques from SARS-CoV-2 infection. <i>Cell</i> , 2021 , 184, 1188-1200.e19	56.2	68
171	Effector function does not contribute to protection from virus challenge by a highly potent HIV broadly neutralizing antibody in nonhuman primates. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	13
170	Native-like SARS-CoV-2 Spike Glycoprotein Expressed by ChAdOx1 nCoV-19/AZD1222 Vaccine. <i>ACS Central Science</i> , 2021 , 7, 594-602	16.8	47
169	SARS-CoV-2-specific IgG1/IgG3 but not IgM in children with Pediatric Inflammatory Multi-System Syndrome. <i>Pediatric Allergy and Immunology</i> , 2021 , 32, 1125-1129	4.2	4
168	Enhancing glycan occupancy of soluble HIV-1 envelope trimers to mimic the native viral spike. <i>Cell Reports</i> , 2021 , 35, 108933	10.6	11
167	Clinical significance of crown-like structures to trastuzumab response in patients with primary invasive HER2+ breast cancer <i>Journal of Clinical Oncology</i> , 2021 , 39, e12533-e12533	2.2	
166	Development of a high-sensitivity ELISA detecting IgG, IgA and IgM antibodies to the SARS-CoV-2 spike glycoprotein in serum and saliva. <i>Immunology</i> , 2021 , 164, 135-147	7.8	10
165	TNF receptor agonists induce distinct receptor clusters to mediate differential agonistic activity. <i>Communications Biology</i> , 2021 , 4, 772	6.7	4

(2020-2021)

164	Neutralizing Antibodies Induced by First-Generation gp41-Stabilized HIV-1 Envelope Trimers and Nanoparticles. <i>MBio</i> , 2021 , 12, e0042921	7.8	1
163	Site-Specific Steric Control of SARS-CoV-2 Spike Glycosylation. <i>Biochemistry</i> , 2021 , 60, 2153-2169	3.2	20
162	Validation of a combined ELISA to detect IgG, IgA and IgM antibody responses to SARS-CoV-2 in mild or moderate non-hospitalised patients. <i>Journal of Immunological Methods</i> , 2021 , 494, 113046	2.5	18
161	Identification of N-glycans with GalNAc-containing antennae from recombinant HIV trimers by ion mobility and negative ion fragmentation. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 7229-7240	4.4	1
160	A novel ACE2 isoform is expressed in human respiratory epithelia and is upregulated in response to interferons and RNA respiratory virus infection. <i>Nature Genetics</i> , 2021 , 53, 205-214	36.3	64
159	Native-like SARS-CoV-2 spike glycoprotein expressed by ChAdOx1 nCoV-19/AZD1222 vaccine 2021 ,		13
158	Immunofocusing and enhancing autologous Tier-2 HIV-1 neutralization by displaying Env trimers on two-component protein nanoparticles. <i>Npj Vaccines</i> , 2021 , 6, 24	9.5	8
157	Subtle Influence of ACE2 Glycan Processing on SARS-CoV-2 Recognition. <i>Journal of Molecular Biology</i> , 2021 , 433, 166762	6.5	30
156	Site-Specific Glycosylation of Recombinant Viral Glycoproteins Produced in. <i>Frontiers in Plant Science</i> , 2021 , 12, 709344	6.2	3
155	Insertion of atypical glycans into the tumor antigen-binding site identifies DLBCLs with distinct origin and behavior. <i>Blood</i> , 2021 , 138, 1570-1582	2.2	1
154	Formation and fragmentation of doubly and triply charged ions in the negative ion spectra of neutral N-glycans from viral and other glycoproteins. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 7277-7294	4.4	
153	Polyclonal antibody responses to HIV Env immunogens resolved using cryoEM. <i>Nature Communications</i> , 2021 , 12, 4817	17.4	8
152	Serological responses to SARS-CoV-2 following non-hospitalised infection: clinical and ethnodemographic features associated with the magnitude of the antibody response. <i>BMJ Open Respiratory Research</i> , 2021 , 8,	5.6	7
151	Site-specific glycan analysis of the SARS-CoV-2 spike. <i>Science</i> , 2020 , 369, 330-333	33.3	768
150	Vulnerabilities in coronavirus glycan shields despite extensive glycosylation. <i>Nature Communications</i> , 2020 , 11, 2688	17.4	174
149	Networks of HIV-1 Envelope Glycans Maintain Antibody Epitopes in the Face of Glycan Additions and Deletions. <i>Structure</i> , 2020 , 28, 897-909.e6	5.2	24
148	Site-specific analysis of the SARS-CoV-2 glycan shield 2020 ,		74
147	Serology confirms SARS-CoV-2 infection in PCR-negative children presenting with Paediatric Inflammatory Multi-System Syndrome 2020 ,		17

146	Detection of antibodies to the SARS-CoV-2 spike glycoprotein in both serum and saliva enhances detection of infection 2020 ,		41
145	Serological responses to SARS-CoV-2 following non-hospitalised infection: clinical and ethnodemographic features associated with the magnitude of the antibody response 2020 ,		8
144	Neutralizing Antibody Responses Induced by HIV-1 Envelope Glycoprotein SOSIP Trimers Derived from Elite Neutralizers. <i>Journal of Virology</i> , 2020 , 94,	6.6	7
143	Sensitive Detection of SARS-CoV-2-Specific Antibodies in Dried Blood Spot Samples. <i>Emerging Infectious Diseases</i> , 2020 , 26, 2970-2973	10.2	37
142	Structural and functional evaluation of de novo-designed, two-component nanoparticle carriers for HIV Env trimer immunogens. <i>PLoS Pathogens</i> , 2020 , 16, e1008665	7.6	25
141	Molecular Architecture of the SARS-CoV-2 Virus. <i>Cell</i> , 2020 , 183, 730-738.e13	56.2	385
140	SARS-CoV-2 seroprevalence and asymptomatic viral carriage in healthcare workers: a cross-sectional study. <i>Thorax</i> , 2020 , 75, 1089-1094	7.3	144
139	A Roadmap for the Molecular Farming of Viral Glycoprotein Vaccines: Engineering Glycosylation and Glycosylation-Directed Folding. <i>Frontiers in Plant Science</i> , 2020 , 11, 609207	6.2	6
138	Structural and functional evaluation of de novo-designed, two-component nanoparticle carriers for HIV Env trimer immunogens 2020 , 16, e1008665		
137	Structural and functional evaluation of de novo-designed, two-component nanoparticle carriers for HIV Env trimer immunogens 2020 , 16, e1008665		
136	Structural and functional evaluation of de novo-designed, two-component nanoparticle carriers for HIV Env trimer immunogens 2020 , 16, e1008665		
135	Structural and functional evaluation of de novo-designed, two-component nanoparticle carriers for HIV Env trimer immunogens 2020 , 16, e1008665		
134	Enhancing and shaping the immunogenicity of native-like HIV-1 envelope trimers with a two-component protein nanoparticle. <i>Nature Communications</i> , 2019 , 10, 4272	17.4	80
133	Exploitation of glycosylation in enveloped virus pathobiology. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019 , 1863, 1480-1497	4	228
132	Structure and immunogenicity of a stabilized HIV-1 envelope trimer based on a group-M consensus sequence. <i>Nature Communications</i> , 2019 , 10, 2355	17.4	68
131	The Chimpanzee SIV Envelope Trimer: Structure and Deployment as an HIV Vaccine Template. <i>Cell Reports</i> , 2019 , 27, 2426-2441.e6	10.6	20
130	Protein and Glycan Mimicry in HIV Vaccine Design. <i>Journal of Molecular Biology</i> , 2019 , 431, 2223-2247	6.5	55
129	Similarities and differences between native HIV-1 envelope glycoprotein trimers and stabilized soluble trimer mimetics. <i>PLoS Pathogens</i> , 2019 , 15, e1007920	7.6	41

(2018-2019)

128	Mannosylation of the Tumor Immunoglobulin Variable Region Informs Cell of Origin and Environmental Interactions in DLBCL Subsets. <i>Blood</i> , 2019 , 134, 1505-1505	2.2	1
127	Vaccination with Glycan-Modified HIV NFL Envelope Trimer-Liposomes Elicits Broadly Neutralizing Antibodies to Multiple Sites of Vulnerability. <i>Immunity</i> , 2019 , 51, 915-929.e7	32.3	62
126	Innate immune recognition of glycans targets HIV nanoparticle immunogens to germinal centers. <i>Science</i> , 2019 , 363, 649-654	33.3	138
125	Closing and Opening Holes in the Glycan Shield of HIV-1 Envelope Glycoprotein SOSIP Trimers Can Redirect the Neutralizing Antibody Response to the Newly Unmasked Epitopes. <i>Journal of Virology</i> , 2019 , 93,	6.6	50
124	Isomer Information from Ion Mobility Separation of High-Mannose Glycan Fragments. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 972-988	3.5	14
123	Collision Cross Sections and Ion Mobility Separation of Fragment Ions from Complex N-Glycans. Journal of the American Society for Mass Spectrometry, 2018 , 29, 1250-1261	3.5	20
122	Glycosylation of Human IgA Directly Inhibits Influenza A and Other Sialic-Acid-Binding Viruses. <i>Cell Reports</i> , 2018 , 23, 90-99	10.6	45
121	Integrity of Glycosylation Processing of a Glycan-Depleted Trimeric HIV-1 Immunogen Targeting Key B-Cell Lineages. <i>Journal of Proteome Research</i> , 2018 , 17, 987-999	5.6	18
120	Quantitative mass imaging of single biological macromolecules. <i>Science</i> , 2018 , 360, 423-427	33.3	209
119	Structure and Immune Recognition of the HIV Glycan Shield. <i>Annual Review of Biophysics</i> , 2018 , 47, 499	-52131	81
118	Structure-Guided Redesign Improves NFL HIV Env Trimer Integrity and Identifies an Inter-Protomer Disulfide Permitting Post-Expression Cleavage. <i>Frontiers in Immunology</i> , 2018 , 9, 1631	8.4	24
117	Cleavage-Independent HIV-1 Trimers From CHO Cell Lines Elicit Robust Autologous Tier 2 Neutralizing Antibodies. <i>Frontiers in Immunology</i> , 2018 , 9, 1116	8.4	19
116	Structural analysis of glycoproteins: building N-linked glycans with Coot. <i>Acta Crystallographica Section D: Structural Biology</i> , 2018 , 74, 256-263	5.5	50
115	Site-Specific Glycosylation of Virion-Derived HIV-1 Env Is Mimicked by a Soluble Trimeric Immunogen. <i>Cell Reports</i> , 2018 , 24, 1958-1966.e5	10.6	89
114	cGMP production and analysis of BG505 SOSIP.664, an extensively glycosylated, trimeric HIV-1 envelope glycoprotein vaccine candidate. <i>Biotechnology and Bioengineering</i> , 2018 , 115, 885-899	4.9	56
113	HIV-1 vaccine design through minimizing envelope metastability. <i>Science Advances</i> , 2018 , 4, eaau6769	14.3	43
112	Cryo-EM Structures of Eastern Equine Encephalitis Virus Reveal Mechanisms of Virus Disassembly and Antibody Neutralization. <i>Cell Reports</i> , 2018 , 25, 3136-3147.e5	10.6	25
111	Rational Design of DNA-Expressed Stabilized Native-Like HIV-1 Envelope Trimers. <i>Cell Reports</i> , 2018 , 24, 3324-3338.e5	10.6	33

110	Through the barricades: overcoming the barriers to effective antibody-based cancer therapeutics. <i>Glycobiology</i> , 2018 , 28, 697-712	5.8	6
109	Structure of a cleavage-independent HIV Env recapitulates the glycoprotein architecture of the native cleaved trimer. <i>Nature Communications</i> , 2018 , 9, 1956	17.4	28
108	Harnessing post-translational modifications for next-generation HIV immunogens. <i>Biochemical Society Transactions</i> , 2018 , 46, 691-698	5.1	2
107	Signature of Antibody Domain Exchange by Native Mass Spectrometry and Collision-Induced Unfolding. <i>Analytical Chemistry</i> , 2018 , 90, 7325-7331	7.8	22
106	Structure of the Lassa virus glycan shield provides a model for immunological resistance. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 7320-7325	11.5	62
105	Identification of Lewis and Blood Group Carbohydrate Epitopes by Ion Mobility-Tandem-Mass Spectrometry Fingerprinting. <i>Analytical Chemistry</i> , 2017 , 89, 2318-2325	7.8	44
104	The Tetrameric Plant Lectin BanLec Neutralizes HIV through Bidentate Binding to Specific Viral Glycans. <i>Structure</i> , 2017 , 25, 773-782.e5	5.2	28
103	Improving Antibody-Based Cancer Therapeutics Through Glycan Engineering. <i>BioDrugs</i> , 2017 , 31, 151-1	6∳ .9	42
102	Enzymatic Inactivation of Endogenous IgG by IdeS Enhances Therapeutic Antibody Efficacy. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 1887-1897	6.1	4
101	Reducing V3 Antigenicity and Immunogenicity on Soluble, Native-Like HIV-1 Env SOSIP Trimers. <i>Journal of Virology</i> , 2017 , 91,	6.6	33
100	Structural principles controlling HIV envelope glycosylation. <i>Current Opinion in Structural Biology</i> , 2017 , 44, 125-133	8.1	61
99	Global N-Glycan Site Occupancy of HIV-1 gp120 by Metabolic Engineering and High-Resolution Intact Mass Spectrometry. <i>ACS Chemical Biology</i> , 2017 , 12, 357-361	4.9	27
98	Elicitation of Neutralizing Antibodies Targeting the V2 Apex of the HIV Envelope Trimer in a Wild-Type Animal Model. <i>Cell Reports</i> , 2017 , 21, 222-235	10.6	40
97	Improving the Immunogenicity of Native-like HIV-1 Envelope Trimers by Hyperstabilization. <i>Cell Reports</i> , 2017 , 20, 1805-1817	10.6	112
96	Design and crystal structure of a native-like HIV-1 envelope trimer that engages multiple broadly neutralizing antibody precursors in vivo. <i>Journal of Experimental Medicine</i> , 2017 , 214, 2573-2590	16.6	100
95	Glycosylation profiling to evaluate glycoprotein immunogens against HIV-1. <i>Expert Review of Proteomics</i> , 2017 , 14, 881-890	4.2	18
94	Manipulation of cytokine secretion in human dendritic cells using glycopolymers with picomolar affinity for DC-SIGN. <i>Chemical Science</i> , 2017 , 8, 6974-6980	9.4	23
93	Immunoglobulin G Fc glycans are not essential for antibody-mediated immune suppression to murine erythrocytes. <i>Blood</i> , 2017 , 130, 2902-2905	2.2	1

(2015-2017)

92	Convergent immunological solutions to Argentine hemorrhagic fever virus neutralization. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 7031-7036	11.5	23
91	Molecular Architecture of the Cleavage-Dependent Mannose Patch on a Soluble HIV-1 Envelope Glycoprotein Trimer. <i>Journal of Virology</i> , 2017 , 91,	6.6	56
90	CHAPTER 11:Targeting Glycans of HIV Envelope Glycoproteins for Vaccine Design. <i>Chemical Biology</i> , 2017 , 300-357	0.4	3
89	Travelling-wave ion mobility mass spectrometry and negative ion fragmentation of hybrid and complex N-glycans. <i>Journal of Mass Spectrometry</i> , 2016 , 51, 1064-1079	2.2	26
88	Structure of a phleboviral envelope glycoprotein reveals a consolidated model of membrane fusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7154-	J 1.5	54
87	Native functionality and therapeutic targeting of arenaviral glycoproteins. <i>Current Opinion in Virology</i> , 2016 , 18, 70-5	7.5	11
86	Mechanisms of escape from the PGT128 family of anti-HIV broadly neutralizing antibodies. <i>Retrovirology</i> , 2016 , 13, 8	3.6	26
85	Composition and Antigenic Effects of Individual Glycan Sites of a Trimeric HIV-1 Envelope Glycoprotein. <i>Cell Reports</i> , 2016 , 14, 2695-706	10.6	193
84	An HIV-1 antibody from an elite neutralizer implicates the fusion peptide as a site of vulnerability. <i>Nature Microbiology</i> , 2016 , 2, 16199	26.6	103
83	Travelling-wave ion mobility and negative ion fragmentation of high-mannose N-glycans. <i>Journal of Mass Spectrometry</i> , 2016 , 51, 219-35	2.2	32
82	HIV-1 Glycan Density Drives the Persistence of the Mannose Patch within an Infected Individual. Journal of Virology, 2016 , 90, 11132-11144	6.6	29
81	Immune recruitment or suppression by glycan engineering of endogenous and therapeutic antibodies. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016 , 1860, 1655-68	4	35
80	Trimeric HIV-1-Env Structures Define Glycan Shields from Clades A, B, and G. <i>Cell</i> , 2016 , 165, 813-26	56.2	301
79	Antibody production using a ciliate generates unusual antibody glycoforms displaying enhanced cell-killing activity. <i>MAbs</i> , 2016 , 8, 1498-1511	6.6	10
78	A method for high-throughput, sensitive analysis of IgG Fc and Fab glycosylation by capillary electrophoresis. <i>Journal of Immunological Methods</i> , 2015 , 417, 34-44	2.5	64
77	Glycan clustering stabilizes the mannose patch of HIV-1 and preserves vulnerability to broadly neutralizing antibodies. <i>Nature Communications</i> , 2015 , 6, 7479	17.4	97
76	Glycan Microheterogeneity at the PGT135 Antibody Recognition Site on HIV-1 gp120 Reveals a Molecular Mechanism for Neutralization Resistance. <i>Journal of Virology</i> , 2015 , 89, 6952-9	6.6	31
75	Eliminating antibody polyreactivity through addition of N-linked glycosylation. <i>Protein Science</i> , 2015 , 24, 1019-30	6.3	8

74	Breaking the allergic response by disrupting antibody glycosylation. <i>Journal of Experimental Medicine</i> , 2015 , 212, 433	16.6	2
73	Ion Mobility Mass Spectrometry for Ion Recovery and Clean-Up of MS and MS/MS Spectra Obtained from Low Abundance Viral Samples. <i>Journal of the American Society for Mass Spectrometry</i> , 2015 , 26, 1754-67	3.5	25
72	Redirecting adenoviruses to tumour cells using therapeutic antibodies: Generation of a versatile human bispecific adaptor. <i>Molecular Immunology</i> , 2015 , 68, 234-43	4.3	4
71	Cell- and Protein-Directed Glycosylation of Native Cleaved HIV-1 Envelope. <i>Journal of Virology</i> , 2015 , 89, 8932-44	6.6	72
70	Determination of N-linked Glycosylation in Viral Glycoproteins by Negative Ion Mass Spectrometry and Ion Mobility. <i>Methods in Molecular Biology</i> , 2015 , 1331, 93-121	1.4	9
69	Influences on the Design and Purification of Soluble, Recombinant Native-Like HIV-1 Envelope Glycoprotein Trimers. <i>Journal of Virology</i> , 2015 , 89, 12189-210	6.6	66
68	A monoclonal antibody with anti-D-like activity in murine immune thrombocytopenia requires Fc domain function for immune thrombocytopenia ameliorative effects. <i>Transfusion</i> , 2015 , 55, 1501-11	2.9	9
67	Engineering and Characterization of a Fluorescent Native-Like HIV-1 Envelope Glycoprotein Trimer. <i>Biomolecules</i> , 2015 , 5, 2919-34	5.9	9
66	Targeting host-derived glycans on enveloped viruses for antibody-based vaccine design. <i>Current Opinion in Virology</i> , 2015 , 11, 63-9	7.5	60
65	Immunogenicity of Stabilized HIV-1 Envelope Trimers with Reduced Exposure of Non-neutralizing Epitopes. <i>Cell</i> , 2015 , 163, 1702-15	56.2	251
64	Structural Constraints Determine the Glycosylation of HIV-1 Envelope Trimers. <i>Cell Reports</i> , 2015 , 11, 1604-13	10.6	101
63	Glycan Remodeling with Processing Inhibitors and Lectin-Resistant Eukaryotic Cells. <i>Methods in Molecular Biology</i> , 2015 , 1321, 307-22	1.4	4
62	Emerging principles for the therapeutic exploitation of glycosylation. <i>Science</i> , 2014 , 343, 1235681	33.3	329
61	Structural plasticity of the Semliki Forest virus glycome upon interspecies transmission. <i>Journal of Proteome Research</i> , 2014 , 13, 1702-12	5.6	23
60	Fragmentation of negative ions from N-linked carbohydrates: part 6. Glycans containing one N-acetylglucosamine in the core. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 2008-18	2.2	25
59	Uukuniemi Phlebovirus assembly and secretion leave a functional imprint on the virion glycome. <i>Journal of Virology</i> , 2014 , 88, 10244-51	6.6	22
58	Identification of antibody glycosylation structures that predict monoclonal antibody Fc-effector function. <i>Aids</i> , 2014 , 28, 2523-30	3.5	84
57	Fragments of bacterial endoglycosidase s and immunoglobulin g reveal subdomains of each that contribute to deglycosylation. <i>Journal of Biological Chemistry</i> , 2014 , 289, 13876-89	5.4	18

56 Antibody Glycosylation 2014, 179-194 2 HIV Glycomics and Glycoproteomics 2014, 1-25 55 Travelling wave ion mobility and negative ion fragmentation for the structural determination of 3.6 54 49 N-linked glycans. Electrophoresis, 2013, 34, 2368-78 Dissecting the molecular mechanism of IVIg therapy: the interaction between serum IgG and DC-SIGN is independent of antibody glycoform or Fc domain. Journal of Molecular Biology, 2013, 6.5 100 53 425, 1253-8 Engineering hydrophobic protein-carbohydrate interactions to fine-tune monoclonal antibodies. 16.4 52 71 Journal of the American Chemical Society, 2013, 135, 9723-32 Solution NMR analyses of the C-type carbohydrate recognition domain of DC-SIGNR protein reveal different binding modes for HIV-derived oligosaccharides and smaller glycan fragments. Journal of 51 13 5.4 Biological Chemistry, **2013**, 288, 22745-57 Crystal structure of sialylated IgG Fc: implications for the mechanism of intravenous immunoglobulin therapy. Proceedings of the National Academy of Sciences of the United States of 50 11.5 73 America, 2013, 110, E3544-6 Directing stem cell differentiation with antibodies. Proceedings of the National Academy of Sciences 49 11.5 4 of the United States of America, 2013, 110, 17608-9 Therapeutic potential of deglycosylated antibodies. Proceedings of the National Academy of 48 7 11.5 Sciences of the United States of America, 2013, 110, 10059-60 Natural variation in Fc glycosylation of HIV-specific antibodies impacts antiviral activity. Journal of 233 47 15.9 Clinical Investigation, **2013**, 123, 2183-92 MALDI-MS/MS with traveling wave ion mobility for the structural analysis of N-linked glycans. 46 3.5 49 Journal of the American Society for Mass Spectrometry, 2012, 23, 1955-66 Chemical and structural analysis of an antibody folding intermediate trapped during glycan 16.4 62 45 biosynthesis. Journal of the American Chemical Society, 2012, 134, 17554-63 Selective deactivation of serum IqG: a general strategy for the enhancement of monoclonal 6.5 44 47 antibody receptor interactions. Journal of Molecular Biology, 2012, 420, 1-7 An endoglycosidase with alternative glycan specificity allows broadened glycoprotein remodelling. 16.4 43 105 Journal of the American Chemical Society, **2012**, 134, 8030-3 The glycan shield of HIV is predominantly oligomannose independently of production system or 182 42 3.7 viral clade. PLoS ONE, 2011, 6, e23521 A potent and broad neutralizing antibody recognizes and penetrates the HIV glycan shield. Science, 41 576 33.3 2011, 334, 1097-103 Ion mobility mass spectrometry for extracting spectra of N-glycans directly from incubation mixtures following glycan release: application to glycans from engineered glycoforms of intact, 40 61 3.5 folded HIV gp120. Journal of the American Society for Mass Spectrometry, 2011, 22, 568-81 Use of the Emannosidase I inhibitor kifunensine allows the crystallization of apo CTLA-4 homodimer produced in long-term cultures of Chinese hamster ovary cells. Acta Crystallographica 39 14 Section F: Structural Biology Communications, 2011, 67, 785-9

38	Dimeric architecture of the Hendra virus attachment glycoprotein: evidence for a conserved mode of assembly. <i>Journal of Virology</i> , 2010 , 84, 6208-17	6.6	75
37	Envelope glycans of immunodeficiency virions are almost entirely oligomannose antigens. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 13800-5	11.5	275
36	Polysaccharide mimicry of the epitope of the broadly neutralizing anti-HIV antibody, 2G12, induces enhanced antibody responses to self oligomannose glycans. <i>Glycobiology</i> , 2010 , 20, 812-23	5.8	67
35	Solutions to the Glycosylation Problem for Low- and High-Throughput Structural Glycoproteomics 2010 , 127-158		3
34	Shared paramyxoviral glycoprotein architecture is adapted for diverse attachment strategies. <i>Biochemical Society Transactions</i> , 2010 , 38, 1349-55	5.1	28
33	A human embryonic kidney 293T cell line mutated at the Golgi alpha-mannosidase II locus. <i>Journal of Biological Chemistry</i> , 2009 , 284, 21684-95	5.4	33
32	Unusual molecular architecture of the machupo virus attachment glycoprotein. <i>Journal of Virology</i> , 2009 , 83, 8259-65	6.6	63
31	Identification of high-mannose and multiantennary complex-type N-linked glycans containing alpha-galactose epitopes from Nurse shark IgM heavy chain. <i>Glycoconjugate Journal</i> , 2009 , 26, 1055-64	3	11
30	Carbohydrate and domain architecture of an immature antibody glycoform exhibiting enhanced effector functions. <i>Journal of Molecular Biology</i> , 2009 , 387, 1061-6	6.5	63
29	Crystal structure and carbohydrate analysis of Nipah virus attachment glycoprotein: a template for antiviral and vaccine design. <i>Journal of Virology</i> , 2008 , 82, 11628-36	6.6	89
28	Differentiation between isomeric triantennary N-linked glycans by negative ion tandem mass spectrometry and confirmation of glycans containing galactose attached to the bisecting (beta1-4-GlcNAc) residue in N-glycans from IgG. Rapid Communications in Mass Spectrometry, 2008,	2.2	43
27	22, 1047-52 Analysis of variable N-glycosylation site occupancy in glycoproteins by liquid chromatography electrospray ionization mass spectrometry. <i>Analytical Biochemistry</i> , 2007 , 361, 149-51	3.1	11
26	Building meaningful models of glycoproteins. <i>Nature Structural and Molecular Biology</i> , 2007 , 14, 354; discussion 354-5	17.6	41
25	Glycoprotein structural genomics: solving the glycosylation problem. <i>Structure</i> , 2007 , 15, 267-73	5.2	234
24	Inhibition of mammalian glycan biosynthesis produces non-self antigens for a broadly neutralising, HIV-1 specific antibody. <i>Journal of Molecular Biology</i> , 2007 , 372, 16-22	6.5	66
23	Disruption of alpha-mannosidase processing induces non-canonical hybrid-type glycosylation. <i>FEBS Letters</i> , 2007 , 581, 1963-8	3.8	17
22	Inhibition of hybrid- and complex-type glycosylation reveals the presence of the GlcNAc transferase I-independent fucosylation pathway. <i>Glycobiology</i> , 2006 , 16, 748-56	5.8	50
21	Molecular mechanism of lipopeptide presentation by CD1a. <i>Immunity</i> , 2005 , 22, 209-19	32.3	112

20	The glycosylation of human serum IgD and IgE and the accessibility of identified oligomannose structures for interaction with mannan-binding lectin. <i>Journal of Immunology</i> , 2004 , 173, 6831-40	5.3	87
19	Monoglucosylated glycans in the secreted human complement component C3: implications for protein biosynthesis and structure. <i>FEBS Letters</i> , 2004 , 566, 270-4	3.8	42
18	The carbohydrate moiety of serum IgM from Atlantic cod (Gadus morhua L.). Fish and Shellfish Immunology, 2002 , 12, 209-27	4.3	16
17	Contrasting IgG structures reveal extreme asymmetry and flexibility. <i>Journal of Molecular Biology</i> , 2002 , 319, 9-18	6.5	209
16	Molecular Architecture of the SARS-CoV-2 Virus. SSRN Electronic Journal,	1	2
15	Chimpanzee SIV Envelope trimer: structure and deployment as an HIV vaccine template		1
14	Similarities and differences between native HIV-1 envelope glycoprotein trimers and stabilized soluble trimer mimetics		1
13	Networks of HIV-1 envelope glycans maintain antibody epitopes in the face of glycan additions and de	letions	2
12	Structural and functional evaluation of de novo-designed, two-component nanoparticle carriers for HIV Env trimer immunogens		4
11	Vulnerabilities in coronavirus glycan shields despite extensive glycosylation		13
10	SARS-CoV-2 seroconversion in health care workers		23
9	Sensitive detection of SARS-CoV-2-specific-antibodies in dried blood spot samples		1
8	Enhancing glycan occupancy of soluble HIV-1 envelope trimers to mimic the native viral spike		6
7	Molecular architecture of the SARS-CoV-2 virus		10
6	A novel isoform of ACE2 is expressed in human nasal and bronchial respiratory epithelia and is upregulated in response to RNA respiratory virus infection		9
5	Two-component spike nanoparticle vaccine protects macaques from SARS-CoV-2 infection		1
4	Quantitative mass imaging of single molecules in solution		2
3	Stimulation of vascular organoids with SARS-CoV-2 antigens increases endothelial permeability and regulates vasculopathy		1

2 Uncovering cryptic pockets in the SARS-CoV-2 spike glycoprotein

3

Polyclonal antibody responses to HIV Env immunogens resolved using cryoEM

1