

Olivia Dalleur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2908853/publications.pdf>

Version: 2024-02-01

64
papers

1,686
citations

331259

21
h-index

315357

38
g-index

70
all docs

70
docs citations

70
times ranked

2180
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of a trigger tool for detecting drug-related hospital admissions in older people: analysis from the OPERAM trial. <i>Age and Ageing</i> , 2022, 51, .	0.7	6
2	Predictors of 1-year drug-related admissions in older multimorbid hospitalized adults. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 1510-1516.	1.3	4
3	HOSPITAL Score and LACE Index to Predict Mortality in Multimorbid Older Patients. <i>Drugs and Aging</i> , 2022, 39, 223-234.	1.3	5
4	Experience of hospital-initiated medication changes in older people with multimorbidity: a multicentre mixed-methods study embedded in the OPTimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM) trial. <i>BMJ Quality and Safety</i> , 2022, 31, 888-898.	1.8	7
5	Frequency and Acceptance of Clinical Decision Support System-Generated STOPP/START Signals for Hospitalised Older Patients with Polypharmacy and Multimorbidity. <i>Drugs and Aging</i> , 2022, 39, 59-73.	1.3	15
6	A qualitative study on community use of antibiotics in Kinshasa, Democratic Republic of Congo. <i>PLoS ONE</i> , 2022, 17, e0267544.	1.1	8
7	Antibiotic Usage in Patients Having Undergone Caesarean Section: A Three-Level Study in Benin. <i>Antibiotics</i> , 2022, 11, 617.	1.5	5
8	Assessment of the Quality of Injectable Antibiotics in Benin. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, . .	0.6	0
9	Healthcare Professionals' Knowledge and Beliefs on Antibiotic Prophylaxis in Cesarean Section: A Mixed-Methods Study in Benin. <i>Antibiotics</i> , 2022, 11, 872.	1.5	2
10	30-Day Potentially Avoidable Readmissions Due to Adverse Drug Events. <i>Journal of Patient Safety</i> , 2021, 17, e379-e386.	0.7	27
11	Towards The Automated, Empirical Filtering of Drug-Drug Interaction Alerts in Clinical Decision Support Systems: Historical Cohort Study of Vitamin K Antagonists. <i>JMIR Medical Informatics</i> , 2021, 9, e20862.	1.3	5
12	First detection of a plasmid-encoded New-Delhi metallo-beta-lactamase-1 (NDM-1) producing <i>Acinetobacter baumannii</i> using whole genome sequencing, isolated in a clinical setting in Benin. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2021, 20, 5.	1.7	6
13	Medication review and reconciliation in older adults. <i>European Geriatric Medicine</i> , 2021, 12, 499-507.	1.2	25
14	Medication review interventions to reduce hospital readmissions in older people. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1646-1658.	1.3	43
15	Optimizing pharmacists' detection of prescribing errors: Comparison of on-ward and central pharmacy services. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 738-743.	0.7	6
16	Prescription Habits Related to Chronic Pathologies of Elderly People in Primary Care in the Western Part of Romania: Current Practices, International Recommendations, and Future Perspectives Regarding the Overuse and Misuse of Medicines. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7043.	1.2	3
17	Optimizing Therapy to Prevent Avoidable Hospital Admissions in Multimorbid Older Adults (OPERAM): cluster randomised controlled trial. <i>BMJ</i> , The, 2021, 374, n1585.	3.0	84
18	Individualisation of glycaemic management in older people with type 2 diabetes: a systematic review of clinical practice guidelines recommendations. <i>Age and Ageing</i> , 2021, 50, 1935-1942.	0.7	19

#	ARTICLE	IF	CITATIONS
19	Identifying medication-related readmissions: Two students using tools vs a multidisciplinary panel. <i>International Journal of Clinical Practice</i> , 2021, 75, e14768.	0.8	3
20	An International Consensus List of Potentially Clinically Significant Drug-Drug Interactions in Older People. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2121-2133.e24.	1.2	22
21	Prevalence of drug-drug interactions in older people before and after hospital admission: analysis from the OPERAM trial. <i>BMC Geriatrics</i> , 2021, 21, 571.	1.1	22
22	Cross-sectional study on the prevalence of influenza and pneumococcal vaccination and its association with health conditions and risk factors among hospitalized multimorbid older patients. <i>PLoS ONE</i> , 2021, 16, e0260112.	1.1	0
23	Whole-Genome Sequencing-Based Antimicrobial Resistance Characterization and Phylogenomic Investigation of 19 Multidrug-Resistant and Extended-Spectrum Beta-Lactamase-Positive <i>Escherichia coli</i> Strains Collected From Hospital Patients in Benin in 2019. <i>Frontiers in Microbiology</i> , 2021, 12, 752883.	1.5	8
24	Poor health status, inappropriate glucose-lowering therapy and high one-year mortality in geriatric patients with type 2 diabetes. <i>BMC Geriatrics</i> , 2020, 20, 367.	1.1	9
25	Measurement properties of EQ-5D-3L and EQ-5D-5L in recording self-reported health status in older patients with substantial multimorbidity and polypharmacy. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 317.	1.0	19
26	Use and Deprescribing of Potentially Inappropriate Medications in Frail Nursing Home Residents. <i>Drugs and Aging</i> , 2020, 37, 917-924.	1.3	12
27	Antimicrobial resistance in hospitalized surgical patients: a silently emerging public health concern in Benin. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2020, 19, 54.	1.7	9
28	Hand hygiene in surgery in Benin: opportunities and challenges. <i>Antimicrobial Resistance and Infection Control</i> , 2020, 9, 85.	1.5	10
29	Intervention protocol: OPTimising thERapy to prevent avoidable hospital Admission in the Multi-morbid elderly (OPERAM): a structured medication review with support of a computerised decision support system. <i>BMC Health Services Research</i> , 2020, 20, 220.	0.9	23
30	<p><p>Potentially Inappropriate Prescriptions in Ambulatory Elderly Patients Living in Rural Areas of Romania Using STOPP/START (Version 2) Criteria</p></p>. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 407-417.	1.3	8
31	Statistically Prioritized and Contextualized Clinical Decision Support Systems, the Future of Adverse Drug Events Prevention?. <i>Studies in Health Technology and Informatics</i> , 2020, 270, 683-687.	0.2	2
32	Surgical Site Infections with Predominance of Multidrug Resistant in Benin: A Multicenter Study. <i>Infection Control and Hospital Epidemiology</i> , 2020, 41, s526-s526.	1.0	0
33	<p><p>Thrombospondin-1 Serum Levels In Hypertensive Patients With Endothelial Dysfunction After One Year Of Treatment With Perindopril</p></p>. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 3515-3526.	2.0	8
34	Potentially Inappropriate Prescribing and Related Hospital Admissions in Geriatric Patients: A Comparative Analysis between the STOPP and START Criteria Versions 1 and 2. <i>Drugs and Aging</i> , 2019, 36, 453-459.	1.3	14
35	Rationale and design of OPTimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM): a cluster randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e026769.	0.8	36
36	Preventability of serious thromboembolic and bleeding events related to the use of oral anticoagulants: a prospective study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1544-1556.	1.1	17

#	ARTICLE	IF	CITATIONS
37	Medication-related clinical decision support alert overrides in inpatients. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2018, 25, 476-481.	2.2	116
38	Implementing a screening tool to improve prescribing in hospitalized older patients: a pilot study. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 15-19.	1.0	9
39	Interprofessional Teamwork in Acute Geriatric Care: Where Are the Pharmacists?. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 416-417.	1.3	1
40	Development of a tool for benchmarking of clinical pharmacy activities. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 1462-1473.	1.0	10
41	Impact of a clinical decision support system for drug dosage in patients with renal failure. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 1225-1233.	1.0	23
42	Development of a standardized chart review method to identify drug-related hospital admissions in older people. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2600-2614.	1.1	38
43	International core outcome set for clinical trials of medication review in multi-morbid older patients with polypharmacy. <i>BMC Medicine</i> , 2018, 16, 21.	2.3	84
44	Evaluating the implementation fidelity of New Medicines Service for asthma patients in community pharmacies in Belgium. <i>Research in Social and Administrative Pharmacy</i> , 2017, 13, 98-108.	1.5	15
45	A cross-sectional observational study of high override rates of drug allergy alerts in inpatient and outpatient settings, and opportunities for improvement. <i>BMJ Quality and Safety</i> , 2017, 26, 217-225.	1.8	34
46	A systematic review of the outcomes reported in trials of medication review in older patients: the need for a core outcome set. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 942-952.	1.1	49
47	Anticholinergic Exposure in a Cohort of Adults Aged 80 years and Over. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 591-600.	1.2	14
48	Underuse of Anticoagulation in Older Patients with Atrial Fibrillation and CHADS2 Score: Are We Doing Better Since the Marketing of Direct Oral Anticoagulants?. <i>Drugs and Aging</i> , 2017, 34, 841-850.	1.3	17
49	Development of a core outcome set for medication review in older patients with multimorbidity and polypharmacy: a study protocol. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1379-1389.	1.3	12
50	STOPP/START version 2: development of software applications: easier said than done?. <i>Age and Ageing</i> , 2016, 45, 590-593.	0.7	28
51	The frequency of inappropriate nonformulary medication alert overrides in the inpatient setting. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2016, 23, 924-933.	2.2	14
52	Polypharmacy in a Belgian cohort of community-dwelling oldest old (80+). <i>Acta Clinica Belgica</i> , 2016, 71, 158-166.	0.5	38
53	Development of an algorithm to assess appropriateness of overriding alerts for nonformulary medications in a computerized prescriber-order-entry system. <i>American Journal of Health-System Pharmacy</i> , 2016, 73, e34-e45.	0.5	7
54	Too many, too few, or too unsafe? Impact of inappropriate prescribing on mortality, and hospitalization in a cohort of community-dwelling oldest old. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1382-1392.	1.1	85

#	ARTICLE	IF	CITATIONS
55	Collaborative approach to Optimise MEducation use for Older people in Nursing homes (COME-ON): study protocol of a cluster controlled trial. <i>Implementation Science</i> , 2015, 11, 35.	2.5	32
56	Detection of potentially inappropriate prescribing in the very old: cross-sectional analysis of the data from the BELFRAIL observational cohort study. <i>BMC Geriatrics</i> , 2015, 15, 156.	1.1	26
57	Multimorbidity measures were poor predictors of adverse events in patients aged ≥80 years: a prospective cohort study. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 220-227.	2.4	25
58	The relationship of multimorbidity with disability and frailty in the oldest patients: A cross-sectional analysis of three measures of multimorbidity in the BELFRAIL cohort. <i>European Journal of General Practice</i> , 2015, 21, 39-44.	0.9	62
59	Risk scores and geriatric profile: can they really help us in anticoagulation decision making among older patients suffering from atrial fibrillation?. <i>Clinical Interventions in Aging</i> , 2014, 9, 1091.	1.3	30
60	Views of general practitioners on the use of STOPP&START in primary care: a qualitative study. <i>Acta Clinica Belgica</i> , 2014, 69, 251-261.	0.5	18
61	Reduction of Potentially Inappropriate Medications Using the STOPP Criteria in Frail Older Inpatients: A Randomised Controlled Study. <i>Drugs and Aging</i> , 2014, 31, 291-298.	1.3	117
62	Benefits and Risks of Using Smart Pumps to Reduce Medication Error Rates: A Systematic Review. <i>Drug Safety</i> , 2014, 37, 1011-1020.	1.4	135
63	2012 Updated Beers Criteria: Greater Applicability to Europe?. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 2188-2189.	1.3	20
64	Inappropriate Prescribing and Related Hospital Admissions in Frail Older Persons According to the STOPP and START Criteria. <i>Drugs and Aging</i> , 2012, 29, 829-837.	1.3	134