
Misty R Marshall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2909015/publications.pdf Version: 2024-02-01



MISTY P MADSHALL

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Deletion of the Distal C Terminus of CaV1.2 Channels Leads to Loss of β-Adrenergic Regulation and Heart Failure in Vivo. Journal of Biological Chemistry, 2011, 286, 12617-12626. | 3.4 | 78 |
| 2 | VAMP8-dependent fusion of recycling endosomes with the plasma membrane facilitates T lymphocyte cytotoxicity. Journal of Cell Biology, 2015, 210, 135-151. | 5.2 | 74 |
| 3 | Docking of Lytic Granules at the Immunological Synapse in Human CTL Requires Vti1b-Dependent Pairing with CD3 Endosomes. Journal of Immunology, 2011, 186, 6894-6904. | 0.8 | 55 |
| 4 | Syntaxin7 Is Required for Lytic Granule Release from Cytotoxic T Lymphocytes. Traffic, 2011, 12, 890-901. | 2.7 | 44 |
| 5 | Functional Roles of a C-terminal Signaling Complex of CaV1 Channels and A-kinase Anchoring Protein 15 in Brain Neurons. Journal of Biological Chemistry, 2011, 286, 12627-12639. | 3.4 | 37 |
| 6 | SNARE protein expression and localization in human cytotoxic T lymphocytes. European Journal of Immunology, 2012, 42, 470-475. | 2.9 | 37 |
| 7 | Syntaxin11 serves as a tâ€ <scp>SNARE</scp> for the fusion of lytic granules in human cytotoxic <scp>T</scp> lymphocytes. European Journal of Immunology, 2014, 44, 573-584. | 2.9 | 34 |
| 8 | Different Munc13 Isoforms Function as Priming Factors in Lytic Granule Release from Murine Cytotoxic T Lymphocytes. Traffic, 2013, 14, 798-809. | 2.7 | 28 |
| 9 | Comparison of either norepinephrine-uptake inhibitors or phentermine combined with serotonergic agents on food intake in rats. Psychopharmacology, 2000, 149, 77-83. | 3.1 | 22 |
| 10 | Anorectic effect of dehydroepiandrosterone combined with dexfenfluramine or thionisoxetine. European Journal of Pharmacology, 2001, 419, 61-64. | 3.5 | 1 |