

Hankwon Lim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2909357/publications.pdf>

Version: 2024-02-01

141
papers

3,327
citations

136885

32
h-index

223716

46
g-index

142
all docs

142
docs citations

142
times ranked

2800
citing authors

#	ARTICLE	IF	CITATIONS
1	Economic evaluation with sensitivity and profitability analysis for hydrogen production from water electrolysis in Korea. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 6462-6471.	3.8	134
2	Enhanced Oxygen Reduction Reaction Activity Due to Electronic Effects between Ag and Mn ₃ O ₄ in Alkaline Media. <i>ACS Catalysis</i> , 2015, 5, 3995-4002.	5.5	115
3	Unveiling Electrodeâ€“Electrolyte Design-Based NO Reduction for NH ₃ Synthesis. <i>ACS Energy Letters</i> , 2020, 5, 3647-3656.	8.8	97
4	Economic feasibility studies of high pressure PEM water electrolysis for distributed H ₂ refueling stations. <i>Energy Conversion and Management</i> , 2018, 162, 139-144.	4.4	74
5	Preliminary techno-economic analysis of biodiesel production over solid-biochar. <i>Bioresource Technology</i> , 2020, 306, 123086.	4.8	71
6	Effects of transition metal doping in Pt/M-TiO ₂ (M=V, Cr, and Nb) on oxygen reduction reaction activity. <i>Journal of Power Sources</i> , 2016, 320, 188-195.	4.0	65
7	Methane steam reforming using a membrane reactor equipped with a Pd-based composite membrane for effective hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 5863-5872.	3.8	60
8	Dark fermentative hydrogen production from pretreated lignocellulosic biomass: Effects of inhibitory byproducts and recent trends in mitigation strategies. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 133, 110338.	8.2	60
9	Renewable methanol synthesis from renewable H ₂ and captured CO ₂ : How can power-to-liquid technology be economically feasible?. <i>Applied Energy</i> , 2020, 279, 115827.	5.1	58
10	Direct propylene epoxidation with oxygen using a photo-electro-heterogeneous catalytic system. <i>Nature Catalysis</i> , 2022, 5, 37-44.	16.1	58
11	Studies of the effect of pressure and hydrogen permeance on the ethanol steam reforming reaction with palladium- and silica-based membranes. <i>Journal of Membrane Science</i> , 2012, 396, 119-127.	4.1	55
12	Uptake and biodegradation of emerging contaminant sulfamethoxazole from aqueous phase using <i>Ipomoea aquatica</i> . <i>Chemosphere</i> , 2019, 225, 696-704.	4.2	53
13	Enhanced anaerobic co-digestion of fat, oil, and grease by calcium addition: Boost of biomethane production and microbial community shift. <i>Bioresource Technology</i> , 2020, 296, 122353.	4.8	53
14	Sustainability-inspired upcycling of waste polyethylene terephthalate plastic into porous carbon for CO ₂ capture. <i>Green Chemistry</i> , 2022, 24, 1494-1504.	4.6	51
15	Hydrogen production by steam methane reforming in a membrane reactor equipped with a Pd composite membrane deposited on a porous stainless steel. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 7684-7692.	3.8	49
16	Assessment of the economic potential: CO-free hydrogen production from renewables via ammonia decomposition for small-sized H ₂ refueling stations. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 113, 109262.	8.2	49
17	Platinum single atoms dispersed on carbon nanotubes as reusable catalyst for Suzuki coupling reaction. <i>Journal of Catalysis</i> , 2017, 352, 388-393.	3.1	46
18	Reaction of primary and secondary products in a membrane reactor: Studies of ethanol steam reforming with a silicaâ€“alumina composite membrane. <i>Journal of Membrane Science</i> , 2010, 351, 149-159.	4.1	45

#	ARTICLE	IF	CITATIONS
19	Capacity estimation of batteries: Influence of training dataset size and diversity on data driven prognostic models. <i>Reliability Engineering and System Safety</i> , 2021, 216, 108048.	5.1	43
20	Integrative techno-economic and environmental assessment for green H ₂ production by alkaline water electrolysis based on experimental data. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106349.	3.3	40
21	Integrated Bi ₂ O ₃ nanostructure modified with Au nanoparticles for enhanced photocatalytic activity under visible light irradiation. <i>Progress in Natural Science: Materials International</i> , 2017, 27, 289-296.	1.8	39
22	Hydrogen production by steam methane reforming in membrane reactor equipped with Pd membrane deposited on NiO/YSZ/NiO multilayer-treated porous stainless steel. <i>Journal of Membrane Science</i> , 2018, 563, 75-82.	4.1	39
23	Economic evaluation with uncertainty analysis using a Monte-Carlo simulation method for hydrogen production from high pressure PEM water electrolysis in Korea. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 24612-24619.	3.8	39
24	Steam reforming of methanol for ultra-pure H ₂ production in a membrane reactor: Techno-economic analysis. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 2330-2339.	3.8	38
25	Techno-economic and environmental assessment of methanol steam reforming for H ₂ production at various scales. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 24146-24158.	3.8	38
26	Economic and environmental analysis for PEM water electrolysis based on replacement moment and renewable electricity resources. <i>Energy Conversion and Management</i> , 2020, 224, 113477.	4.4	38
27	An efficient process for sustainable and scalable hydrogen production from green ammonia. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 152, 111562.	8.2	38
28	An operability level coefficient (OLC) as a useful tool for correlating the performance of membrane reactors. <i>Chemical Engineering Journal</i> , 2009, 151, 351-358.	6.6	37
29	Experimental and kinetic studies of the ethanol steam reforming reaction equipped with ultrathin Pd and Pd-Cu membranes for improved conversion and hydrogen yield. <i>Journal of Membrane Science</i> , 2012, 409-410, 222-231.	4.1	36
30	Low permeable composite membrane based on sulfonated poly(phenylene oxide) (sPPO) and silica for vanadium redox flow battery. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 19035-19043.	3.8	36
31	Integrated techno-economic analysis under uncertainty of glycerol steam reforming for H ₂ production at distributed H ₂ refueling stations. <i>Energy Conversion and Management</i> , 2019, 180, 250-257.	4.4	36
32	Energy-efficient pretreatments for the enhanced conversion of microalgal biomass to biofuels. <i>Bioresource Technology</i> , 2020, 309, 123333.	4.8	36
33	Methane steam reforming in a membrane reactor using high-permeable and low-selective Pd-Ru membrane. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 1260-1265.	1.2	31
34	Techno-economic analysis (TEA) for CO ₂ reforming of methane in a membrane reactor for simultaneous CO ₂ utilization and ultra-pure H ₂ production. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 5881-5893.	3.8	31
35	Carbon-neutral methanol synthesis as carbon dioxide utilization at different scales: Economic and environmental perspectives. <i>Energy Conversion and Management</i> , 2022, 252, 115119.	4.4	31
36	Catalytic activity and characterizations of Ni/K ₂ Ti O-Al ₂ O ₃ catalyst for steam methane reforming. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 17645-17655.	3.8	30

#	ARTICLE	IF	CITATIONS
37	Design, economic evaluation, and market uncertainty analysis of LOHC-based, CO ₂ free, hydrogen delivery systems. <i>Applied Energy</i> , 2020, 274, 115314.	5.1	30
38	Technical and economic feasibility under uncertainty for methane dry reforming of coke oven gas as simultaneous H ₂ production and CO ₂ utilization. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 133, 110056.	8.2	29
39	State-of-the-art assessment of cryogenic technologies for biogas upgrading: Energy, economic, and environmental perspectives. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 154, 111826.	8.2	29
40	State-of-the-art process simulations and techno-economic assessments of ionic liquid-based biogas upgrading techniques: Challenges and prospects. <i>Fuel</i> , 2022, 314, 123064.	3.4	29
41	Green energy from brown seaweed: Sustainable polygeneration industrial process via fast pyrolysis of <i>S. Japonica</i> combined with the Brayton cycle. <i>Energy Conversion and Management</i> , 2019, 195, 1244-1254.	4.4	28
42	Stochastic techno-economic analysis of power-to-gas technology for synthetic natural gas production based on renewable H ₂ cost and CO ₂ tax credit. <i>Journal of Energy Storage</i> , 2019, 24, 100791.	3.9	27
43	CO ₂ reforming of methane for H ₂ production in a membrane reactor as CO ₂ utilization: Computational fluid dynamics studies with a reactor geometry. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 2298-2311.	3.8	27
44	Conceptual feasibility studies for cost-efficient and bi-functional methylcyclohexane dehydrogenation in a membrane reactor for H ₂ storage and production. <i>Energy Conversion and Management</i> , 2021, 227, 113576.	4.4	27
45	Three-dimensional CFD simulation of proton exchange membrane water electrolyser: Performance assessment under different condition. <i>Applied Energy</i> , 2022, 306, 118016.	5.1	27
46	Fast pyrolysis of acid-washed oil palm empty fruit bunch for bio-oil production in a bubbling fluidized-bed reactor. <i>Energy</i> , 2019, 179, 517-527.	4.5	26
47	Which water electrolysis technology is appropriate?: Critical insights of potential water electrolysis for green ammonia production. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 143, 110963.	8.2	26
48	Stochastic techno-economic analysis of H ₂ production from power-to-gas using a high-pressure PEM water electrolyzer for a small-scale H ₂ fueling station. <i>Sustainable Energy and Fuels</i> , 2019, 3, 2521-2529.	2.5	25
49	Techno-economic assessment of conventional and direct-transesterification processes for microalgal biomass to biodiesel conversion. <i>Bioresource Technology</i> , 2019, 294, 122173.	4.8	25
50	Energy, economic, and environmental impacts of sustainable biochar systems in rural China. <i>Critical Reviews in Environmental Science and Technology</i> , 2022, 52, 1063-1091.	6.6	25
51	A novel combined multi-battery dataset based approach for enhanced prediction accuracy of data driven prognostic models in capacity estimation of lithium ion batteries. <i>Energy and AI</i> , 2021, 5, 100089.	5.8	25
52	Catalytic pyrolysis of spent coffee waste for upgrading sustainable bio-oil in a bubbling fluidized-bed reactor: Experimental and techno-economic analysis. <i>Chemical Engineering Journal</i> , 2022, 427, 130956.	6.6	25
53	Hydrogen selective thin palladium-copper composite membranes on alumina supports. <i>Journal of Membrane Science</i> , 2011, 378, 179-185.	4.1	24
54	Systematic assessment of the anode flow field hydrodynamics in a new circular PEM water electrolyser. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 20765-20775.	3.8	24

#	ARTICLE	IF	CITATIONS
55	Comparative numerical analysis for an efficient hydrogen production via a steam methane reforming with a packed-bed reactor, a membrane reactor, and a sorption-enhanced membrane reactor. <i>Energy Conversion and Management</i> , 2020, 213, 112839.	4.4	24
56	Numerical modeling studies for a methane dry reforming in a membrane reactor. <i>Journal of Natural Gas Science and Engineering</i> , 2016, 34, 1251-1261.	2.1	23
57	Comprehensive feasibility assessment of a poly-generation process integrating fast pyrolysis of <i>S. japonica</i> and the Rankine cycle. <i>Applied Energy</i> , 2019, 254, 113704.	5.1	23
58	An integrative process of blast furnace and SOEC for hydrogen utilization: Techno-economic and environmental impact assessment. <i>Energy Conversion and Management</i> , 2021, 250, 114922.	4.4	23
59	Hydrogen selectivity and permeance effect on the water gas shift reaction (WGSR) in a membrane reactor. <i>Korean Journal of Chemical Engineering</i> , 2015, 32, 1522-1527.	1.2	22
60	Diffusion barrier coating using a newly developed blowing coating method for a thermally stable Pd membrane deposited on porous stainless-steel support. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 12310-12319.	3.8	22
61	Al ₂ O ₃ -Coated Ni/CeO ₂ nanoparticles as coke-resistant catalyst for dry reforming of methane. <i>Catalysis Science and Technology</i> , 2020, 10, 8283-8294.	2.1	22
62	CFD simulation of methane steam reforming in a membrane reactor: Performance characteristics over range of operating window. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 30402-30411.	3.8	22
63	Improving revenue from lignocellulosic biofuels: An integrated strategy for coproducing liquid transportation fuels and high value-added chemicals. <i>Fuel</i> , 2021, 287, 119369.	3.4	21
64	Thorough economic and carbon footprint analysis of overall hydrogen supply for different hydrogen carriers from overseas production to inland distribution. <i>Journal of Cleaner Production</i> , 2021, 316, 128326.	4.6	21
65	Techno-economic analysis for CO ₂ reforming of a medium-grade landfill gas in a membrane reactor for H ₂ production. <i>Journal of Cleaner Production</i> , 2018, 172, 2585-2593.	4.6	20
66	Projected economic outlook and scenario analysis for H ₂ production by alkaline water electrolysis on the basis of the unit electricity price, the learning rate, and the automation level. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1799-1807.	2.5	20
67	Sorption enhanced catalytic CF ₄ hydrolysis with a three-stage catalyst-adsorbent reactor. <i>Frontiers of Chemical Science and Engineering</i> , 2017, 11, 537-544.	2.3	19
68	Maximizing the sustainability of a macroalgae biorefinery: a superstructure optimization of a volatile fatty acid platform. <i>Green Chemistry</i> , 2020, 22, 4174-4186.	4.6	19
69	Critical aspect of renewable syngas production for power-to-fuel via solid oxide electrolysis: Integrative assessment for potential renewable energy source. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 161, 112398.	8.2	19
70	An innovative high energy efficiency-based process enhancement of hydrogen liquefaction: Energy, exergy, and economic perspectives. <i>Fuel</i> , 2022, 320, 123964.	3.4	19
71	Conceptual feasibility studies of a COX-free hydrogen production from ammonia decomposition in a membrane reactor for PEM fuel cells. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 1509-1516.	1.2	18
72	High Oxidizing Stability and Ion Selectivity of Hybrid Polymer Electrolyte Membrane for Improving Electrochemical Performance in Vanadium Redox Flow Battery. <i>Journal of the Electrochemical Society</i> , 2018, 165, A2321-A2329.	1.3	18

#	ARTICLE	IF	CITATIONS
73	Renewable LNG production: Biogas upgrading through CO ₂ solidification integrated with single-loop mixed refrigerant biomethane liquefaction process. <i>Energy Conversion and Management</i> , 2021, 243, 114363.	4.4	18
74	Hybrid CFD-neural networks technique to predict circulating fluidized bed reactor riser hydrodynamics. <i>Journal of Cleaner Production</i> , 2022, 337, 130490.	4.6	18
75	Cost-competitive methane steam reforming in a membrane reactor for H ₂ production: Technical and economic evaluation with a window of a H ₂ selectivity. <i>International Journal of Energy Research</i> , 2019, 43, 1468-1478.	2.2	17
76	An Assessment of Drag Models in Eulerian-Eulerian CFD Simulation of Gas-Solid Flow Hydrodynamics in Circulating Fluidized Bed Riser. <i>ChemEngineering</i> , 2020, 4, 37.	1.0	17
77	Scenario-Based Techno-Economic Analysis of Steam Methane Reforming Process for Hydrogen Production. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6021.	1.3	17
78	Machine learning based predictive model for methanol steam reforming with technical, environmental, and economic perspectives. <i>Chemical Engineering Journal</i> , 2021, 426, 131639.	6.6	17
79	Techno-economic analysis: Ethane steam reforming in a membrane reactor with H ₂ selectivity effect and profitability analysis. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 7693-7702.	3.8	16
80	The effect of changing the number of membranes in methane carbon dioxide reforming: A CFD study. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 87, 110-119.	2.9	16
81	Integrated strategy for coproducing bioethanol and adipic acid from lignocellulosic biomass. <i>Journal of Cleaner Production</i> , 2021, 311, 127849.	4.6	16
82	Removal of volatile organic compounds from air using activated carbon impregnated cellulose acetate electrospun mats. <i>Environmental Engineering Research</i> , 2019, 24, 600-607.	1.5	16
83	Comparative Economic Optimization for an Overseas Hydrogen Supply Chain Using Mixed-Integer Linear Programming. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 14249-14262.	3.2	16
84	Comprehensive assessment of CO ₂ methanation: which H ₂ production pathway is practicable for green methane production in terms of technical, economic, and environmental aspects?. <i>Green Chemistry</i> , 2021, 23, 9502-9514.	4.6	16
85	Techno-economic and environmental assessments for sustainable bio-methanol production as landfill gas valorization. <i>Waste Management</i> , 2022, 150, 90-97.	3.7	16
86	Mixed refrigerant-based simplified hydrogen liquefaction process: Energy, exergy, economic, and environmental analysis. <i>Journal of Cleaner Production</i> , 2022, 367, 132947.	4.6	16
87	Parametric studies for CO ₂ reforming of methane in a membrane reactor as a new CO ₂ utilization process. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 199-205.	1.2	15
88	Comparative techno-economic analysis for steam methane reforming in a sorption-enhanced membrane reactor: Simultaneous H ₂ production and CO ₂ capture. <i>Chemical Engineering Research and Design</i> , 2021, 171, 383-394.	2.7	15
89	Life cycle techno-economic and carbon footprint analysis of H ₂ production via NH ₃ decomposition: A Case study for the Republic of Korea. <i>Energy Conversion and Management</i> , 2021, 250, 114881.	4.4	15
90	Economic Parity Analysis of Green Methanol Synthesis Using Water Electrolysis Based on Renewable Energy. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 15807-15818.	3.2	15

#	ARTICLE	IF	CITATIONS
91	Biogas upgrading through blends of deep eutectic solvents and monoethanol amine: 4 E analysis (energy, exergy, environmental, and economic). <i>Green Chemistry</i> , 2021, 23, 6076-6089.	4.6	14
92	Economic and environmental sustainability for anaerobic biological treatment of wastewater from paper and cardboard manufacturing industry. <i>Chemosphere</i> , 2022, 289, 133166.	4.2	14
93	Optimized H ₂ fueling station arrangement model based on total cost of ownership (TCO) of fuel cell electric vehicle (FCEV). <i>International Journal of Hydrogen Energy</i> , 2021, 46, 34116-34127.	3.8	13
94	Hydrogen enrichment by CO ₂ anti-sublimation integrated with triple mixed refrigerant-based liquid hydrogen production process. <i>Journal of Cleaner Production</i> , 2022, 341, 130745.	4.6	13
95	Quantification of economic uncertainty for synthetic natural gas production in a H ₂ O permeable membrane reactor as simultaneous power-to-gas and CO ₂ utilization technologies. <i>Energy</i> , 2019, 182, 1058-1068.	4.5	12
96	Experiment and multiphase CFD simulation of gas-solid flow in a CFB reactor at various operating conditions: Assessing the performance of 2D and 3D simulations. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 2094-2103.	1.2	12
97	Comparative feasibility studies of H ₂ supply scenarios for methanol as a carbon-neutral H ₂ carrier at various scales and distances. <i>Renewable Energy</i> , 2021, 180, 552-559.	4.3	12
98	Techno-economic analysis of H ₂ energy storage system based on renewable energy certificate. <i>Renewable Energy</i> , 2021, 167, 91-98.	4.3	11
99	What is the best green propylene production pathway?: technical, economic, and environmental assessment. <i>Green Chemistry</i> , 2021, 23, 7635-7645.	4.6	11
100	Comparative Techno-economic analysis of methanol production via carbon dioxide reforming of landfill gas using a highly active and stable Nickel-based catalyst. <i>Energy Conversion and Management</i> , 2022, 259, 115585.	4.4	11
101	Utilization of CO ₂ arising from methane steam reforming reaction: Use of CO ₂ membrane and heterotic reactors. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 91, 201-212.	2.9	10
102	Integrative Technical, Economic, and Environmental Feasibility Analysis for Ethane Steam Reforming in a Membrane Reactor for H ₂ Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 7011-7019.	3.2	10
103	Iron-impregnated spent coffee ground biochar for enhanced degradation of methylene blue during cold plasma application. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 98, 383-388.	2.9	10
104	Parametric Study for Thermal and Catalytic Methane Pyrolysis for Hydrogen Production: Techno-Economic and Scenario Analysis. <i>Energies</i> , 2021, 14, 6102.	1.6	10
105	Projected cost analysis of hybrid methanol production from tri-reforming of methane integrated with various water electrolysis systems: Technical and economic assessment. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 155, 111876.	8.2	10
106	Thermodynamic, economic, and emissions assessment of integrated power to methanol concept with membrane-based biogas up-gradation and plasma electrolysis. <i>Journal of Cleaner Production</i> , 2022, 363, 132367.	4.6	10
107	Process simulation and economic analysis of reactor systems for perfluorinated compounds abatement without HF effluent. <i>Frontiers of Chemical Science and Engineering</i> , 2016, 10, 526-533.	2.3	9
108	Preliminary techno-economic analysis of a multi-bed series reactor as a simultaneous CF ₄ abatement and utilization process. , 2017, 7, 542-549.		9

#	ARTICLE	IF	CITATIONS
109	Conceptual design of a new SF ₆ abatement technology using a multi-bed series reactor for the production of valuable chemicals free of toxic wastes. Energy Science and Engineering, 2018, 6, 73-82.	1.9	8
110	CFD simulation of hydrodynamics and heat transfer characteristics in gas-solid circulating fluidized bed riser under fast pyrolysis flow condition. Applied Thermal Engineering, 2022, 212, 118555.	3.0	8
111	Concept for Temperature-Cascade Hydrogen Release from Organic Liquid Carriers Coupled with SOFC Power Generation. Cell Reports Physical Science, 2020, 1, 100032.	2.8	7
112	Comprehensive analysis of overall H ₂ supply for different H ₂ carriers from overseas production to inland distribution with respect to economic, environmental, and technological aspects. Renewable Energy, 2021, 177, 422-432.	4.3	7
113	Sustainable and carbon-neutral green diesel synthesis with thermochemical and electrochemical approach: Techno-economic and environmental assessments. Energy Conversion and Management, 2022, 254, 115242.	4.4	7
114	Hybrid machine learning-based model for solubilities prediction of various gases in deep eutectic solvent for rigorous process design of hydrogen purification. Separation and Purification Technology, 2022, 298, 121651.	3.9	7
115	Solutions of Navier-Stokes Equation with Coriolis Force. Advances in Mathematical Physics, 2017, 2017, 1-9.	0.4	6
116	The power of molten salt in methane dry reforming: Conceptual design with a CFD study. Chemical Engineering and Processing: Process Intensification, 2021, 159, 108230.	1.8	6
117	Impact of voltage degradation in water electrolyzers on sustainability of synthetic natural gas production: Energy, economic, and environmental analysis. Energy Conversion and Management, 2021, 245, 114516.	4.4	6
118	Au Nanoparticles Supported Nanoporous ZnO Sphere for Enhanced Photocatalytic Activity Under UV-Light Irradiation. Journal of Cluster Science, 2016, 27, 1159-1170.	1.7	5
119	Experimental and simulation studies for reaction enhancement of catalytic CF ₄ hydrolysis by consecutive HF removal using a multi-stage catalyst-adsorbent reactor. , 2017, 7, 1141-1149.		5
120	Techno-economic analysis of a biological desulfurization process for a landfill gas in Korea. Separation Science and Technology, 2018, 53, 2769-2781.	1.3	5
121	Deterministic and stochastic economic analysis based on historical natural gas and CO ₂ allowance prices for steam reforming of methanol. Energy Conversion and Management, 2019, 193, 140-148.	4.4	5
122	Techno-economic analysis of livestock urine and manure as a microalgal growth medium. Waste Management, 2021, 135, 276-286.	3.7	5
123	Steam Reforming of Hydrothermal Liquefaction Liquid from Macro Algae over Ni-K ₂ Ti _x O _y Catalysts. Clean Technology, 2017, 23, 104-112.	0.1	5
124	Demonstration of feasible waste plastic pyrolysis through decentralized biomass heating business model. Journal of Cleaner Production, 2022, 361, 132092.	4.6	5
125	Machine learning based prediction of subcooled bubble condensation behavior, validation with experimental and numerical results. Nuclear Engineering and Design, 2022, 393, 111794.	0.8	5
126	Statistical and stochastic feasibility studies of potential liquid organic hydrogen carriers in a membrane reactor for simultaneous hydrogen storage and production: Technical, economic, and environmental aspects. Renewable Energy, 2022, 195, 1393-1411.	4.3	4

#	ARTICLE	IF	CITATIONS
127	Removal of Hazardous Hydrogen Fluoride (HF) from Water Through Homogeneous Nanostructured CaO-SiO ₂ Sorbents: Optimization of Binder. <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1.	1.1	3
128	A novel structured nanosized CaO on nanosilica surface as an alternative solid reducing agent for hydrogen fluoride removal from industrial waste water. <i>Journal of Environmental Management</i> , 2019, 231, 1076-1081.	3.8	3
129	H ₂ production from catalytic dry reforming of landfill gas utilizing membrane reactor with combined heat and power system: 3E (energy, economic and environmental) feasibility analysis. <i>Energy Conversion and Management</i> , 2021, 247, 114704.	4.4	3
130	Hydrogen Production by Steam Reforming of Aqueous Bio-Oil from Marine Algae. <i>Korean Chemical Engineering Research</i> , 2016, 54, 94-100.	0.2	3
131	Variation of the Number of Heat Sources in Methane Dry Reforming: A Computational Fluid Dynamics Study. <i>International Journal of Chemical Engineering</i> , 2021, 2021, 1-15.	1.4	3
132	A 4E feasibility analysis of an on-site, ammonia sourced, hydrogen refueling station. <i>Journal of Cleaner Production</i> , 2022, , 132356.	4.6	3
133	Comparative studies for the performance of a natural gas steam reforming in a membrane reactor. <i>Journal of the Korean Institute of Gas</i> , 2016, 20, 95-101.	0.1	2
134	What is the best scenario to utilize landfill gas? Quantitative and qualitative approaches for technical, economic, and environmental feasibility. <i>Green Chemistry</i> , 0, , .	4.6	2
135	About vortex equations of two dimensional flows. <i>Indian Journal of Physics</i> , 2017, 91, 1089-1094.	0.9	1
136	Efficient solid reducing agent CaO/SiO ₂ hybrid composite for hydrogen fluoride elimination. <i>Advanced Composite Materials</i> , 0, , 1-13.	1.0	1
137	Feasibility Study of Employing a Catalytic Membrane Reactor for a Pressurized CO ₂ and Purified H ₂ Production in a Water Gas Shift Reaction. <i>Clean Technology</i> , 2014, 20, 425-432.	0.1	1
138	Ethanol Steam Reforming Reaction for a Clean Hydrogen Production and its Application in a Membrane Reactor. <i>Clean Technology</i> , 2013, 19, 379-387.	0.1	1
139	Performance Analysis of Water Gas Shift Reaction in a Membrane Reactor. <i>Applied Chemistry for Engineering</i> , 2014, 25, 204-208.	0.2	0
140	Pressure Swing-Based Reactive Distillation and Dividing Wall Column for Improving Manufacture of Propylene Glycol Monomethyl Ether Acetate. <i>Energies</i> , 2021, 14, 7416.	1.6	0
141	Debye shielding of an electron in various plasma distributions. <i>Journal of the Korean Physical Society</i> , 0, , 1.	0.3	0