## Soon Young Shin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2909795/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The antipsychotic agent chlorpromazine induces autophagic cell death by inhibiting the Akt/mTOR pathway in human U-87MG glioma cells. Carcinogenesis, 2013, 34, 2080-2089.	2.8	123
2	The tricyclic antidepressant imipramine induces autophagic cell death in U-87MG glioma cells. Biochemical and Biophysical Research Communications, 2011, 413, 311-317.	2.1	90
3	Transcription Factor Egr-1 Is Essential for Maximal Matrix Metalloproteinase-9 Transcription by Tumor Necrosis Factor α. Molecular Cancer Research, 2010, 8, 507-519.	3.4	80
4	TNFα-exposed Bone Marrow-derived Mesenchymal Stem Cells Promote Locomotion of MDA-MB-231 Breast Cancer Cells through Transcriptional Activation of CXCR3 Ligand Chemokines. Journal of Biological Chemistry, 2010, 285, 30731-30740.	3.4	67
5	Chlorpromazine activates p21 <sup>Waf1/Cip1</sup> gene transcription via early growth response-1 (Egr-1) in C6 glioma cells. Experimental and Molecular Medicine, 2010, 42, 395.	7.7	54
6	Targeting Cancer Cells via the Reactive Oxygen Species-Mediated Unfolded Protein Response with a Novel Synthetic Polyphenol Conjugate. Clinical Cancer Research, 2014, 20, 4302-4313.	7.0	54
7	Relationship between the structures of flavonoids and their NF-κB-dependent transcriptional activities. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 6036-6041.	2.2	49
8	Polyphenols bearing cinnamaldehyde scaffold showing cell growth inhibitory effects on the cisplatin-resistant A2780/Cis ovarian cancer cells. Bioorganic and Medicinal Chemistry, 2014, 22, 1809-1820.	3.0	47
9	2′â€Hydroxyflavanone induces apoptosis through <scp>E</scp> grâ€1 involving expression of <scp>B</scp> ax, p21, and <scp>NAG</scp> â€1 in colon cancer cells. Molecular Nutrition and Food Research, 2012, 56, 761-774.	3.3	46
10	Novel Antimitotic Activity of 2-Hydroxy-4-methoxy-2′,3′-benzochalcone (HymnPro) through the Inhibition of Tubulin Polymerization. Journal of Agricultural and Food Chemistry, 2013, 61, 12588-12597.	5.2	41
11	A synthetic chalcone, 2'-hydroxy-2,3,5'-trimethoxychalcone triggers unfolded protein response-mediated apoptosis in breast cancer cells. Cancer Letters, 2016, 372, 1-9.	7.2	40
12	Chromenylchalcones showing cytotoxicity on human colon cancer cell lines and in silico docking with aurora kinases. Bioorganic and Medicinal Chemistry, 2013, 21, 4250-4258.	3.0	38
13	Induction of Early Growth Response-1 Gene Expression by Calmodulin Antagonist Trifluoperazine through the Activation of Elk-1 in Human Fibrosarcoma HT1080 Cells. Journal of Biological Chemistry, 2001, 276, 7797-7805.	3.4	35
14	The UPR inducer DPP23 inhibits the metastatic potential of MDA-MB-231 human breast cancer cells by targeting the Akt–IKK–NF-κB–MMP-9 axis. Scientific Reports, 2016, 6, 34134.	3.3	34
15	Transcriptional activation of the human Klotho gene by epidermal growth factor in HEK293 cells; role of Egr-1. Gene, 2010, 450, 121-127.	2.2	33
16	The ETS Family Transcription Factor ELK-1 Regulates Induction of the Cell Cycle-regulatory Gene p21 and the BAX Gene in Sodium Arsenite-exposed Human Keratinocyte HaCaT Cells. Journal of Biological Chemistry, 2011, 286, 26860-26872.	3.4	33
17	Anticancer and structure-activity relationship evaluation of 3-(naphthalen-2-yl)-N,5-diphenyl-pyrazoline-1-carbothioamide analogs of chalcone. Bioorganic Chemistry, 2016, 68, 166-176.	4.1	31
18	Structural Properties of Polyphenols Causing Cell Cycle Arrest at G1 Phase in HCT116 Human Colorectal Cancer Cell Lines. International Journal of Molecular Sciences, 2013, 14, 16970-16985.	4.1	30

#	Article	IF	CITATIONS
19	A new synthetic 2′-hydroxy-2,4,6-trimethoxy-5′,6′-naphthochalcone induces G2/M cell cycle arrest and apoptosis by disrupting the microtubular network of human colon cancer cells. Cancer Letters, 2014, 354, 348-354.	7.2	30
20	C-C motif chemokine receptor 1 (CCR1) is a target of the EGF-AKT-mTOR-STAT3 signaling axis in breast cancer cells. Oncotarget, 2017, 8, 94591-94605.	1.8	28
21	Regulatory mechanism of TNFα autoregulation in HaCaT cells: The role of the transcription factor EGR-1. Biochemical and Biophysical Research Communications, 2008, 374, 777-782.	2.1	26
22	Egr-1 Is Necessary for Fibroblast Growth Factor-2-induced Transcriptional Activation of the Glial Cell Line-derived Neurotrophic Factor in Murine Astrocytes. Journal of Biological Chemistry, 2009, 284, 30583-30593.	3.4	25
23	Transcriptional regulation of the growth-regulated oncogene α gene by early growth response protein-1 in response to tumor necrosis factor α stimulation. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2013, 1829, 1066-1074.	1.9	25
24	Biological evaluation of 2-pyrazolinyl-1-carbothioamide derivatives against HCT116 human colorectal cancer cell lines and elucidation on QSAR and molecular binding modes. Bioorganic and Medicinal Chemistry, 2017, 25, 5423-5432.	3.0	23
25	The synthetic chalcone derivative 2-hydroxy-3′,5,5′-trimethoxychalcone induces unfolded protein response-mediated apoptosis in A549 lung cancer cells. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 2969-2975.	2.2	22
26	Imipramine activates glial cell line-derived neurotrophic factor via early growth response gene 1 in astrocytes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1026-1032.	4.8	21
27	γ-Oryzanol suppresses COX-2 expression by inhibiting reactive oxygen species-mediated Erk1/2 and Egr-1 signaling in LPS-stimulated RAW264.7 macrophages. Biochemical and Biophysical Research Communications, 2017, 491, 486-492.	2.1	21
28	Synthesis and biological evaluation of hesperetin derivatives as agents inducing apoptosis. Bioorganic and Medicinal Chemistry, 2017, 25, 397-407.	3.0	21
29	Intracerebroventricular administration of ouabain, a Na/K-ATPase inhibitor, activates mTOR signal pathways and protein translation in the rat frontal cortex. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 45, 73-82.	4.8	20
30	Plantâ€Đerived Flavones as Inhibitors of Aurora B Kinase and Their Quantitative Structure–Activity Relationships. Chemical Biology and Drug Design, 2015, 85, 574-585.	3.2	20
31	Agerarin, identified from Ageratum houstonianum, stimulates circadian CLOCK-mediated aquaporin-3 gene expression in HaCaT keratinocytes. Scientific Reports, 2017, 7, 11175.	3.3	20
32	Chrysin Inhibits NF-κB-Dependent CCL5 Transcription by Targeting IκB Kinase in the Atopic Dermatitis-Like Inflammatory Microenvironment. International Journal of Molecular Sciences, 2020, 21, 7348.	4.1	20
33	Egr1 regulates lithium-induced transcription of the Period 2 (PER2) gene. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2013, 1832, 1969-1979.	3.8	19
34	Euphorbia humifusa Willd exerts inhibition of breast cancer cell invasion and metastasis through inhibition of TNFα-induced MMP-9 expression. BMC Complementary and Alternative Medicine, 2016, 16, 413.	3.7	17
35	A synthetic chalcone derivative, 2-hydroxy-3′,5,5′-trimethoxychalcone (DK-139), suppresses the TNFα-induced invasive capability of MDA-MB-231 human breast cancer cells by inhibiting NF-κB-mediated GROα expression. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 203-208.	2.2	17
36	Colorectal anticancer activities of polymethoxylated 3-naphthyl-5-phenylpyrazoline-carbothioamides. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 4301-4309.	2.2	15

#	Article	IF	CITATIONS
37	Inhibitory Effect of Alisma canaliculatum Ethanolic Extract on NF-κB-Dependent CXCR3 and CXCL10 Expression in TNFα-Exposed MDA-MB-231 Breast Cancer Cells. International Journal of Molecular Sciences, 2018, 19, 2607.	4.1	15
38	Leptin is a direct transcriptional target of EGR1 in human breast cancer cells. Molecular Biology Reports, 2019, 46, 317-324.	2.3	15
39	Transcription factor EGR-1 transactivates the <i>MMP1</i> gene promoter in response to TNFα in HaCaT keratinocytes. BMB Reports, 2020, 53, 323-328.	2.4	14
40	Downregulation of α-Melanocyte-Stimulating Hormone-Induced Activation of the Pax3-MITF-Tyrosinase Axis by Sorghum Ethanolic Extract in B16F10 Melanoma Cells. International Journal of Molecular Sciences, 2018, 19, 1640.	4.1	13
41	A synthetic chalcone derivative, 2-hydroxy-3′,5,5′-trimethoxychalcone (DK-139), triggers reactive oxygen species-induced apoptosis independently of p53 in A549 lung cancer cells. Chemico-Biological Interactions, 2019, 298, 72-79.	4.0	12
42	EGR-1 acts as a transcriptional activator of KLK7 under IL-13 stimulation. Biochemical and Biophysical Research Communications, 2021, 534, 303-309.	2.1	12
43	Overcoming Multidrug Resistance by Activating Unfolded Protein Response of the Endoplasmic Reticulum in Cisplatin-Resistant A2780/CisR Ovarian Cancer Cells. BMB Reports, 2020, 53, 88-93.	2.4	12
44	Molecular mechanism underlying the TLR4 antagonistic and antiseptic activities of papiliocin, an insect innate immune response molecule. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2115669119.	7.1	12
45	<sup>1</sup> H and <sup>13</sup> C NMR spectral assignments of novel flavonoids bearing benzothiazepine. Magnetic Resonance in Chemistry, 2016, 54, 382-390.	1.9	11
46	p53-dependent and -independent mechanisms are involved in (E)-1-(2-hydroxyphenyl)-3-(2-methoxynaphthalen-1-yl)prop-2-en-1-one (HMP)-induced apoptosis in HCT116 colon cancer cells. Biochemical and Biophysical Research Communications, 2016, 479, 913-919.	2.1	10
47	Inhibitory Effect of Synthetic Flavone Derivatives on Pan-Aurora Kinases: Induction of G2/M Cell-Cycle Arrest and Apoptosis in HCT116 Human Colon Cancer Cells. International Journal of Molecular Sciences, 2018, 19, 4086.	4.1	10
48	Chrysoeriol Prevents TNFα-Induced CYP19 Gene Expression via EGR-1 Downregulation in MCF7 Breast Cancer Cells. International Journal of Molecular Sciences, 2020, 21, 7523.	4.1	10
49	Disrupting the DNA Binding of EGR-1 with a Small-Molecule Inhibitor Ameliorates 2,4-Dinitrochlorobenzene-Induced Skin Inflammation. Journal of Investigative Dermatology, 2021, 141, 1851-1855.	0.7	10
50	Agerarin inhibits α-MSH–induced TYR gene transcription via STAT3 suppression independent of CREB-MITF pathway. Journal of Dermatological Science, 2018, 91, 107-110.	1.9	9
51	Design, synthesis, and biological evaluation of polyphenols with 4,6-diphenylpyrimidin-2-amine derivatives for inhibition of Aurora kinase A. DARU, Journal of Pharmaceutical Sciences, 2019, 27, 265-281.	2.0	9
52	Synthesis and structure elucidation of polyphenols containing the <i>N</i> ′â€methyleneformohydrazide scaffold as aurora kinase inhibitors. Magnetic Resonance in Chemistry, 2017, 55, 864-876.	1.9	8
53	Aurora kinase A inhibitor TCS7010 demonstrates pro‑apoptotic effect through the unfolded protein response pathway in HCT116 colon cancer cells. Oncology Letters, 2017, 14, 6571-6577.	1.8	8
54	The EGR1–STAT3 Transcription Factor Axis Regulates α-Melanocyte–Stimulating Hormone–Induced Tyrosinase Gene Transcription in Melanocytes. Journal of Investigative Dermatology, 2019, 139, 1616-1619.	0.7	8

#	Article	IF	CITATIONS
55	Chrysin Inhibits TNFα-Induced TSLP Expression through Downregulation of EGR1 Expression in Keratinocytes. International Journal of Molecular Sciences, 2021, 22, 4350.	4.1	8
56	Role of MKP-1 (DUSP1) in clozapine-induced effects on the ERK1/2 signaling pathway in the rat frontal cortex. Psychopharmacology, 2013, 230, 425-437.	3.1	7
57	Design, synthesis, and biological activities of 1-aryl-(3-(2-styryl)phenyl)prop-2-en-1-ones. Bioorganic Chemistry, 2019, 83, 438-449.	4.1	7
58	Regulation of pro-opiomelanocortin (POMC) gene transcription by interleukin-31 via early growth response 1 (EGR-1) in HaCaT keratinocytes. Molecular Biology Reports, 2020, 47, 5953-5962.	2.3	6
59	Synthesis, Single Crystal X-Ray Structure, Hirshfeld Surface Analysis, DFT Computations, Docking Studies on Aurora Kinases and an Anticancer Property of 3-(2,3-Dihydrobenzo[b][1,4]dioxin-6-yl)-6-methoxy-4H-chromen-4-one. Crystals, 2020, 10, 413.	2.2	6
60	Transcription Factor EGR1 Regulates the Expression of the Clock Gene PER2 under IL-4 Stimulation in Human Keratinocytes. Journal of Investigative Dermatology, 2022, 142, 2677-2686.e9.	0.7	6
61	Single Crystal X-Ray Structure for the Disordered Two Independent Molecules of Novel Isoflavone: Synthesis, Hirshfeld Surface Analysis, Inhibition and Docking Studies on IKKβ of 3-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-6,7-dimethoxy-4H-chromen-4-one. Crystals, 2020, 10, 911.	2.2	5
62	Saikosaponin A and Saikosaponin C Reduce TNF-α-Induced TSLP Expression through Inhibition of MAPK-Mediated EGR1 Expression in HaCaT Keratinocytes. International Journal of Molecular Sciences, 2022, 23, 4857.	4.1	5
63	A novel synthetic chalcone derivative promotes caspase-dependent apoptosis through ROS generation and activation of the UPR in MH7A cells. Genes and Genomics, 2015, 37, 1051-1059.	1.4	4
64	The chalcone derivative HymnPro generates reactive oxygen species through depletion of intracellular glutathione. Applied Biological Chemistry, 2016, 59, 391-396.	1.9	4
65	A Novel Synthetic Compound (E)-5-((4-oxo-4H-chromen-3-yl)methyleneamino)-1-phenyl-1H-pyrazole-4-carbonitrile Inhibits TNFα-Induced MMP9 Expression via EGR-1 Downregulation in MDA-MB-231 Human Breast Cancer Cells. International Journal of Molecular Sciences, 2020, 21, 5080.	4.1	4
66	WNT11 is a direct target of early growth response protein 1. BMB Reports, 2020, 53, 628-633.	2.4	4
67	Synthesis, Crystal Structure, Hirshfeld Surface Analysis and Docking Studies of a Novel Flavone–Chalcone Hybrid Compound Demonstrating Anticancer Effects by Generating ROS through Glutathione Depletion. Crystals, 2022, 12, 108.	2.2	4
68	Effect of Euphorbia humifusa Willd extract on the amelioration of innate immune responses. Genes and Genomics, 2016, 38, 999-1004.	1.4	3
69	Inhibition of EGR-1-dependent MMP1 transcription by ethanol extract of Ageratum houstonianum in HaCaT keratinocytes. Molecular Biology Reports, 2021, 48, 1-11.	2.3	3
70	c-Myb negatively regulates Ras signaling through induction of dual phosphatase MKP-3 in NIH3T3 cells. Biochemical and Biophysical Research Communications, 2014, 450, 1032-1037.	2.1	2
71	A methoxyflavanone derivative, 2′,3′,4′-trimethoxy-5,6-naphthoflavanone, inhibits proliferation of HCT: human colon cancer cells by inducing C2/M cell cycle arrest and apoptosis. Applied Biological Chemistry, 2016, 59, 249-253.	116 1.9	1
72	<sup>1</sup> H and <sup>13</sup> C NMR spectral assignments of flavone derivatives. Magnetic Resonance in Chemistry, 2017, 55, 359-366.	1.9	1

#	Article	IF	CITATIONS
73	A Synthetic Pan-Aurora Kinase Inhibitor, 5-Methoxy-2-(2-methoxynaphthalen-1-yl)-4H-chromen-4-one, Triggers Reactive Oxygen Species-Mediated Apoptosis in HCT116 Colon Cancer Cells. Journal of Chemistry, 2020, 2020, 1-11.	1.9	1
74	Crystal structure of 6-methoxy-3-(5-(3-methoxyphenyl)-1,3,4-oxadiazol-2-yl)-4 <i>H</i> -chromen-4-one-methanol (1/1), C <sub>20</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1253-1255.	0.3	1
75	A Benzochalcone Derivative, ( <i>E</i> )-1-(2-hydroxy-6-methoxyphenyl)-3-(naphthalen-2-yl)prop-2-en-1-one (DK-512), Inhibits Tumor Invasion through Inhibition of the TNF <i>α</i> -Induced NF- <i>β</i> B/MMP-9 Axis in MDA-MB-231 Breast Cancer Cells. Journal of Chemistry, 2016, 2016, 1-8.	1.9	0
76	Transcriptomic analysis of the effect of (E)-3-(3,5-dimethoxyphenyl)-1-(2-methoxyphenyl) prop-2-en-1-one (DPP23) on reactive oxygen species generation in MIA PaCa-2 pancreatic cancer cells. Genes and Genomics, 2020, 42, 1267-1279.	1.4	0
77	Effect of human breast milk on innate immune response: Up-regulation of bacterial pattern recognition receptors and innate cytokines in THP-1 monocytic cells. European Journal of Inflammation, 2021, 19, 205873922110261.	0.5	0
78	The crystal structure of ethyl 2-amino-4-(3,5-difluorophenyl)-7,7-dimethyl-5-oxo-5,6,7,8-tetrahydro-4 <i>H</i> -chromene-3-carboxylate, C <sub>20</sub> H <sub>21</sub> F <sub>2</sub> NO <sub>4</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 307-309.	0.3	0