

Satoshi Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2910404/publications.pdf>

Version: 2024-02-01

189
papers

3,277
citations

186209

28
h-index

189801

50
g-index

194
all docs

194
docs citations

194
times ranked

3297
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term outcomes following the addition of granulocyte colony-stimulating factor-combined high-dose cytarabine to total body irradiation and cyclophosphamide conditioning in single-unit cord blood transplantation for myeloid malignancies. <i>Annals of Hematology</i> , 2022, 101, 177-189.	0.8	4
2	Outcomes of third allogeneic hematopoietic stem cell transplantation in relapsed/refractory acute leukemia after a second transplantation. <i>Bone Marrow Transplantation</i> , 2022, 57, 43-50.	1.3	5
3	The impact of GVHD on outcomes after adult single cord blood transplantation in European and Japanese populations. <i>Bone Marrow Transplantation</i> , 2022, 57, 57-64.	1.3	8
4	Comparing cord blood transplantation and matched related donor transplantation in non-remission acute myeloid leukemia. <i>Leukemia</i> , 2022, 36, 1132-1138.	3.3	16
5	HLA 1â€³ antigenâ€mismatched related peripheral blood stem cells transplantation using lowâ€dose antithymocyte globulin versus unrelated cord blood transplantation. <i>American Journal of Hematology</i> , 2022, 97, 311-321.	2.0	2
6	Early prediction of neutrophil engraftment using manual leukocyte differential count after cord blood transplantation. <i>International Journal of Laboratory Hematology</i> , 2022, 44, .	0.7	0
7	Long-term incidence of varicella zoster virus disease in adults receiving single-unit cord blood transplantation. <i>Transplantation and Cellular Therapy</i> , 2022, , .	0.6	0
8	The Clinical Significance of BCR-ABL1 Mutations in Patients With Philadelphia Chromosomeâ€Positive Chronic Myeloid Leukemia Who Underwent Allogeneic Hematopoietic Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2022, , .	0.6	0
9	Optimal time and threshold of absolute lymphocyte count recovery as a prognostic factor after singleâ€unit cord blood transplantation in adults. <i>EJHaem</i> , 2022, 3, 191-198.	0.4	1
10	Effect of Multiple HLA Locus Mismatches on Outcomes after Single Cord Blood Transplantation. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 398.e1-398.e9.	0.6	6
11	Improved outcomes of single-unit cord blood transplantation for acute myeloid leukemia by killer immunoglobulin-like receptor 2DL1-ligand mismatch. <i>Bone Marrow Transplantation</i> , 2022, 57, 1171-1179.	1.3	2
12	Improved trends in survival and engraftment after single cord blood transplantation for adult acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2022, 12, .	2.8	16
13	Improvements in allogeneic hematopoietic cell transplantation outcomes for adults with ALL over the past 3 decades. <i>Blood Advances</i> , 2022, 6, 4558-4569.	2.5	5
14	Clinical Benefits of Preconditioning Intervention in Patients with Relapsed or Refractory Acute Myelogenous Leukemia Who Underwent Allogeneic Hematopoietic Cell Transplantation: A Kanto Study of Group for Cell Therapy Multicenter Analysis. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 70.e1-70.e8.	0.6	0
15	Prognostic Impact of the Fractionation of Total Body Irradiation for Patients with Acute Myeloid Leukemia Undergoing Myeloablative Allogeneic Hematopoietic Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 185.e1-185.e6.	0.6	2
16	Lower vancomycin trough levels in adults undergoing unrelated cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2021, 62, 348-357.	0.6	5
17	Effect of polymorphism in base excision repair genes on outcomes in adults following myeloablative single-unit cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2021, 62, 1019-1021.	0.6	0
18	Reduced leukemia relapse through cytomegalovirus reactivation in killer cell immunoglobulin-like receptor-ligand-mismatched cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 1352-1363.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Effect of methotrexate dose in graft-versus-host disease prophylaxis after single-unit cord blood transplantation in adult acute myeloid leukemia. <i>International Journal of Hematology</i> , 2021, 113, 840-850.	0.7	7
20	The Multifaceted Roles of EGFL7 in Cancer and Drug Resistance. <i>Cancers</i> , 2021, 13, 1014.	1.7	14
21	Early-Phase Peripheral Blood Eosinophilia Predicts Lower Overall and Non-Relapse Mortality After Single-Unit Cord Blood Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 336.e1-336.e9.	0.6	1
22	A Novel Topical Fluorescent Probe for Detection of Glioblastoma. <i>Clinical Cancer Research</i> , 2021, 27, 3936-3947.	3.2	20
23	Radiation-free myeloablative conditioning consisting of fludarabine added to full-dose busulfan and cyclophosphamide in single-unit cord blood transplantation for adults. <i>European Journal of Haematology</i> , 2021, 107, 374-376.	1.1	4
24	Allogeneic hematopoietic stem cell transplantation for myelodysplastic syndrome in adolescent and young adult patients. <i>Bone Marrow Transplantation</i> , 2021, 56, 2510-2517.	1.3	9
25	Prognostic impacts of peripheral blood erythroblasts after single-unit cord blood transplantation. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 1437-1442.	0.7	0
26	Analysis of Relationships between Immune Checkpoint and Methylase Gene Polymorphisms and Outcomes after Unrelated Bone Marrow Transplantation. <i>Cancers</i> , 2021, 13, 2752.	1.7	1
27	Momentum of neutrophil recovery using an exponential growth model predicts the prognosis of single cord blood transplantation. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 1465-1471.	0.7	0
28	Hematological effects on peri-transplant use of linezolid in adults undergoing single-unit cord blood transplantation. <i>Annals of Hematology</i> , 2021, 100, 2867-2869.	0.8	1
29	Cord blood index predicts engraftment and early non-relapse mortality in adult patients with single-unit cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 2771-2778.	1.3	4
30	Pre-conditioning intervention in patients with relapsed or refractory acute lymphoblastic leukemia who underwent allogeneic hematopoietic cell transplantation: a KSGCT multicenter retrospective analysis. <i>Annals of Hematology</i> , 2021, 100, 2763-2771.	0.8	1
31	Novel Indicators of Transplant Outcomes for PhALL: Current Molecular-Relapse-Free Survival. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 800.e1-800.e8.	0.6	2
32	Stopping tyrosine kinase inhibitors started after allogeneic HCT in patients with Philadelphia chromosome-positive leukemia. <i>Bone Marrow Transplantation</i> , 2021, 56, 1402-1412.	1.3	3
33	Impact of a prior history of cancer on prognosis after myeloablative single-unit cord blood transplantation. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 657-660.	0.6	0
34	Comparing Single Cord Blood Transplantation and Matched Related Donor Transplantation in Non-Remission Acute Myeloid Leukemia. <i>Blood</i> , 2021, 138, 1790-1790.	0.6	0
35	Allogeneic Stem Cell Transplantation Conditioned with Myeloablative Regimens Containing Total Body Irradiation in Adolescent and Young Adult Patients with Philadelphia Chromosome-Negative Acute Lymphoblastic Leukemia Who Were Treated with Pediatric-Type Chemotherapy. <i>Blood</i> , 2021, 138, 2283-2283.	0.6	0
36	Total body irradiation-based versus busulfan-based myeloablative conditioning for single-unit cord blood transplantation in adults. <i>Leukemia and Lymphoma</i> , 2021, , 1-11.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Allogeneic hematopoietic cell transplantation in patients with untreated acute myeloid leukemia: a KSGCT multicenter retrospective analysis. <i>Bone Marrow Transplantation</i> , 2020, 55, 1497-1501.	1.3	1
38	Effects of Haplotype Matching on Outcomes after Adult Single-Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 509-518.	2.0	11
39	Impact of Homozygous Conserved Extended HLA Haplotype on Single Cord Blood Transplantation: Lessons for Induced Pluripotent Stem Cell Banking and Transplantation in Allogeneic Settings. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 132-138.	2.0	11
40	Prognostic factors for adult single cord blood transplantation among European and Japanese populations: the Eurocord/ALWP-EBMT and JSHCT/JDCHCT collaborative study. <i>Leukemia</i> , 2020, 34, 128-137.	3.3	36
41	<i>Candida</i> colonization is associated with severe acute GVHD in adult patients undergoing single-unit cord blood transplantation. <i>European Journal of Haematology</i> , 2020, 104, 74-76.	1.1	2
42	Impact of HLA Allele Mismatch at HLA-A, -B, -C, and -DRB1 in Single Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 519-528.	2.0	34
43	Clinical course of autologous recovery with chromosomal abnormalities after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 1023-1028.	1.3	6
44	Improvement of early mortality in single-unit cord blood transplantation for Japanese adults from 1998 to 2017. <i>American Journal of Hematology</i> , 2020, 95, 343-353.	2.0	39
45	The multifaceted role of plasminogen in inflammation. <i>Cellular Signalling</i> , 2020, 75, 109761.	1.7	68
46	Impact of Intestinal Microbiota on Reconstitution of Circulating Monocyte, Dendritic Cell, and Natural Killer Cell Subsets in Adults Undergoing Single-Unit Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, e292-e297.	2.0	1
47	Tuberculous pleurisy in an adult patient after cord blood transplantation. <i>EJHaem</i> , 2020, 1, 424-425.	0.4	0
48	Clinical outcomes of persistent colonization with multidrug-resistant Gram-negative rods in adult patients undergoing single cord blood transplantation. <i>International Journal of Hematology</i> , 2020, 111, 858-868.	0.7	20
49	Could the minimum number of haematopoietic stem cells to obtain engraftment exist in unrelated, single cord blood transplantation?. <i>British Journal of Haematology</i> , 2020, 189, e56-e60.	1.2	1
50	Reconstitution of Circulating Mucosal-Associated Invariant T Cells after Allogeneic Hematopoietic Cell Transplantation: Its Association with the Riboflavin Synthetic Pathway of Gut Microbiota in Cord Blood Transplant Recipients. <i>Journal of Immunology</i> , 2020, 204, 1462-1473.	0.4	35
51	Outcomes and Prognostic Factors for Patients with Relapsed or Refractory Acute Lymphoblastic Leukemia Who Underwent Allogeneic Hematopoietic Cell Transplantation: A KSGCT Multicenter Analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 998-1004.	2.0	4
52	Telomere length in CD4 ⁺ and CD8 ⁺ T cells among long-term survivors of adults after single cord blood transplantation. <i>European Journal of Haematology</i> , 2020, 104, 509-511.	1.1	0
53	Favorable Effect of Cytomegalovirus Reactivation on Outcomes in Cord Blood Transplant and Its Differences Among Disease Risk or Type. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1363-1370.	2.0	8
54	The EGFL7-ITGB3-KLF2 axis enhances survival of multiple myeloma in preclinical models. <i>Blood Advances</i> , 2020, 4, 1021-1037.	2.5	13

#	ARTICLE	IF	CITATIONS
55	Disseminated Tuberculosis with Cholecystitis in a Patient after Cord Blood Transplantation. <i>Internal Medicine</i> , 2020, 59, 2769-2771.	0.3	2
56	High Prevalence of Left Ventricular Non-Compaction and Its Effect on Chemotherapy-Related Cardiac Dysfunction in Patients With Hematological Diseases. <i>Circulation Journal</i> , 2020, 84, 1957-1964.	0.7	3
57	The Role of Fibrinolytic Factors, a Subset of Angiocrine Factors in Cytokine Storm-Associated Diseases. <i>Blood</i> , 2020, 136, 33-34.	0.6	0
58	Which is more important for the selection of cord blood units for haematopoietic cell transplantation: the number of <scp>CD</scp>34⁺ cells or total nucleated cells?. <i>British Journal of Haematology</i> , 2019, 185, 166-169.	1.2	25
59	Different impact of BCR⁺ABL transcripts on allogeneic hematopoietic cell transplantation from different graft sources for Ph⁺ALL with minimal residual disease. <i>American Journal of Hematology</i> , 2019, 94, E301-E305.	2.0	1
60	Early fluid overload predicts higher non-relapse and overall mortality in adults after single-unit cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 2096-2101.	1.3	8
61	Epstein⁺Barr virus⁺ associated post-transplant lymphoproliferative disorder among long-term survivors of adults after single cord blood transplantation without antithymocyte globulin. <i>Annals of Hematology</i> , 2019, 98, 2613-2615.	0.8	1
62	Circulating unconventional T⁺ cell subsets during treatment with BCR⁺ABL1 tyrosine kinase inhibitors for Philadelphia chromosome⁺ leukemia. <i>European Journal of Haematology</i> , 2019, 103, 623-625.	1.1	0
63	Tyrosine kinase inhibitor prophylaxis after transplant for Philadelphia chromosome⁺ acute lymphoblastic leukemia. <i>Cancer Science</i> , 2019, 110, 3255-3266.	1.7	32
64	Spray Fluorescent Probes for Fluorescence-Guided Neurosurgery. <i>Frontiers in Oncology</i> , 2019, 9, 727.	1.3	7
65	Efficacy and safety of micafungin in unrelated cord blood transplant recipients. <i>Annals of Hematology</i> , 2019, 98, 2593-2600.	0.8	0
66	Efficacy and safety of oral deferasirox treatment for transfusional iron overload in pure red cell aplasia patients after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2019, 98, 1781-1783.	0.8	8
67	T memory stem cells after allogeneic haematopoietic cell transplantation: unique long⁺ term kinetics and influence of chronic graft⁺ versus⁺ host disease. <i>British Journal of Haematology</i> , 2019, 186, 866-878.	1.2	7
68	Prognostic index for patients with relapsed or refractory acute myeloid leukemia who underwent hematopoietic cell transplantation: a KSGCT multicenter analysis. <i>Leukemia</i> , 2019, 33, 2610-2618.	3.3	12
69	Prognostic impact of cytogenetic abnormalities in adult patients with Philadelphia chromosome-negative ALL who underwent an allogeneic transplant. <i>Bone Marrow Transplantation</i> , 2019, 54, 2020-2026.	1.3	3
70	Resolved versus Active Chronic Graft-versus-Host Disease: Impact on Post-Transplantation Quality of Life. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1851-1858.	2.0	23
71	Unit selection for umbilical cord blood transplantation for adults with acute myeloid leukemia in complete remission: a Japanese experience. <i>Bone Marrow Transplantation</i> , 2019, 54, 1789-1798.	1.3	39
72	Reduced Neoantigen Expression Revealed by Longitudinal Multiomics as a Possible Immune Evasion Mechanism in Glioma. <i>Cancer Immunology Research</i> , 2019, 7, 1148-1161.	1.6	56

#	ARTICLE	IF	CITATIONS
73	Red blood cell transfusion burden by day 30 predicts mortality in adults after single-unit cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1836-1846.	1.3	5
74	Granulocyte colony-stimulating factor-associated aortitis in the Japanese Adverse Drug Event Report database. <i>Cytokine</i> , 2019, 119, 47-51.	1.4	51
75	Fungemia due to <i>Fusarium solani</i> under low-dose liposomal amphotericin B in a patient after cord blood transplantation. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 635-638.	0.8	4
76	Graft-versus-MDS effect after unrelated cord blood transplantation: a retrospective analysis of 752 patients registered at the Japanese Data Center for Hematopoietic Cell Transplantation. <i>Blood Cancer Journal</i> , 2019, 9, 31.	2.8	9
77	DNA demethylation is associated with malignant progression of lower-grade gliomas. <i>Scientific Reports</i> , 2019, 9, 1903.	1.6	31
78	Mining-Guided Machine Learning Analyses Revealed the Latest Trends in Neuro-Oncology. <i>Cancers</i> , 2019, 11, 178.	1.7	7
79	Development of Pre-Engraftment Syndrome, but Not Acute Graft-versus-Host Disease, Reduces Relapse Rate of Acute Myelogenous Leukemia after Single Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1187-1196.	2.0	14
80	High probability of follow-up termination among AYA survivors after allogeneic hematopoietic cell transplantation. <i>Blood Advances</i> , 2019, 3, 397-405.	2.5	11
81	HLA discrepancy between graft and host rather than that graft and first donor impact the second transplant outcome. <i>Haematologica</i> , 2019, 104, 1055-1061.	1.7	3
82	Reduced-Toxicity Myeloablative Conditioning Consisting of Fludarabine/Busulfan/Low-Dose Total Body Irradiation/Granulocyte Colony-Stimulating Factorâ€“Combined Cytarabine in Single Cord Blood Transplantation for Elderly Patients with Nonremission Myeloid Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 764-770.	2.0	18
83	Effects of HLA mismatch on cytomegalovirus reactivation in cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1004-1012.	1.3	16
84	The Prognostic Impact of Pretransplantation Inflammatory and Nutritional Status in Adult Patients after Myeloablative Single Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 981-988.	2.0	13
85	Upfront allogeneic hematopoietic cell transplantation (HCT) versus remission induction chemotherapy followed by allogeneic HCT for acute myeloid leukemia with multilineage dysplasia: A propensity score matched analysis. <i>American Journal of Hematology</i> , 2019, 94, 103-110.	2.0	8
86	Risk factors and survival impact of readmission after single-unit cord blood transplantation for adults. <i>International Journal of Hematology</i> , 2019, 109, 115-124.	0.7	4
87	Employment status was highly associated with quality of life after allogeneic hematopoietic cell transplantation, and the association may differ according to patient age and graft-versus-host disease status: analysis of a nationwide QOL survey. <i>Bone Marrow Transplantation</i> , 2019, 54, 611-615.	1.3	21
88	VIII. Clinical Developments and Challenges of Cellular Products in Japan. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019, 108, 1411-1416.	0.0	0
89	Refractory Graft-Versus-Host Diseaseâ€“Free, Relapse-Free Survival as an Accurate and Easy-to-Calculate Endpoint to Assess the Long-Term Transplant Success. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1521-1526.	2.0	10
90	Azacitidine effectively reduces TP53-mutant leukemic cell burden in secondary acute myeloid leukemia after cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2018, 59, 2755-2756.	0.6	0

#	ARTICLE	IF	CITATIONS
91	Monocyte subsets and their phenotypes during treatment with BCR-ABL1 tyrosine kinase inhibitors for Philadelphia chromosome-positive leukemia. <i>Hematological Oncology</i> , 2018, 36, 451-456.	0.8	4
92	Circulating monocyte subsets in human chronic graft-versus-host disease. <i>Bone Marrow Transplantation</i> , 2018, 53, 1532-1540.	1.3	9
93	Characterization of In Vitro Expanded Virus-Specific T cells for Adoptive Immunotherapy against Virus Infection. <i>Japanese Journal of Infectious Diseases</i> , 2018, 71, 122-128.	0.5	1
94	Alloimmune hemolysis due to major RhE incompatibility after unrelated cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2018, 59, 1000-1003.	0.6	3
95	Cytogenetic risk stratification may predict allogeneic hematopoietic stem cell transplantation outcomes for chronic myelomonocytic leukemia. <i>Leukemia and Lymphoma</i> , 2018, 59, 1332-1337.	0.6	9
96	Outcomes after allogeneic hematopoietic stem cell transplantation in patients with acute myeloid leukemia harboring t(7;11)(p15;p15). <i>Haematologica</i> , 2018, 103, e69-e72.	1.7	6
97	Outcomes of patients who developed subsequent solid cancer after hematopoietic cell transplantation. <i>Blood Advances</i> , 2018, 2, 1901-1913.	2.5	18
98	Does marital status affect the outcomes after allogeneic hematopoietic cell transplantation?. <i>Bone Marrow Transplantation</i> , 2018, 53, 774-779.	1.3	4
99	Allogeneic haematopoietic cell transplantation for adult acute myeloid leukaemia in second remission: a retrospective study of the Adult Acute Myeloid Leukaemia Working Group of the Japan Society for Haematopoietic Cell Transplantation (JSHCT). <i>British Journal of Haematology</i> , 2018, 182, 245-250.	1.2	2
100	Allogeneic hematopoietic cell transplantation in adult acute myeloid leukemia with 11q23 abnormality: a retrospective study of the Adult Acute Myeloid Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT). <i>Annals of Hematology</i> , 2018, 97, 2173-2183.	0.8	8
101	Effect of Cumulative Intravenous Voriconazole Dose on Renal Function in Hematological Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	1.4	11
102	Platelet Transfusion Refractoriness in Single-Unit Cord Blood Transplantation for Adults: Risk Factors and Clinical Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1873-1880.	2.0	13
103	Efficacy and Safety of Low-Dose Liposomal Amphotericin B in Adult Patients Undergoing Unrelated Cord Blood Transplantation. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	1.4	7
104	Generation of multivirus-specific T cells by a single stimulation of peripheral blood mononuclear cells with a peptide mixture using serum-free medium. <i>Cytotherapy</i> , 2018, 20, 1182-1190.	0.3	6
105	Who Is the Best Donor for the Second Transplant?: HLA Discrepancy between Graft and Host Rather Than That Graft and First Donor May Impact the Second Transplant Outcome from the JSHCT. <i>Blood</i> , 2018, 132, 4635-4635.	0.6	1
106	Impact of Homozygous Conserved Extended HLA Haplotypes on Cord Blood Transplantation: Implications for Induced Pluripotent Stem Cell Banking and Transplantation. <i>Blood</i> , 2018, 132, 2097-2097.	0.6	2
107	Impact of hematogones on the long-term outcomes of single-unit cord blood transplantation for adult patients. <i>Leukemia and Lymphoma</i> , 2017, 58, 118-126.	0.6	4
108	The bridge treatment selected at the decision for transplantation did not affect the outcomes in patients with MDS. <i>Hematological Oncology</i> , 2017, 35, 341-349.	0.8	6

#	ARTICLE	IF	CITATIONS
109	Outcome of allogeneic hematopoietic stem cell transplantation in adult patients with acute myeloid leukemia harboring trisomy 8. <i>Annals of Hematology</i> , 2017, 96, 469-478.	0.8	6
110	Cryopreserved CD34 + Cell Dose, but Not Total Nucleated Cell Dose, Influences Hematopoietic Recovery and Extensive Chronic Graft-versus-Host Disease after Single-Unit Cord Blood Transplantation in Adult Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1142-1150.	2.0	52
111	Long-term persistent donorâ€œrecipient mixed chimerism without disease recurrence after myeloablative single-unit cord blood transplantation in adult acute myeloid leukemia following myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2017, 58, 2973-2975.	0.6	1
112	Genetic and epigenetic stability of oligodendrogliomas at recurrence. <i>Acta Neuropathologica Communications</i> , 2017, 5, 18.	2.4	47
113	Serum C-reactive protein levels affect the plasma voriconazole trough levels in allogeneic hematopoietic cell transplant recipients. <i>Leukemia and Lymphoma</i> , 2017, 58, 2731-2733.	0.6	22
114	Associations of interactions between NLRP3 SNPs and HLA mismatch with acute and extensive chronic graft-versus-host diseases. <i>Scientific Reports</i> , 2017, 7, 13097.	1.6	18
115	Distinct molecular profile of diffuse cerebellar gliomas. <i>Acta Neuropathologica</i> , 2017, 134, 941-956.	3.9	40
116	Risk factors and characteristics of falls among hospitalized adult patients with hematologic diseases. <i>Journal of Geriatric Oncology</i> , 2017, 8, 363-367.	0.5	13
117	Cytokine Profiles of Pre-Engraftment Syndrome after Single-Unit Cord Blood Transplantation for Adult Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1932-1938.	2.0	29
118	A cross-sectional study on late taste disorders in survivors of allogeneic hematopoietic cell transplantation. <i>Annals of Hematology</i> , 2017, 96, 1841-1847.	0.8	11
119	Severe infusion-related toxicity after a second unrelated cord blood transplantation. <i>Cytotherapy</i> , 2017, 19, 1013-1014.	0.3	1
120	Quality of Life after Allogeneic Hematopoietic Cell Transplantation According to Affected Organ and Severity of Chronic Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1749-1758.	2.0	80
121	Outcomes of Allogeneic Hematopoietic Stem Cell Transplantation in Adult Patients with Myelodysplastic Syndrome Harboring Trisomy 8. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 75-80.	2.0	6
122	Breakthrough fungemia due to <i>Candida fermentati</i> with <i>fks1p</i> mutation under micafungin treatment in a cord blood transplant recipient. <i>Transplant Infectious Disease</i> , 2017, 19, e12634.	0.7	7
123	Early phase mixed chimerism in bone marrow does not affect long-term outcomes of myeloablative single-unit cord blood transplantation for adult patients with hematological malignancies. <i>Leukemia and Lymphoma</i> , 2016, 57, 2848-2854.	0.6	4
124	Multiple allogeneic progenitors in combination function as a unit to support early transient hematopoiesis in transplantation. <i>Journal of Experimental Medicine</i> , 2016, 213, 1865-1880.	4.2	6
125	Comparison of Cyclophosphamide Combined with Total Body Irradiation, Oral Busulfan, or Intravenous Busulfan for Allogeneic Hematopoietic Cell Transplantation in Adults with Acute Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 2194-2200.	2.0	38
126	Different effects of lansoprazole and rabeprazole on the plasma voriconazole trough levels in allogeneic hematopoietic cell transplant recipients. <i>Annals of Hematology</i> , 2016, 95, 1845-1851.	0.8	10

#	ARTICLE	IF	CITATIONS
127	Multi-locus sequence analysis for identification of <i>Achromobacter xylosoxidans</i> from blood culture. <i>Infectious Diseases</i> , 2016, 48, 864-866.	1.4	0
128	Remission of remitting seronegative symmetrical synovitis with pitting edema after unrelated cord blood transplantation for myelodysplastic syndrome. <i>Annals of Hematology</i> , 2016, 95, 523-524.	0.8	2
129	Late Mortality and Causes of Death among Long-Term Survivors after Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1702-1709.	2.0	56
130	Comparison of Outcomes of 8/8 and 7/8 Allele-Matched Unrelated Bone Marrow Transplantation and Single-Unit Cord Blood Transplantation in Adults with Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 330-338.	2.0	100
131	Comparison of graft-versus-host disease-free, relapse-free survival of transplantation using matched sibling donor, matched unrelated donor or unrelated cord blood after myeloablative conditioning for adult patients with hematological malignancies. <i>Leukemia and Lymphoma</i> , 2016, 57, 2126-2132.	0.6	13
132	Second allogeneic transplantation using unrelated cord blood for relapsed hematological malignancies after allogeneic transplantation. <i>Leukemia and Lymphoma</i> , 2016, 57, 103-109.	0.6	9
133	Patient-Reported Quality of Life after Allogeneic Hematopoietic Cell Transplantation According to Types and Severity of Chronic Gvhd. <i>Blood</i> , 2016, 128, 1240-1240.	0.6	1
134	Long-term outcomes of granulocyte colony-stimulating factor-combined conditioning in allogeneic hematopoietic stem cell transplantation from HLA-identical family donors for myeloid malignancies. <i>Leukemia Research</i> , 2015, 39, 625-631.	0.4	4
135	Efficiency of high-dose cytarabine added to CY/TBI in cord blood transplantation for myeloid malignancy. <i>Blood</i> , 2015, 126, 415-422.	0.6	49
136	Effective treatment against severe graft-versus-host disease with allele-specific anti-HLA monoclonal antibody in a humanized mouse model. <i>Experimental Hematology</i> , 2015, 43, 79-88.e4.	0.2	7
137	Effect of Granulocyte Colony-Stimulating Factor-Combined Conditioning in Cord Blood Transplantation for Myelodysplastic Syndrome and Secondary Acute Myeloid Leukemia: A Retrospective Study in Japan. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1632-1640.	2.0	16
138	A Safeguard System for Induced Pluripotent Stem Cell-Derived Rejuvenated T Cell Therapy. <i>Stem Cell Reports</i> , 2015, 5, 597-608.	2.3	61
139	The Impact of Donor Age on Outcome after Unrelated Bone Marrow Transplantation: Comparison with Unrelated Cord Blood Transplantation. <i>Blood</i> , 2015, 126, 154-154.	0.6	3
140	Proof of Benefit in Multiple-Cord Blood Transplantation Evidenced By Early Hematopoietic Reconstitution. <i>Blood</i> , 2015, 126, 3071-3071.	0.6	0
141	Here comes the cord. <i>Blood Research</i> , 2014, 49, 209.	0.5	0
142	Effect of ABO Blood Group Incompatibility on the Outcome of Single-Unit Cord Blood Transplantation after Myeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 577-581.	2.0	16
143	Comparable Long-Term Outcome of Unrelated Cord Blood Transplantation with Related Bone Marrow or Peripheral Blood Stem Cell Transplantation in Patients Aged 45 Years or Older with Hematologic Malignancies after Myeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1150-1155.	2.0	14
144	Single-Unit Cord Blood Transplantation after Granulocyte Colony-Stimulating Factor-Combined Myeloablative Conditioning for Myeloid Malignancies Not in Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 396-401.	2.0	37

#	ARTICLE	IF	CITATIONS
145	Does the Hematopoietic Cell Transplantation Specific Comorbidity Index (HCT-CI) Predict Transplantation Outcomes? A Prospective Multicenter Validation Study of the Kanto Study Group for Cell Therapy. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1553-1559.	2.0	35
146	Granulocyte colony-stimulating factor combined regimen in cord blood transplantation for acute myeloid leukemia: a nationwide retrospective analysis in Japan. <i>Haematologica</i> , 2014, 99, e264-e268.	1.7	25
147	Second Allogeneic Hematopoietic Stem Cell Transplantation (allo-HSCT) for Relapse of Hematological Malignancies after First Allo-HSCT. <i>Blood</i> , 2014, 124, 3947-3947.	0.6	9
148	Impact of the Direction of HLA Mismatch on Transplantation Outcomes in Single Unrelated Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 247-254.	2.0	46
149	Different effects of HLA disparity on transplant outcomes after single-unit cord blood transplantation between pediatric and adult patients with leukemia. <i>Haematologica</i> , 2013, 98, 814-822.	1.7	77
150	Novel Therapeutic Approach To Graft-Versus-Host Disease With Allele-Specific Anti-HLA Monoclonal Antibody. <i>Blood</i> , 2013, 122, 4462-4462.	0.6	0
151	Comparison of Unrelated Cord Blood Transplantation and HLA-Mismatched Unrelated Bone Marrow Transplantation for Adults with Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 780-787.	2.0	67
152	Allogeneic hematopoietic stem cell transplantation for primary and secondary myelofibrosis. <i>Journal of Hematopoietic Cell Transplantation</i> , 2012, 1, 15-23.	0.1	0
153	Incidence, risk factors and outcomes of bronchiolitis obliterans after allogeneic stem cell transplantation. <i>International Journal of Hematology</i> , 2011, 93, 375-382.	0.7	57
154	Association analysis of the NOD2 gene with susceptibility to graft-versus-host disease in a Japanese population. <i>International Journal of Hematology</i> , 2011, 93, 771-778.	0.7	16
155	A Plasmin Inhibitor Prevents Lethal Acute Graft-Versus-Host Disease in Mice. <i>Blood</i> , 2011, 118, 1897-1897.	0.6	0
156	Matched HLA Haplotype Contributes to Reduce Sever Acute GVHD with Conserving GVL Effect in HLA-Mismatched Cord Blood Transplantation,. <i>Blood</i> , 2011, 118, 4140-4140.	0.6	3
157	Changes In Incidence and Causes of Non-Relapse Mortality (NRM) After Allogeneic Hematopoietic Cell Transplantation (allo-HCT): Are Transplants Improving?. <i>Blood</i> , 2010, 116, 901-901.	0.6	2
158	Leukemogenic Fusion Gene (p190 BCR-ABL) Transduction Into Hematopoietic Stem/Progenitor Cells In the Common Marmoset. <i>Blood</i> , 2010, 116, 4323-4323.	0.6	0
159	Disease-specific analyses of unrelated cord blood transplantation compared with unrelated bone marrow transplantation in adult patients with acute leukemia. <i>Blood</i> , 2009, 113, 1631-1638.	0.6	210
160	Clinical features of adult acute leukemia with 11q23 abnormalities in Japan: a co-operative multicenter study. <i>International Journal of Hematology</i> , 2008, 87, 195-202.	0.7	16
161	Central Nervous System Relapse of Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1100-1107.	2.0	56
162	Large Scale Selective Ex Vivo Expansion of CD4+CD25+FOXP3+ Regulatory T Cells from Peripheral Blood.. <i>Blood</i> , 2008, 112, 2344-2344.	0.6	0

#	ARTICLE	IF	CITATIONS
163	Leukemia: cord blood for allogeneic stem cell transplantation. <i>Current Opinion in Oncology</i> , 2007, 19, 667-672.	1.1	9
164	Comparative single-institute analysis of cord blood transplantation from unrelated donors with bone marrow or peripheral blood stem-cell transplants from related donors in adult patients with hematologic malignancies after myeloablative conditioning regimen. <i>Blood</i> , 2007, 109, 1322-1330.	0.6	271
165	Unrelated Cord Blood Transplantation for Malignant Lymphoma: A Retrospective Study from the Japan Cord Blood Bank Network (JCBNW). <i>Blood</i> , 2007, 110, 2026-2026.	0.6	0
166	Flow Cytometric Analysis of Donor-Recipient Chimerism Using Anti-HLA Antibody after HLA-Mismatched Cord Blood Transplantation. <i>Blood</i> , 2007, 110, 2008-2008.	0.6	0
167	Posttransplantation Engraftment and Safety of Cord Blood Transplantation with Grafts Containing Relatively Low Cell Doses in Adults. <i>International Journal of Hematology</i> , 2006, 84, 359-362.	0.7	8
168	Incidence, Risk Factors and Outcomes of Bronchiolitis Obliterans after Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2006, 108, 3365-3365.	0.6	0
169	Allogeneic Myeloablative Hematopoietic Stem Cell Transplantation for Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia in Adults. <i>Blood</i> , 2005, 106, 1134-1134.	0.6	1
170	Clinical Outcomes of Cord Blood Transplantation from Unrelated Donors Comparable with Marrow or Blood Transplantation from Related Donors in Adults: A Single Institute Analysis. <i>Blood</i> , 2005, 106, 306-306.	0.6	2
171	Single-institute comparative analysis of unrelated bone marrow transplantation and cord blood transplantation for adult patients with hematologic malignancies. <i>Blood</i> , 2004, 104, 3813-3820.	0.6	310
172	Double-Unit Cord Blood Transplantation in Japan. <i>Blood</i> , 2004, 104, 5166-5166.	0.6	10
173	Impact of Acute GVHD on Immune Reconstitution after Cord Blood Transplantation in Adult. <i>Blood</i> , 2004, 104, 984-984.	0.6	2
174	Contribution of T-Cell Reconstitution during the Early Phase after Cord Blood Transplantation to Favorable Clinical Outcomes. <i>Blood</i> , 2004, 104, 2227-2227.	0.6	0
175	Role of Chemotherapy before Allogeneic Stem Cell Transplantation (ALLO-SCT) from an HLA-Identical Sibling Donor for Myelodysplastic Syndrome (MDS). <i>Blood</i> , 2004, 104, 5126-5126.	0.6	0
176	Varicella-zoster virus infection in adult patients after unrelated cord blood transplantation: a single institute experience in Japan. <i>British Journal of Haematology</i> , 2003, 122, 802-805.	1.2	43
177	Donor Leukocyte Infusion for Japanese Patients with Relapsed Leukemia After Allogeneic Bone Marrow Transplantation: Indications and Dose Escalation. <i>Therapeutic Apheresis and Dialysis</i> , 2001, 5, 40-45.	0.4	18
178	The Japanese multicenter open randomized trial of ursodeoxycholic acid prophylaxis for hepatic veno-occlusive disease after stem cell transplantation. <i>Blood</i> , 2000, 96, 32-38.		132
179	TCR-V β repertoire analysis with RT-PCR was useful for the early detection of pulmonary relapsed T-cell lymphoma after autologous peripheral blood stem cell transplantation. <i>Blood</i> , 2000, 96, 124-127.		3
180	The effect of granulocyte colony-stimulating factor administration in healthy donors before bone marrow harvesting. <i>British Journal of Haematology</i> , 2000, 108, 747-753.	1.2	10

#	ARTICLE	IF	CITATIONS
181	The Japanese multicenter open randomized trial of ursodeoxycholic acid prophylaxis for hepatic venoocclusive disease after stem cell transplantation. <i>American Journal of Hematology</i> , 2000, 64, 32-38.	2.0	3
182	Treatment of advanced myelodysplastic syndrome with a regimen including recombinant human granulocyte colony-stimulating factor preceding allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , 1999, 104, 569-573.	1.2	23
183	Low seroprevalence of <i>Helicobacter pylori</i> in patients with leukemia. , 1999, 60, 253-253.		6
184	Recombinant human granulocyte colony-stimulating factor (G-CSF) combined conditioning regimen for allogeneic bone marrow transplantation (BMT) in standard-risk myeloid leukemia. , 1998, 57, 303-308.		14
185	Recombinant human granulocyte colony-stimulating factor (G-CSF) combined conditioning regimen for allogeneic bone marrow transplantation (BMT) in standard-risk myeloid leukemia. , 1998, 57, 303.		1
186	Immune-Mediated Optic Neuritis After Unrelated Allogeneic Bone Marrow Transplantation. <i>Blood</i> , 1998, 91, 2619-2620.	0.6	1
187	Mitochondrial Antisense RNA for Cytochrome C Oxidase (MARCO) Can Induce Morphologic Changes and Cell Death in Human Hematopoietic Cell Lines. <i>Blood</i> , 1997, 90, 4567-4577.	0.6	2
188	The Production of Granulocyte Colony-Stimulating Factor and Interleukin 6 by Human Bone marrow Stromal Cells in Aplastic Anemia.. <i>Tohoku Journal of Experimental Medicine</i> , 1993, 169, 325-334.	0.5	3
189	siRNA against CD40 delivered via a fungal recognition receptor ameliorates murine acute graft-versus-host disease. <i>EJHaem</i> , 0, , .	0.4	2