
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2913759/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Zeptogram-Scale Nanomechanical Mass Sensing. Nano Letters, 2006, 6, 583-586.   | 4.5  | 940       |
| 2  | Towards single-molecule nanomechanical mass spectrometry. Nature Nanotechnology, 2009, 4,<br>445-450.  | 15.6 | 602       |
| 3  | Very High Frequency Silicon Nanowire Electromechanical Resonators. Nano Letters, 2007, 7, 1953-1959.   | 4.5  | 381       |
| 4  | Polytype control of spin qubits in silicon carbide. Nature Communications, 2013, 4, 1819.  | 5.8  | 292       |
| 5  | A self-sustaining ultrahigh-frequency nanoelectromechanical oscillator. Nature Nanotechnology, 2008, 3, 342-346.   | 15.6 | 266       |
| 6  | High Frequency MoS <sub>2</sub> Nanomechanical Resonators. ACS Nano, 2013, 7, 6086-6091.   | 7.3  | 262       |
| 7  | Self-Transducing Silicon Nanowire Electromechanical Systems at Room Temperature. Nano Letters, 2008, 8, 1756-1761.   | 4.5  | 233       |
| 8  | Low Voltage Nanoelectromechanical Switches Based on Silicon Carbide Nanowires. Nano Letters,<br>2010, 10, 2891-2896.   | 4.5  | 163       |
| 9  | Piezoelectric nanoelectromechanical resonators based on aluminum nitride thin films. Applied Physics Letters, 2009, 95, .  | 1.5  | 148       |
| 10 | Black phosphorus nanoelectromechanical resonators vibrating at very high frequencies. Nanoscale, 2015, 7, 877-884.   | 2.8  | 128       |
| 11 | Electrically tunable single- and few-layer MoS <sub>2</sub> nanoelectromechanical systems with broad dynamic range. Science Advances, 2018, 4, eaao6653.                                     | 4.7  | 126       |
| 12 | Multilayer MoS2 transistors enabled by a facile dry-transfer technique and thermal annealing.<br>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2014, 32, . | 0.6  | 113       |
| 13 | VHF, UHF and microwave frequency nanomechanical resonators. New Journal of Physics, 2005, 7, 247-247.  | 1.2  | 106       |
| 14 | Environmental Instability and Degradation of Single―and Few‣ayer WTe <sub>2</sub> Nanosheets in<br>Ambient Conditions. Small, 2016, 12, 5802-5808.   | 5.2  | 96        |
| 15 | Surface Adsorbate Fluctuations and Noise in Nanoelectromechanical Systems. Nano Letters, 2011, 11, 1753-1759.  | 4.5  | 93        |
| 16 | Parametric Nanomechanical Amplification at Very High Frequency. Nano Letters, 2009, 9, 3116-3123.  | 4.5  | 84        |
| 17 | Tuning Optical Signatures of Single- and Few-Layer MoS <sub>2</sub> by Blown-Bubble Bulge Straining up to Fracture. Nano Letters, 2017, 17, 4568-4575.                                       | 4.5  | 79        |
| 18 | Spatial mapping of multimode Brownian motions in high-frequency silicon carbide microdisk resonators. Nature Communications, 2014, 5, 5158.  | 5.8  | 75        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Resolving and Tuning Mechanical Anisotropy in Black Phosphorus via Nanomechanical Multimode<br>Resonance Spectromicroscopy. Nano Letters, 2016, 16, 5394-5400.  | 4.5 | 75        |
| 20 | Electrical breakdown of multilayer MoS <sub>2</sub> field-effect transistors with thickness-dependent mobility. Nanoscale, 2014, 6, 12383-12390.  | 2.8 | 74        |
| 21 | Air damping of atomically thin MoS2 nanomechanical resonators. Applied Physics Letters, 2014, 105, .  | 1.5 | 70        |
| 22 | Hexagonal boron nitride nanomechanical resonators with spatially visualized motion. Microsystems and Nanoengineering, 2017, 3, 17038.   | 3.4 | 69        |
| 23 | Electrothermally Tunable Graphene Resonators Operating at Very High Temperature up to 1200 K. Nano<br>Letters, 2018, 18, 1678-1685.   | 4.5 | 65        |
| 24 | High Q silicon carbide microdisk resonator. Applied Physics Letters, 2014, 104, .   | 1.5 | 62        |
| 25 | Silicon carbide microdisk resonator. Optics Letters, 2013, 38, 1304.  | 1.7 | 60        |
| 26 | Large-scale arrays of single- and few-layer MoS <sub>2</sub> nanomechanical resonators. Nanoscale,<br>2016, 8, 10677-10685.   | 2.8 | 51        |
| 27 | Atomic Layer GaSe/MoS <sub>2</sub> van der Waals Heterostructure Photodiodes with Low Noise and<br>Large Dynamic Range. ACS Photonics, 2018, 5, 2693-2700.  | 3.2 | 51        |
| 28 | Atomic layer MoS <sub>2</sub> -graphene van der Waals heterostructure nanomechanical resonators.<br>Nanoscale, 2017, 9, 18208-18215.  | 2.8 | 48        |
| 29 | Design of black phosphorus 2D nanomechanical resonators by exploiting the intrinsic mechanical anisotropy. 2D Materials, 2015, 2, 021001.   | 2.0 | 46        |
| 30 | Single- and few-layer WTe <sub>2</sub> and their suspended nanostructures: Raman signatures and nanomechanical resonances. Nanoscale, 2016, 8, 7854-7860.   | 2.8 | 44        |
| 31 | Effects of Î <sup>3</sup> -ray radiation on two-dimensional molybdenum disulfide (MoS2) nanomechanical resonators. Applied Physics Letters, 2016, 108, .  | 1.5 | 40        |
| 32 | Fabrication of Electrically Conductive Metal Patterns at the Surface of Polymer Films by<br>Microplasma-Based Direct Writing. ACS Applied Materials & Interfaces, 2014, 6, 3099-3104.                           | 4.0 | 38        |
| 33 | Embracing Structural Nonidealities and Asymmetries in Two-Dimensional Nanomechanical Resonators.<br>Scientific Reports, 2015, 4, 3919.  | 1.6 | 38        |
| 34 | An Ultralow Quiescent Current Power Management System With Maximum Power Point Tracking<br>(MPPT) for Batteryless Wireless Sensor Applications. IEEE Transactions on Power Electronics, 2018, 33,<br>7326-7337. | 5.4 | 37        |
| 35 | Anisotropic Thermal Conductivity of Suspended Black Phosphorus Probed by Opto-Thermomechanical<br>Resonance Spectromicroscopy. Nano Letters, 2018, 18, 7683-7691.   | 4.5 | 37        |
| 36 | Hexagonal Boron Nitride Phononic Crystal Waveguides. ACS Photonics, 2019, 6, 3225-3232.   | 3.2 | 36        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Dynamic range of atomically thin vibrating nanomechanical resonators. Applied Physics Letters, 2014, 104, .   | 1.5  | 33        |
| 38 | Controlling Polarity of MoTe <sub>2</sub> Transistors for Monolithic Complementary Logic<br><i>via</i> Schottky Contact Engineering. ACS Nano, 2020, 14, 1457-1467.   | 7.3  | 31        |
| 39 | Ultrawide Band Gap β-Ga <sub>2</sub> O <sub>3</sub> Nanomechanical Resonators with Spatially<br>Visualized Multimode Motion. ACS Applied Materials & Interfaces, 2017, 9, 43090-43097.  | 4.0  | 30        |
| 40 | Interferometric Motion Detection in Atomic Layer 2D Nanostructures: Visualizing Signal Transduction Efficiency and Optimization Pathways. Scientific Reports, 2016, 6, 28923.   | 1.6  | 27        |
| 41 | The study of radiation effects in emerging micro and nano electro mechanical systems (M and NEMs).<br>Semiconductor Science and Technology, 2017, 32, 013005.   | 1.0  | 27        |
| 42 | Ultrawide Frequency Tuning of Atomic Layer van der Waals Heterostructure Electromechanical<br>Resonators. Nano Letters, 2021, 21, 5508-5515.  | 4.5  | 26        |
| 43 | All-dry transferred single- and few-layer MoS2 field effect transistor with enhanced performance by thermal annealing. Journal of Applied Physics, 2018, 123, .   | 1.1  | 23        |
| 44 | Beta gallium oxide (β-Ga2O3) nanoelectromechanical transducer for dual-modality solar-blind ultraviolet light detection. APL Materials, 2019, 7, .  | 2.2  | 23        |
| 45 | Scanning electron microscopy characterization of structural features in suspended and non-suspended graphene by customized CVD growth. Diamond and Related Materials, 2015, 54, 64-73.  | 1.8  | 22        |
| 46 | Very High-Frequency Silicon Carbide Microdisk Resonators With Multimode Responses in Water for<br>Particle Sensing. Journal of Microelectromechanical Systems, 2019, 28, 941-953.   | 1.7  | 21        |
| 47 | Discerning Black Phosphorus Crystal Orientation and Anisotropy by Polarized Reflectance<br>Measurement. ACS Applied Materials & Interfaces, 2018, 10, 25629-25637.  | 4.0  | 20        |
| 48 | Environmental, thermal, and electrical susceptibility of black phosphorus field effect transistors.<br>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2015, 33, 052202.                            | 0.6  | 19        |
| 49 | Silicon carbide (SiC) nanoelectromechanical switches and logic gates with long cycles and robust performance in ambient air and at high temperature. , 2013, , .  |      | 18        |
| 50 | Atmospheric-Pressure Plasma Reduction of Metal Cation-Containing Polymer Films to Produce<br>ElectricallyÂConductive Nanocomposites by an Electrodiffusion Mechanism. Plasma Chemistry and<br>Plasma Processing, 2016, 36, 295-307. | 1.1  | 18        |
| 51 | Study of Energy Loss Mechanisms in AlN-Based Piezoelectric Length Extensional-Mode Resonators.<br>Journal of Microelectromechanical Systems, 2019, 28, 619-627.   | 1.7  | 18        |
| 52 | Tuning in to a graphene oscillator. Nature Nanotechnology, 2013, 8, 897-898.  | 15.6 | 17        |
| 53 | High frequency top-down junction-less silicon nanowire resonators. Nanotechnology, 2013, 24, 435203.  | 1.3  | 17        |
| 54 | Frequency Tuning of Graphene Nanoelectromechanical Resonators via Electrostatic Gating.<br>Micromachines, 2018, 9, 312.   | 1.4  | 17        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Development of Dual-Frequency PMUT Arrays Based on Thin Ceramic PZT for Endoscopic<br>Photoacoustic Imaging. Journal of Microelectromechanical Systems, 2021, 30, 770-782.                 | 1.7 | 17        |
| 56 | 6H-SiC microdisk torsional resonators in a "smart-cut―technology. Applied Physics Letters, 2014, 104,<br>091906.   | 1.5 | 16        |
| 57 | Effects of asymmetric Schottky contacts on photoresponse in tungsten diselenide (WSe2) phototransistor. Journal of Applied Physics, 2017, 122, .   | 1.1 | 16        |
| 58 | Raman Spectroscopic Probe for Nonlinear MoS <sub>2</sub> Nanoelectromechanical Resonators.<br>Nano Letters, 2022, 22, 5780-5787.   | 4.5 | 16        |
| 59 | Electromechanical coupling and design considerations in single-layer MoS <sub>2</sub><br>suspended-channel transistors and resonators. Nanoscale, 2015, 7, 19921-19929.                    | 2.8 | 15        |
| 60 | Robust silicon carbide (SiC) nanoelectromechanical switches with long cycles in ambient and high temperature conditions. , 2013, , .   |     | 14        |
| 61 | Young's modulus and corresponding orientation in $\hat{l}^2$ -Ga2O3 thin films resolved by nanomechanical resonators. Applied Physics Letters, 2021, 119, .                                | 1.5 | 14        |
| 62 | Thermal hysteresis controlled reconfigurable MoS <sub>2</sub> nanomechanical resonators.<br>Nanoscale, 2021, 13, 18089-18095.  | 2.8 | 14        |
| 63 | A perspective on <b> <i>l²</i> </b> -Ga2O3 micro/nanoelectromechanical systems. Applied Physics Letters, 2022, 120, .  | 1.5 | 14        |
| 64 | Silicon Carbide (SiC) Nanoelectromechanical Antifuse for Ultralow-Power One-Time-Programmable<br>(OTP) FPGA Interconnects. IEEE Journal of the Electron Devices Society, 2015, 3, 323-335. | 1.2 | 13        |
| 65 | All-electrical readout of atomically-thin MoS2 nanoelectromechanical resonators in the VHF band. , 2016, , .   |     | 13        |
| 66 | MEMS/NEMS Devices and Applications. Springer Handbooks, 2017, , 395-429.   | 0.3 | 13        |
| 67 | Straining and Tuning Atomic Layer Nanoelectromechanical Resonators via Combâ€Ðrive MEMS<br>Actuators. Advanced Materials Technologies, 2021, 6, 2000794.                                   | 3.0 | 13        |
| 68 | Atomic Layer MoTe <sub>2</sub> Field-Effect Transistors and Monolithic Logic Circuits Configured by Scanning Laser Annealing. ACS Nano, 2021, 15, 19733-19742.                             | 7.3 | 13        |
| 69 | Two-dimensional nanoelectromechanical systems (2D NEMS) via atomically-thin semiconducting crystals vibrating at radio frequencies. , 2014, , .  |     | 12        |
| 70 | An ultra-low quiescent current power management ASIC with MPPT for vibrational energy harvesting. , 2017, , .  |     | 12        |
| 71 | A Temperature-Compensated Single-Crystal Silicon-on-Insulator (SOI) MEMS Oscillator with a CMOS<br>Amplifier Chip. Micromachines, 2018, 9, 559.  | 1.4 | 12        |
| 72 | Gate-Tuned Temperature in a Hexagonal Boron Nitride-Encapsulated 2-D Semiconductor Device. IEEE<br>Transactions on Electron Devices, 2018, 65, 4068-4072.                                  | 1.6 | 12        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Polarization sensitive black phosphorus nanomechanical resonators. Optical Materials Express, 2019,<br>9, 526.  | 1.6 | 12        |
| 74 | AlScNâ€onâ€SiC Thin Film Micromachined Resonant Transducers Operating in Highâ€Temperature<br>Environment up to 600°C. Advanced Functional Materials, 2022, 32, .   | 7.8 | 12        |
| 75 | Extraction of a low-current discharge from a microplasma for nanoscale patterning applications at<br>atmospheric pressure. Journal of Vacuum Science and Technology B:Nanotechnology and<br>Microelectronics, 2012, 30, 010603.   | 0.6 | 11        |
| 76 | Standard and inverse microscale Chladni figures in liquid for dynamic patterning of microparticles on chip. Journal of Applied Physics, 2018, 124, .  | 1.1 | 11        |
| 77 | <inline-formula> <tex-math notation="LaTeX">\$eta\$ </tex-math><br/>&lt;/inline-formula&gt;-Ga<sub>2</sub>O<sub>3</sub> NEMS Oscillator for Real-Time Middle<br/>Ultraviolet (MUV) Light Detection. IEEE Electron Device Letters, 2018, 39, 1230-1233.</inline-formula> | 2.2 | 11        |
| 78 | A MEMS lens scanner based on serpentine electrothermal bimorph actuators for large axial tuning.<br>Optics Express, 2020, 28, 23439.  | 1.7 | 11        |
| 79 | Culturing and probing physical behavior of individual breast cancer cells on SiC microdisk resonators. , 2015, , .  |     | 10        |
| 80 | Cavity quantum electrodynamics design with single photon emitters in hexagonal boron nitride.<br>Applied Physics Letters, 2021, 118, 244003.  | 1.5 | 10        |
| 81 | Dual-gate silicon carbide (SiC) lateral nanoelectromechanical switches. , 2013, , .   |     | 9         |
| 82 | Time-domain AC characterization of silicon carbide (SiC) nanoelectromechanical switches toward high-speed operations. , 2013, , .   |     | 9         |
| 83 | Synthesis and characterization of Ga2O3 nanosheets on 3C-SiC-on-Si by low pressure chemical vapor deposition. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2017, 35, 011208.   | 0.6 | 9         |
| 84 | Single-crystal 3C-SiC-on-insulator platform for integrated quantum photonics. Optics Express, 2021, 29, 1011.   | 1.7 | 9         |
| 85 | Resolving Mechanical Properties and Morphology Evolution of Freeâ€Standing Ferroelectric<br>Hf <sub>0.5</sub> Zr <sub>0.5</sub> O <sub>2</sub> . Advanced Engineering Materials, 2021, 23, 2101221.   | 1.6 | 9         |
| 86 | Silicon carbide (SiC) membrane nanomechanical resonators with multiple vibrational modes. , 2011, , .   |     | 8         |
| 87 | High frequency graphene nanomechanical resonators and transducers. , 2012, , .  |     | 8         |
| 88 | Silicon nanowire and cantilever electromechanical switches with integrated piezoresistive transducers. , 2013, , .  |     | 8         |
| 89 | A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. IEEE<br>Transactions on Circuits and Systems I: Regular Papers, 2019, 66, 1405-1418.  | 3.5 | 8         |
| 90 | Design of strongly nonlinear graphene nanoelectromechanical systems in quantum regime. Applied<br>Physics Letters, 2022, 120, .   | 1.5 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Silicon carbide (SiC) top-down nanowire electromechanical resonators. , 2009, , .  |     | 7         |
| 92  | Smart-cut 6H-silicon carbide (SiC) microdisk torsional resonators with sensitive photon radiation detection. , 2014, , .   |     | 7         |
| 93  | Interrogating contact-mode silicon carbide (SiC) nanoelectromechanical switching dynamics by ultrasensitive laser interferometry. , 2014, , .  |     | 7         |
| 94  | NEMS switches: Opportunities and challenges in emerging IC technologies. , 2015, , .   |     | 7         |
| 95  | mm-Scale and MEMS piezoelectric energy harvesters powering on-chip CMOS temperature sensing for loT applications. , 2017, , .  |     | 7         |
| 96  | A battery-less, 255 nA quiescent current temperature sensor with voltage regulator fully powered by harvesting ambient vibrational energy. , 2017, , .   |     | 7         |
| 97  | Frequency Tuning of Two-Dimensional Nanoelectromechanical Resonators Via Comb-Drive Mems<br>Actuators. , 2019, , .   |     | 7         |
| 98  | Probing heavy ion radiation effects in silicon carbide (SiC) via 3D integrated multimode vibrating diaphragms. Applied Physics Letters, 2019, 114, .   | 1.5 | 7         |
| 99  | Electromechanical coupling and motion transduction in <b> <i>l²</i> </b> -Ga2O3 vibrating channel transistors. Applied Physics Letters, 2020, 117, .   | 1.5 | 7         |
| 100 | Thermal Response and TC <i>f</i> of GaN/AlN Heterostructure Multimode Micro String Resonators<br>From â~'10 °C Up to 325 °C. Journal of Microelectromechanical Systems, 2021, 30, 521-529.     | 1.7 | 7         |
| 101 | Optical contrast signatures of hexagonal boron nitride on a device platform. Optical Materials<br>Express, 2019, 9, 1223.  | 1.6 | 7         |
| 102 | Giant parametric amplification and spectral narrowing in atomically thin MoS2 nanomechanical resonators. Applied Physics Reviews, 2022, 9, .   | 5.5 | 7         |
| 103 | Self-sustaining MoS2 nanomechanical oscillators and feedback cooling. Applied Physics Letters, 2021, 119, .  | 1.5 | 7         |
| 104 | Phase Noise and Frequency Stability of Very-High Frequency Silicon Nanowire Nanomechanical<br>Resonators. , 2007, , .  |     | 6         |
| 105 | Amorphous Silicon Carbide ( <i>α</i> -SiC) Thin Square Membranes for Resonant Micromechanical<br>Devices. Materials Science Forum, 2012, 717-720, 533-536.                                     | 0.3 | 6         |
| 106 | Calibrating temperature coefficient of frequency (TCf) and thermal expansion coefficient<br>(α) of MoS <inf>2</inf> nanomechanical resonators. , 2015, , .                                     |     | 6         |
| 107 | Probing contact-mode characteristics of silicon nanowire electromechanical systems with embedded piezoresistive transducers. Journal of Micromechanics and Microengineering, 2015, 25, 095014. | 1.5 | 6         |
| 108 | Glowing Graphene Nanoelectromechanical Resonators at Ultra-High Temperature up to 2650K. , 2018, , .   |     | 6         |

7

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Electrodynamic Force, Casimir Effect, and Stiction Mitigation in Silicon Carbide<br>Nanoelectromechanical Switches. Small, 2020, 16, 2005594.                             | 5.2 | 6         |
| 110 | Characterization of Plasma Synthesized Vertical Carbon Nanofibers for Nanoelectronics Applications. Materials Research Society Symposia Proceedings, 2012, 1451, 117-122. | 0.1 | 5         |
| 111 | Nanomechanical non-volatile memory for computing at extreme. , 2013, , .  |     | 5         |
| 112 | Temperature dependence of torsional and flexural modes in 6H-SiC microdisk resonators. , 2014, , .  |     | 5         |
| 113 | Hexagonal boron nitride (h-BN) nanomechanical resonators with temperature-dependent multimode operations. , 2015, , .   |     | 5         |
| 114 | Local-gate electrical actuation, detection, and tuning of atomic-layer MOS2 nanoelectromechanical resonators. , 2017, , .   |     | 5         |
| 115 | Carbon nanofiber high frequency nanomechanical resonators. Nanoscale, 2017, 9, 11864-11870.   | 2.8 | 5         |
| 116 | All-electrical transduction of black phosphorus tunable 2D nanoelectromechanical resonators. ,<br>2018, , .   |     | 5         |
| 117 | A Self-Sustained Frequency Comb Oscillator via Tapping Mode Comb-Drive Resonator Integrated with a Feedback ASIC. , 2019, , .   |     | 5         |
| 118 | Pressure dependence of thin polycrystalline silicon carbide diaphragm resonators. , 2012, , .   |     | 4         |
| 119 | Multimode characteristics of high-frequency CMOS-MEMS resonators. , 2014, , .   |     | 4         |
| 120 | Two-dimensional MoS <inf>2</inf> nanomechanical resonators freelysuspended on microtrenches on flexible substrate. , 2015, , .  |     | 4         |
| 121 | High frequency torsional-mode nanomechanical resonators enabled by very thin nanocrystalline diamond diaphragms. Diamond and Related Materials, 2015, 54, 19-25.          | 1.8 | 4         |
| 122 | A wireless temperature sensor powered by a piezoelectric resonant energy harvesting system. , 2015, , .   |     | 4         |
| 123 | Single- and few-layer transfer-printed CVD MoS2 nanomechanical resonators with enhancement by thermal annealing. , 2016, , .  |     | 4         |
| 124 | A programmable CMOS feedback IC for reconfigurable MEMS-referenced oscillators. , 2016, , .   |     | 4         |
| 125 | Free-Standing Î <sup>2</sup> -Ga2O3 Thin Diaphragms. Journal of Electronic Materials, 2018, 47, 973-981.  | 1.0 | 4         |
| 126 | Molybdenum disulfide (MoS <inf>2</inf> ) nanoelectromechanical resonators with on-chip<br>aluminum nitride (AlN) piezoelectric excitation. , 2018, , .                    |     | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Few-Layer Mote <sub>2</sub> Suspended Channel Transistors and Nanoelectromechanical Resonators.<br>, 2019, , .  |     | 4         |
| 128 | Determination of Elastic Modulus of Silicon Carbide (SiC) Thin Diaphragms via Mode-Dependent<br>Duffing Nonlinear Resonances. Journal of Microelectromechanical Systems, 2020, 29, 783-789. | 1.7 | 4         |
| 129 | Effects of Ion-Induced Displacement Damage on GaN/AIN MEMS Resonators. IEEE Transactions on Nuclear Science, 2022, 69, 216-224.   | 1.2 | 4         |
| 130 | Phononic Frequency Comb Generation via 1:1 Mode Coupling in MoS <sub>2</sub> 2D<br>Nanoelectromechanical Resonators. , 2022, , .  |     | 4         |
| 131 | A piezoresistive CMOS-MEMS resonator with high Q and low TC <inf>f</inf> . , 2013, , .  |     | 3         |
| 132 | Multimode SiC trampoline resonators manipulate microspheres to create Chladni figures. , 2015, , .  |     | 3         |
| 133 | Very-wide electrothermal tuning of graphene nanoelectromechanical resonators. , 2017, , .   |     | 3         |
| 134 | 3C-SiC microdisk mechanical resonators with multimode resonances at radio frequencies. Journal of Micromechanics and Microengineering, 2017, 27, 074001.                                    | 1.5 | 3         |
| 135 | Beta Gallium Oxide (\$eta\$-Ga <sub>2</sub> O <sub>3</sub> ) Vibrating Channel Transistor. , 2020, , .  |     | 3         |
| 136 | MULTIMODE BLACK PHOSPHORUS NANOMECHANICAL RESONATORS WITH INTRINSIC MECHANICAL ANISOTROPY AND ELECTRICAL TUNABILITY. , 2016, , .  |     | 3         |
| 137 | Quality Factors and Energy Losses of Single-Crystal Silicon Nanowire Electromechanical Resonators. , 2007, , .  |     | 2         |
| 138 | Focused Ion-Beam (FIB) Nanomachining of Silicon Carbide (SiC) Stencil Masks for Nanoscale<br>Patterning. Materials Science Forum, 0, 717-720, 889-892.                                      | 0.3 | 2         |
| 139 | Diaphragm-based microsystems using thin film silicon carbide. , 2012, , .   |     | 2         |
| 140 | Nanoelectromechanical switching devices: Scaling toward ultimate energy efficiency and longevity. , 2013, , .   |     | 2         |
| 141 | Frequency scaling of molybdenum disulfide (MoS <inf>2</inf> ) two-dimensional (2D)<br>nanomechanical resonators. , 2013, , .  |     | 2         |
| 142 | Atomically-thin MoS <inf>2</inf> resonators for pressure sensing. , 2014, , .   |     | 2         |
| 143 | 3C-SiC Nanobeam Optomechanical Crystals. , 2014, , .  |     | 2         |
| 144 | Effects of heterostructure stacking on acoustic dissipation in coupled-ring resonators. , 2017, , .   |     | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Energetic ion radiation effects on a silicon carbide (SiC) multimode resonating diaphragm. , 2017, , .   |     | 2         |
| 146 | Investigation of Electrostatic Gating in Two-Dimensional Transitional Metal Dichalcogenide (TMDC)<br>Field Effect Transistors (FETs). , 2018, , .          |     | 2         |
| 147 | Nanoelectromechanical Resonators Enabled by Si-Doped Semiconducting<br>β-Ga <inf>2</inf> O <inf>3</inf> Nanobelts. , 2018, , .                             |     | 2         |
| 148 | AlN Piezoelectric Nanoelectromechanical Isolator via Parametric Frequency Conversion and Amplification. , 2019, , .  |     | 2         |
| 149 | GaN/AlN Heterostrucutre Micromechanical Self-Sustained Oscillator for Middle Ultraviolet (MUV)<br>Light Detection. , 2019, , .                             |     | 2         |
| 150 | Tracing and Resolving Microparticle Aquatic Mass Motion and Distribution on Multimode Silicon<br>Carbide Microdisk Resonators. , 2019, , .                 |     | 2         |
| 151 | Imaging Multimode Vibrations in High-Frequency Aluminum Nitride Piezoelectric Nanomembrane Resonators. , 2019, , .   |     | 2         |
| 152 | Electronic Applications of Black Phosphorus Thin Films. ACS Symposium Series, 2019, , 179-194.   | 0.5 | 2         |
| 153 | Black Phosphorus NEMS Resonant Infrared (IR) Detector. , 2020, , .   |     | 2         |
| 154 | Resonant Nanoelectromechanical Systems (NEMS): Progress and Emerging Frontiers. , 2020, , .  |     | 2         |
| 155 | Nanomechanical and Optomechanical Coupling in Silicon Carbide / Hexagonal Boron Nitride Hybrid Resonator. , 2021, , .                                      |     | 2         |
| 156 | Hexagonal boron nitride (h-BN) 2D nanoscale devices for classical and quantum signal transduction. , 2019, , .   |     | 2         |
| 157 | Retaining High Q Factors in Electrode-Less Aln-On-Si Bulk Mode Resonators with Non-Contact<br>Electrical Drive. , 2022, , .                                |     | 2         |
| 158 | Thermal-piezoresistive pumping on double SiC layer resonator for effective quality factor tuning.<br>Sensors and Actuators A: Physical, 2022, 343, 113678. | 2.0 | 2         |
| 159 | Ex vivo monitoring of rat heart wall motion using piezoelectric cantilevers. , 2011, , .   |     | 1         |
| 160 | MEMS wireless implantable systems: historical review and perspectives. , 2013, , 401-423.  |     | 1         |
| 161 | Multimode characteristics in mechanically-coupled silicon carbide (SiC) nanowire array resonators. , 2013, , .   |     | 1         |
| 162 | Characterizing Piezoelectric Cantilevers for Vibration Energy Harvesting under Ambient Conditions. ,<br>2013, , .  |     | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Design of a 2.5μW 1GHz low phase noise pierce oscillator with nanowire NEMS resonator. , 2013, , .  |     | 1         |
| 164 | Nano Carbon 1D and 2D Nanomechanical Resonators. Materials Research Society Symposia<br>Proceedings, 2014, 1693, 37.  | 0.1 | 1         |
| 165 | Scalable High-Frequency Silicon Carbide Optomechanical Microresonators. , 2014, , .   |     | 1         |
| 166 | Exploring parametric resonance effects in bulk-mode CMOS-MEMS resonators. , 2014, , .   |     | 1         |
| 167 | High-frequency SiC microdisk resonators operating in water with responses to<br>H <inf>2</inf> O <inf>2</inf> and NH <inf>4</inf> OH. , 2014, , .                           |     | 1         |
| 168 | Toward ultralow-power computing at exteme with silicon carbide (SiC) nanoelectromechanical logic. , 2014, , .   |     | 1         |
| 169 | Observation of strong temperature hysteresis in molybdenum disulfide (MoS <inf>2</inf> ) vibrating nanomechanical resonators. , 2015, , .                                   |     | 1         |
| 170 | Capacitance-voltage (C-V) characterization in very thin suspended silicon nanowires for NEMS-CMOS integration in 160nm Silicon-on-Insulator (SOI). , 2015, , .              |     | 1         |
| 171 | Silicon carbide (SiC) micromechanical self-sustained Oscillator operating in liquid. , 2016, , .  |     | 1         |
| 172 | Wide bandgap β-Ga <inf>2</inf> O <inf>3</inf> nanomechanical resonators for detection of middle-ultraviolet (MUV) photon radiation. , 2017, , .                             |     | 1         |
| 173 | Dynamic manipulation and patterning of breast cancer cells in biosolution. , 2017, , .  |     | 1         |
| 174 | Mode-Dependent Anchor Loss in Silicon Carbide Micromechanical Disk Resonators. , 2019, , .  |     | 1         |
| 175 | High-Frequency Hexagonal Boron Nitride (h-BN) Phononic Waveguides. , 2019, , .  |     | 1         |
| 176 | Design of Integrated Photonic Devices on SiC-on-Insulator (SiCOI) Platform for Quantum Applications. , 2020, , .  |     | 1         |
| 177 | Nanoelectromechanical systems for ultra-low-power computing and VLSI. , 2009, , .   |     | ο         |
| 178 | Exploiting irregular MoS <inf>2</inf> nanostructures for very high frequency (VHF) nanomechanical resonators with mode shape engineering and frequency control. , 2013, , . |     | 0         |
| 179 | Vertical carbon nanofiber arrays and nanomechanical resonators with potential for resonant sensing. , 2013, , .   |     | 0         |
| 180 | Toward ultralow-power computing at exteme with silicon carbide (SiC) nanoelectromechanical logic. , 2014, , .   |     | 0         |

11

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Molybdenum Disulfide (MoS2) Nanomechanical Resonators Integrated on Microchannels. , 2015, , .   |     | Ο         |
| 182 | Towards real-time methane (CH <inf>4</inf> ) capture and detection by nanoparticle-enhanced silicon carbide trampoline oscillators. , 2015, , .  |     | 0         |
| 183 | Characterization of thin film lead zirconate titanate (PZT) multimode piezoelectric cantilevers vibrating in ultrasonic band. , 2016, , .  |     | 0         |
| 184 | Design considerations for optimization of pull-in stability margin in electrostatic N/MEM relays. ,<br>2017, , .   |     | 0         |
| 185 | Gallium selenide (GaSe)-molybdenum disulfide (MOS <inf>2</inf> ) van der Waals heterojunction<br>diodes. , 2017, , .   |     | 0         |
| 186 | Manipulating and Patterning Micro/Nanoparticles in Liquid Using Multimode Membrane Resonators. ,<br>2018, , .  |     | 0         |
| 187 | Acoustic Actuation of Suspended Graphene For Linear Excitation of 2D NEMS. , 2019, , .   |     | 0         |
| 188 | A Sub-μA Quiescent Current Power Management System with SAR-based Adaptive MPPT for Piezoelectric<br>Energy Harvesting. , 2019, , .  |     | 0         |
| 189 | Nanoelectromechanical Systems: Straining and Tuning Atomic Layer Nanoelectromechanical<br>Resonators via Combâ€Drive MEMS Actuators (Adv. Mater. Technol. 2/2021). Advanced Materials<br>Technologies, 2021, 6, 2170008. | 3.0 | 0         |
| 190 | Temperature Coefficient of Resonance Frequency (TCf) of $\hat{I}^2$ -Ga2O3 Nanomechanical Resonators. , 2021, , .  |     | 0         |
| 191 | Hybrid Nanoelectromechanical Switch and Resistive Memory in Silicon Nanowires by VLSI NEMS. , 2021, , .  |     | 0         |
| 192 | Nanostructures and Characteristics of Carbon Nanofibers. , 2015, , 1-18.   |     | 0         |
| 193 | Nanostructures and Characteristics of Carbon Nanofibers. , 2016, , 2747-2764.  |     | 0         |
| 194 | ELECTRICAL AND OPTICAL TRANSDUCTION OF SINGLE-CRYSTAL 3C-SIC COMB-DRIVE RESONATORS IN A SIC-ON-INSULATOR (SICOI) TECHNOLOGY. , 2016, , .   |     | 0         |
| 195 | Nanoelectromechanical Systems Secure FPGA and Security Primitives. , 2017, , 307-326.  |     | 0         |
| 196 | Correlating Macroscopic and Microscopic Vibrations in Silicon Carbide (SiC) Micromechanical Resonators. , 2018, , .  |     | 0         |
| 197 | EFFECT OF DIELECTRIC LOSS ON THE QUALITY FACTORS OF PIEZOELECTRICALLY DRIVEN LENGTH EXTENSIONAL MODE RESONATORS. , 2018, , .   |     | 0         |
| 198 | Photophysical Characterization of Quantum Emitters in Hexagonal Boron Nitride (h-BN). , 2019, , .  |     | 0         |

| #   | Article   | IF | CITATIONS |
|-----|---|----|-----------|
| 199 | A Study on Light Coupling Effects in Hexagonal Boron Nitride Crystals for Quantum Photonic<br>Designs. , 2019, , .                            |    | 0         |
| 200 | Self-powering wireless sensors for temperature sensing and monitoring in power generation applications (Conference Presentation). , 2019, , . |    | 0         |