

Size Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2915492/publications.pdf>

Version: 2024-02-01

16
papers

77
citations

1683354
5
h-index

1473754
9
g-index

17
all docs

17
docs citations

17
times ranked

137
citing authors

#	ARTICLE	IF	CITATIONS
1	Liver stiffness measured with two-dimensional shear wave elastography comparable to histopathology falls dominantly on the severe liver fibrosis. <i>Clinical Hemorheology and Microcirculation</i> , 2021, 79, 587-596.	0.9	4
2	Diagnostic performance of intravascular perfusion based contrast-enhanced ultrasound LI-RADS in the evaluation of hepatocellular carcinoma. <i>Clinical Hemorheology and Microcirculation</i> , 2021, 78, 429-437.	0.9	7
3	Ultrasonic assessment has high sensitivity for pregnant women with previous cesarean section occurring uterine dehiscence and rupture. <i>Medicine (United States)</i> , 2020, 99, e21448.	0.4	6
4	Growing Evidence of Exosomal MicroRNA-Related Metastasis of Hepatocellular Carcinoma. <i>BioMed Research International</i> , 2020, 2020, 1-6.	0.9	8
5	Curated findings and implications in duplex ultrasound interrogation of the scrotum or varicoceles. <i>Scientific Reports</i> , 2020, 10, 22028.	1.6	0
6	The Prevalence of Hyperechoic Rim in Solid Focal Liver Lesions and Its Implication. <i>Journal of Diagnostic Medical Sonography</i> , 2019, 35, 3-8.	0.1	1
7	Patchy echogenicity of the liver in patients with chronic hepatitis B does not indicate poorer elasticity. <i>Ultrasonography</i> , 2019, 38, 327-335.	1.0	6
8	Evaluating the Endometrial Hyperechoic Zone in Early Postpartum Women May Be Deceptive When Utilizing Transcutaneous Sonography. <i>Journal of Diagnostic Medical Sonography</i> , 2018, 34, 182-188.	0.1	0
9	Importance of Distending Stomach With Fluid for Ultrasound Detection of Focal Lesion in the Elongated Left Lobe of the Liver. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 2553-2558.	0.8	0
10	Impact of variations in fatty liver on sonographic detection of focal hepatic lesions originally identified by CT. <i>Ultrasonography</i> , 2016, 35, 39-46.	1.0	9
11	Measurement of elasticity of normal placenta using the Virtual Touch quantification technique. <i>Ultrasonography</i> , 2016, 35, 253-257.	1.0	25
12	Anatomical variation of the liver with elongated left lobe may be a trap for the ultrasound detection of focal liver lesion. <i>Medical Ultrasonography</i> , 2015, 17, 12.	0.4	2
13	Dynamic changes in ultrasound characteristics of nodules in cirrhotic liver and their implications in surveillance for malignancy. <i>Journal of Medical Ultrasonics (2001)</i> , 2014, 41, 165-171.	0.6	1
14	Focal Fatty Sparing Usually Does Not Arise in Preexisting Nonalcoholic Diffuse Homogeneous Fatty Liver. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1447-1452.	0.8	4
15	Approach to improving sonographic visualization of elongated left lobe of the liver and its implications. <i>Journal of Medical Ultrasonics (2001)</i> , 2013, 40, 425-428.	0.6	1
16	Findings and Implications of Focal Fatty Sparing of the Liver at Follow-up. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 1695-1702.	0.8	3