

Marco H Blanker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2915539/publications.pdf>

Version: 2024-02-01

107
papers

2,705
citations

218677

26
h-index

197818

49
g-index

137
all docs

137
docs citations

137
times ranked

2575
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Correlates for Erectile and Ejaculatory Dysfunction in Older Dutch Men: A Community-Based Study. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 436-442. | 2.6 | 258 |
| 2 | Prevalence of erectile dysfunction: a systematic review of population-based studies. <i>International Journal of Impotence Research</i> , 2002, 14, 422-432. | 1.8 | 238 |
| 3 | Erectile and ejaculatory dysfunction in a community-based sample of men 50 to 78 years old: prevalence, concern, and relation to sexual activity. <i>Urology</i> , 2001, 57, 763-768. | 1.0 | 216 |
| 4 | International Continence Society (ICS) report on the terminology for nocturia and nocturnal lower urinary tract function. <i>Neurourology and Urodynamics</i> , 2019, 38, 499-508. | 1.5 | 161 |
| 5 | NORMAL VOIDING PATTERNS AND DETERMINANTS OF INCREASED DIURNAL AND NOCTURNAL VOIDING FREQUENCY IN ELDERLY MEN. <i>Journal of Urology</i> , 2000, 164, 1201-1205. | 0.4 | 151 |
| 6 | Prostate cancer screening with prostate-specific antigen (PSA) test: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2018, 362, k3581. | 2.3 | 110 |
| 7 | Strong effects of definition and nonresponse bias on prevalence rates of clinical benign prostatic hyperplasia: the Krimpen study of male urogenital tract problems and general health status. <i>BJU International</i> , 2000, 85, 665-671. | 2.5 | 96 |
| 8 | The effectiveness and cost-effectiveness of e-health interventions for depression and anxiety in primary care: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 245, 728-743. | 4.1 | 74 |
| 9 | Prevalence, Incidence, and Resolution of Nocturnal Polyuria in a Longitudinal Community-based Study in Older Men: The Krimpen Study. <i>European Urology</i> , 2013, 63, 542-547. | 1.9 | 65 |
| 10 | Incidence rates of erectile dysfunction in the Dutch general population. Effects of definition, clinical relevance and duration of follow-up in the Krimpen Study. <i>International Journal of Impotence Research</i> , 2005, 17, 58-62. | 1.8 | 63 |
| 11 | Ultrasound for Distal Forearm Fracture: A Systematic Review and Diagnostic Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0155659. | 2.5 | 62 |
| 12 | Outcomes of Pregnancy in Women With Hereditary Hemorrhagic Telangiectasia. <i>Obstetrics and Gynecology</i> , 2014, 123, 514-520. | 2.4 | 57 |
| 13 | Relation between nocturnal voiding frequency and nocturnal urine production in older men: a population-based study. <i>Urology</i> , 2002, 60, 612-616. | 1.0 | 56 |
| 14 | Nocturia: Current Levels of Evidence and Recommendations From the International Consultation on Male Lower Urinary Tract Symptoms. <i>Urology</i> , 2015, 85, 1291-1299. | 1.0 | 56 |
| 15 | Telemonitoring for Patients With COVID-19: Recommendations for Design and Implementation. <i>Journal of Medical Internet Research</i> , 2020, 22, e20953. | 4.3 | 56 |
| 16 | Orthostatic hypotension, diabetes, and falling in older patients: a cross-sectional study. <i>British Journal of General Practice</i> , 2012, 62, e696-e702. | 1.4 | 54 |
| 17 | The Association between Nocturia and Nocturnal Polyuria in Clinical and Epidemiological Studies: A Systematic Review and Meta-Analyses. <i>Journal of Urology</i> , 2014, 191, 1028-1033. | 0.4 | 46 |
| 18 | Physicians' and Nurses' Experiences With Continuous Palliative Sedation in the Netherlands. <i>Archives of Internal Medicine</i> , 2010, 170, 1271. | 3.8 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The <scp>N</scp>ew <scp>E</scp>ngland <scp>R</scp>esearch <scp>I</scp>nstitutes, <scp>I</scp>nc. (<scp>NERI</scp>) <scp>N</scp>octuria <scp>A</scp>dvisory <scp>C</scp>onference 2012: focus on outcomes of therapy. BJU International, 2013, 111, 700-716. | 2.5 | 43 |
| 20 | Voided volumes: normal values and relation to lower urinary tract symptoms in elderly men, a community-based study. Urology, 2001, 57, 1093-1098. | 1.0 | 37 |
| 21 | Impact of the <scp>I</scp>nternational <scp>C</scp>ontinence <scp>S</scp>ociety (<scp>ICS</scp>) report on the standardisation of terminology in nocturia on the quality of reports on nocturia and nocturnal polyuria: a systematic review. BJU International, 2015, 115, 520-536. | 2.5 | 36 |
| 22 | Once Nocturia, Always Nocturia? Natural History of Nocturia in Older Men Based on Frequency-Volume Charts: The Krimpen Study. Journal of Urology, 2011, 186, 1956-1961. | 0.4 | 35 |
| 23 | <i>Dientamoeba fragilis</i> colonization is not associated with gastrointestinal symptoms in children at primary care level. Family Practice, 2017, 34, 25-29. | 1.9 | 34 |
| 24 | Normal Values and Determinants of Circadian Urine Production in Older Men: A Population Based Study. Journal of Urology, 2002, 168, 1453-1457. | 0.4 | 33 |
| 25 | Mortality in Older Men With Nocturia. A 15-Year Followup of the Krimpen Study. Journal of Urology, 2012, 187, 1727-1731. | 0.4 | 30 |
| 26 | Health Status and its Correlates among Dutch Community-Dwelling Older Men with and without Lower Urogenital Tract Dysfunction. European Urology, 2002, 41, 602-607. | 1.9 | 29 |
| 27 | Pressure during decision making of continuous sedation in end-of-life situations in Dutch general practice. BMC Family Practice, 2012, 13, 68. | 2.9 | 24 |
| 28 | User Experiences and Preferences Regarding an App for the Treatment of Urinary Incontinence in Adult Women: Qualitative Study. JMIR MHealth and UHealth, 2020, 8, e17114. | 3.7 | 24 |
| 29 | Patientsâ€™ Attitudes Towards Deprescribing Alpha-Blockers and Their Willingness to Participate in a Discontinuation Trial. Drugs and Aging, 2019, 36, 1133-1139. | 2.7 | 23 |
| 30 | A new approach to patients with lower urinary tract symptoms. British Journal of General Practice, 2012, 62, 344-345. | 1.4 | 22 |
| 31 | Do lower urinary tract symptoms predict cardiovascular diseases in older men? A systematic review and meta-analysis. World Journal of Urology, 2015, 33, 1911-1920. | 2.2 | 21 |
| 32 | Are lower urinary tract symptoms associated with cardiovascular disease in the Dutch general population? Results from the Krimpen study. World Journal of Urology, 2015, 33, 669-676. | 2.2 | 21 |
| 33 | The impact of a mobile applicationâ€based treatment for urinary incontinence in adult women: Design of a mixedâ€methods randomized controlled trial in a primary care setting. Neurourology and Urodynamics, 2018, 37, 2167-2176. | 1.5 | 21 |
| 34 | App-Based Treatment in Primary Care for Urinary Incontinence: A Pragmatic, Randomized Controlled Trial. Annals of Family Medicine, 2021, 19, 102-109. | 1.9 | 19 |
| 35 | Impact of the European Randomized Study of Screening for Prostate Cancer (ERSPC) on prostate-specific antigen (PSA) testing by Dutch general practitioners. BJU International, 2013, 112, 26-31. | 2.5 | 18 |
| 36 | Determining the minimal important differences in the International Prostate Symptom Score and Overactive Bladder Questionnaire: results from an observational cohort study in Dutch primary care. BMJ Open, 2019, 9, e032795. | 1.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Determinants of Nocturia: the Krimpen Study. <i>Journal of Urology</i> , 2014, 191, 1034-1039. | 0.4 | 16 |
| 38 | Loss to Follow-Up in a Longitudinal Study on Urogenital Tract Symptoms in Dutch Older Men. <i>Urologia Internationalis</i> , 2005, 75, 30-37. | 1.3 | 14 |
| 39 | Prostate specific antigen testing policy worldwide varies greatly and seems not to be in accordance with guidelines: a systematic review. <i>BMC Family Practice</i> , 2012, 13, 100. | 2.9 | 14 |
| 40 | CHANGES IN DISEASE SPECIFIC AND GENERIC QUALITY OF LIFE RELATED TO CHANGES IN LOWER URINARY TRACT SYMPTOMS: THE KRIMPEN STUDY. <i>Journal of Urology</i> , 2005, 174, 1055-1058. | 0.4 | 13 |
| 41 | Predictors for a positive outcome of adapted clinical dry bed training in adolescents and adults with enuresis. <i>Neurourology and Urodynamics</i> , 2016, 35, 1006-1010. | 1.5 | 13 |
| 42 | Validation of the howRu and howRwe questionnaires at the individual patient level. <i>BMC Health Services Research</i> , 2015, 15, 447. | 2.2 | 12 |
| 43 | Blended care vs. usual care in the treatment of depressive symptoms and disorders in general practice [BLENDING]: study protocol of a non-inferiority randomized trial. <i>BMC Psychiatry</i> , 2017, 17, 218. | 2.6 | 12 |
| 44 | NORMAL VOIDING PATTERNS AND DETERMINANTS OF INCREASED DIURNAL AND NOCTURNAL VOIDING FREQUENCY IN ELDERLY MEN. <i>Journal of Urology</i> , 2000, , 1201-1205. | 0.4 | 12 |
| 45 | Prostate Cancer Detection in Older Men with and without Lower Urinary Tract Symptoms: A Population-Based Study. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1041-1042. | 2.6 | 11 |
| 46 | A systematic review of the psychological impact of false-positive colorectal cancer screening: What is the role of the general practitioner?. <i>European Journal of Cancer Care</i> , 2017, 26, e12709. | 1.5 | 11 |
| 47 | One year effectiveness of an app-based treatment for urinary incontinence in comparison to care as usual in Dutch general practice: A pragmatic randomised controlled trial over 12 months. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1474-1480. | 2.3 | 11 |
| 48 | Factors affecting patient recruitment to trials: qualitative research in general practice. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101056. | 1.8 | 10 |
| 49 | Determinants of nocturia severity in men, derived from frequency-volume charts. <i>Scandinavian Journal of Urology</i> , 2015, 49, 185-188. | 1.0 | 9 |
| 50 | Systematic reviews of observational studies of Risk of Thrombosis and Bleeding in General and Gynecologic Surgery (ROTBIGGS): introduction and methodology. <i>Systematic Reviews</i> , 2021, 10, 264. | 5.3 | 9 |
| 51 | Exploring pelvic floor muscle activity in men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2020, 39, 732-737. | 1.5 | 7 |
| 52 | Cost-effectiveness of an app-based treatment for urinary incontinence in comparison with care-as-usual in Dutch general practice: a pragmatic randomised controlled trial over 12 months. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1538-1545. | 2.3 | 7 |
| 53 | The Natural History and Predictive Factors of Voided Volume in Older Men: The Krimpen Study. <i>Journal of Urology</i> , 2011, 185, 213-218. | 0.4 | 6 |
| 54 | Continuation rates of alpha-blockers mono-therapy in adult men, prescribed by urologists or general practitioners: a pharmacy-based study. <i>World Journal of Urology</i> , 2019, 37, 1659-1664. | 2.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Identifying women's preferences for treatment of urinary tract infection: a discrete choice experiment. <i>BMJ Open</i> , 2021, 11, e049916. | 1.9 | 6 |
| 56 | Normal values and determinants of circadian urine production in older men: a population based study. <i>Journal of Urology</i> , 2002, 168, 1453-7. | 0.4 | 6 |
| 57 | Moderate agreement between bladder capacity assessed by frequency volume charts and uroflowmetry, in adolescent and adult enuresis patients. <i>Neurourology and Urodynamics</i> , 2017, 36, 745-747. | 1.5 | 5 |
| 58 | Pelvic floor muscle therapy or alpha-blockers for treatment of men with lower urinary tract symptoms: An exploratory randomized controlled trial. <i>International Journal of Urology</i> , 2017, 24, 473-474. | 1.0 | 5 |
| 59 | Discontinuation of alpha-blocker therapy in men with lower urinary tract symptoms: a systematic review and meta-analysis. <i>BMJ Open</i> , 2019, 9, e030405. | 1.9 | 5 |
| 60 | General practitioners' approaches to prostate-specific antigen testing in the north-east of the Netherlands. <i>BMC Family Practice</i> , 2020, 21, 270. | 2.9 | 5 |
| 61 | Barriers and Facilitators Associated With App-Based Treatment for Female Urinary Incontinence: Mixed Methods Evaluation. <i>JMIR MHealth and UHealth</i> , 2021, 9, e25878. | 3.7 | 5 |
| 62 | Evaluation of the First Year(s) of Physicians Collaboration on an Interdisciplinary Electronic Consultation Platform in the Netherlands: Mixed Methods Observational Study. <i>JMIR Human Factors</i> , 2022, 9, e33630. | 2.0 | 5 |
| 63 | Lipid-lowering drugs and erectile dysfunction. <i>Family Practice</i> , 2002, 19, 567-567. | 1.9 | 4 |
| 64 | Validity of Questionnaires. <i>European Urology</i> , 2003, 43, 204. | 1.9 | 4 |
| 65 | Prostatectomy or Watchful Waiting in Prostate Cancer. <i>New England Journal of Medicine</i> , 2003, 348, 170-171. | 27.0 | 4 |
| 66 | Effectiveness of a newly developed online self-management program for male patients with uncomplicated lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2019, 38, 2273-2279. | 1.5 | 4 |
| 67 | Development of an online personalized self-management intervention for men with uncomplicated LUTS. <i>Neurourology and Urodynamics</i> , 2019, 38, 1685-1691. | 1.5 | 4 |
| 68 | Recruitment through media and general practitioners resulted in comparable samples in an RCT on incontinence. <i>Journal of Clinical Epidemiology</i> , 2020, 119, 85-91. | 5.0 | 4 |
| 69 | Parents' expectations of the outpatient care for daytime urinary incontinence in children: A qualitative study. <i>Journal of Pediatric Urology</i> , 2021, 17, 473.e1-473.e7. | 1.1 | 4 |
| 70 | Prevalence of co-existing pelvic floor disorders: A scoping review in males and females. , 2022, 2, 100028. | | 4 |
| 71 | RE: Cost-effectiveness of Prostate Cancer Screening: A Simulation Study Based on ERSPC Data. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv110-djv110. | 6.3 | 3 |
| 72 | Reference values for frequency volume chart and uroflowmetry parameters in adolescent and adult enuresis patients. <i>Neurourology and Urodynamics</i> , 2017, 36, 463-468. | 1.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Scientific evidence for pelvic floor devices presented at conferences: An overview. Neurourology and Urodynamics, 2019, 38, 1958-1965. | 1.5 | 3 |
| 74 | Normal Values and Determinants of Circadian Urine Production in Older Men: A Population Based Study. Journal of Urology, 2002, , 1453-1457. | 0.4 | 3 |
| 75 | The patient pathway for overactive bladder management: A quantitative analysis. Neurourology and Urodynamics, 2022, 41, 290-295. | 1.5 | 3 |
| 76 | Primary care diagnostic and treatment pathways in Dutch women with urinary incontinence. Scandinavian Journal of Primary Health Care, 2022, 40, 87-94. | 1.5 | 3 |
| 77 | No evidence (yet) to support the statement “lower urinary tract symptoms (<scp>LUTS</scp>)” “an independent risk factor for cardiovascular disease (<scp>CVD</scp>)”™. BJU International, 2016, 118, 500-502. | 2.5 | 2 |
| 78 | Gender differences in the evaluation of care for patients with type 2 diabetes: a cross-sectional study (ZODIAC-52). BMC Health Services Research, 2018, 18, 266. | 2.2 | 2 |
| 79 | <p>What Do Men with Lower Urinary Tract Symptoms Expect from a Urologist in Secondary Care?</p>, Patient Preference and Adherence, 2020, Volume 14, 1455-1462. | 1.8 | 2 |
| 80 | Reply by the author. Urology, 2001, 57, 1098-1099. | 1.0 | 1 |
| 81 | Re: Erectile Dysfunction”An Observable Marker of Diabetes Mellitus? A Large National Epidemiological Study. Journal of Urology, 2007, 177, 1588-1588. | 0.4 | 1 |
| 82 | 1955 FVC DETERMINANTS OF NOCTURIA SEVERITY IN MEN. Journal of Urology, 2012, 187, . | 0.4 | 1 |
| 83 | Measuring symptomatic relief in men with lower urinary tract symptoms. BMJ, The, 2014, 349, g6664-g6664. | 6.0 | 1 |
| 84 | Preventieconsult: geen bewijs van effectiviteit. Huisarts En Wetenschap, 2014, 57, 292-292. | 0.0 | 1 |
| 85 | Re: Farhad Islami, Daniel M. Moreira, Paolo Boffetta, Stephen J. Freedland. A Systematic Review and Meta-analysis of Tobacco Use and Prostate Cancer Mortality and Incidence in Prospective Cohort Studies. Eur Urol 2014;66:1054”64. European Urology, 2015, 68, e13. | 1.9 | 1 |
| 86 | Symptom improvement and predictors associated with improvement after 6 weeks of alpha-blocker therapy: An exploratory, single-arm, open-label cohort study. PLoS ONE, 2019, 14, e0220417. | 2.5 | 1 |
| 87 | Evidence-based Urology: Understanding Heterogeneity in Systematic Reviews. European Urology Focus, 2021, 7, 1234-1236. | 3.1 | 1 |
| 88 | Online Consultations Between General Practitioners and Psychiatrists in the Netherlands: A Qualitative Study. Frontiers in Psychiatry, 2021, 12, 775738. | 2.6 | 1 |
| 89 | Reason to screen for prostate cancer based on selective referencing. American Journal of Medicine, 2003, 114, 706. | 1.5 | 0 |
| 90 | 1630 NOCTURNAL BLADDER CAPACITY AND FUNCTIONAL BLADDER CAPACITY; A COMPARISON IN OLDER MEN IN THE COMMUNITY WITH AND WITHOUT NOCTURIA. Journal of Urology, 2010, 183, . | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | 1530 FUNCTIONAL BLADDER CAPACITY, IS THERE A DIFFERENCE BETWEEN DAY AND NIGHT? A COMMUNITY-BASED STUDY IN OLDER MEN. Journal of Urology, 2010, 183, . | 0.4 | 0 |
| 92 | 1411 THE CURRENTLY APPLIED DEFINITIONS FOR DECREASED NOCTURNAL BLADDER CAPACITY, HOW USEFUL ARE THEY IN DAILY PRACTICE IN REGARD TO NOCTURIA? A COMMUNITY-BASED STUDY: THE KRIMPEN STUDY. Journal of Urology, 2010, 183, . | 0.4 | 0 |
| 93 | 1725 ONCE NOCTURIA, ALWAYS NOCTURIA? NATURAL HISTORY OF NOCTURIA IN A COMMUNITY-BASED POPULATION OF OLDER MEN. Journal of Urology, 2011, 185, . | 0.4 | 0 |
| 94 | 1743 WHAT PREDICTS INCIDENT NOCTURIA? A POPULATION-BASED STUDY IN OLDER MEN: THE KRIMPEN STUDY. Journal of Urology, 2012, 187, . | 0.4 | 0 |
| 95 | Editorial Comment. Urology, 2012, 80, 687-688. | 1.0 | 0 |
| 96 | Re: Kojima Y, et al. Tamsulosin reduces nighttime urine production in benign prostatic hyperplasia patients with nocturnal polyuria: A prospective open-label long-term study using frequency-volume chart. Neurourol Urodyn 2012;31:80-85. Neurourology and Urodynamics, 2013, 32, 104-104. | 1.5 | 0 |
| 97 | Re: Long-Term Followup of Children with Nocturnal Enuresis: Increased Frequency of Nocturia in Adulthood. Journal of Urology, 2014, 192, 1893-1895. | 0.4 | 0 |
| 98 | De bekkenbodem belicht. Bijblijven (Amsterdam, Netherlands), 2015, 31, 707-719. | 0.0 | 0 |
| 99 | Mictieklachten bij mannen "meer dan een vergrote prostaat. Bijblijven (Amsterdam, Netherlands), 2015, 31, 730-737. | 0.0 | 0 |
| 100 | Important Differences Between Nocturnal Urine Production and Nocturnal Voiding Frequency. JAMA Surgery, 2015, 150, 597. | 4.3 | 0 |
| 101 | Intrinsic motivation of GPs was not related to recruitment success, whereas interest in the study topic was. Journal of Clinical Epidemiology, 2020, 125, 158-160. | 5.0 | 0 |
| 102 | Expectations and Perceptions of Dutch Pharmacy Staff Regarding a New Framework for Continence Care: A Focus Group Study. Health Services Insights, 2021, 14, 117863292110332. | 1.3 | 0 |
| 103 | Conditions and Syndromes. , 2020, , 39-73. | | 0 |
| 104 | Title is missing!. , 2019, 14, e0220417. | | 0 |
| 105 | Title is missing!. , 2019, 14, e0220417. | | 0 |
| 106 | Title is missing!. , 2019, 14, e0220417. | | 0 |
| 107 | Title is missing!. , 2019, 14, e0220417. | | 0 |