
Andreas C Themistocleous Mbbch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2916676/publications.pdf Version: 2024-02-01



Andreas C Themistocleous

#	Article	IF	CITATIONS
1	Safety and efficacy of the ChAdOx1 nCoV-19 vaccine (AZD1222) against SARS-CoV-2: an interim analysis of four randomised controlled trials in Brazil, South Africa, and the UK. Lancet, The, 2021, 397, 99-111.	6.3	3,887
2	Safety and immunogenicity of the ChAdOx1 nCoV-19 vaccine against SARS-CoV-2: a preliminary report of a phase 1/2, single-blind, randomised controlled trial. Lancet, The, 2020, 396, 467-478.	6.3	2,080
3	Single-dose administration and the influence of the timing of the booster dose on immunogenicity and efficacy of ChAdOx1 nCoV-19 (AZD1222) vaccine: a pooled analysis of four randomised trials. Lancet, The, 2021, 397, 881-891.	6.3	979
4	Whole-genome sequencing of patients with rare diseases in a national health system. Nature, 2020, 583, 96-102.	13.7	338
5	The Pain in Neuropathy Study (PiNS). Pain, 2016, 157, 1132-1145.	2.0	230
6	Germline selection shapes human mitochondrial DNA diversity. Science, 2019, 364, .	6.0	178
7	Stratifying patients with peripheral neuropathic pain based on sensory profiles: algorithm and sample size recommendations. Pain, 2017, 158, 1446-1455.	2.0	150
8	Defining the Functional Role of NaV1.7 in Human Nociception. Neuron, 2019, 101, 905-919.e8.	3.8	140
9	Transcriptional regulator PRDM12 is essential for human pain perception. Nature Genetics, 2015, 47, 803-808.	9.4	137
10	The clinical approach to small fibre neuropathy and painful channelopathy. Practical Neurology, 2014, 14, 368-379.	0.5	122
11	Immune or Genetic-Mediated Disruption of CASPR2 Causes Pain Hypersensitivity Due to Enhanced Primary Afferent Excitability. Neuron, 2018, 97, 806-822.e10.	3.8	119
12	Rare NaV1.7 variants associated with painful diabetic peripheral neuropathy. Pain, 2018, 159, 469-480.	2.0	116
13	A brain-based pain facilitation mechanism contributes to painful diabetic polyneuropathy. Brain, 2018, 141, 357-364.	3.7	89
14	Painful and non-painful diabetic neuropathy, diagnostic challenges and implications for future management. Brain, 2021, 144, 1632-1645.	3.7	81
15	Studying human nociceptors: from fundamentals to clinic. Brain, 2021, 144, 1312-1335.	3.7	77
16	Chronic non-freezing cold injury results in neuropathic pain due to a sensory neuropathy. Brain, 2017, 140, 2557-2569.	3.7	54
17	Telomerecat: A ploidy-agnostic method for estimating telomere length from whole genome sequencing data. Scientific Reports, 2018, 8, 1300.	1.6	48
18	Rare Variants in MME, Encoding Metalloprotease Neprilysin, Are Linked to Late-Onset Autosomal-Dominant Axonal Polyneuropathies. American Journal of Human Genetics, 2016, 99, 607-623.	2.6	47

ANDREAS C THEMISTOCLEOUS

#	Article	IF	CITATIONS
19	Neuropathic pain drives anxiety behavior in mice, results consistent with anxiety levels in diabetic neuropathy patients. Pain Reports, 2018, 3, e651.	1.4	45
20	The time course of inflammatory cytokine secretion in a rat model of postoperative pain does not coincide with the onset of mechanical hyperalgesia. Canadian Journal of Physiology and Pharmacology, 2007, 85, 613-620.	0.7	38
21	De Novo Truncating Mutations in WASF1 Cause Intellectual Disability with Seizures. American Journal of Human Genetics, 2018, 103, 144-153.	2.6	36
22	Using stratified medicine to understand, diagnose, and treat neuropathic pain. Pain, 2018, 159, S31-S42.	2.0	34
23	Oxaliplatin―and docetaxelâ€induced polyneuropathy: clinical and neurophysiological characteristics. Journal of the Peripheral Nervous System, 2020, 25, 377-387.	1.4	28
24	Leucineâ€Rich Gliomaâ€Inactivated 1 versus Contactinâ€Associated Proteinâ€Iike 2 Antibody Neuropathic Pain: Clinical and Biological Comparisons. Annals of Neurology, 2021, 90, 683-690.	2.8	27
25	Longâ€ŧerm symptoms of polyneuropathy in breast and colorectal cancer patients treated with and without adjuvant chemotherapy. Cancer Medicine, 2020, 9, 5114-5123.	1.3	26
26	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. Wellcome Open Research, 2018, 3, 63.	0.9	26
27	The Novel Activity of Carbamazepine as an Activation Modulator Extends from Na _V 1.7 Mutations to the Na _V 1.8-S242T Mutant Channel from a Patient with Painful Diabetic Neuropathy. Molecular Pharmacology, 2018, 94, 1256-1269.	1.0	24
28	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. Wellcome Open Research, 2018, 3, 63.	0.9	20
29	Novel and Emerging Electrophysiological Biomarkers of Diabetic Neuropathy and Painful Diabetic Neuropathy. Clinical Therapeutics, 2021, 43, 1441-1456.	1.1	19
30	Blocking tactile input to one finger using anaesthetic enhances touch perception and learning in other fingers Journal of Experimental Psychology: General, 2019, 148, 713-727.	1.5	19
31	Nav1.7 is required for normal C-low threshold mechanoreceptor function in humans and mice. Brain, 2022, 145, 3637-3653.	3.7	18
32	A model of incisional pain: the effects of dermal tail incision on pain behaviours of Sprague Dawley rats. Journal of Neuroscience Methods, 2005, 145, 167-173.	1.3	17
33	Cold aggravates abnormal excitability of motor axons in oxaliplatinâ€ŧreated patients. Muscle and Nerve, 2020, 61, 796-800.	1.0	16
34	Malleability of the cortical hand map following a finger nerve block. Science Advances, 2022, 8, eabk2393.	4.7	15
35	Classification of painful or painless diabetic peripheral neuropathy and identification of the most powerful predictors using machine learning models in large cross-sectional cohorts. BMC Medical Informatics and Decision Making, 2022, 22, .	1.5	13
36	Hepatocyte growth factor, colony-stimulating factor 1, CD40, and 11 other inflammation-related proteins are associated with pain in diabetic neuropathy: exploration and replication serum data from the Pain in Neuropathy Study. Pain, 2022, 163, 897-909.	2.0	12

ANDREAS C THEMISTOCLEOUS

#	Article	IF	CITATIONS
37	Axonal swellings are related to type 2 diabetes, but not to distal diabetic sensorimotor polyneuropathy. Diabetologia, 2021, 64, 923-931.	2.9	11
38	Assessing inter-rater reproducibility in MScanFit MUNE in a 6-subject, 12-rater "Round Robin―setup. Neurophysiologie Clinique, 2022, 52, 157-169.	1.0	10
39	Guillain-Barré syndrome following SARS-CoV-2 vaccination in the UK: a prospective surveillance study. BMJ Neurology Open, 2022, 4, e000309.	0.7	9
40	Late onset hereditary sensory and autonomic neuropathy with cognitive impairment associated with Y163X prion mutation. Journal of Neurology, 2014, 261, 2230-2233.	1.8	8
41	Axonal Excitability Does Not Differ between Painful and Painless Diabetic or Chemotherapyâ€Induced Distal Symmetrical Polyneuropathy in a Multicenter Observational Study. Annals of Neurology, 2022, 91, 506-520.	2.8	8
42	Exposure of the rat tail to ultraviolet A light produces sustained hyperalgesia to noxious thermal and mechanical challenges. Journal of Neuroscience Methods, 2006, 152, 267-273.	1.3	7
43	Null mutation in <i>SCN9A</i> in which noxious stimuli can be detected in the absence of pain. Neurology, 2014, 83, 1577-1580.	1.5	7
44	Pre-Emptive Ring-Block With Bupivacaine Prevents the Development of Thermal Hyperalgesia, but not Sustained Mechanical Hyperalgesia, in Rat Tails Exposed to Ultraviolet A Light. Journal of Pain, 2007, 8, 208-214.	0.7	3
45	Discharge patterns of nociceptive primary afferent fibres in the rat coccygeal nerve after UV _A â€light exposure. European Journal of Pain, 2010, 14, 580-587.	1.4	0
46	Reply: Non-freezing cold injury: a multi-faceted syndrome. Brain, 2018, 141, e10-e10.	3.7	0