

Rafael Tabares-Seisdedos

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2916704/rafael-tabares-seisdedos-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

187
papers

42,649
citations

64
h-index

205
g-index

205
ext. papers

61,215
ext. citations

10.2
avg, IF

6
L-index

#	Paper	IF	Citations
187	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
186	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	40	3432
185	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017 , 377, 13-27	59.2	3027
184	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850
183	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210	40	2542
182	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , 2017 , 3, 524-548	13.4	2394
181	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964
180	Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222	40	1847
179	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1-25	15.1	1804
178	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283
177	Global, regional, and national burden of neurological disorders, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 459-480	24.1	1093
176	Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1223-1249	40	1013
175	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017 , 16, 877-897	24.1	984
174	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , 2019 , 5, 1749-1768	13.4	888
173	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , 2018 , 4, 1553-1568	13.4	875
172	Global, regional, and national burden of Parkinson's disease, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018 , 17, 939-953	24.1	785
171	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 88-106	24.1	782

170	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , 2018 , 379, 2429-2437	59.2	495
169	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 56-87	24.1	480
168	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150	40	421
167	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007 , 9, 103-13	3.8	397
166	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016 , 3, e361-e387	7.8	382
165	Functioning and disability in bipolar disorder: an extensive review. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 285-97	9.4	273
164	Global, regional, and national burden of epilepsy, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 357-375	24.1	252
163	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950-2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1160-1203	40	228
162	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
161	Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics</i> , 2017 , 171, 573-592	8.3	216
160	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , 2008 , 109, 286-99	6.6	216
159	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
158	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138	40	210
157	Global, regional, and national burden of brain and other CNS cancer, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 376-393	24.1	201
156	Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051	40	189
155	The Burden of Cardiovascular Diseases Among US States, 1990-2016. <i>JAMA Cardiology</i> , 2018 , 3, 375-389	16.2	184
154	Chromosome 8p as a potential hub for developmental neuropsychiatric disorders: implications for schizophrenia, autism and cancer. <i>Molecular Psychiatry</i> , 2009 , 14, 563-89	15.1	170
153	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 934-947	18.8	167

152	Specificity of cognitive deficits in bipolar disorder versus schizophrenia. A systematic review. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 72-84	9.4	160
151	Neurocognitive endophenotypes (endophenocognitypes) from studies of relatives of bipolar disorder subjects: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 1426-38	9	159
150	Past, present, and future of global health financing: a review of development assistance, government, out-of-pocket, and other private spending on health for 195 countries, 1995-2050. <i>Lancet, The</i> , 2019 , 393, 2233-2260	40	158
149	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 913-933	18.8	144
148	The pharmacological and non-pharmacological treatment of attention deficit hyperactivity disorder in children and adolescents: A systematic review with network meta-analyses of randomised trials. <i>PLoS ONE</i> , 2017 , 12, e0180355	3.7	132
147	Persistent cognitive dysfunctions in bipolar I disorder and schizophrenic patients: a 3-year follow-up study. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 113-9	9.4	125
146	Neurocognitive impairment in bipolar patients with and without history of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 233-9	4.6	125
145	Molecular evidence for the inverse comorbidity between central nervous system disorders and cancers detected by transcriptomic meta-analyses. <i>PLoS Genetics</i> , 2014 , 10, e1004173	6	116
144	Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 792-814	27.4	114
143	Long-term outcome of cognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e899-905	4.6	114
142	Inverse and direct cancer comorbidity in people with central nervous system disorders: a meta-analysis of cancer incidence in 577,013 participants of 50 observational studies. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 89-105	9.4	113
141	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1135-1159	40	113
140	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1250-1284	40	112
139	The global burden of childhood and adolescent cancer in 2017: an analysis of the Global Burden of Disease Study 2017. <i>Lancet Oncology, The</i> , 2019 , 20, 1211-1225	21.7	107
138	No paradox, no progress: inverse cancer comorbidity in people with other complex diseases. <i>Lancet Oncology, The</i> , 2011 , 12, 604-8	21.7	103
137	The clinical implications of cognitive impairment and allostatic load in bipolar disorder. <i>European Psychiatry</i> , 2013 , 28, 21-9	6	101
136	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019.. <i>Lancet Public Health, The</i> , 2022 ,	22.4	95
135	Treatment nonadherence and neurocognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1017-23	4.6	95

134	Predicting relapse after a first episode of non-affective psychosis: a three-year follow-up study. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1099-105	5.2	92
133	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019 , 574, 353-358	58.4	87
132	Inverse cancer comorbidity: a serendipitous opportunity to gain insight into CNS disorders. <i>Nature Reviews Neuroscience</i> , 2013 , 14, 293-304	13.5	82
131	Comparative study of neurocognitive function in euthymic bipolar patients and stabilized schizophrenic patients. <i>Psychiatry Research</i> , 2009 , 169, 220-8	9.9	80
130	Neurocognition in bipolar disorders--a closer look at comorbidities and medications. <i>European Journal of Pharmacology</i> , 2010 , 626, 87-96	5.3	79
129	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients 2010 , 9,		78
128	Bipolar I patients with and without a history of psychotic symptoms: do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007 , 41, 265-72	5.2	78
127	Therapeutic use of omega-3 fatty acids in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 1029-47	4.3	74
126	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71
125	Course of weight gain and metabolic abnormalities in first treated episode of psychosis: the first year is a critical period for development of cardiovascular risk factors. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 41-51	5.8	68
124	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011 , 52, 613-22	7.3	66
123	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 309-17	6.5	62
122	Global and regional cortical thinning in first-episode psychosis patients: relationships with clinical and cognitive features. <i>Psychological Medicine</i> , 2011 , 41, 1449-60	6.9	62
121	Mapping child growth failure across low- and middle-income countries. <i>Nature</i> , 2020 , 577, 231-234	50.4	62
120	Cardiovascular and Renal Outcomes of Renin-Angiotensin System Blockade in Adult Patients with Diabetes Mellitus: A Systematic Review with Network Meta-Analyses. <i>PLoS Medicine</i> , 2016 , 13, e1001971	11.6	61
119	Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 139-48	3.6	60
118	Functional impairment in bipolar II disorder: is it as disabling as bipolar I?. <i>Journal of Affective Disorders</i> , 2010 , 127, 71-6	6.6	58
117	The burden of disease in Spain: Results from the Global Burden of Disease 2016. <i>Medicina Clínica</i> , 2018 , 151, 171-190	1	55

116	Neurocognitive impairment across the bipolar spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 194-200	6.8	54
115	Neurocognitive dysfunctions in euthymic bipolar patients with and without prior history of alcohol use. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1120-7	4.6	50
114	Poor long-term prognosis in mixed bipolar patients: 10-year outcomes in the Vitoria prospective naturalistic study in Spain. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 671-6	4.6	50
113	Morbidity and mortality from road injuries: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i46-i56	3.2	46
112	The relevance of cognitive, clinical and premorbid variables in predicting functional outcome for individuals with first-episode psychosis: a 3 year longitudinal study. <i>Psychiatry Research</i> , 2013 , 209, 302-8	4.9	45
111	A molecular hypothesis to explain direct and inverse co-morbidities between Alzheimer's Disease, Glioblastoma and Lung cancer. <i>Scientific Reports</i> , 2017 , 7, 4474	4.9	45
110	Psychometric behaviour of the strengths and difficulties questionnaire (SDQ) in the Spanish national health survey 2006. <i>BMC Psychiatry</i> , 2013 , 13, 95	4.2	44
109	Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 240-7	3.6	43
108	Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 453-60	6.5	43
107	Specific executive/attentional deficits in patients with schizophrenia or bipolar disorder who have a positive family history of psychosis. <i>Journal of Psychiatric Research</i> , 2003 , 37, 479-86	5.2	41
106	Suicidal behaviour in first-episode non-affective psychosis: Specific risk periods and stage-related factors. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2278-88	1.2	40
105	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017 , 208, 621-627	6.6	40
104	Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010 , 116, 243-51	3.6	40
103	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39
102	Human adult periodontal ligament-derived cells integrate and differentiate after implantation into the adult mammalian brain. <i>Cell Transplantation</i> , 2013 , 22, 2017-28	4	39
101	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i96-i114	3.2	39
100	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 145-154	6.5	36
99	Variations in genes regulating neuronal migration predict reduced prefrontal cognition in schizophrenia and bipolar subjects from mediterranean Spain: a preliminary study. <i>Neuroscience</i> , 2006 , 139, 1289-300	3.9	36

98	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. <i>Lancet, The</i> , 2020 , 396, 693-724 ⁴⁰		32
97	Trajectories of symptom dimensions in short-term response to antipsychotic treatment in patients with a first episode of non-affective psychosis. <i>Psychological Medicine</i> , 2014 , 44, 37-50	6.9	32
96	Recall and recognition confabulation in psychotic and bipolar disorders: evidence for two different types without unitary mechanisms. <i>Comprehensive Psychiatry</i> , 2004 , 45, 281-8	7.3	32
95	Course of cognitive deficits in first episode of non-affective psychosis: a 3-year follow-up study. <i>Schizophrenia Research</i> , 2013 , 150, 121-8	3.6	31
94	The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. <i>BMC Psychiatry</i> , 2013 , 13, 127	4.2	30
93	Homocysteine and cognition in first-episode psychosis patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 557-64	5.1	30
92	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
91	Comparison of metabolic effects of aripiprazole, quetiapine and ziprasidone after 12 weeks of treatment in first treated episode of psychosis. <i>Schizophrenia Research</i> , 2014 , 159, 90-4	3.6	29
90	Brief cognitive assessment instruments in schizophrenia and bipolar patients, and healthy control subjects: a comparison study between the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS) and the Screen for Cognitive Impairment in Psychiatry (SCIP). <i>Schizophrenia Research</i> , 2011 , 130, 137-42	3.6	29
89	Clinical staging and serum cytokines in bipolar patients during euthymia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 77, 194-201	5.5	28
88	The pharmacological and non-pharmacological treatment of attention deficit hyperactivity disorder in children and adolescents: protocol for a systematic review and network meta-analysis of randomized controlled trials. <i>Systematic Reviews</i> , 2015 , 4, 19	3	28
87	Prediction of acute clinical response following a first episode of non affective psychosis: results of a cohort of 375 patients from the Spanish PAFIP study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 162-7	5.5	28
86	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 247-54	5.1	28
85	Clinical usefulness of the screen for cognitive impairment in psychiatry (SCIP-S) scale in patients with type I bipolar disorder. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 28	3	28
84	Mild cognitive decline. A position statement of the Cognitive Decline Group of the European Innovation Partnership for Active and Healthy Ageing (EIPAH). <i>Maturitas</i> , 2016 , 83, 83-93	5	27
83	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1162-e1185	13.6	27
82	Disability in bipolar I disorder: the 36-item World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2015 , 174, 353-60	6.6	26
81	Predictors of clinical remission following a first episode of non-affective psychosis: sociodemographics, premorbid and clinical variables. <i>Psychiatry Research</i> , 2013 , 206, 181-7	9.9	25

80	Global, regional, and national burden of bone fractures in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e580-e592	9.5	24
79	Rates and predictors of relapse in first-episode non-affective psychosis: a 3-year longitudinal study in a specialized intervention program (PAFIP). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 315-323	5.1	23
78	Effect of antipsychotic drugs on cortical thickness. A randomized controlled one-year follow-up study of haloperidol, risperidone and olanzapine. <i>Schizophrenia Research</i> , 2012 , 141, 22-8	3.6	22
77	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
76	Incidence and risk factors of acute akathisia in 493 individuals with first episode non-affective psychosis: a 6-week randomised study of antipsychotic treatment. <i>Psychopharmacology</i> , 2017 , 234, 2563-2570	4.7	21
75	Alzheimer's disease and cancer: current epidemiological evidence for a mutual protection. <i>Neuroepidemiology</i> , 2014 , 42, 121-2	5.4	21
74	Reproducible research practices, openness and transparency in health economic evaluations: study protocol for a cross-sectional comparative analysis. <i>BMJ Open</i> , 2020 , 10, e034463	3	21
73	Diagnosis and neurocognitive profiles in first-episode non-affective psychosis patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 619-28	5.1	20
72	Evidence for association between structural variants in lissencephaly-related genes and executive deficits in schizophrenia or bipolar patients from a Spanish isolate population. <i>Psychiatric Genetics</i> , 2008 , 18, 313-7	2.9	20
71	The high-activity Val allele of the catechol-O-methyltransferase gene predicts greater cognitive deterioration in patients with psychosis. <i>Psychiatric Genetics</i> , 2006 , 16, 213-6	2.9	20
70	Long-term (3-year) neurocognitive effectiveness of antipsychotic medications in first-episode non-affective psychosis: a randomized comparison of haloperidol, olanzapine, and risperidone. <i>Psychopharmacology</i> , 2013 , 227, 615-25	4.7	19
69	The quality of reporting methods and results of cost-effectiveness analyses in Spain: a methodological systematic review. <i>Systematic Reviews</i> , 2016 , 5, 6	3	18
68	Global, Regional, and National Levels of Maternal Mortality, 1990-2015: A Systematic Analysis for the Global Burden of Disease Study 2015. <i>Obstetrical and Gynecological Survey</i> , 2017 , 72, 11-13	2.4	18
67	Neurocognitive training in patients with bipolar disorders: current status and perspectives. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 250-2	9.4	18
66	Sex-specific variation of MRI-based cortical morphometry in adult healthy volunteers: the effect on cognitive functioning. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 616-23	5.5	17
65	Mapping of global scientific research in comorbidity and multimorbidity: A cross-sectional analysis. <i>PLoS ONE</i> , 2018 , 13, e0189091	3.7	17
64	Predictors of neurocognitive impairment at 3 years after a first episode non-affective psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 43, 23-8	5.5	16
63	How does family intervention improve the outcome of people with schizophrenia?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 379-87	4.5	15

62	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Respiratory Medicine</i> , 2021 , 9, 1030-1049	35.1	15
61	Neurocognitive endophenotypes in schizophrenia and bipolar disorder: A systematic review of longitudinal family studies. <i>Schizophrenia Research</i> , 2019 , 210, 21-29	3.6	14
60	Postnatal alterations of the inhibitory synaptic responses recorded from cortical pyramidal neurons in the Lis1/sLis1 mutant mouse. <i>Molecular and Cellular Neurosciences</i> , 2007 , 35, 220-9	4.8	14
59	Subjective neurocognition and quality of life in patients with bipolar disorder and siblings. <i>Journal of Affective Disorders</i> , 2019 , 245, 283-288	6.6	14
58	Cancer and central nervous system disorders: protocol for an umbrella review of systematic reviews and updated meta-analyses of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 69	3	13
57	Transcriptomic metaanalyses of autistic brains reveals shared gene expression and biological pathway abnormalities with cancer. <i>Molecular Autism</i> , 2019 , 10, 17	6.5	13
56	Duration of active psychosis and functional outcomes in first-episode non-affective psychosis. <i>European Psychiatry</i> , 2018 , 52, 29-37	6	13
55	Correlates of symptom dimensions in schizophrenia obtained with the Spanish version of the Manchester scale. <i>Psychopathology</i> , 2000 , 33, 259-64	3.4	13
54	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26	3.2	13
53	Manual motor speed dysfunction as a neurocognitive endophenotype in euthymic bipolar disorder patients and their healthy relatives. Evidence from a 5-year follow-up study. <i>Journal of Affective Disorders</i> , 2017 , 215, 156-162	6.6	12
52	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 300-6	3.9	12
51	Similar effect of family history of psychosis on Sylvian fissure size and auditory P200 amplitude in schizophrenic and bipolar subjects. <i>Psychiatry Research - Neuroimaging</i> , 2001 , 108, 29-38	2.9	12
50	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1038-e1060	13.6	12
49	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020 , 26, i125-i153	3.2	12
48	Staging, Neurocognition and Social Functioning in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 709	5	12
47	Predictors of functional outcome after a manic episode. <i>Journal of Affective Disorders</i> , 2015 , 182, 121-5	6.6	11
46	Early age of onset, brain morphological changes and non-consistent motor asymmetry in schizophrenic patients. <i>Schizophrenia Research</i> , 1999 , 37, 225-31	3.6	11
45	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010 , 10, 47	4.2	10

44	Epigenetic outlier profiles in depression: A genome-wide DNA methylation analysis of monozygotic twins. <i>PLoS ONE</i> , 2018 , 13, e0207754	3.7	10
43	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990-2019: Findings from the Global Burden of Disease Study 2019.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 16, 100341		10
42	Abnormal motor asymmetry only during bimanual movement in schizophrenic patients compared with healthy subjects. <i>Schizophrenia Research</i> , 2003 , 61, 245-53	3.6	9
41	Declaration of transparency: A step towards complete reporting of research articles. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 63-4	2.7	9
40	Prevalence and comorbidity of autism spectrum disorder in Spain: study protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2019 , 8, 141	3	8
39	Risk of mortality among children, adolescents, and adults with autism spectrum disorder or attention deficit hyperactivity disorder and their first-degree relatives: a protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 189	3	8
38	Developmental dynamics of PAFAH1B subunits during mouse brain development. <i>Journal of Comparative Neurology</i> , 2012 , 520, 3877-94	3.4	8
37	Temporal pole morphology in first-episode schizophrenia patients: clinical correlations. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 184, 189-91	2.9	8
36	Five Interpersonal Factors Are Predictive of the Response to Treatment of Major Depression With Antidepressants in Primary Care. <i>Frontiers in Psychiatry</i> , 2018 , 9, 416	5	8
35	Childhood trauma and substance use underlying psychosis: a systematic review. <i>Hjre Utbildning</i> , 2020 , 11, 1748342	5	7
34	Interpreting molecular similarity between patients as a determinant of disease comorbidity relationships. <i>Nature Communications</i> , 2020 , 11, 2854	17.4	7
33	One year longitudinal study of the straight gyrus morphometry in first-episode schizophrenia-spectrum patients. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 80-3	2.9	7
32	Neurodevelopmental mechanisms underlying psychosis. <i>International Clinical Psychopharmacology</i> , 2007 , 22, S1-S7	2.2	7
31	Motor speed predicts stability of cognitive deficits in both schizophrenic and bipolar I patients at one-year follow-up. <i>European Journal of Psychiatry</i> , 2009 , 23,	1	7
30	Association of Anorexia Nervosa With Risk of Cancer: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e195313	10.4	6
29	Global mapping of randomised trials related articles published in high-impact-factor medical journals: a cross-sectional analysis. <i>Trials</i> , 2020 , 21, 34	2.8	6
28	Transcriptomic and Genetic Associations between Alzheimer's Disease, Parkinson's Disease, and Cancer. <i>Cancers</i> , 2021 , 13,	6.6	6
27	Visual memory dysfunction as a neurocognitive endophenotype in bipolar disorder patients and their unaffected relatives. Evidence from a 5-year follow-up Valencia study. <i>Journal of Affective Disorders</i> , 2019 , 257, 31-37	6.6	5

26	Peripheral Oxidative Stress Markers in Patients with Bipolar Disorder during Euthymia and in Siblings. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 77-86	2.2	5
25	The importance of negative comorbidity. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1191-2; author reply 1192	4.6	5
24	Motor and Cognitive Performance in Patients with Liver Cirrhosis with Minimal Hepatic Encephalopathy. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
23	Anorexia nervosa and cancer: a protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 137	3	4
22	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014 , 24, S436-S437	1.2	4
21	Burden of non-communicable diseases among adolescents aged 10-24 years in the EU, 1990-2019: a systematic analysis of the Global Burden of Diseases Study 2019.. <i>The Lancet Child and Adolescent Health</i> , 2022 ,	14.5	4
20	Mortality in Persons With Autism Spectrum Disorder or Attention-Deficit/Hyperactivity Disorder: A Systematic Review and Meta-analysis.. <i>JAMA Pediatrics</i> , 2022 , e216401	8.3	4
19	Prevalence and comorbidity of attention deficit hyperactivity disorder in Spain: study protocol for extending a systematic review with updated meta-analysis of observational studies. <i>Systematic Reviews</i> , 2019 , 8, 49	3	3
18	Comparing neurocognitive impairment in schizophrenia and bipolar I disorder using the Screen for Cognitive Impairment in Psychiatry Scale. <i>International Journal of Clinical and Health Psychology</i> , 2014 , 14, 128-136	5.1	3
17	Straight gyrus morphology in first-episode schizophrenia-spectrum patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 84-90	5.5	3
16	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
15	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3
14	Alzheimer's disease and cancer: the need of putting research into context with previous published systematic reviews. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015 , 141, 569-70	4.9	2
13	Cataracts and statins. A disproportionality analysis using data from Vigibase. <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 109, 104509	3.4	2
12	Longitudinal course of cognition in schizophrenia. <i>British Journal of Psychiatry</i> , 2009 , 195, 84; author reply 85	5.4	2
11	Grip Strength, Neurocognition, and Social Functioning in People With Type-2 Diabetes Mellitus, Major Depressive Disorder, Bipolar Disorder, and Schizophrenia. <i>Frontiers in Psychology</i> , 2020 , 11, 525231	3.4	2
10	Torsade de pointes associated with chloroquine, hydroxychloroquine, and azithromycin: a retrospective analysis of individual case safety reports from Vigibase. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1513-1521	2.8	2
9	Reporting guidelines for health research: protocol for a cross-sectional analysis of the EQUATOR Network Library. <i>BMJ Open</i> , 2019 , 9, e022769	3	1

8	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
7	Rett Syndrome Mutant Neural Cells Lacks MeCP2 Immunoreactive Bands. <i>PLoS ONE</i> , 2016 , 11, e0153262	3.7	1
6	Unveiling the molecular basis of disease co-occurrence: towards personalized comorbidity profiles		1
5	Possible Ancestral Functions of the Genetic and RNA Operational Precodes and the Origin of the Genetic System. <i>Origins of Life and Evolution of Biospheres</i> , 2021 , 51, 167-183	1.5	0
4	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 241	3.6	0
3	Is processing speed a valid neurocognitive endophenotype in bipolar disorder? Evidence from a longitudinal, family study. <i>Journal of Psychiatric Research</i> , 2021 , 141, 241-247	5.2	0
2	Improving transparency of scientific reporting to increase value and reduce waste in mental health research. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 1-3	0.2	
1	Design and methodological characteristics of studies using observational routinely collected health data for investigating the link between cancer and neurodegenerative diseases: protocol for a meta-research study.. <i>BMJ Open</i> , 2022 , 12, e058738	3	