

Michael P Rettig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2917591/publications.pdf>

Version: 2024-02-01

103
papers

4,714
citations

159585

30
h-index

102487

66
g-index

107
all docs

107
docs citations

107
times ranked

6485
citing authors

#	ARTICLE	IF	CITATIONS
1	Machine learning-based scoring models to predict hematopoietic stem cell mobilization in allogeneic donors. <i>Blood Advances</i> , 2022, 6, 1991-2000.	5.2	11
2	Ablation of VLA4 in multiple myeloma cells redirects tumor spread and prolongs survival. <i>Scientific Reports</i> , 2022, 12, 30.	3.3	12
3	CS1 CAR-T targeting the distal domain of CS1 (SLAMF7) shows efficacy in high tumor burden myeloma model despite fratricide of CD8+CS1 expressing CAR-T cells. <i>Leukemia</i> , 2022, 36, 1625-1634.	7.2	15
4	A long-acting interleukin-7, rhIL-7-hyFc, enhances CAR T cell expansion, persistence, and anti-tumor activity. <i>Nature Communications</i> , 2022, 13, .	12.8	29
5	Development of [⁸⁹ Zr]DFO-elotuzumab for immunoPET imaging of CS1 in multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1302-1311.	6.4	8
6	Flotetuzumab as salvage immunotherapy for refractory acute myeloid leukemia. <i>Blood</i> , 2021, 137, 751-762.	1.4	183
7	A phase I trial evaluating the effects of plerixafor, G-CSF, and azacitidine for the treatment of myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2021, 62, 1441-1449.	1.3	2
8	Biology of Disease Relapse in Myeloid Disease: Implication for Strategies to Prevent and Treat Disease Relapse After Stem-Cell Transplantation. <i>Journal of Clinical Oncology</i> , 2021, 39, 386-396.	1.6	11
9	Co-evolution of tumor and immune cells during progression of multiple myeloma. <i>Nature Communications</i> , 2021, 12, 2559.	12.8	68
10	3D tissue engineered plasma cultures support leukemic proliferation and induces drug resistance. <i>Leukemia and Lymphoma</i> , 2021, 62, 1-9.	1.3	5
11	Functional and epigenetic phenotypes of humans and mice with DNMT3A Overgrowth Syndrome. <i>Nature Communications</i> , 2021, 12, 4549.	12.8	21
12	Combination of dociparstat sodium (DSTAT), a CXCL12/CXCR4 inhibitor, with azacitidine for the treatment of hypomethylating agent refractory AML and MDS. <i>Leukemia Research</i> , 2021, 110, 106713.	0.8	9
13	VLA4-Targeted Nanoparticles Hijack Cell Adhesion-Mediated Drug Resistance to Target Refractory Myeloma Cells and Prolong Survival. <i>Clinical Cancer Research</i> , 2021, 27, 1974-1986.	7.0	17
14	Antibody-drug conjugates plus Janus kinase inhibitors enable MHC-mismatched allogeneic hematopoietic stem cell transplantation. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	10
15	The Tetraspanin CD53 Protects Hematopoietic Stem Cells Following Cellular Stress through Induction of DREAM Complex-Mediated Quiescence. <i>Blood</i> , 2021, 138, 295-295.	1.4	0
16	TP53 abnormalities correlate with immune infiltration and associate with response to flotetuzumab immunotherapy in AML. <i>Blood Advances</i> , 2020, 4, 5011-5024.	5.2	85
17	Targeting CXCR4 in AML and ALL. <i>Frontiers in Oncology</i> , 2020, 10, 1672.	2.8	57
18	Selinexor combined with cladribine, cytarabine, and filgrastim in relapsed or refractory acute myeloid leukemia. <i>Haematologica</i> , 2020, 105, e404-e407.	3.5	16

#	ARTICLE	IF	CITATIONS
19	Immune landscapes predict chemotherapy resistance and immunotherapy response in acute myeloid leukemia. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	117
20	Flotetuzumab As Salvage Therapy for Primary Induction Failure and Early Relapse Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 16-18.	1.4	12
21	Myeloma Cell Associated Therapeutic Protein Discovery Using Single Cell RNA-Seq Data. <i>Blood</i> , 2020, 136, 4-5.	1.4	0
22	Immune Senescence and Exhaustion Correlate with Response to Flotetuzumab, an Investigational CD123-CD3 Bispecific DART Molecule, in Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 26-28.	1.4	1
23	<i>TP53</i> Abnormalities Correlate with Immune Infiltration and Associate with Response to Flotetuzumab Immunotherapy in Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 3-4.	1.4	0
24	Flotetuzumab and Other Cellular Immunotherapies Upregulate MHC Class II Expression on Acute Myeloid Leukemia Cells in Vitro and In Vivo. <i>Blood</i> , 2020, 136, 22-23.	1.4	1
25	Blinatumomab Consolidation Post Autologous Hematopoietic Stem Cell Transplantation in Patients with Diffuse Large B Cell Lymphoma. <i>Blood</i> , 2020, 136, 3-4.	1.4	4
26	⁶⁸ Ga-Galmydar: A PET imaging tracer for noninvasive detection of Doxorubicin-induced cardiotoxicity. <i>PLoS ONE</i> , 2019, 14, e0215579.	2.5	20
27	A Phase I Study of the Safety and Feasibility of Bortezomib in Combination With G-CSF for Stem Cell Mobilization in Patients With Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e588-e593.	0.4	6
28	Targeting VLA4 integrin and CXCR2 mobilizes serially repopulating hematopoietic stem cells. <i>Journal of Clinical Investigation</i> , 2019, 129, 2745-2759.	8.2	32
29	Single-Cell Transcriptomic and Proteomic Diversity in Multiple Myeloma. <i>Blood</i> , 2019, 134, 5531-5531.	1.4	1
30	Mobilized peripheral blood: an updated perspective. <i>F1000Research</i> , 2019, 8, 2125.	1.6	26
31	Single-Cell Pathway Enrichment and Regulatory Profiling of Multiple Myeloma across Disease Stages. <i>Blood</i> , 2019, 134, 364-364.	1.4	0
32	An "off-the-shelf" fratricide-resistant CAR-T for the treatment of T cell hematologic malignancies. <i>Leukemia</i> , 2018, 32, 1970-1983.	7.2	282
33	Radionuclides transform chemotherapeutics into phototherapeutics for precise treatment of disseminated cancer. <i>Nature Communications</i> , 2018, 9, 275.	12.8	59
34	Ixazomib, an oral proteasome inhibitor, induces rapid mobilization of hematopoietic progenitor cells in mice. <i>Blood</i> , 2018, 131, 2594-2596.	1.4	5
35	Preclinical Development of CD38-Targeted [⁸⁹ Zr]Zr-DFO-Daratumumab for Imaging Multiple Myeloma. <i>Journal of Nuclear Medicine</i> , 2018, 59, 216-222.	5.0	50
36	CiTE antibody for AML. <i>Blood</i> , 2018, 132, 2425-2427.	1.4	2

#	ARTICLE	IF	CITATIONS
37	Immune Escape of Relapsed AML Cells after Allogeneic Transplantation. <i>New England Journal of Medicine</i> , 2018, 379, 2330-2341.	27.0	322
38	Get Outta Here! Addition of Mobilizing Agents to Conditioning Regimen Improves Donor Engraftment after Allogeneic Hematopoietic Stem Cell Transplantation for Wiskott-Aldrich Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1309-1311.	2.0	1
39	Preclinical Development of a Bispecific Antibody that Safely and Effectively Targets CD19 and CD47 for the Treatment of B-Cell Lymphoma and Leukemia. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 1739-1751.	4.1	87
40	Phase 1 First-in-Human Trial of AMV564, a Bivalent Bispecific (2x2) CD33/CD3 T-Cell Engager, in Patients with Relapsed/Refractory Acute Myeloid Leukemia (AML). <i>Blood</i> , 2018, 132, 1455-1455.	1.4	17
41	Conditioning for Hematopoietic Stem Cell Transplantation Using Antibody-Drug Conjugate Targeting CD45 Permits Engraftment across Immunologic Barriers. <i>Blood</i> , 2018, 132, 2035-2035.	1.4	0
42	Phase II Study Evaluating the Safety and Efficacy of BL-8040 for the Mobilization of Donor Hematopoietic Stem and Progenitor Cells for Allogeneic Hematopoietic Cell Transplantation and Phenotypic Characterization of the Leukapheresis Product. <i>Blood</i> , 2018, 132, 118-118.	1.4	2
43	Continuous blockade of CXCR4 results in dramatic mobilization and expansion of hematopoietic stem and progenitor cells. <i>Blood</i> , 2017, 129, 2939-2949.	1.4	39
44	Phase I/II Study of Intravenous Plerixafor Added to a Mobilization Regimen of Granulocyte Colony-Stimulating Factor in Lymphoma Patients Undergoing Autologous Stem Cell Collection. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1282-1289.	2.0	5
45	Mobilization of allogeneic peripheral blood stem cell donors with intravenous plerixafor mobilizes a unique graft. <i>Blood</i> , 2017, 129, 2680-2692.	1.4	66
46	Preliminary Results of a Phase 1 Study of Flotetuzumab, a CD123 x CD3 Bispecific DART Protein, in Patients with Relapsed/Refractory Acute Myeloid Leukemia and Myelodysplastic Syndrome. <i>Blood</i> , 2017, 130, 637-637.	1.4	49
47	Selinexor in Combination with Cladribine, Cytarabine and G-CSF for Relapsed or Refractory AML. <i>Blood</i> , 2017, 130, 816-816.	1.4	7
48	Enhanced in utero allogeneic engraftment in mice after mobilizing fetal HSCs by β 4 γ 1/7 inhibition. <i>Blood</i> , 2016, 128, 2457-2461.	1.4	26
49	Ex Vivo and In Vivo Evaluation of Overexpressed VLA-4 in Multiple Myeloma Using LLP2A Imaging Agents. <i>Journal of Nuclear Medicine</i> , 2016, 57, 640-645.	5.0	32
50	Gold Nanoclusters Doped with ^{64}Cu for CXCR4 Positron Emission Tomography Imaging of Breast Cancer and Metastasis. <i>ACS Nano</i> , 2016, 10, 5959-5970.	14.6	71
51	Targeting CD123 in acute myeloid leukemia using a T-cell-directed dual-affinity retargeting platform. <i>Blood</i> , 2016, 127, 122-131.	1.4	148
52	Severe Cytokine-Release Syndrome after T Cell-Replete Peripheral Blood Haploidentical Donor Transplantation Is Associated with Poor Survival and Anti-IL-6 Therapy Is Safe and Well Tolerated. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1851-1860.	2.0	135
53	Expansion and Maintenance of Hematopoietic Stem and Progenitor Cells in Course of Long-Term Inhibition of CXCR4/CXCL12 Signaling. <i>Blood</i> , 2016, 128, 2648-2648.	1.4	1
54	[^{18}F]FHBG PET/CT Imaging of CD34-TK75 Transduced Donor T Cells in Relapsed Allogeneic Stem Cell Transplant Patients: Safety and Feasibility. <i>Molecular Therapy</i> , 2015, 23, 1110-1122.	8.2	18

#	ARTICLE	IF	CITATIONS
55	Suicide genes: monitoring cells in patients with a safety switch. <i>Frontiers in Pharmacology</i> , 2014, 5, 241.	3.5	10
56	Bortezomib is a rapid mobilizer of hematopoietic stem cells in mice via modulation of the VCAM-1/VLA-4 axis. <i>Blood</i> , 2014, 124, 2752-2754.	1.4	27
57	Dual-Function Anti-CD47mAbs Induce Tumor Cell Death and Promote Phagocytosis Resulting in Enhanced in Vivo Efficacy. <i>Blood</i> , 2014, 124, 991-991.	1.4	2
58	Preclinical Studies of the IAP Antagonist Debio 1143 in Combination with Cytarabine or Doxorubicin in a Mouse Model of AML. <i>Blood</i> , 2014, 124, 5296-5296.	1.4	0
59	Targeting CD123 In Leukemic Stem Cells Using Dual Affinity Re-Targeting Molecules (DARTs [®]). <i>Blood</i> , 2013, 122, 360-360.	1.4	14
60	ALT-1188: A New CXCR4 Antagonist In Development For Mobilization Of HSPCs. <i>Blood</i> , 2013, 122, 891-891.	1.4	7
61	Sphingosine-1-phosphate facilitates trafficking of hematopoietic stem cells and their mobilization by CXCR4 antagonists in mice. <i>Blood</i> , 2012, 119, 707-716.	1.4	127
62	A phase 1/2 study of chemosensitization with the CXCR4 antagonist plerixafor in relapsed or refractory acute myeloid leukemia. <i>Blood</i> , 2012, 119, 3917-3924.	1.4	347
63	Bone Marrow Stromal Cells Modulate Mouse ENT1 Activity and Protect Leukemia Cells from Cytarabine Induced Apoptosis. <i>PLoS ONE</i> , 2012, 7, e37203.	2.5	30
64	Rapid and Prolonged Mobilization of Human CD34+ Hematopoietic Stem Cells Following Intravenous (IV) Administration of Plerixafor. <i>Blood</i> , 2010, 116, 2261-2261.	1.4	5
65	Phase I Study of Intravenous Plerixafor Added to a Mobilization Regimen of G-CSF In Lymphoma Patients Undergoing Autologous Stem Cell Collection. <i>Blood</i> , 2010, 116, 823-823.	1.4	1
66	BIO5192, a small molecule inhibitor of VLA-4, mobilizes hematopoietic stem and progenitor cells. <i>Blood</i> , 2009, 114, 1340-1343.	1.4	153
67	Chapter 2 CXCR4 and Mobilization of Hematopoietic Precursors. <i>Methods in Enzymology</i> , 2009, 460, 57-90.	1.0	24
68	Chemosensitization of acute myeloid leukemia (AML) following mobilization by the CXCR4 antagonist AMD3100. <i>Blood</i> , 2009, 113, 6206-6214.	1.4	456
69	A Phase I/II Study of Chemosensitization with the CXCR4 Antagonist Plerixafor in Relapsed or Refractory AML.. <i>Blood</i> , 2009, 114, 787-787.	1.4	5
70	Impact of Mobilization and Remobilization Strategies on Achieving Sufficient Stem Cell Yields for Autologous Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1045-1056.	2.0	319
71	Plerixafor, a CXCR4 antagonist for the mobilization of hematopoietic stem cells. <i>Expert Opinion on Biological Therapy</i> , 2008, 8, 1797-1804.	3.1	92
72	Rapid mobilization of functional donor hematopoietic cells without G-CSF using AMD3100, an antagonist of the CXCR4/SDF-1 interaction. <i>Blood</i> , 2008, 112, 990-998.	1.4	282

#	ARTICLE	IF	CITATIONS
73	Mobilization and Chemosensitization of AML with the CXCR4 Antagonist Plerixafor (AMD3100): A Phase I/II Study of AMD3100+MEC in Patients with Relapsed or Refractory Disease.. Blood, 2008, 112, 1944-1944.	1.4	8
74	Characterization of Human CD34+ Hematopoietic Stem Cells Following Administration of G-CSF or Plerixafor. Blood, 2008, 112, 3476-3476.	1.4	8
75	Rapid Mobilization of Long Term Repopulating Hematopoietic Stem Cells (HSC) with AMD15057, a Small Molecule Inhibitor of VLA4; Synergism with AMD3100 and G-CSF. Blood, 2008, 112, 615-615.	1.4	5
76	Factors affecting human T cell engraftment, trafficking, and associated xenogeneic graft-vs-host disease in NOD/SCID $\beta 2m$ null mice. Experimental Hematology, 2007, 35, 1823-1838.	0.4	64
77	Mobilization of Normal Mouse Progenitors and Acute Promyelocytic Leukemia (APL) Cells with Inhibitors of CXCR4 and VLA-4 in Splenectomized and Unsplenectomized Mice.. Blood, 2007, 110, 2219-2219.	1.4	4
78	Kinetics of Human and Murine Mobilization of Acute Myeloid Leukemia in Response to AMD3100.. Blood, 2007, 110, 867-867.	1.4	4
79	M2-10B4 Mesenchymal Stromal Cells Confer an In Vitro Protective Effect of Murine mCGPR/+ Acute Promyelocytic Leukemic Cells Against Chemotherapy.. Blood, 2007, 110, 2844-2844.	1.4	0
80	Kinetics of Stem Cell and Lymphoid Subset Mobilization in Response to Intravenous (IV) AMD3100 in Mouse and Man.. Blood, 2007, 110, 1203-1203.	1.4	1
81	Phenotypic and Functional Analysis of T-Cells Mobilized in HLA-Matched Sibling Donors Following Treatment with the Chemokine Antagonist AMD3100.. Blood, 2006, 108, 3001-3001.	1.4	3
82	CXCR4/SDF-1 Is a Key Regulator for Leukemia Migration and Homing to the BM: Impact of AMD3100 on In Vivo Response to Chemotherapy.. Blood, 2006, 108, 569-569.	1.4	2
83	Forced Expression of the β -Mutant Inosine Monophosphate Dehydrogenase II Results in Physiologically Significant Resistance to Mycophenolic Acid In Vitro.. Blood, 2006, 108, 5480-5480.	1.4	0
84	In Vivo Bioluminescence Imaging (BLI) and Sequential ^{18}F FHBG microPET Imaging Studies of Human T Cell (huT) Trafficking, Expansion and Xenogeneic Graft-Versus-Host-Disease (XGVHD) Following Different Routes of T Cell Administration.. Blood, 2006, 108, 5178-5178.	1.4	0
85	Allogeneic Recipients of Ex-Vivo Manipulated Donor T Cells Have Altered Plasma Analyte Profiles Compared to Recipients of Unmanipulated T Cells.. Blood, 2006, 108, 3227-3227.	1.4	0
86	Erythrocyte adhesion is modified by alterations in cellular tonicity and volume. British Journal of Haematology, 2005, 131, 366-377.	2.5	25
87	AMD3100 Mobilizes Acute Promyelocytic Leukemia Cells from the Bone Marrow into the Peripheral Blood and Sensitizes Leukemia Cells to Chemotherapy.. Blood, 2005, 106, 246-246.	1.4	6
88	Inosine Monophosphate Dehydrogenase II Mutant (Thr-333-Ile + Ser-351-Tyr) Does Not Confer Resistance to Mycophenolic Acid In Vivo.. Blood, 2005, 106, 5226-5226.	1.4	0
89	Naive and Ex Vivo Activated Human T Cells Generate Consistent Engraftment and Lethal Graft-Versus-Host Disease (GvHD) in NOD SCID $\beta 2m$ Null Mice: A New Xenogeneic Model for GvHD.. Blood, 2005, 106, 3106-3106.	1.4	0
90	Comparison of the Proliferative Kinetics, GVHD Potential and GCV Sensitivity of Naive and Transduced and Selected Murine T Cells after Allogeneic BMT.. Blood, 2005, 106, 5257-5257.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Kinetics of Hematopoietic Progenitor Cell Mobilization with Cyclophosphamide or Cyclophosphamide Plus AMD3100 Using a Mouse Model.. Blood, 2005, 106, 5217-5217.	1.4	1
92	Evaluation of the Phenotype and GVHD-Inducing Potential of Splenic T Cells Isolated from G-CSF, AMD3100, or G-CSF and AMD3100 Pretreated Allogeneic Donors.. Blood, 2005, 106, 5224-5224.	1.4	1
93	Kinetics of In Vivo Elimination of Suicide Gene-Expressing T Cells Affects Engraftment, Graft-versus-Host Disease, and Graft-versus-Leukemia after Allogeneic Bone Marrow Transplantation. Journal of Immunology, 2004, 173, 3620-3630.	0.8	22
94	Modulation of Erythrocyte Adhesion by Changes in Cellular Tonicity and Volume.. Blood, 2004, 104, 1577-1577.	1.4	0
95	A Murine Xenograft Model for Human T Cell Mediated Graft Versus Host Disease.. Blood, 2004, 104, 4977-4977.	1.4	0
96	In Vivo Suicide Gene Therapy of Human T Lymphocytes To Prevent Graft Versus Host Disease in a Murine Xenograft Model.. Blood, 2004, 104, 4979-4979.	1.4	0
97	Transduction and selection of human T cells with novel CD34/thymidine kinase chimeric suicide genes for the treatment of graft-versus-host disease. Molecular Therapy, 2003, 8, 29-41.	8.2	30
98	Altered erythrocyte endothelial adherence and membrane phospholipid asymmetry in hereditary hydrocytosis. Blood, 2003, 101, 4625-4627.	1.4	217
99	Protein Kinase C Activation Induces Phosphatidylserine Exposure on Red Blood Cells. Biochemistry, 2002, 41, 12562-12567.	2.5	80
100	Effect of pH on the self-association of erythrocyte band 3 in situ. Biochimica Et Biophysica Acta - Biomembranes, 2001, 1515, 72-81.	2.6	8
101	Evaluation of Biochemical Changes During In Vivo Erythrocyte Senescence in the Dog. Blood, 1999, 93, 376-384.	1.4	95
102	How Old Are Dense Red Blood Cells? The Dog's Tale. Blood, 1998, 92, 2590-2591.	1.4	14
103	How Old Are Dense Red Blood Cells? The Dog's Tale. Blood, 1998, 92, 2590-2591.	1.4	0