Wojciech Jachec

List of Publications by Citations

Source: https://exaly.com/author-pdf/2918030/wojciech-jachec-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers387
citations11
h-index15
g-index78
ext. papers612
ext. citations3
avg, IF3.7
L-index

#	Paper	IF	Citations
63	Oxidative stress markers and C-reactive protein are related to severity of heart failure in patients with dilated cardiomyopathy. <i>Mediators of Inflammation</i> , 2014 , 2014, 147040	4.3	27
62	Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	23
61	Lead-related infective endocarditis: Factors influencing early and long-term survival in patients undergoing transvenous lead extraction. <i>Heart Rhythm</i> , 2017 , 14, 43-49	6.7	23
60	Effectiveness, safety, and long-term outcomes of non-powered mechanical sheaths for transvenous lead extraction. <i>Europace</i> , 2018 , 20, 1324-1333	3.9	17
59	An implantable pump Lenus proll in the treatment of pulmonary arterial hypertension with intravenous treprostinil. <i>BMC Pulmonary Medicine</i> , 2017 , 17, 162	3.5	15
58	Comparison of Oxidative Stress Parameters in Heart Failure Patients Depending on Ischaemic or Nonischaemic Aetiology. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 7156038	6.7	15
57	Lead-Dependent Infective Endocarditis: The Role of Factors Predisposing to Its Development in an Analysis of 414 Clinical Cases. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 846-56	1.6	14
56	Transvenous Lead Extraction SAFeTY Score for Risk Stratification and Proper Patient Selection for Removal Procedures Using Mechanical Tools. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	13
55	Evidence of oxidative stress in the renal cortex of diabetic rats: favourable effect of vitamin E. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2002 , 62, 81-8	2	12
54	Superoxide dismutase activity as a predictor of adverse outcomes in patients with nonischemic dilated cardiomyopathy. <i>Cell Stress and Chaperones</i> , 2019 , 24, 661-673	4	11
53	A new approach to the continuous monitoring of transvenous lead extraction using transesophageal echocardiography-Analysis of 936 procedures. <i>Echocardiography</i> , 2020 , 37, 601-611	1.5	11
52	Clinical Significance of Viral Genome Persistence in the Myocardium of Patients with Dilated Cardiomyopathy. <i>Intervirology</i> , 2015 , 58, 350-6	2.5	11
51	Risk Factors Predicting Complications of Transvenous Lead Extraction. <i>BioMed Research International</i> , 2018 , 2018, 8796704	3	11
50	To abandon or not to abandon: Late consequences of pacing and ICD lead abandonment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1006-1017	1.6	10
49	Transesophageal Echocardiography As a Monitoring Tool During Transvenous Lead Extraction-Does It Improve Procedure Effectiveness?. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	10
48	Database of Pulmonary Hypertension in the Polish Population (BNP-PL): design of the registry. <i>Kardiologia Polska</i> , 2019 , 77, 972-974	0.9	10
47	Remote Supervision to Decrease Hospitalization Rate (RESULT) study in patients with implanted cardioverter-defibrillator. <i>Europace</i> , 2020 , 22, 769-776	3.9	10

(2003-2017)

46	The effect of BMI, serum leptin, and adiponectin levels on prognosis in patients with non-ischaemic dilated cardiomyopathy. <i>Endokrynologia Polska</i> , 2017 , 68, 26-34	1.1	9	
45	Lead-related infective endocarditis: factors influencing the formation of large vegetations. <i>Europace</i> , 2017 , 19, 1022-1030	3.9	9	
44	Serum Galectin-3 and ST2 as predictors of unfavorable outcome in stable dilated cardiomyopathy patients. <i>Hellenic Journal of Cardiology</i> , 2017 , 58, 350-359	2.1	8	
43	Infectious complications in patients with cardiac implantable electronic devices: risk factors, prevention, and prognosis. <i>Polish Archives of Internal Medicine</i> , 2017 , 127, 597-607	1.9	8	
42	Comparison of coronary artery bypass grafting with percutaneous coronary intervention for unprotected left main coronary artery disease. <i>Yonsei Medical Journal</i> , 2012 , 53, 58-67	3	7	
41	Echocardiographic findings in patients with cardiac implantable electronic devices-analysis of factors predisposing to lead-associated changes. <i>Clinical Physiology and Functional Imaging</i> , 2021 , 41, 25-41	2.4	7	
40	Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). Therapeutic Advances in Chronic Disease, 2021, 12, 20406223211002961	4.9	7	
39	Malondialdehyde and Uric Acid as Predictors of Adverse Outcome in Patients with Chronic Heart Failure. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 9246138	6.7	5	
38	Prognostic Factors in Patients with an Implanted Pacemaker after 80 Years of Age in a 4-Year Follow-Up. <i>Gerontology</i> , 2018 , 64, 107-117	5.5	5	
37	Impact of ICD lead on the system durability, predictors of long-term survival following ICD system extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 1139-1146	1.6	4	
36	Neopterin and beta-2 microglobulin relations to immunity and inflammatory status in nonischemic dilated cardiomyopathy patients. <i>Mediators of Inflammation</i> , 2014 , 2014, 585067	4.3	4	
35	Post-dilatation intravascular brachytherapy trials on hypercholesterolemic rabbits using 32P-phosphate solutions in angioplasty balloons. <i>CardioVascular and Interventional Radiology</i> , 2004 , 27, 42-50	2.7	4	
34	Lipid peroxidation and vitamin E in human coronary atherosclerotic lesions. <i>Clinica Chimica Acta</i> , 2003 , 330, 121-9	6.2	4	
33	Balloon Pulmonary Angioplasty in Chronic Thromboembolic Pulmonary Hypertension: A Multicenter Registry. <i>EuroIntervention</i> , 2021 ,	3.1	4	
32	Transesophageal echocardiography for the monitoring of transvenous lead extraction. <i>Kardiologia Polska</i> , 2020 , 78, 1206-1214	0.9	4	
31	Tako-tsubo cardiomyopathy as a recurrent disease with doubtful prognosis of recovery and heterogenic symptoms. <i>Cardiology Journal</i> , 2012 , 19, 521-3	1.4	4	
30	Post-stenting intravascular brachytherapy trials on hypercholesterolemic rabbits using 32P liquid sources: implications for prevention of in-stent restenosis. <i>CardioVascular and Interventional Radiology</i> , 2002 , 25, 307-13	2.7	3	
29	32P liquid sourcescomparison of the effectiveness of postangioplasty versus poststenting intravascular brachytherapy in hypercholesterolemic rabbits. Adjunctly implanted titanium stent does not attenuate the effect of endovascular irradiation. <i>Cardiovascular Radiation Medicine</i> , 2003 ,		3	

3

28	Heart failure mimicking prior myocardial infarction in a patient with idiopathic hypereosinophilic syndrome. <i>International Heart Journal</i> , 2011 , 52, 194-6	1.8	3
27	The influence of obstructive sleep breathing disturbances on echocardiographic and pulmonary haemodynamic parameters in patients with dilated cardiomyopathy. <i>Kardiologia Polska</i> , 2016 , 74, 135-4	41 ^{0.9}	3
26	The prognostic value of transesophageal echocardiography after transvenous lead extraction: landscape after battle. <i>Cardiovascular Diagnosis and Therapy</i> , 2021 , 11, 394-410	2.6	3
25	Leads dislodged into the pulmonary vascular bed in patients with cardiac implantable electronic devices. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016 , 12, 348-354	0.4	3
24	Risk Factors and Long-Term Survival of Octogenarians and Nonagenarians Undergoing Transvenous Lead Extraction Procedures. <i>Gerontology</i> , 2021 , 67, 36-48	5.5	3
23	Prognostic Value of Preoperative Echocardiographic Findings in Patients Undergoing Transvenous Lead Extraction. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
22	Prognosis of patients with implanted pacemakers in 4-year follow-up: Impact of right ventricular pacing site. <i>Herz</i> , 2018 , 43, 315-324	2.6	2
21	Analysis of myocardial infarction time course in women compared with men in Upper Silesia population in 30 day follow-up. <i>International Heart Journal</i> , 2009 , 50, 711-21	1.8	2
20	Serum Sulfhydryl Groups, Malondialdehyde, Uric Acid, and Bilirubin as Predictors of Adverse Outcome in Heart Failure Patients due to Ischemic or Nonischemic Cardiomyopathy. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 6693405	6.7	2
19	Handheld Capillary Blood Lactate Analyzer as an Accessible and Cost-Effective Prognostic Tool for the Assessment of Death and Heart Failure Occurrence during Long-Term Follow-Up. <i>Disease Markers</i> , 2016 , 2016, 5965782	3.2	2
18	Influence of the type of pathogen on the clinical course of infectious complications related to cardiac implantable electronic devices. <i>Scientific Reports</i> , 2021 , 11, 14864	4.9	2
17	The multiple systemic artery to pulmonary artery fistulas resulting in severe irreversible pulmonary arterial hypertension in patient with previous history of pneumothorax. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 80	3.5	1
16	Randomized placebo controlled blinded study to assess valsartan efficacy in preventing left ventricle remodeling in patients with dual chamber pacemakerRationale and design of the trial. <i>Contemporary Clinical Trials</i> , 2015 , 42, 239-43	2.3	1
15	Risk Factors for Lead-Related Venous Obstruction: A Study of 2909 Candidates for Lead Extraction. Journal of Clinical Medicine, 2021 , 10,	5.1	1
14	A Study of Major and Minor Complications of 1500 Transvenous Lead Extraction Procedures Performed with Optimal Safety at Two High-Volume Referral Centers. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
13	Safety and effectiveness of coronary sinus leads extraction - single high-volume centre experience. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019 , 15, 345-356	0.4	1
12	The role of transesophageal echocardiography in predicting technical problems and complications of transvenous lead extractions procedures. <i>Clinical Cardiology</i> , 2021 , 44, 1233-1242	3.3	1
11	Transvenous Lead Extraction without Procedure-Related Deaths in 1000 Consecutive Patients: A Single-Center Experience. <i>Vascular Health and Risk Management</i> , 2021 , 17, 445-459	4.4	1

LIST OF PUBLICATIONS

Influence of Lead-Related Venous Obstruction on the Complexity and Outcomes of Insvenous Lead Extraction. <i>International Journal of Environmental Research and Public Health</i> , 18,	4.6	1
d Dependent Tricuspid Valve Dysfunction-Risk Factors, Improvement after Transvenous Lead raction and Long-Term Prognosis <i>Journal of Clinical Medicine</i> , 2021 , 11,	5.1	1
GNOSTIC AND PREDICTIVE VALUE OF RIGHT HEART CATHETERIZATION-DERIVED ASUREMENTS IN PULMONARY HYPERTENSION. <i>Wiadomo<mark>tii Lekarskie</mark></i> , 2021 , 74, 546-553	0.3	O
ety and Effectiveness of Transvenous Lead Extraction in Patients with Infected Cardiac synchronization Therapy Devices; Is It More Risky than Extraction of Other Systems?. ernational Journal of Environmental Research and Public Health, 2022 , 19, 5803	4.6	O
rapeutic percutaneous transluminal angioplasty with a stenting procedure of a stenosed great diac vein in a patient with dilated cardiomyopathy submitted to biventricular pacemaker blantation. <i>Cor Et Vasa</i> , 2013 , 55, e541-e544	0.3	
grade from ICD to CRT-D: clinical and haemodynamic impact of biventricular pacing in a patient h acquired long QT syndrome. <i>Open Medicine (Poland)</i> , 2015 , 10, 113-118	2.2	
nscutaneous intravascular transposition of a permanent dialysis catheter. <i>Wideochirurgia I Inne</i> hniki Maloinwazyjne, 2014 , 9, 486-8	1.4	
luation of CD25+CD4+ Regulatory T-Lymphocyte Subpopulations in Coronary Artery Diseases ients 2014 , 2014, 1-5		
diogenic shock in myocardial infarction-results of in-hospital follow-up. <i>Open Medicine (Poland)</i> , 1 , 6, 213-219	2.2	
GNOSTIC AND PREDICTIVE VALUE OF RIGHT HEART CATHETERIZATION-DERIVED ASUREMENTS IN PULMONARY HYPERTENSION. <i>Wiadomo<mark>di Lekarskie</mark></i> , 2021 , 74, 546-553	0.3	
	Insvenous Lead Extraction. International Journal of Environmental Research and Public Health, 11, 18, Id Dependent Tricuspid Valve Dysfunction-Risk Factors, Improvement after Transvenous Lead raction and Long-Term Prognosis Journal of Clinical Medicine, 2021, 11, GNOSTIC AND PREDICTIVE VALUE OF RIGHT HEART CATHETERIZATION-DERIVED ASUREMENTS IN PULMONARY HYPERTENSION. Wiadomolii Lekarskie, 2021, 74, 546-553 ety and Effectiveness of Transvenous Lead Extraction in Patients with Infected Cardiac ynchronization Therapy Devices; Is It More Risky than Extraction of Other Systems?. In Patients with Infected Cardiac ynchronization of Environmental Research and Public Health, 2022, 19, 5803 ety and Effectiveneous transluminal angioplasty with a stenting procedure of a stenosed great diac vein in a patient with dilated cardiomyopathy submitted to biventricular pacemaker diac vein in a patient with dilated cardiomyopathy submitted to biventricular pacemaker diac vein in a patient with dilated cardiomyopathy submitted to biventricular pacing in a patient diac vein in Coronary Systems. Systems of the package	d Dependent Tricuspid Valve Dysfunction-Risk Factors, Improvement after Transvenous Lead raction and Long-Term Prognosis Journal of Clinical Medicine, 2021, 11, GNOSTIC AND PREDICTIVE VALUE OF RIGHT HEART CATHETERIZATION-DERIVED ASUREMENTS IN PULMONARY HYPERTENSION. Wiadomoßi Lekarskie, 2021, 74, 546-553 ety and Effectiveness of Transvenous Lead Extraction in Patients with Infected Cardiac ynchronization Therapy Devices; Is It More Risky than Extraction of Other Systems?. grapeutic percutaneous transluminal angioplasty with a stenting procedure of a stenosed great diac vein in a patient with dilated cardiomyopathy submitted to biventricular pacemaker and patient with dilated cardiomyopathy submitted to biventricular pacemaker and patient of Development of