Wojciech Jachec

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2918030/wojciech-jachec-publications-by-year.pdf

Version: 2024-04-02

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 63 | 387 | 11 | 15 |
|-------------|--------------------|---------|---------|
| papers | citations | h-index | g-index |
| 78 | 612 ext. citations | 3 | 3.7 |
| ext. papers | | avg, IF | L-index |

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 63 | Safety and Effectiveness of Transvenous Lead Extraction in Patients with Infected Cardiac Resynchronization Therapy Devices; Is It More Risky than Extraction of Other Systems?. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 5803 | 4.6 | O |
| 62 | Balloon Pulmonary Angioplasty in Chronic Thromboembolic Pulmonary Hypertension: A Multicenter Registry. <i>EuroIntervention</i> , 2021 , | 3.1 | 4 |
| 61 | Risk Factors for Lead-Related Venous Obstruction: A Study of 2909 Candidates for Lead Extraction. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 1 |
| 60 | A Study of Major and Minor Complications of 1500 Transvenous Lead Extraction Procedures Performed with Optimal Safety at Two High-Volume Referral Centers. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 59 | Serum Sulfhydryl Groups, Malondialdehyde, Uric Acid, and Bilirubin as Predictors of Adverse Outcome in Heart Failure Patients due to Ischemic or Nonischemic Cardiomyopathy. <i>Oxidative</i> <i>Medicine and Cellular Longevity</i> , 2021 , 2021, 6693405 | 6.7 | 2 |
| 58 | The prognostic value of transesophageal echocardiography after transvenous lead extraction: landscape after battle. <i>Cardiovascular Diagnosis and Therapy</i> , 2021 , 11, 394-410 | 2.6 | 3 |
| 57 | Risk Factors and Long-Term Survival of Octogenarians and Nonagenarians Undergoing Transvenous Lead Extraction Procedures. <i>Gerontology</i> , 2021 , 67, 36-48 | 5.5 | 3 |
| 56 | Echocardiographic findings in patients with cardiac implantable electronic devices-analysis of factors predisposing to lead-associated changes. <i>Clinical Physiology and Functional Imaging</i> , 2021 , 41, 25-41 | 2.4 | 7 |
| 55 | DIAGNOSTIC AND PREDICTIVE VALUE OF RIGHT HEART CATHETERIZATION-DERIVED MEASUREMENTS IN PULMONARY HYPERTENSION. <i>Wiadomodi Lekarskie</i> , 2021 , 74, 546-553 | 0.3 | O |
| 54 | Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). Therapeutic Advances in Chronic Disease, 2021, 12, 20406223211002961 | 4.9 | 7 |
| 53 | Prognostic Value of Preoperative Echocardiographic Findings in Patients Undergoing Transvenous Lead Extraction. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 3 |
| 52 | The role of transesophageal echocardiography in predicting technical problems and complications of transvenous lead extractions procedures. <i>Clinical Cardiology</i> , 2021 , 44, 1233-1242 | 3.3 | 1 |
| 51 | Influence of the type of pathogen on the clinical course of infectious complications related to cardiac implantable electronic devices. <i>Scientific Reports</i> , 2021 , 11, 14864 | 4.9 | 2 |
| 50 | Transvenous Lead Extraction without Procedure-Related Deaths in 1000 Consecutive Patients: A Single-Center Experience. <i>Vascular Health and Risk Management</i> , 2021 , 17, 445-459 | 4.4 | 1 |
| 49 | The Influence of Lead-Related Venous Obstruction on the Complexity and Outcomes of Transvenous Lead Extraction. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 48 | DIAGNOSTIC AND PREDICTIVE VALUE OF RIGHT HEART CATHETERIZATION-DERIVED MEASUREMENTS IN PULMONARY HYPERTENSION. <i>Wiadomodi Lekarskie</i> , 2021 , 74, 546-553 | 0.3 | |
| 47 | Lead Dependent Tricuspid Valve Dysfunction-Risk Factors, Improvement after Transvenous Lead Extraction and Long-Term Prognosis <i>Journal of Clinical Medicine</i> , 2021 , 11, | 5.1 | 1 |

(2017-2020)

| 46 | Transesophageal Echocardiography As a Monitoring Tool During Transvenous Lead Extraction-Does It Improve Procedure Effectiveness?. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 10 |
|----|---|-----|----|
| 45 | A new approach to the continuous monitoring of transvenous lead extraction using transesophageal echocardiography-Analysis of 936 procedures. <i>Echocardiography</i> , 2020 , 37, 601-611 | 1.5 | 11 |
| 44 | Transvenous Lead Extraction SAFeTY Score for Risk Stratification and Proper Patient Selection for Removal Procedures Using Mechanical Tools. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 13 |
| 43 | Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 23 |
| 42 | Transesophageal echocardiography for the monitoring of transvenous lead extraction. <i>Kardiologia Polska</i> , 2020 , 78, 1206-1214 | 0.9 | 4 |
| 41 | Remote Supervision to Decrease Hospitalization Rate (RESULT) study in patients with implanted cardioverter-defibrillator. <i>Europace</i> , 2020 , 22, 769-776 | 3.9 | 10 |
| 40 | To abandon or not to abandon: Late consequences of pacing and ICD lead abandonment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1006-1017 | 1.6 | 10 |
| 39 | Superoxide dismutase activity as a predictor of adverse outcomes in patients with nonischemic dilated cardiomyopathy. <i>Cell Stress and Chaperones</i> , 2019 , 24, 661-673 | 4 | 11 |
| 38 | The multiple systemic artery to pulmonary artery fistulas resulting in severe irreversible pulmonary arterial hypertension in patient with previous history of pneumothorax. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 80 | 3.5 | 1 |
| 37 | Malondialdehyde and Uric Acid as Predictors of Adverse Outcome in Patients with Chronic Heart Failure. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 9246138 | 6.7 | 5 |
| 36 | Comparison of Oxidative Stress Parameters in Heart Failure Patients Depending on Ischaemic or Nonischaemic Aetiology. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 7156038 | 6.7 | 15 |
| 35 | Database of Pulmonary Hypertension in the Polish Population (BNP-PL): design of the registry. <i>Kardiologia Polska</i> , 2019 , 77, 972-974 | 0.9 | 10 |
| 34 | Safety and effectiveness of coronary sinus leads extraction - single high-volume centre experience. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019 , 15, 345-356 | 0.4 | 1 |
| 33 | Prognosis of patients with implanted pacemakers in 4-year follow-up: Impact of right ventricular pacing site. <i>Herz</i> , 2018 , 43, 315-324 | 2.6 | 2 |
| 32 | Effectiveness, safety, and long-term outcomes of non-powered mechanical sheaths for transvenous lead extraction. <i>Europace</i> , 2018 , 20, 1324-1333 | 3.9 | 17 |
| 31 | Prognostic Factors in Patients with an Implanted Pacemaker after 80 Years of Age in a 4-Year Follow-Up. <i>Gerontology</i> , 2018 , 64, 107-117 | 5.5 | 5 |
| 30 | Risk Factors Predicting Complications of Transvenous Lead Extraction. <i>BioMed Research International</i> , 2018 , 2018, 8796704 | 3 | 11 |
| 29 | Serum Galectin-3 and ST2 as predictors of unfavorable outcome in stable dilated cardiomyopathy patients. <i>Hellenic Journal of Cardiology</i> , 2017 , 58, 350-359 | 2.1 | 8 |

| 28 | An implantable pump Lenus pro in the treatment of pulmonary arterial hypertension with intravenous treprostinil. <i>BMC Pulmonary Medicine</i> , 2017 , 17, 162 | 3.5 | 15 |
|----|---|-------------------|----|
| 27 | Impact of ICD lead on the system durability, predictors of long-term survival following ICD system extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 1139-1146 | 1.6 | 4 |
| 26 | Lead-related infective endocarditis: Factors influencing early and long-term survival in patients undergoing transvenous lead extraction. <i>Heart Rhythm</i> , 2017 , 14, 43-49 | 6.7 | 23 |
| 25 | Infectious complications in patients with cardiac implantable electronic devices: risk factors, prevention, and prognosis. <i>Polish Archives of Internal Medicine</i> , 2017 , 127, 597-607 | 1.9 | 8 |
| 24 | The effect of BMI, serum leptin, and adiponectin levels on prognosis in patients with non-ischaemic dilated cardiomyopathy. <i>Endokrynologia Polska</i> , 2017 , 68, 26-34 | 1.1 | 9 |
| 23 | Lead-related infective endocarditis: factors influencing the formation of large vegetations. <i>Europace</i> , 2017 , 19, 1022-1030 | 3.9 | 9 |
| 22 | The influence of obstructive sleep breathing disturbances on echocardiographic and pulmonary haemodynamic parameters in patients with dilated cardiomyopathy. <i>Kardiologia Polska</i> , 2016 , 74, 135-4 | ı1 ^{0.9} | 3 |
| 21 | Leads dislodged into the pulmonary vascular bed in patients with cardiac implantable electronic devices. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016 , 12, 348-354 | 0.4 | 3 |
| 20 | Handheld Capillary Blood Lactate Analyzer as an Accessible and Cost-Effective Prognostic Tool for the Assessment of Death and Heart Failure Occurrence during Long-Term Follow-Up. <i>Disease Markers</i> , 2016 , 2016, 5965782 | 3.2 | 2 |
| 19 | Lead-Dependent Infective Endocarditis: The Role of Factors Predisposing to Its Development in an Analysis of 414 Clinical Cases. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 846-56 | 1.6 | 14 |
| 18 | Upgrade from ICD to CRT-D: clinical and haemodynamic impact of biventricular pacing in a patient with acquired long QT syndrome. <i>Open Medicine (Poland)</i> , 2015 , 10, 113-118 | 2.2 | |
| 17 | Randomized placebo controlled blinded study to assess valsartan efficacy in preventing left ventricle remodeling in patients with dual chamber pacemakerRationale and design of the trial. <i>Contemporary Clinical Trials</i> , 2015 , 42, 239-43 | 2.3 | 1 |
| 16 | Clinical Significance of Viral Genome Persistence in the Myocardium of Patients with Dilated Cardiomyopathy. <i>Intervirology</i> , 2015 , 58, 350-6 | 2.5 | 11 |
| 15 | Transcutaneous intravascular transposition of a permanent dialysis catheter. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014 , 9, 486-8 | 1.4 | |
| 14 | Evaluation of CD25+CD4+ Regulatory T-Lymphocyte Subpopulations in Coronary Artery Diseases Patients 2014 , 2014, 1-5 | | |
| 13 | Oxidative stress markers and C-reactive protein are related to severity of heart failure in patients with dilated cardiomyopathy. <i>Mediators of Inflammation</i> , 2014 , 2014, 147040 | 4.3 | 27 |
| 12 | Neopterin and beta-2 microglobulin relations to immunity and inflammatory status in nonischemic dilated cardiomyopathy patients. <i>Mediators of Inflammation</i> , 2014 , 2014, 585067 | 4.3 | 4 |
| 11 | Therapeutic percutaneous transluminal angioplasty with a stenting procedure of a stenosed great cardiac vein in a patient with dilated cardiomyopathy submitted to biventricular pacemaker implantation. <i>Cor Et Vasa</i> , 2013 , 55, e541-e544 | 0.3 | |

LIST OF PUBLICATIONS

| 10 | Comparison of coronary artery bypass grafting with percutaneous coronary intervention for unprotected left main coronary artery disease. <i>Yonsei Medical Journal</i> , 2012 , 53, 58-67 | 3 | 7 |
|----|--|-----|----|
| 9 | Tako-tsubo cardiomyopathy as a recurrent disease with doubtful prognosis of recovery and heterogenic symptoms. <i>Cardiology Journal</i> , 2012 , 19, 521-3 | 1.4 | 4 |
| 8 | Cardiogenic shock in myocardial infarction-results of in-hospital follow-up. <i>Open Medicine (Poland)</i> , 2011 , 6, 213-219 | 2.2 | |
| 7 | Heart failure mimicking prior myocardial infarction in a patient with idiopathic hypereosinophilic syndrome. <i>International Heart Journal</i> , 2011 , 52, 194-6 | 1.8 | 3 |
| 6 | Analysis of myocardial infarction time course in women compared with men in Upper Silesia population in 30 day follow-up. <i>International Heart Journal</i> , 2009 , 50, 711-21 | 1.8 | 2 |
| 5 | Post-dilatation intravascular brachytherapy trials on hypercholesterolemic rabbits using 32P-phosphate solutions in angioplasty balloons. <i>CardioVascular and Interventional Radiology</i> , 2004 , 27, 42-50 | 2.7 | 4 |
| 4 | 32P liquid sourcescomparison of the effectiveness of postangioplasty versus poststenting intravascular brachytherapy in hypercholesterolemic rabbits. Adjunctly implanted titanium stent does not attenuate the effect of endovascular irradiation. <i>Cardiovascular Radiation Medicine</i> , 2003 , | | 3 |
| 3 | 4, 64-8 Lipid peroxidation and vitamin E in human coronary atherosclerotic lesions. <i>Clinica Chimica Acta</i> , 2003 , 330, 121-9 | 6.2 | 4 |
| 2 | Post-stenting intravascular brachytherapy trials on hypercholesterolemic rabbits using 32P liquid sources: implications for prevention of in-stent restenosis. <i>CardioVascular and Interventional Radiology</i> , 2002 , 25, 307-13 | 2.7 | 3 |
| 1 | Evidence of oxidative stress in the renal cortex of diabetic rats: favourable effect of vitamin E. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2002 , 62, 81-8 | 2 | 12 |