

Taylor Morrisette

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2919024/taylor-morrisette-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

10,804
citations

44
h-index

102
g-index

186
ext. papers

13,063
ext. citations

5.7
avg, IF

6.43
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 175 | Clinical practice guidelines by the infectious diseases society of america for the treatment of methicillin-resistant Staphylococcus aureus infections in adults and children. <i>Clinical Infectious Diseases</i> , 2011 , 52, e18-55 | 11.6 | 1736 |
| 174 | Infective Endocarditis in Adults: Diagnosis, Antimicrobial Therapy, and Management of Complications: A Scientific Statement for Healthcare Professionals From the American Heart Association. <i>Circulation</i> , 2015 , 132, 1435-86 | 16.7 | 1479 |
| 173 | Clinical practice guidelines by the infectious diseases society of america for the treatment of methicillin-resistant Staphylococcus aureus infections in adults and children: executive summary. <i>Clinical Infectious Diseases</i> , 2011 , 52, 285-92 | 11.6 | 1209 |
| 172 | Vancomycin therapeutic guidelines: a summary of consensus recommendations from the infectious diseases Society of America, the American Society of Health-System Pharmacists, and the Society of Infectious Diseases Pharmacists. <i>Clinical Infectious Diseases</i> , 2009 , 49, 325-7 | 11.6 | 566 |
| 171 | The pharmacokinetic and pharmacodynamic properties of vancomycin. <i>Clinical Infectious Diseases</i> , 2006 , 42 Suppl 1, S35-9 | 11.6 | 483 |
| 170 | Therapeutic monitoring of vancomycin for serious methicillin-resistant Staphylococcus aureus infections: A revised consensus guideline and review by the American Society of Health-System Pharmacists, the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the Society of Infectious Diseases Pharmacists. <i>American Journal of Health-System Pharmacy</i> , 2014 , 71, 835-864 | 2.2 | 307 |
| 169 | In vitro activities of daptomycin, vancomycin, linezolid, and quinupristin-dalfopristin against Staphylococci and Enterococci, including vancomycin-intermediate and -resistant strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 1062-6 | 5.9 | 275 |
| 168 | Therapeutic monitoring of vancomycin in adults summary of consensus recommendations from the American Society of Health-System Pharmacists, the Infectious Diseases Society of America, and the Society of Infectious Diseases Pharmacists. <i>Pharmacotherapy</i> , 2009 , 29, 1275-9 | 5.8 | 207 |
| 167 | Bactericidal activities of two daptomycin regimens against clinical strains of glycopeptide intermediate-resistant Staphylococcus aureus, vancomycin-resistant Enterococcus faecium, and methicillin-resistant Staphylococcus aureus isolates in an in vitro pharmacodynamic model with intermittent dosing. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 1511-8 | 5.9 | 166 |
| 166 | A Quasi-Experiment To Study the Impact of Vancomycin Area under the Concentration-Time Curve-Guided Dosing on Vancomycin-Associated Nephrotoxicity. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61, | 5.9 | 126 |
| 165 | Characterization of vancomycin-heteroresistant Staphylococcus aureus from the metropolitan area of Detroit, Michigan, over a 22-year period (1986 to 2007). <i>Journal of Clinical Microbiology</i> , 2008 , 46, 2958-74 | 5.7 | 120 |
| 164 | Antimicrobial salvage therapy for persistent staphylococcal bacteremia using daptomycin plus ceftaroline. <i>Clinical Therapeutics</i> , 2014 , 36, 1317-33 | 3.5 | 118 |
| 163 | Comparative in vitro activities and postantibiotic effects of the oxazolidinone compounds eperzolid (PNU-100592) and linezolid (PNU-100766) versus vancomycin against Staphylococcus aureus, coagulase-negative staphylococci, Enterococcus faecalis, and Enterococcus faecium. <i>Antimicrobial Agents and Chemotherapy</i> , 1998 , 42, 721-4 | 5.9 | 118 |
| 162 | Risk of Acute Kidney Injury in Patients on Concomitant Vancomycin and Piperacillin-Tazobactam Compared to Those on Vancomycin and Cefepime. <i>Clinical Infectious Diseases</i> , 2017 , 64, 116-123 | 11.6 | 114 |
| 161 | The β -Lactams Strike Back: Ceftazidime-Avibactam. <i>Pharmacotherapy</i> , 2015 , 35, 755-70 | 5.8 | 113 |
| 160 | Ceftaroline increases membrane binding and enhances the activity of daptomycin against daptomycin-nonsusceptible vancomycin-intermediate Staphylococcus aureus in a pharmacokinetic/pharmacodynamic model. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 66-73 | 5.9 | 98 |
| 159 | A Review of Combination Antimicrobial Therapy for Enterococcus faecalis Bloodstream Infections and Infective Endocarditis. <i>Clinical Infectious Diseases</i> , 2018 , 67, 303-309 | 11.6 | 92 |

| | | | |
|-----|---|------|----|
| 158 | Community-associated methicillin-resistant <i>Staphylococcus aureus</i> : a review. <i>Pharmacotherapy</i> , 2005 , 25, 74-85 | 5.8 | 89 |
| 157 | Emergence of methicillin-resistant <i>Staphylococcus aureus</i> with intermediate glycopeptide resistance: clinical significance and treatment options. <i>Drugs</i> , 2001 , 61, 1-7 | 12.1 | 85 |
| 156 | Large retrospective evaluation of the effectiveness and safety of ceftaroline fosamil therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2541-6 | 5.9 | 84 |
| 155 | 1596. Impact of Vancomycin Area Under Curve on Persistent Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Bloodstream Infections (BSI). <i>Open Forum Infectious Diseases</i> , 2019 , 6, S582-S582 | 1 | 78 |
| 154 | Evaluation of standard- and high-dose daptomycin versus linezolid against vancomycin-resistant <i>Enterococcus</i> isolates in an in vitro pharmacokinetic/pharmacodynamic model with simulated endocardial vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 3174-80 | 5.9 | 76 |
| 153 | β-Lactam combinations with daptomycin provide synergy against vancomycin-resistant <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1738-43 | 5.1 | 75 |
| 152 | Identification of Vancomycin Exposure-Toxicity Thresholds in Hospitalized Patients Receiving Intravenous Vancomycin. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62, | 5.9 | 72 |
| 151 | Acute bacterial skin and skin structure infections (ABSSSI): practice guidelines for management and care transitions in the emergency department and hospital. <i>Journal of Emergency Medicine</i> , 2015 , 48, 508-19 | 1.5 | 72 |
| 150 | In vitro activity of ceftaroline against methicillin-resistant <i>Staphylococcus aureus</i> and heterogeneous vancomycin-intermediate <i>S. aureus</i> in a hollow fiber model. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 4712-7 | 5.9 | 69 |
| 149 | Time Is of the Essence: The Impact of Delayed Antibiotic Therapy on Patient Outcomes in Hospital-Onset Enterococcal Bloodstream Infections. <i>Clinical Infectious Diseases</i> , 2016 , 62, 1242-1250 | 11.6 | 64 |
| 148 | Inhibition of drug metabolism by quinolone antibiotics. <i>Clinical Pharmacokinetics</i> , 1988 , 15, 194-204 | 6.2 | 62 |
| 147 | Clinical Outcomes in Patients with Heterogeneous Vancomycin-Intermediate <i>Staphylococcus aureus</i> Bloodstream Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 4252-4259 | 5.9 | 58 |
| 146 | Dalbavancin: A Novel Lipoglycopeptide Antibiotic with Extended Activity Against Gram-Positive Infections. <i>Infectious Diseases and Therapy</i> , 2015 , 4, 245-58 | 6.2 | 57 |
| 145 | Oritavancin: A New Lipoglycopeptide Antibiotic in the Treatment of Gram-Positive Infections. <i>Infectious Diseases and Therapy</i> , 2016 , 5, 1-15 | 6.2 | 55 |
| 144 | Daptomycin - a novel antibiotic against Gram-positive pathogens. <i>Expert Opinion on Pharmacotherapy</i> , 2004 , 5, 2321-31 | 4 | 55 |
| 143 | Therapeutic Monitoring of Vancomycin for Serious Methicillin-resistant <i>Staphylococcus aureus</i> Infections: A Revised Consensus Guideline and Review by the American Society of Health-system Pharmacists, the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the Society of Infectious Diseases Pharmacists. <i>Clinical Infectious Diseases</i> , 2020 , 71, 1361-1364 | 11.6 | 55 |
| 142 | Evaluation of tedizolid against <i>Staphylococcus aureus</i> and enterococci with reduced susceptibility to vancomycin, daptomycin or linezolid. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 152-5 | 5.1 | 54 |
| 141 | Pharmacodynamics: relation to antimicrobial resistance. <i>American Journal of Medicine</i> , 2006 , 119, S37-44; discussion S62-70 | 2.4 | 53 |

| | | | |
|-----|--|------|----|
| 140 | Making the change to area under the curve-based vancomycin dosing. <i>American Journal of Health-System Pharmacy</i> , 2018 , 75, 1986-1995 | 2.2 | 53 |
| 139 | Evaluation of the Synergy of Ceftazidime-Avibactam in Combination with Meropenem, Amikacin, Aztreonam, Colistin, or Fosfomycin against Well-Characterized Multidrug-Resistant <i>Klebsiella pneumoniae</i> and <i>Pseudomonas aeruginosa</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63, | 5.9 | 52 |
| 138 | Observation of "seesaw effect" with vancomycin, teicoplanin, daptomycin and ceftaroline in 150 unique MRSA strains. <i>Infectious Diseases and Therapy</i> , 2014 , 3, 35-43 | 6.2 | 52 |
| 137 | Delafloxacin: Place in Therapy and Review of Microbiologic, Clinical and Pharmacologic Properties. <i>Infectious Diseases and Therapy</i> , 2018 , 7, 197-217 | 6.2 | 51 |
| 136 | Role of Combination Antimicrobial Therapy for Vancomycin-Resistant <i>Enterococcus faecium</i> Infections: Review of the Current Evidence. <i>Pharmacotherapy</i> , 2017 , 37, 579-592 | 5.8 | 50 |
| 135 | Evaluation of ceftaroline activity against heteroresistant vancomycin-intermediate <i>Staphylococcus aureus</i> and vancomycin-intermediate methicillin-resistant <i>S. aureus</i> strains in an in vitro pharmacokinetic/pharmacodynamic model: exploring the "seesaw effect". <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63, 2019-0118 | 5.9 | 48 |
| 134 | Association between vancomycin day 1 exposure profile and outcomes among patients with methicillin-resistant <i>Staphylococcus aureus</i> infective endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2978-85 | 5.9 | 47 |
| 133 | Epidemiology of Acute Kidney Injury among Patients Receiving Concomitant Vancomycin and Piperacillin-Tazobactam: Opportunities for Antimicrobial Stewardship. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 3743-50 | 5.9 | 47 |
| 132 | Evaluation of the novel combination of daptomycin plus ceftriaxone against vancomycin-resistant enterococci in an in vitro pharmacokinetic/pharmacodynamic simulated endocardial vegetation model. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 2148-54 | 5.1 | 45 |
| 131 | Pharmacodynamics: relation to antimicrobial resistance. <i>American Journal of Infection Control</i> , 2006 , 34, S38-45; discussion S64-73 | 3.8 | 42 |
| 130 | Multicenter Observational Study of Ceftaroline Fosamil for Methicillin-Resistant <i>Staphylococcus aureus</i> Bloodstream Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61, | 5.9 | 41 |
| 129 | Real-World Experience With Ceftazidime-Avibactam for Multidrug-Resistant Gram-Negative Bacterial Infections. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz522 | 1 | 41 |
| 128 | Daptomycin Plus β -Lactam Combination Therapy for Methicillin-resistant <i>Staphylococcus aureus</i> Bloodstream Infections: A Retrospective, Comparative Cohort Study. <i>Clinical Infectious Diseases</i> , 2020 , 71, 1-10 | 11.6 | 39 |
| 127 | Daptomycin Improves Outcomes Regardless of Vancomycin MIC in a Propensity-Matched Analysis of Methicillin-Resistant <i>Staphylococcus aureus</i> Bloodstream Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 5841-8 | 5.9 | 38 |
| 126 | On- and off-label utilization of dalbavancin and oritavancin for Gram-positive infections. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 2405-2416 | 5.1 | 36 |
| 125 | Potent synergy of ceftobiprole plus daptomycin against multiple strains of <i>Staphylococcus aureus</i> with various resistance phenotypes. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 3006-10 | 5.1 | 36 |
| 124 | Evaluation of ceftaroline, vancomycin, daptomycin, or ceftaroline plus daptomycin against daptomycin-nonsusceptible methicillin-resistant <i>Staphylococcus aureus</i> in an in vitro pharmacokinetic/pharmacodynamic model of simulated endocardial vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 3177-81 | 5.9 | 35 |
| 123 | Vancomycin plus ceftaroline shows potent in vitro synergy and was successfully utilized to clear persistent daptomycin-non-susceptible MRSA bacteraemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 311-3 | 5.1 | 34 |

| | | | |
|-----|---|-----|----|
| 122 | Dalbavancin and Oritavancin: An Innovative Approach to the Treatment of Gram-Positive Infections. <i>Pharmacotherapy</i> , 2015 , 35, 935-48 | 5.8 | 33 |
| 121 | β-Lactams enhance daptomycin activity against vancomycin-resistant <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i> in in vitro pharmacokinetic/pharmacodynamic models. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2842-8 | 5.9 | 32 |
| 120 | Resistance to antimicrobial agents: an update. <i>Pharmacotherapy</i> , 2004 , 24, 203S-15S | 5.8 | 32 |
| 119 | Comparison of a rabbit model of bacterial endocarditis and an in vitro infection model with simulated endocardial vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 1921-4 | 5.9 | 32 |
| 118 | Ofloxacin clinical pharmacokinetics. <i>Clinical Pharmacokinetics</i> , 1992 , 22, 32-46 | 6.2 | 31 |
| 117 | Perturbations of Phosphatidate Cytidyltransferase (CdsA) Mediate Daptomycin Resistance in <i>Streptococcus mitis/oralis</i> by a Novel Mechanism. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61, | 5.9 | 30 |
| 116 | The combination of ceftaroline plus daptomycin allows for therapeutic de-escalation and daptomycin sparing against MRSA. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 505-9 | 5.1 | 30 |
| 115 | β-Lactam Combinations with Vancomycin Show Synergistic Activity against Vancomycin-Susceptible <i>Staphylococcus aureus</i> , Vancomycin-Intermediate <i>S. aureus</i> (VISA), and Heterogeneous VISA. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62, | 5.9 | 30 |
| 114 | Ceftobiprole and ampicillin increase daptomycin susceptibility of daptomycin-susceptible and -resistant VRE. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 489-93 | 5.1 | 30 |
| 113 | Multicenter Cohort of Patients With Methicillin-Resistant Bacteremia Receiving Daptomycin Plus Ceftaroline Compared With Other MRSA Treatments. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofz538 | 1 | 30 |
| 112 | Evaluation of Ceftaroline Alone and in Combination against Biofilm-Producing Methicillin-Resistant <i>Staphylococcus aureus</i> with Reduced Susceptibility to Daptomycin and Vancomycin in an In Vitro Pharmacokinetic/Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 4497-503 | 5.9 | 29 |
| 111 | A novel approach utilizing biofilm time-kill curves to assess the bactericidal activity of ceftaroline combinations against biofilm-producing methicillin-resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2989-92 | 5.9 | 29 |
| 110 | Bacteriophage Therapeutics: A Primer for Clinicians on Phage-Antibiotic Combinations. <i>Pharmacotherapy</i> , 2020 , 40, 153-168 | 5.8 | 29 |
| 109 | Evaluation of the novel combination of high-dose daptomycin plus trimethoprim-sulfamethoxazole against daptomycin-nonsusceptible methicillin-resistant <i>Staphylococcus aureus</i> using an in vitro pharmacokinetic/pharmacodynamic model of simulated endocardial vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 5709-14 | 5.9 | 28 |
| 108 | Long-Acting Lipoglycopeptides: "Lineless Antibiotics" for Serious Infections in Persons Who Use Drugs. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz274 | 1 | 27 |
| 107 | Impact of the combination of daptomycin and trimethoprim-sulfamethoxazole on clinical outcomes in methicillin-resistant <i>Staphylococcus aureus</i> infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 1969-76 | 5.9 | 27 |
| 106 | Fosfomycin Enhances the Activity of Daptomycin against Vancomycin-Resistant Enterococci in an In Vitro Pharmacokinetic-Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 5716-23 | 5.9 | 27 |
| 105 | Executive Summary: Therapeutic Monitoring of Vancomycin for Serious Methicillin-Resistant <i>Staphylococcus aureus</i> Infections: A Revised Consensus Guideline and Review of the American Society of Health-System Pharmacists, the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the Society of Infectious Diseases Pharmacists. <i>Pharmacotherapy</i> , 2020 , 40, 363-367 | 5.8 | 26 |

| | | | |
|-----|---|------|----|
| 104 | Real-World Experience with Ceftolozane-Tazobactam for Multidrug-Resistant Gram-Negative Bacterial Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64, | 5.9 | 25 |
| 103 | Pneumonia Caused by Methicillin-Resistant Staphylococcus aureus: Does Vancomycin Heteroresistance Matter?. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 1708-16 | 5.9 | 24 |
| 102 | Real-world Multicenter Analysis of Clinical Outcomes and Safety of Meropenem-Vaborbactam in Patients Treated for Serious Gram-Negative Bacterial Infections. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa051 | 1 | 23 |
| 101 | Multidrug-resistant Pseudomonas aeruginosa lower respiratory tract infections in the intensive care unit: Prevalence and risk factors. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 89, 61-66 | 2.9 | 22 |
| 100 | Pharmacodynamic Analysis of Daptomycin-treated Enterococcal Bacteremia: It Is Time to Change the Breakpoint. <i>Clinical Infectious Diseases</i> , 2019 , 68, 1650-1657 | 11.6 | 22 |
| 99 | Sequential intravenous-to-oral outpatient antibiotic therapy for MRSA bacteraemia: one step closer. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 489-498 | 5.1 | 21 |
| 98 | Impact of different antimicrobial therapies on clinical and fiscal outcomes of patients with bacteremia due to vancomycin-resistant enterococci. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 3968-75 | 5.9 | 20 |
| 97 | A Review of Novel Combinations of Colistin and Lipopeptide or Glycopeptide Antibiotics for the Treatment of Multidrug-Resistant Acinetobacter baumannii. <i>Infectious Diseases and Therapy</i> , 2014 , 3, 69-81 | 6.2 | 20 |
| 96 | Executive Summary: Therapeutic Monitoring of Vancomycin for Serious Methicillin-Resistant Staphylococcus aureus Infections: A Revised Consensus Guideline and Review of the American Society of Health-System Pharmacists, the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the Society of Infectious Diseases Pharmacists. <i>Journal of the Cefazolin and Ertapenem; a Synergistic Combination Used To Clear Persistent Staphylococcus aureus Bacteremia</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 6609-6618 | 4.8 | 20 |
| 95 | Executive Summary: Therapeutic Monitoring of Vancomycin for Serious Methicillin-Resistant Staphylococcus aureus Infections: A Revised Consensus Guideline and Review of the American Society of Health-System Pharmacists, the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the Society of Infectious Diseases Pharmacists. <i>Journal of the Cefazolin and Ertapenem; a Synergistic Combination Used To Clear Persistent Staphylococcus aureus Bacteremia</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 6609-6618 | 5.9 | 19 |
| 94 | Oritavancin Combinations with β -Lactams against Multidrug-Resistant Staphylococcus aureus and Vancomycin-Resistant Enterococci. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 2352-8 | 5.9 | 19 |
| 93 | Clinical isolates of Staphylococcus aureus from 1987 and 1989 demonstrating heterogeneous resistance to vancomycin and teicoplanin. <i>Diagnostic Microbiology and Infectious Disease</i> , 2005 , 51, 119-25 | 2.9 | 19 |
| 92 | Telavancin demonstrates activity against methicillin-resistant Staphylococcus aureus isolates with reduced susceptibility to vancomycin, daptomycin, and linezolid in broth microdilution MIC and one-compartment pharmacokinetic/pharmacodynamic models. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5529-34 | 5.9 | 18 |
| 91 | Bacteriophage-Antibiotic Combination Strategy: an Alternative against Methicillin-Resistant Phenotypes of Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64, | 5.9 | 17 |
| 90 | Evaluation of Eravacycline: A Novel Fluorocycline. <i>Pharmacotherapy</i> , 2020 , 40, 221-238 | 5.8 | 17 |
| 89 | Sequential Evolution of Vancomycin-Intermediate Resistance Alters Virulence in Staphylococcus aureus: Pharmacokinetic/Pharmacodynamic Targets for Vancomycin Exposure. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 60, 1584-91 | 5.9 | 16 |
| 88 | Oral Vancomycin Prophylaxis as Secondary Prevention Against Clostridioides difficile Infection in the Hematopoietic Stem Cell Transplantation and Hematologic Malignancy Population. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 2091-2097 | 4.7 | 16 |
| 87 | Novel approaches for the treatment of methicillin-resistant Staphylococcus aureus: Using nanoparticles to overcome multidrug resistance. <i>Drug Discovery Today</i> , 2021 , 26, 31-43 | 8.8 | 16 |

| | | | |
|----|--|-----|----|
| 86 | Influence of Inoculum Effect on the Efficacy of Daptomycin Monotherapy and in Combination with β Lactams against Daptomycin-Susceptible Enterococcus faecium Harboring LiaSR Substitutions. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62, | 5.9 | 16 |
| 85 | Advantages of Outpatient Treatment with Long-Acting Lipoglycopeptides for Serious Gram-Positive Infections: A Review. <i>Pharmacotherapy</i> , 2020 , 40, 469-478 | 5.8 | 15 |
| 84 | Nephrotoxicity comparison of two commercially available generic vancomycin products. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5470-4 | 5.9 | 15 |
| 83 | Cefiderocol: A Novel Siderophore Cephalosporin against Multidrug-Resistant Gram-Negative Pathogens. <i>Pharmacotherapy</i> , 2020 , 40, 1228-1247 | 5.8 | 15 |
| 82 | The Pharmacokinetic and Pharmacodynamic Properties of Hydroxychloroquine and Dose Selection for COVID-19: Putting the Cart Before the Horse. <i>Infectious Diseases and Therapy</i> , 2020 , 9, 561-572 | 6.2 | 15 |
| 81 | Dalbavancin Alone and in Combination with Ceftaroline against Four Different Phenotypes of in a Simulated Pharmacodynamic/Pharmacokinetic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63, | 5.9 | 14 |
| 80 | Examining the use of ceftaroline in the treatment of Streptococcus pneumoniae meningitis with reference to human cathelicidin LL-37. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2428-31 | 5.9 | 14 |
| 79 | Daptomycin in Combination with Ceftolozane-Tazobactam or Cefazolin against Daptomycin-Susceptible and -Nonsusceptible Staphylococcus aureus in an In Vitro, Hollow-Fiber Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 3970-5 | 5.9 | 14 |
| 78 | Evaluation of daptomycin combinations with cephalosporins or gentamicin against Streptococcus mitis group strains in an in vitro model of simulated endocardial vegetations (SEVs). <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 2290-2296 | 5.1 | 13 |
| 77 | Monotherapy with Vancomycin or Daptomycin versus Combination Therapy with β Lactams in the Treatment of Methicillin-Resistant Staphylococcus Aureus Bloodstream Infections: A Retrospective Cohort Analysis. <i>Infectious Diseases and Therapy</i> , 2020 , 9, 325-339 | 6.2 | 13 |
| 76 | Efficacy and Safety of Tedizolid Phosphate versus Linezolid in a Randomized Phase 3 Trial in Patients with Acute Bacterial Skin and Skin Structure Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63, | 5.9 | 12 |
| 75 | Combination of Vancomycin and Cefazolin Lipid Nanoparticles for Overcoming Antibiotic Resistance of MRSA. <i>Materials</i> , 2018 , 11, | 3.5 | 12 |
| 74 | Classical β Lactamase Inhibitors Potentiate the Activity of Daptomycin against Methicillin-Resistant Staphylococcus aureus and Colistin against Acinetobacter baumannii. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61, | 5.9 | 12 |
| 73 | The Emerging Role of β Lactams in the Treatment of Methicillin-Resistant Staphylococcus aureus Bloodstream Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64, | 5.9 | 12 |
| 72 | Combination of Vancomycin or Daptomycin and Beta-lactam Antibiotics: A Meta-analysis. <i>Pharmacotherapy</i> , 2020 , 40, 648-658 | 5.8 | 11 |
| 71 | Early Experience With Eravacycline for Complicated Infections. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa071 | 1 | 11 |
| 70 | A Multicenter Evaluation of Vancomycin-Associated Acute Kidney Injury in Hospitalized Patients with Acute Bacterial Skin and Skin Structure Infections. <i>Infectious Diseases and Therapy</i> , 2020 , 9, 89-106 | 6.2 | 11 |
| 69 | Combination of Tedizolid and Daptomycin against Methicillin-Resistant Staphylococcus aureus in an Model of Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62, | 5.9 | 11 |

| | | | |
|----|---|-----|----|
| 68 | Evaluation of vancomycin population susceptibility analysis profile as a predictor of outcomes for patients with infective endocarditis due to methicillin-resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 4636-41 | 5.9 | 11 |
| 67 | Virulence characteristics of community-associated <i>Staphylococcus aureus</i> and in vitro activities of moxifloxacin alone and in combination against community-associated and healthcare-associated methicillin-resistant and -susceptible <i>S. aureus</i> . <i>Journal of Medical Microbiology</i> , 2008 , 57, 452-456 | 3.2 | 11 |
| 66 | Antimicrobial stewardship. <i>Pharmacotherapy</i> , 2007 , 27, 131S-135S | 5.8 | 11 |
| 65 | Antimicrobial Stewardship Opportunities in Critically Ill Patients with Gram-Negative Lower Respiratory Tract Infections: A Multicenter Cross-Sectional Analysis. <i>Infectious Diseases and Therapy</i> , 2018 , 7, 135-146 | 6.2 | 11 |
| 64 | Parenteral Fosfomycin for the Treatment of Multidrug Resistant Bacterial Infections: The Rise of the Epoxide. <i>Pharmacotherapy</i> , 2019 , 39, 1077-1094 | 5.8 | 10 |
| 63 | Mutations in and Correlate with Daptomycin Resistance in and. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63, | 5.9 | 10 |
| 62 | Evaluation of dalbavancin alone and in combination with β -lactam antibiotics against resistant phenotypes of <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 82-86 | 5.1 | 10 |
| 61 | Impact of cefazolin co-administration with vancomycin to reduce development of vancomycin-intermediate <i>Staphylococcus aureus</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2018 , 91, 363-370 | 2.9 | 10 |
| 60 | Teaching an Old Class New Tricks: A Novel Semi-Synthetic Aminoglycoside, Plazomicin. <i>Infectious Diseases and Therapy</i> , 2019 , 8, 155-170 | 6.2 | 9 |
| 59 | Bacteriophage-Antibiotic Combinations for <i>Enterococcus faecium</i> with Varying Bacteriophage and Daptomycin Susceptibilities. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64, | 5.9 | 9 |
| 58 | Preliminary, Real-world, Multicenter Experience With Omadacycline for Infections. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab002 | 1 | 9 |
| 57 | COVID-19: Before the Fall, An Evidence-Based Narrative Review of Treatment Options. <i>Infectious Diseases and Therapy</i> , 2021 , 10, 93-113 | 6.2 | 9 |
| 56 | The Impact of Concomitant Empiric Cefepime on Patient Outcomes of Methicillin-Resistant Bloodstream Infections Treated With Vancomycin. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz079 | 1 | 8 |
| 55 | Treatment of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Pneumonia with Ceftaroline Fosamil in a Patient with Inhalational Thermal Injury. <i>Infectious Diseases and Therapy</i> , 2015 , 4, 519-28 | 6.2 | 8 |
| 54 | Increased bacterial resistance: PROTEKT US--an update. <i>Annals of Pharmacotherapy</i> , 2004 , 38, S8-S13 | 2.9 | 8 |
| 53 | Ceftaroline Fosamil for Methicillin-Resistant <i>Staphylococcus aureus</i> Pulmonary Exacerbation in a Pediatric Cystic Fibrosis Patient. <i>Journal of Pediatric Pharmacology and Therapeutics</i> , 2014 , 19, 135-40 | 1.6 | 8 |
| 52 | The Evolving Reduction of Vancomycin and Daptomycin Susceptibility in MRSA-Salvaging the Gold Standards with Combination Therapy. <i>Antibiotics</i> , 2020 , 9, | 4.9 | 8 |
| 51 | Real-world, Multicenter Experience With Meropenem-Vaborbactam for Gram-Negative Bacterial Infections Including Carbapenem-Resistant and. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab371 | 1 | 8 |

| | | | |
|----|---|------|---|
| 50 | Dalbavancin, Vancomycin and Daptomycin Alone and in Combination with Cefazolin against Resistant Phenotypes of in a Pharmacokinetic/Pharmacodynamic Model. <i>Antibiotics</i> , 2020 , 9, | 4.9 | 7 |
| 49 | Evaluation of Pharmacodynamic Interactions Between Telavancin and Aztreonam or Piperacillin/Tazobactam Against Pseudomonas aeruginosa, Escherichia coli and Methicillin-Resistant Staphylococcus aureus. <i>Infectious Diseases and Therapy</i> , 2016 , 5, 367-77 | 6.2 | 7 |
| 48 | β-Lactamase Inhibitors Enhance the Synergy between β-Lactam Antibiotics and Daptomycin against Methicillin-Resistant Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61, | 5.9 | 7 |
| 47 | Global Antimicrobial Stewardship: Challenges and Successes from Frontline Stewards. <i>Infectious Diseases and Therapy</i> , 2015 , 4, 1-3 | 6.2 | 7 |
| 46 | The Impact of Concomitant Empiric Cefepime on Patient Outcomes of Methicillin-Resistant Bloodstream Infections Treated With Vancomycin. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz077 | 1 | 6 |
| 45 | Combinations of (lipo)glycopeptides with β-Lactams against MRSA: susceptibility insights. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 2894-2901 | 5.1 | 6 |
| 44 | Evaluation of the INCREMENT-CPE, Pitt Bacteremia and qPitt Scores in Patients with Carbapenem-Resistant Enterobacteriaceae Infections Treated with Ceftazidime-Avibactam. <i>Infectious Diseases and Therapy</i> , 2020 , 9, 291-304 | 6.2 | 6 |
| 43 | Role of Vancomycin Minimum Inhibitory Concentrations by Modified Population Analysis Profile Method and Clinical Outcomes in High Inoculum Methicillin-Resistant Staphylococcus aureus Infections. <i>Infectious Diseases and Therapy</i> , 2018 , 7, 161-169 | 6.2 | 6 |
| 42 | Relationship Status between Vancomycin Loading Dose and Treatment Failure in Patients with MRSA Bacteremia: It's Complicated. <i>Infectious Diseases and Therapy</i> , 2019 , 8, 627-640 | 6.2 | 6 |
| 41 | Therapeutic Strategies for Emerging Multidrug-Resistant Pseudomonas aeruginosa.. <i>Infectious Diseases and Therapy</i> , 2022 , 11, 661 | 6.2 | 6 |
| 40 | Comparison of clinical outcomes and risk factors in polymicrobial versus monomicrobial enterococcal bloodstream infections. <i>American Journal of Infection Control</i> , 2016 , 44, 917-21 | 3.8 | 6 |
| 39 | Impact of Daptomycin Dose Exposure Alone or in Combination with β-Lactams or Rifampin against Vancomycin-Resistant Enterococci in an Biofilm Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64, | 5.9 | 6 |
| 38 | Averting the post-antibiotic era: successful use of meropenem/vaborbactam for carbapenem-resistant Serratia marcescens and Enterobacter aerogenes bacteraemia in a haemodialysis patient. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 3529-3531 | 5.1 | 6 |
| 37 | Antibacterial Activity of Cefiderocol against Multidrug-Resistant Acinetobacter baumannii. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0264620 | 5.9 | 6 |
| 36 | Daptomycin Dose-Ranging Evaluation with Single-Dose versus Multidose Ceftriaxone Combinations against Streptococcus mitis in an Simulated Endocarditis Vegetation Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63, | 5.9 | 5 |
| 35 | Novel application of published risk factors for methicillin-resistant S. aureus in acute bacterial skin and skin structure infections. <i>International Journal of Antimicrobial Agents</i> , 2018 , 51, 43-46 | 14.3 | 5 |
| 34 | Pharmacodynamics of daptomycin in combination with other antibiotics for the treatment of enterococcal bacteraemia. <i>International Journal of Antimicrobial Agents</i> , 2019 , 54, 346-350 | 14.3 | 5 |
| 33 | Genomic characterization of an extensively drug-resistant KPC-2-producing Klebsiella pneumoniae ST855 (CC258) only susceptible to ceftazidime-avibactam isolated in Brazil. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 89, 324-327 | 2.9 | 5 |

| | | | |
|----|--|------|---|
| 32 | Oxazolidinones: new players in the battle against multi-resistant Gram-positive bacteria. <i>Expert Opinion on Emerging Drugs</i> , 2001 , 6, 43-55 | | 5 |
| 31 | Bacteriophage AB-SA01 Cocktail in Combination with Antibiotics against MRSA-VISA Strain in an Pharmacokinetic/Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 65, | 5.9 | 5 |
| 30 | Evaluation of Telavancin Alone and Combined with Ceftaroline or Rifampin against Methicillin-Resistant Staphylococcus aureus in an Biofilm Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62, | 5.9 | 5 |
| 29 | Early Multicenter Experience With Imipenem-Cilastatin-Relebactam for Multidrug-Resistant Gram-Negative Infections.. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab554 | 1 | 5 |
| 28 | Trends in and Predictors of Carbapenem Consumption across North American Hospitals: Results from a Multicenter Survey by the MAD-ID Research Network. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63, | 5.9 | 4 |
| 27 | A comparison of daptomycin alone and in combination with ceftaroline fosamil for methicillin-resistant Staphylococcus aureus bacteremia complicated by septic pulmonary emboli. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020 , 39, 2199-2203 | 5.3 | 4 |
| 26 | Vancomycin Area Under the Curve to Predict Timely Clinical Response in the Treatment of Methicillin-resistant Staphylococcus aureus Complicated Skin and Soft Tissue Infections. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4560-e4567 | 11.6 | 4 |
| 25 | In Vitro Synergy of Colistin in Combination with Meropenem or Tigecycline against Carbapenem-Resistant. <i>Antibiotics</i> , 2021 , 10, | 4.9 | 4 |
| 24 | Eradication of Biofilm-Mediated Methicillin-Resistant Staphylococcus aureus Infections : Bacteriophage-Antibiotic Combination.. <i>Microbiology Spectrum</i> , 2022 , e0041122 | 8.9 | 4 |
| 23 | Comparison of outcomes between patients with single versus multiple positive blood cultures for Enterococcus: Infection versus illusion?. <i>American Journal of Infection Control</i> , 2016 , 44, 47-9 | 3.8 | 3 |
| 22 | Folate Functionalized Lipid Nanoparticles for Targeted Therapy of Methicillin-Resistant. <i>Pharmaceutics</i> , 2021 , 13, | 6.4 | 3 |
| 21 | Diagnostic Stewardship: A Clinical Decision Rule for Blood Cultures in Community-Onset Methicillin-Resistant Staphylococcus aureus (MRSA) Skin and Soft Tissue Infections. <i>Infectious Diseases and Therapy</i> , 2019 , 8, 229-242 | 6.2 | 3 |
| 20 | A new simplified predictive model for mortality in methicillin-resistant Staphylococcus aureus bacteremia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019 , 38, 843-850 | 5.3 | 2 |
| 19 | Mechanistic Insights Into the Differential Efficacy of Daptomycin Plus β -Lactam Combinations Against Daptomycin-Resistant Enterococcus faecium. <i>Journal of Infectious Diseases</i> , 2020 , 222, 1531-1539 | 7 | 2 |
| 18 | Opportunities for antimicrobial stewardship among carbapenem-treated patients in 18 North American hospitals. <i>International Journal of Antimicrobial Agents</i> , 2020 , 55, 105970 | 14.3 | 2 |
| 17 | Evaluation of Bacteriophage Cocktails Alone and in Combination with Daptomycin Against Daptomycin-Nonsusceptible. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , AAC0162321 | 5.9 | 2 |
| 16 | Comment on: AUCs and 123s: a critical appraisal of vancomycin therapeutic drug monitoring in paediatrics. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 , 76, 2486-2488 | 5.1 | 2 |
| 15 | Standardized Treatment and Assessment Pathway Improves Mortality in Adults With Methicillin-resistant Bacteremia: STAPH Study. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab261 | 1 | 2 |

| | | | |
|----|--|------|---|
| 14 | Impact of COVID-19 pandemic on training of pharmacy residents and fellows: Results from a national survey of postgraduate pharmacy trainees. <i>American Journal of Health-System Pharmacy</i> , 2021 , 78, 1104-1111 | 2.2 | 2 |
| 13 | Exebacase in Addition to Daptomycin against MRSA. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0012821 | 5.9 | 2 |
| 12 | Reply to Koehler et al. <i>Clinical Infectious Diseases</i> , 2019 , 69, 901-902 | 11.6 | 1 |
| 11 | Comment on: Failure of combination therapy with daptomycin and synergistic ceftriaxone for enterococcal endocarditis. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1272-3 | 5.1 | 1 |
| 10 | Questions on Vancomycin Dosing. <i>Clinical Infectious Diseases</i> , 2021 , 73, e1777-e1778 | 11.6 | 1 |
| 9 | Risk Factors for Bloodstream Infections Among an Urban Population with Skin and Soft Tissue Infections: A Retrospective Unmatched Case-Control Study. <i>Infectious Diseases and Therapy</i> , 2019 , 8, 75-85 | 6.2 | 1 |
| 8 | How to Harness the Power of Social Media for Quality Drug Information in Infectious Diseases: Perspectives on Behalf of the Society of Infectious Diseases Pharmacists.. <i>Clinical Infectious Diseases</i> , 2022 , 74, e23-e33 | 11.6 | 1 |
| 7 | Novel Combination Therapy for Extensively Drug-Resistant Necrotizing Pneumonia Complicated by Empyema: A Case Report.. <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofac092 | 1 | 1 |
| 6 | Multicenter Cohort Study of Ceftaroline Versus Daptomycin for Treatment of Methicillin-Resistant Bloodstream Infection.. <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofab606 | 1 | 1 |
| 5 | Reply to Cheng and Chuang. <i>Clinical Infectious Diseases</i> , 2019 , 69, 903-904 | 11.6 | 0 |
| 4 | Clinical Characteristics Associated with Bacterial Bloodstream Coinfection in COVID-19.. <i>Infectious Diseases and Therapy</i> , 2022 , 1 | 6.2 | 0 |
| 3 | Real-World, Multicenter Case Series of Patients Treated with Oral Omadacycline for Resistant Gram-Negative Pathogens.. <i>Infectious Diseases and Therapy</i> , 2022 , 1 | 6.2 | 0 |
| 2 | Letter from the editor. <i>Infectious Diseases and Therapy</i> , 2013 , 2, 81-2 | 6.2 | |
| 1 | Reply to Cataldo et al. <i>Clinical Infectious Diseases</i> , 2011 , 53, 310-310 | 11.6 | |