
Piotr Pietkiewicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/291956/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Association between Positional Vertebral and Basilar Artery Flow Lesion and Prevalence of Vertigo in Patients with Cervical Spondylosis. Otolaryngology - Head and Neck Surgery, 2006, 134, 680-684.	1.9	36
2	Significance of CYCLOOXYGENASE-2(COX-2), PERIOSTIN (POSTN) and INTERLEUKIN-4(IL-4) gene expression in the pathogenesis of chronic rhinosinusitis with nasal polyps. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3715-3720.	1.6	20
3	Electronystagmography versus videonystagmography in diagnosis of vertigo. International Journal of Occupational Medicine and Environmental Health, 2012, 25, 59-65.	1.3	14
4	Metallothionein 2A core promoter region genetic polymorphism and its impact on the risk, tumor behavior, and recurrences of sinonasal inverted papilloma (Schneiderian papilloma). Tumor Biology, 2015, 36, 8559-8571.	1.8	14
5	The use of videonystagmography head impulse test (VHIT) in the diagnostics of semicircular canal injuries in patients with vertigo. International Journal of Occupational Medicine and Environmental Health, 2014, 27, 583-90.	1.3	12
6	The effect of metallothionein 2A core promoter region single-nucleotide polymorphism on accumulation of toxic metals in sinonasal inverted papilloma tissues. Toxicology and Applied Pharmacology, 2015, 285, 187-197.	2.8	9
7	Acoustic and capacity analysis of voice academic teachers with diagnosed hyperfunctional dysphonia by using DiagnoScope Specialist software. Otolaryngologia Polska, 2013, 67, 144-148.	0.6	7
8	Sensitivity evaluation in air and water caloric stimulation of the vestibular organs using videonystagmography. Otolaryngologia Polska, 2014, 68, 227-232.	0.6	6
9	Diagnosis and treatment of nasal and paranasal inverted papillomas – epidemiology and own experience. Otolaryngologia Polska, 2017, 71, 27-32.	0.6	6
10	Unilateral pathological lesions of paranasal sinuses removed by endoscopic surgery. Otolaryngologia Polska, 2014, 68, 83-88.	0.6	4
11	Evaluation of selected indicators of antioxidant status in patients with head and neck cancer. Otolaryngologia Polska, 2015, 69, 61-70.	0.6	4
12	Evaluation of vocal acoustic and efficiency analysis parameters in medical students and academic teachers with use of iris and diagnoscope specialist software. International Journal of Occupational Medicine and Environmental Health, 2012, 25, 236-41.	1.3	2
13	Inflammation of the frontal intersinus septal air cell as a cause of headaches. International Journal of Surgery Case Reports, 2014, 5, 1292-1294.	0.6	2
14	Comparison of two VHIT software programs in diagnostics of semicircular canals. Archives of Medical Science, 2020, 16, 124-128.	0.9	2
15	Effects of oral contraceptives on selected parameters of the homeostatic control system in young women having a sudden disorder of the auditory and/or balance system. European Archives of Oto-Rhino-Laryngology, 2015, 272, 321-326.	1.6	1
16	Sequencing of exons 4, 5, 12 of COCH gene in patients with postlingual sensorineural hearing loss accompanied by vestibular lesion. Archives of Medical Science, 2018, 14, 625-628.	0.9	1
17	The influence of the body mass index (BMI) on selected parameters of the coagulation system in patients with disorders of the balance system taking oral contraceptives. Otolaryngologia Polska, 2016, 70, 28-34.	0.6	1
18	Diagnostic evaluation of neck torsion test in objective examination in patients with vertigo and/or hearing impairment. Otolaryngologia Polska, 2017, 71, 18-28.	0.6	1

PIOTR PIETKIEWICZ

#	Article	IF	CITATIONS
19	Concurrent ENG and VNG recording in healthy people – preliminary report. Otolaryngologia Polska, 2018, 72, 45-49.	0.6	1
20	Own experience in the diagnosis and treatment of elongated styloid process syndrome. Otolaryngologia Polska, 2020, 75, 21-27.	0.6	1
21	Subiektywna i obiektywna ocena wyników leczenia zawrotów gÅ,owy pochodzenia szyjnego za pomocÄ terapii ruchowej. Otolaryngologia Polska, 2011, 65, 93-99.	0.6	Ο
22	Delayed perforation of posterior pharyngeal wall caused by dislodged bioresorbable interbody cage. Case report. Neurologia I Neurochirurgia Polska, 2014, 48, 154-157.	1.2	0
23	Evaluation of selected parameters of the coagulation system during the perioperative period in patients undergoing endoscopic surgery of the paranasal sinuses. Archives of Medical Science, 2020, 16, 1336-1345.	0.9	0
24	The evaluation of the neck torsion test in subjective examinations of patients with vertigo and/or hearing loss. Otolaryngologia Polska, 2015, 69, 16-21.	0.6	0
25	Acoustic neuroma as first sign of inner ear functional disorders. Otolaryngologia Polska, 2016, 70, 0-0.	0.6	Ο
26	Diagnostic evaluation of neck torsion test in objective examination in patients with vertigo and/or hearing-impairment. Otolaryngologia Polska, 2017, 71, 20-26.	0.6	0