

# James K Gabriels

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2919787/publications.pdf>

Version: 2024-02-01

41  
papers

727  
citations

933264

10  
h-index

552653

26  
g-index

44  
all docs

44  
docs citations

44  
times ranked

1547  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Chloroquine, Hydroxychloroquine, and Azithromycin on the Corrected QT Interval in Patients With SARS-CoV-2 Infection. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008662.	2.1	272
2	Atrial fibrillation is an independent predictor for in-hospital mortality in patients admitted with SARS-CoV-2 infection. <i>Heart Rhythm</i> , 2021, 18, 501-507.	0.3	76
3	Techniques for successful early retrieval of the Micra transcatheter pacing system: A worldwide experience. <i>Heart Rhythm</i> , 2018, 15, 841-846.	0.3	66
4	Inpatient Use of Ambulatory Telemetry Monitors for COVID-19 Patients Treated With Hydroxychloroquine and/or Azithromycin. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2992-2993.	1.2	57
5	Inpatient use of mobile continuous telemetry for COVID-19 patients treated with hydroxychloroquine and azithromycin. <i>HeartRhythm Case Reports</i> , 2020, 6, 241-243.	0.2	32
6	Concomitant leadless pacemaker implantation and lead extraction during an active infection. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 860-867.	0.8	30
7	Left atrial thrombus and dense spontaneous echocardiographic contrast in patients on continuous direct oral anticoagulant therapy undergoing catheter ablation of atrial fibrillation: Comparison of dabigatran, rivaroxaban, and apixaban. <i>Heart Rhythm</i> , 2018, 15, 496-502.	0.3	22
8	Safety of leadless pacemaker implantation in the very elderly. <i>Heart Rhythm</i> , 2020, 17, 2023-2028.	0.3	21
9	Recovery of atrioventricular conduction in patients with heart block after transcatheter aortic valve replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 1196-1202.	0.8	16
10	Safely Administering Potential QTc Prolonging Therapy Across a Large Health Care System in the COVID-19 Era. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008937.	2.1	13
11	Percutaneous management of superior vena cava syndrome in patients with cardiovascular implantable electronic devices. <i>Heart Rhythm</i> , 2021, 18, 392-398.	0.3	12
12	Left atrial thrombus despite continuous direct oral anticoagulant or warfarin therapy in patients with atrial fibrillation: insights into rates and timing of thrombus resolution. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 53, 159-167.	0.6	11
13	Clinical Significance of Nonsustained Ventricular Tachycardia on Stored Electrograms in Permanent Pacemaker Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 1335-1339.	0.5	10
14	Cardiorespiratory Fitness in Internal Medicine Residents: Are Future Physicians Becoming Deconditioned?. <i>Journal of Graduate Medical Education</i> , 2017, 9, 97-101.	0.6	10
15	Embolization of Watchman Device Following a Hybrid Radiofrequency Ablation of Atrial Fibrillation and Watchman Implantation Procedure. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 835-836.	0.8	9
16	Left Atrial Appendage Occlusion Device Embolization (The LAAODE Study): Understanding the Timing and Clinical Consequences from a Worldwide Experience. <i>Journal of Atrial Fibrillation</i> , 2021, 13, 2516.	0.5	9
17	A novel diagnostic approach to a mass on a device lead. <i>HeartRhythm Case Reports</i> , 2019, 5, 306-309.	0.2	8
18	High-Frequency, Low-Tidal Volume Ventilation to Improve Catheter Stability During Atrial Fibrillation Ablation. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1224-1226.	1.3	8

#	ARTICLE	IF	CITATIONS
19	Venous Obstruction in Cardiac Rhythm Device Therapy. Current Treatment Options in Cardiovascular Medicine, 2018, 20, 64.	0.4	7
20	Reappraisal of electrocardiographic criteria for localization of idiopathic outflow region ventricular arrhythmias. Heart Rhythm, 2021, 18, 1959-1965.	0.3	6
21	Swallowing-induced atrial tachycardia in an adolescent with hypertrophic cardiomyopathy: a case report. European Heart Journal - Case Reports, 2017, 1, ytx004.	0.3	5
22	Percutaneous approaches for retrieval of an embolized or malpositioned left atrial appendage closure device: A multicenter experience. Heart Rhythm, 2020, 17, 1545-1553.	0.3	5
23	Balloon Dilation of an Inferior Vena Cava Filter to Implant a Leadless Pacemaker. JACC: Clinical Electrophysiology, 2017, 3, 1605-1606.	1.3	4
24	Implantation of leadless pacemakers via inferior vena cava filters is feasible and safe: Insights from a multicenter experience. Journal of Cardiovascular Electrophysiology, 2020, 31, 3277-3285.	0.8	4
25	Tips and Tricks for Safe Retrieval of Tine-based Leadless Pacemakers. Journal of Innovations in Cardiac Rhythm Management, 2021, 12, 4562-4568.	0.2	4
26	Feasibility of radiofrequency catheter ablation in a patient with deep brain stimulators. HeartRhythm Case Reports, 2020, 6, 253-255.	0.2	3
27	Subcutaneous Adefibrillator lead management in a patient undergoing a sternotomy. PACE - Pacing and Clinical Electrophysiology, 2018, 41, 1681-1683.	0.5	1
28	Direct Femoral Vein Leadless Pacemaker Implantation. JACC: Clinical Electrophysiology, 2019, 5, 639-640.	1.3	1
29	Escape mapping to achieve bidirectional block: A case series. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 470-473.	0.5	1
30	When bigger is better: Novel use of a 27 F leadless pacemaker delivery sheath for femoral lead extractions. Heart Rhythm, 2020, 17, 152-157.	0.3	1
31	Does atrial extrastimuli testing aid in arrhythmia discrimination?. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 1032-1034.	0.5	0
32	ACUTE CORONARY SYNDROME IN A TEENAGER: IMPORTANCE OF RECOGNIZING EARLY ONSET CORONARY ARTERY DISEASE. Journal of the American College of Cardiology, 2019, 73, 2866.	1.2	0
33	Electrocardiographic localization of ventricular arrhythmias successfully ablated from the distal great cardiac vein. Journal of Cardiovascular Electrophysiology, 2020, 31, 2668-2676.	0.8	0
34	Loop Recorder Implantation on a Telemetry Ward. American Journal of Cardiology, 2020, 125, 1851-1855.	0.7	0
35	Intermittent Epicardial Lead Failure Detected Using a Continuous Ambulatory Electrocardiogram Monitor. Journal of Innovations in Cardiac Rhythm Management, 2021, 12, 4569-4572.	0.2	0
36	B-PO05-045 EARLY EXPERIENCE WITH A NOVEL FIXED CURVE DELIVERY SYSTEM WITH STYLET-DRIVEN LEADS FOR PERMANENT LEFT BUNDLE BRANCH PACING. Heart Rhythm, 2021, 18, S389.	0.3	0

#	ARTICLE	IF	CITATIONS
37	B-PO04-161 THE SITE-SPECIFIC EFFECTS OF DOBUTAMINE ON THE CARDIAC CONDUCTION AND REFRACTORINESS. Heart Rhythm, 2021, 18, S343-S344.	0.3	0
38	Endovascular Removal of an Entrapped Vascular Closure Device. JACC: Clinical Electrophysiology, 2020, 6, 1043-1044.	1.3	0
39	Diagnostic Pacing Maneuvers for Supraventricular Tachycardia Discrimination: a Taxonomic Approach. Current Treatment Options in Cardiovascular Medicine, 2022, 24, 13-26.	0.4	0
40	PO-709-01 COMPARISON OF CATHETER STABILITY AND PROCEDURAL OUTCOMES OF PULMONARY VEIN ISOLATION UNDER PROLONGED APNEA VERSUS STANDARD VENTILATION. Heart Rhythm, 2022, 19, S468-S469.	0.3	0
41	Peri-Device Leak After Left Atrial Appendage Occlusion. JACC: Clinical Electrophysiology, 2022, 8, 779-781.	1.3	0