Margot Alves Nunes Dode

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2919969/margot-alves-nunes-dode-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80	1,280	20	34
papers	citations	h-index	g-index
84 ext. papers	1,452 ext. citations	2.2 avg, IF	4.24 L-index

#	Paper	IF	Citations
80	The use of insulin-transferrin-selenium (ITS), and folic acid on individual in vitro embryo culture systems in cattle <i>Theriogenology</i> , 2022 , 184, 153-161	2.8	1
79	Histone deacetylase inhibitor during in vitro maturation decreases developmental capacity of bovine oocytes. <i>PLoS ONE</i> , 2021 , 16, e0247518	3.7	1
78	Electrospray mass spectrometry analysis of blastocoel fluid as a potential tool for bovine embryo selection. <i>Journal of Assisted Reproduction and Genetics</i> , 2021 , 38, 2209-2217	3.4	1
77	Biochemical markers for pregnancy in the spent culture medium of in vitro produced bovine embryos Biology of Reproduction, 2021 , 105, 481-490	3.9	1
76	Low levels of sulfur and cobalt during the pre- and periconceptional periods affect the oocyte yield of donors and the DNA methylome of preimplantation bovine embryos. <i>Journal of Developmental Origins of Health and Disease</i> , 2021 , 1-13	2.4	1
75	Transcriptome of D14 in vivo x in vitro bovine embryos: is there any difference?. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2021 , 57, 598-609	2.6	
74	Blastocoel fluid removal and melatonin supplementation in the culture medium improve the viability of vitrified bovine embryos. <i>Theriogenology</i> , 2021 , 160, 134-141	2.8	О
73	Effect of different cryopreservation extenders added with antioxidants on semen quality and in vitro embryo production efficiency in cattle. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021 , 93, e2019?	1229	
7 ²	Maturation system affects lipid accumulation in bovine oocytes. <i>Reproduction, Fertility and Development</i> , 2021 , 33, 372-380	1.8	O
71	Protein source in maturation media affects gene expression in cumulus cells and embryo development in cattle <i>Animal Biotechnology</i> , 2021 , 1-14	1.4	
70	Intraovarian injection of mesenchymal stem cells improves oocyte yield and in vitro embryo production in a bovine model of fertility loss. <i>Scientific Reports</i> , 2020 , 10, 8018	4.9	5
69	Cattle breed affects in vitro embryo production in a large-scale commercial program on dairy farms. <i>Livestock Science</i> , 2020 , 240, 104135	1.7	0
68	The Replacement of Fetal Bovine Serum with Bovine Serum Albumin During Oocyte Maturation and Embryo Culture Does Not Improve Blastocyst Quality After Slow Freezing Cryopreservation. <i>Biopreservation and Biobanking</i> , 2020 , 18, 171-179	2.1	4
67	Effects of Prostaglandins E2 and F2Ibn the in vitro maturation of bovine oocytes. <i>Domestic Animal Endocrinology</i> , 2020 , 72, 106447	2.3	1
66	Histone acetylation during the in vitro maturation of bovine oocytes with different levels of competence. <i>Reproduction, Fertility and Development</i> , 2020 , 32, 690-696	1.8	1
65	Effect of delipidant agents during in vitro culture on the development, lipid content, gene expression and cryotolerance of bovine embryos. <i>Reproduction in Domestic Animals</i> , 2020 , 55, 11-20	1.6	6
64	Effects of the addition of oocyte meiosis-inhibiting drugs on the expression of maturation-promoting factor components and organization of cytoplasmic organelles. <i>Reproductive Biology</i> , 2020 , 20, 48-62	2.3	2

(2017-2020)

63	Shape and size of epididymal sperm from Gir bulls using atomic force microscopy: A nanoscale characterization of epididymal sperm. <i>Reproductive Biology</i> , 2020 , 20, 37-41	2.3	
62	Ethanolic Extract of Dried Leaves from the Biome Increases the Cryotolerance of Bovine Embryos Produced. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 6046013	6.7	1
61	Effect of sex on cryotolerance of bovine embryos produced in vitro. <i>Theriogenology</i> , 2020 , 141, 219-22	7 2.8	4
60	Bovine epididymal spermatozoa treatment for in vitro fertilization: Heparin accelerates fertilization and enables a reduction in coincubation time. <i>PLoS ONE</i> , 2019 , 14, e0209692	3.7	6
59	DNA methylation and functional characterization of the XIST gene during early embryo development in cattle. <i>Epigenetics</i> , 2019 , 14, 568-588	5.7	8
58	The dynamics of gene expression, lipid composition and DNA methylation reprogramming are different during in vitro maturation of pig oocytes obtained from prepubertal gilts and cycling sows. <i>Reproduction in Domestic Animals</i> , 2019 , 54, 1217-1229	1.6	2
57	DNA Methylation of the Insulin-Like Growth Factor 2-Imprinted Gene in Trophoblast Cells of Elongated Bovine Embryo: Effects of the Culture. <i>Cellular Reprogramming</i> , 2019 , 21, 260-269	2.1	3
56	Production of transgenic cattle by somatic cell nuclear transfer (SCNT) with the human granulocyte colony-stimulation factor (hG-CSF). <i>Journal of Animal Science and Technology</i> , 2019 , 61, 61-68	1.6	7
55	Melatonin reduces apoptotic cells, SOD2 and HSPB1 and improves the in vitro production and quality of bovine blastocysts. <i>Reproduction in Domestic Animals</i> , 2018 , 53, 226-236	1.6	12
54	Flow cytometry sex sorting affects bull sperm longevity and compromises their capacity to bind to oviductal cells. <i>Livestock Science</i> , 2018 , 207, 30-37	1.7	11
53	Distribution of 5-methylcytosine and 5-hydroxymethylcytosine in bovine fetal tissue of the placenta. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 2012-2018	0.4	2
52	Biopsy of bovine embryos produced in vivo and in vitro does not affect pregnancy rates. <i>Theriogenology</i> , 2017 , 90, 25-31	2.8	15
51	Effect of prematuration and maturation with fibroblast growth factor 10 (FGF10) on in vitro development of bovine oocytes. <i>Theriogenology</i> , 2017 , 102, 190-198	2.8	11
50	Bovine in vitro embryo production: the effects of fibroblast growth factor 10 (FGF10). <i>Journal of Assisted Reproduction and Genetics</i> , 2017 , 34, 383-390	3.4	11
49	Meiotic arrest as an alternative to increase the production of bovine embryos by somatic cell nuclear transfer. <i>Zygote</i> , 2017 , 25, 32-40	1.6	9
48	Change in energy metabolism of in vitro produced embryos: an alternative to make them more cryoresistant?. <i>Semina:Ciencias Agrarias</i> , 2017 , 38, 2237	0.6	2
47	Identification of molecular markers for oocyte competence in bovine cumulus cells. <i>Animal Genetics</i> , 2017 , 48, 19-29	2.5	17
46	Assessment of the effect of adding L-carnitine and/or resveratrol to maturation medium before vitrification on in vitro-matured calf oocytes. <i>Theriogenology</i> , 2017 , 89, 47-57	2.8	33

45	Evaluation of hypo-osmotic swelling test and supra vital staining technique as indicators for donkey semen freezability. <i>Pferdeheilkunde</i> , 2017 , 33, 159-164	1.8	2
44	Effect of insulin-transferrin-selenium (ITS) and l-ascorbic acid (AA) during in vitro maturation on in vitro bovine embryo development. <i>Zygote</i> , 2016 , 24, 890-899	1.6	8
43	Intrafollicular transfer of fresh and vitrified immature bovine oocytes. <i>Theriogenology</i> , 2016 , 86, 2054-6	52 .8	10
42	Molecular markers for oocyte competence in bovine cumulus cells. <i>Theriogenology</i> , 2016 , 85, 1167-76	2.8	15
41	Effect of vitrification using the Cryotop method on the gene expression profile of in vitro-produced bovine embryos. <i>Theriogenology</i> , 2016 , 85, 724-33.e1	2.8	19
40	Update and overview on assisted reproductive technologies (ARTs) in Brazil. <i>Animal Reproduction</i> , 2016 , 13, 300-312	1.7	11
39	Bovine epididymal spermatozoa: Resistance to cryopreservation and binding ability to oviductal cells. <i>Cryobiology</i> , 2016 , 73, 348-355	2.7	7
38	Morphological characterization and conservation of bovine spermatogenic cells by refrigeration at 4°C and freezing using different cryoprotective molecules. <i>Cryobiology</i> , 2015 , 71, 47-53	2.7	1
37	Evaluation of the simulated physiological oocyte maturation system for improving bovine in vitro embryo production. <i>Theriogenology</i> , 2015 , 83, 52-7	2.8	31
36	Effects of Different Maturation Systems on Bovine Oocyte Quality, Plasma Membrane Phospholipid Composition and Resistance to Vitrification and Warming. <i>PLoS ONE</i> , 2015 , 10, e0130164	3.7	24
35	Techniques for sperm evaluation using fluorescent probes. Semina: Ciencias Agrarias, 2015, 36, 4365	0.6	3
34	Characterization of the IGF2 Imprinted Gene Methylation Status in Bovine Oocytes during Folliculogenesis. <i>PLoS ONE</i> , 2015 , 10, e0142072	3.7	12
33	Characterisation of the methylation pattern in the intragenic CpG island of the IGF2 gene in Bos taurus indicus cumulus cells during in vitro maturation. <i>Journal of Assisted Reproduction and Genetics</i> , 2014 , 31, 115-20	3.4	2
32	Isolate and Optiprep minigradients as alternatives for sperm selection in bovine in vitro embryo production. <i>Canadian Journal of Animal Science</i> , 2014 , 94, 35-42	0.9	2
31	Vitrification of bovine oocytes at different meiotic stages using the Cryotop method: assessment of morphological, molecular and functional patterns. <i>Cryobiology</i> , 2014 , 69, 256-65	2.7	24
30	A diet enriched in linoleic acid compromises the cryotolerance of embryos from superovulated beef heifers. <i>Reproduction, Fertility and Development</i> , 2014 , 26, 511-20	1.8	11
29	Evaluacifi del semen criopreservado de toros Curraleiro PíDuro, perteneciente al Banco Brasilero de Germoplasma Animal. <i>Animal Genetic Resources = Ressources Genetiques Animales = Recursos Geneticos Animales</i> , 2014 , 54, 135-140		
28	Morphology, sex ratio and gene expression of day 14 in vivo and in vitro bovine embryos. <i>Reproduction, Fertility and Development</i> , 2013 , 25, 600-8	1.8	11

(2007-2013)

Post-hatching development of in vitro bovine embryos from day 7 to 14 in vivo versus in vitro. <i>Molecular Reproduction and Development</i> , 2013 , 80, 936-47	2.6	26	
Transcription profile of candidate genes for the acquisition of competence during oocyte growth in cattle. <i>Reproduction in Domestic Animals</i> , 2013 , 48, 781-9	1.6	15	
Nanoscale differences in the shape and size of X and Y chromosome-bearing bovine sperm heads assessed by atomic force microscopy. <i>PLoS ONE</i> , 2013 , 8, e59387	3.7	40	
Effect of the exposure to methyl-tyclodextrin prior to chilling or vitrification on the viability of bovine immature oocytes. <i>Cryobiology</i> , 2012 , 65, 319-25	2.7	14	
The methylation patterns of the IGF2 and IGF2R genes in bovine spermatozoa are not affected by flow-cytometric sex sorting. <i>Molecular Reproduction and Development</i> , 2012 , 79, 77-84	2.6	16	
Post-hatching development of bovine embryos in vitro: the effects of tunnel preparation and gender. <i>Zygote</i> , 2012 , 20, 123-34	1.6	10	
Methylation status in the intragenic differentially methylated region of the IGF2 locus in Bos taurus indicus oocytes with different developmental competencies. <i>Molecular Human Reproduction</i> , 2011 , 17, 85-91	4.4	25	
Expression Profile of Candidates Genes for the Acquisition of Competence During Oocyte Growth in Bovine <i>Biology of Reproduction</i> , 2011 , 85, 414-414	3.9		
Quality assessment of bovine cryopreserved sperm after sexing by flow cytometry and their use in in vitro embryo production. <i>Theriogenology</i> , 2010 , 74, 1521-30	2.8	73	
Allele-specific expression of the MAOA gene and X chromosome inactivation in in vitro produced bovine embryos. <i>Molecular Reproduction and Development</i> , 2010 , 77, 615-21	2.6	11	
Cin l ica de espermatozoides criopreservados de bovinos apl sexagem por citometria de fluxo. <i>Pesquisa Agropecuaria Brasileira</i> , 2009 , 44, 1346-1351	1.8	2	
Effect of Percoll volume, duration and force of centrifugation, on in vitro production and sex ratio of bovine embryos. <i>Theriogenology</i> , 2009 , 71, 1289-97	2.8	86	
Recovery, cryopreservation and fertilization potential of bovine spermatozoa obtained from epididymides stored at 5 degrees C by different periods of time. <i>Animal Reproduction Science</i> , 2009 , 116, 50-7	2.1	40	
Effect of follicle size on mRNA expression in cumulus cells and oocytes of Bos indicus: an approach to identify marker genes for developmental competence. <i>Reproduction, Fertility and Development</i> , 2009 , 21, 655-64	1.8	72	
Oxygen tension during in vitro culture of bovine embryos: effect in production and expression of genes related to oxidative stress. <i>Animal Reproduction Science</i> , 2008 , 104, 132-42	2.1	67	
Effects of scrotal insulation in Nellore bulls (Bos taurus indicus) on seminal quality and its relationship with in vitro fertilizing ability. <i>Theriogenology</i> , 2008 , 70, 1560-8	2.8	40	
Effects of freeze-drying on cytology, ultrastructure, DNA fragmentation, and fertilizing ability of bovine sperm. <i>Theriogenology</i> , 2007 , 67, 1307-15	2.8	61	
Cryopreservation of epididymal bovine spermatozoa from dead animals and its uses in vitro embryo production. <i>Animal Reproduction Science</i> , 2007 , 101, 326-31	2.1	38	
	Transcription profile of candidate genes for the acquisition of competence during oocyte growth in cattle. Reproduction in Domestic Animals, 2013, 48, 781-9 Nanoscale differences in the shape and size of X and Y chromosome-bearing bovine sperm heads assessed by atomic force microscopy. PLoS ONE, 2013, 8, e59387 Effect of the exposure to methyl-thyclodextrin prior to chilling or vitrification on the viability of bovine immature oocytes. Cryobiology, 2012, 65, 319-25 The methylation patterns of the IGF2 and IGF2R genes in bovine spermatozoa are not affected by flow-cytometric sex sorting. Molecular Reproduction and Development, 2012, 79, 77-84 Post-hatching development of bovine embryos in vitro: the effects of tunnel preparation and gender. Zygote, 2012, 20, 123-34 Methylation status in the intragenic differentially methylated region of the IGF2 locus in Bos taurus indicus oocytes with different developmental competencies. Molecular Human Reproduction, 2011, 17, 85-91 Expression Profile of Candidates Genes for the Acquisition of Competence During Oocyte Growth in Bovine. Biology of Reproduction, 2011, 85, 414-414 Quality assessment of bovine cryopreserved sperm after sexing by flow cytometry and their use in in vitro embryo production. Theriogenology, 2010, 74, 1521-30 Allele-specific expression of the MAOA gene and X chromosome inactivation in in vitro produced bovine embryos. Molecular Reproduction and Development, 2010, 77, 615-21 Cintica de espermatozoides criopreservados de bovinos apil sexagem por citometria de fluxo. Pesquisa Agropecuaria Brasileira, 2009, 44, 1346-1351 Effect of Percoll volume, duration and fertilization potential of bovine spermatozoa obtained from epididymides stored at 5 degrees C by different periods of time. Animal Reproduction and sex ratio of bovine embryos. Theriogenology, 2009, 71, 1289-97 Recovery, cryopreservation and fertilization potential of bovine spermatozoa obtained from epididymides stored at 5 degrees C by different periods of time. Animal Reproduction and e	Transcription profile of candidate genes for the acquisition of competence during oocyte growth in cattle. Reproduction in Domestic Animals, 2013, 48, 781-9 Nanoscale differences in the shape and size of X and Y chromosome-bearing bovine sperm heads assessed by atomic force microscopy. PLoS ONE, 2013, 8, e59387 Effect of the exposure to methyl-Eyclodextrin prior to chilling or vitrification on the viability of bovine immature oocytes. Cryobiology, 2012, 65, 319-25 The methylation patterns of the IGF2 and IGF2R genes in bovine spermatozoa are not affected by flow-cytometric sex sorting. Molecular Reproduction and Development, 2012, 79, 77-84 Post-hatching development of bovine embryos in vitro: the effects of tunnel preparation and gender. Zygote, 2012, 20, 123-34 Methylation status in the intragenic differentially methylated region of the IGF2 locus in Bos taurus indicus oocytes with different developmental competencies. Molecular Human Reproduction, 2011, 85-91 Expression Profile of Candidates Genes for the Acquisition of Competence During Oocyte Growth in Bovine. Biology of Reproduction, 2011, 85, 414-414 Quality assessment of bovine cryopreserved sperm after sexing by flow cytometry and their use in in vitro embryo production. Theriogenology, 2010, 74, 1521-30 Allele-specific expression of the MAOA gene and X chromosome inactivation in in vitro produced bovine embryos. Molecular Reproduction and Development, 2010, 77, 615-21 Cinflica de espermatozoides criopreservados de bovinos ap8 sexagem por citometria de fluxo. Pesquisa Agropecuaria Brasileira, 2009, 44, 1346-1351 Effect of Percoll volume, duration and force of centrifugation, on in vitro production and sex ratio of bovine embryos. Theriogenology, 2009, 71, 1289-97 Effect of Folicicle size on mRNA expression in cumulus cells and oocytes of Bos indicus: an approach to identify marker genes for developmental competence. Reproduction, Fartility and Development, 209, 21, 655-64 Oxygen tension during in vitro culture of bovine embryos: effect in p	Molecular Reproduction and Development, 2013, 80, 936-47 Transcription profile of candidate genes for the acquisition of competence during oocyte growth in cattle. Reproduction in Domestic Animals, 2013, 48, 781-9 Nanoscale differences in the shape and size of X and Y chromosome-bearing bovine sperm heads assessed by atomic force microscopy. PLoS ONE, 2013, 8, e59387 Effect of the exposure to methyl-Exyclodextrin prior to chilling or vitrification on the viability of bovine immature oocytes. Cryobiology, 2012, 65, 319-25 The methylation patterns of the IGF2 and IGF2R genes in bovine spermatozoa are not affected by flow-cytometric sex sorting. Molecular Reproduction and Development, 2012, 79, 77-84 Post-hatching development of bovine embryos in vitro: the effects of tunnel preparation and gender. Avgote, 2012, 20, 123-34 Methylation status in the intragenic differentially methylated region of the IGF2 locus in Bos taurus indicus oocytes with different developmental competencies. Molecular Human Reproduction, 2011, 17, 85-91 Expression Profile of Candidates Genes for the Acquisition of Competence During Oocyte Growth in Bovine. Biology of Reproduction, 2011, 85, 414-414 Quality assessment of bovine cryopreserved sperm after sexing by flow cytometry and their use in in vitro embryo production. Theriogenology, 2010, 74, 1521-30 Allele-specific expression of the MAOA gene and X chromosome inactivation in in vitro produced bovine embryos. Molecular Reproduction and Development, 2010, 77, 615-21 Cinica de espermatozoides criopreservados de bovinos ap8 sexagem por citometria de fluxo. Pesquisa Agropecuraia Brasileira, 2009, 44, 1346-1351 Effect of Percoll volume, duration and force of centrifugation, on in vitro production and sex ratio of bovine embryos. Theriogenology, 2009, 71, 1289-97 Recovery, cryopreservation and Fertilization potential of bovine spermatozoa obtained from epicidymides stored at 5 degrees C by different periods of time. Animal Reproduction Science, 2009, 116, 50-64 Cryopreservation of

9	Quantitative expression of candidate genes for developmental competence in bovine two-cell embryos. <i>Molecular Reproduction and Development</i> , 2006 , 73, 288-97	2.6	53
8	Evaluation of different culture systems on the in vitro production of bovine embryos. <i>Theriogenology</i> , 2005 , 63, 1131-41	2.8	32
7	Development of bovine embryos reconstructed by nuclear transfer of transfected and non-transfected adult fibroblast cells. <i>Genetics and Molecular Research</i> , 2005 , 4, 55-66	1.2	11
6	Sexual development in early- and late-maturing Bos indicus and Bos indicus x Bos taurus crossbred bulls in Brazil. <i>Theriogenology</i> , 2004 , 62, 1198-217	2.8	74
5	Role of estradiol-17beta on nuclear and cytoplasmic maturation of pig oocytes. <i>Animal Reproduction Science</i> , 2003 , 78, 99-110	2.1	26
4	Evaluation of saline and coconut water solutions in the preservation of sheep preantral follicles in situ. <i>Small Ruminant Research</i> , 2002 , 43, 235-243	1.7	15
3	Involvement of steroid hormones on in vitro maturation of pig oocytes. <i>Theriogenology</i> , 2002 , 57, 811-2	1 2.8	40
2	The effect of sperm preparation and co-incubation time on in vitro fertilization of Bos indicus oocytes. <i>Animal Reproduction Science</i> , 2002 , 69, 15-23	2.1	18
1	Efeito do tamanho do fol ū ulo na matura \bar{o} nuclear e citoplasm \bar{o} ica de ov \bar{o} itos de f\bar{o}heas zebu\bar{o}as. <i>Pesquisa Agropecuaria Brasileira</i> , 2000 , 35, 207-214	1.8	3