

Carlos Carvalho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2920226/publications.pdf>

Version: 2024-02-01

23
papers

282
citations

1163117

8
h-index

940533

16
g-index

23
all docs

23
docs citations

23
times ranked

352
citing authors

#	ARTICLE	IF	CITATIONS
1	Morfofisiologia e valor nutritivo do capim-braquiária sob sombreamento natural e a sol pleno. Pesquisa Agropecuaria Brasileira, 2007, 42, 573-579.	0.9	67
2	Tiller size/density compensation in grazed Tifton 85 bermudagrass swards. Pesquisa Agropecuaria Brasileira, 2003, 38, 1459-1468.	0.9	39
3	The growth dynamics in Brachiaria species according to nitrogen dose and shade. Revista Brasileira De Zootecnia, 2011, 40, 270-276.	0.8	36
4	Demografia do perfilhamento e taxas de acúmulo de matéria seca em capim 'Tifton 85' sob pastejo. Scientia Agricola, 2000, 57, 591-600.	1.2	36
5	Desempenho de ovinos e respostas de pastagens de Coastcross submetidas a regimes de desfolha sob lotação contínua. Pesquisa Agropecuaria Brasileira, 2001, 36, 919-927.	0.9	32
6	Índice de área foliar, coeficiente de extinção luminosa e acúmulo de forragem em pastagens de Cynodon spp. sob lotação contínua. Pesquisa Agropecuaria Brasileira, 2001, 36, 187-195.	0.9	19
7	Dinâmica do perfilhamento em capim-elefante sob influência da altura do resíduo pós-pastejo. Pesquisa Agropecuaria Brasileira, 2006, 41, 145-152.	0.9	10
8	Classes de perfilhos na composição do índice de área foliar em pastos de capim-elefante. Pesquisa Agropecuaria Brasileira, 2007, 42, 557-563.	0.9	10
9	Composição mineral de leguminosas forrageiras cultivadas sob diferentes níveis de sombreamento. Semina:Ciencias Agrarias, 2015, 36, 367.	0.3	7
10	Agricultural answers and chemical composition of Massai grass under different nitrogen doses and urea sources. Semina:Ciencias Agrarias, 2018, 39, 1225.	0.3	6
11	Production and quality of milk from Mantiqueira dairy cows feeding on Mombasa grass pasture and receiving different sources of roughage supplementation. Revista Brasileira De Zootecnia, 2012, 41, 790-796.	0.8	5
12	Protein and carbohydrate profiles of 'Massai' grass silage with pelleted citrus pulp and microbial inoculant. Pesquisa Agropecuaria Brasileira, 0, 57, .	0.9	3
13	Root dry matter mass and distribution of Florico grass under different grazing strategies. Pesquisa Agropecuaria Brasileira, 2017, 52, 1276-1285.	0.9	2
14	Morphogenetic and structural characteristics of clones of elephant grass managed under intermittent stocking. Semina:Ciencias Agrarias, 2016, 37, 2099.	0.3	2
15	Análise bioeconômica de períodos de suplementação proteico-energética na estação seca para novilhas Nelore em pastagem diferida de Urochloa decumbens. Arquivo Brasileiro De Medicina Veterinária E Zootecnia, 2019, 71, 1058-1066.	0.4	2
16	Caracterização da forragem e da extrusa de clones de capim elefante anexo sob lotação intermitente. Semina:Ciencias Agrarias, 2014, 35, 2635.	0.3	1
17	Optimal quadrat area and sample size to estimate the forage mass of stargrass. Semina:Ciencias Agrarias, 2017, 38, 3165.	0.3	1
18	Morphogenesis and forage accumulation of Urochloa ruziziensis under nitrogen and potassium fertilization management. Semina:Ciencias Agrarias, 2019, 40, 1605.	0.3	1

#	ARTICLE	IF	CITATIONS
19	Forage mass and canopy structure of Zuri and Quãnia guineagrasses pasture under rotational stocking. Revista Brasileira De Zootecnia, 2021, 50, .	0.8	1
20	SWARD STRUCTURE AND NUTRITIVE VALUE OF UROCHLOA RUZIZIENSIS UNDER NITROGEN AND POTASSIUM FERTILISATION. Revista Caatinga, 2017, 30, 220-229.	0.7	1
21	Application of the "œreal options theory" method to the production systems used in dairy cattle farming. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2020, 72, 2288-2296.	0.4	1
22	Chemical composition of Tanganyika grass under tree shading levels in a silvopastoral system. Revista Brasileira De Saude E Producao Animal, 0, 22, .	0.3	0
23	Morphogenetic and structural traits of tillers and herbage accumulation of Tanganyika grass under shading levels. Revista Brasileira De Saude E Producao Animal, 0, 23, .	0.3	0