

Carmen GarcÃ©s

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2921476/publications.pdf>

Version: 2024-02-01

42
papers

614
citations

516681

16
h-index

642715

23
g-index

45
all docs

45
docs citations

45
times ranked

996
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalencia y factores de riesgo asociados a distintas comorbilidades en niños y adolescentes obesos. <i>Endocrinología, Diabetes Y Nutrición</i> , 2022, , .	0.3	0
2	Sex-dependent relationship of C-reactive protein levels with HDL-cholesterol and HDL-phospholipid concentrations in children. <i>Scientific Reports</i> , 2022, 12, 3214.	3.3	0
3	Association of ACE2 Polymorphisms and Derived Haplotypes With Obesity and Hyperlipidemia in Female Spanish Adolescents. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 888830.	2.4	2
4	Sex steroid hormones, leptin, and high-sensitivity C-reactive protein levels in adolescents. <i>Andrology</i> , 2021, 9, 829-836.	3.5	2
5	Analysis of leptin-adiponectin ratio and C-reactive protein as potential biomarkers of metabolic syndrome in adolescents. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e382-e385.	2.3	2
6	Leptin Concentration, Obesity, and Plasma Non-esterified Fatty Acid Levels in Children. <i>Frontiers in Pediatrics</i> , 2021, 9, 812779.	1.9	1
7	Children with type 1 diabetes have elevated high-sensitivity C-reactive protein compared with a control group. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001424.	2.8	16
8	Opposite Association of Adropin Concentrations with Obesity in Prepubertal Children Compared with Adolescents. <i>Obesity</i> , 2020, 28, 1736-1741.	3.0	1
9	Sex-specific association of plasma nesfatin-1 concentrations with obesity in children. <i>Pediatric Obesity</i> , 2019, 14, e12567.	2.8	11
10	Plasma Retinol Levels and High-Sensitivity C-Reactive Protein in Prepubertal Children. <i>Nutrients</i> , 2018, 10, 1257.	4.1	6
11	R46L polymorphism in the PCSK9 gene: Relationship to lipid levels, subclinical vascular disease, and erectile dysfunction. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1039-1046.e3.	1.5	12
12	Relationship of the Adherence to a Mediterranean Diet and Its Main Components with CRP Levels in the Spanish Population. <i>Nutrients</i> , 2018, 10, 379.	4.1	30
13	C-reactive protein expression in adipose tissue of children with acute appendicitis. <i>Pediatric Research</i> , 2018, 84, 564-567.	2.3	8
14	Relationship between polymorphisms in the CRP, LEP and LEPR genes and high sensitivity C-reactive protein levels in Spanish children. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 1690-1695.	2.3	7
15	Vegetable and Fruit Intakes Are Associated with hs-CRP Levels in Pre-Pubertal Girls. <i>Nutrients</i> , 2017, 9, 224.	4.1	19
16	High-Sensitivity C-Reactive Protein and Leptin Levels Related to Body Mass Index Changes Throughout Childhood. <i>Journal of Pediatrics</i> , 2016, 178, 178-182.	1.8	24
17	High Prepubertal Leptin Levels Are Associated With Earlier Menarcheal Age. <i>Journal of Adolescent Health</i> , 2016, 59, 177-181.	2.5	9
18	Sex-related differences in the association of ghrelin levels with obesity in adolescents. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1371-6.	2.3	15

#	ARTICLE	IF	CITATIONS
19	The influence of puberty on vitamin D status in obese children and the possible relation between vitamin D deficiency and insulin resistance. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2015, 28, 105-10.	0.9	23
20	Relationship of high leptin levels with an adverse lipid and insulin profile in 6-8 year-old children in Spain. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 1111-1116.	2.6	14
21	Association of resistin polymorphisms with resistin levels and lipid profile in children. <i>Molecular Biology Reports</i> , 2014, 41, 7659-7664.	2.3	12
22	Plasma non-esterified fatty acid levels in children and their relationship with sex steroids. <i>Steroids</i> , 2014, 88, 15-18.	1.8	3
23	Resistin levels are related to fat mass, but not to body mass index in children. <i>Peptides</i> , 2013, 49, 49-52.	2.4	19
24	Influence of the interaction between the adiponectin G276T polymorphism and body mass index on lipid levels in healthy children. <i>Molecular Biology Reports</i> , 2012, 39, 4831-4835.	2.3	7
25	Relationship of adiponectin with metabolic syndrome components in pubertal children. <i>Atherosclerosis</i> , 2011, 216, 467-470.	0.8	23
26	Sex hormone-binding globulin and lipid profile in pubertal children. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 166-171.	3.4	34
27	Influence of the leptin G2548A polymorphism on leptin levels and anthropometric measurements in healthy Spanish adolescents. <i>Annals of Human Genetics</i> , 2010, 74, 335-339.	0.8	16
28	Leptin and adiponectin levels in pubertal children: relationship with anthropometric variables and body composition. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 707-711.	2.3	42
29	Sex hormone-binding globulin levels and metabolic syndrome and its features in adolescents#. <i>Pediatric Diabetes</i> , 2009, 11, 188-194.	2.9	17
30	Hormone levels in 12- to 15-year-old boys and girls in Spain and their relationship with anthropometric variables. <i>Clinical Biochemistry</i> , 2008, 41, 621-624.	1.9	11
31	High-density lipoprotein cholesterol and paraoxonase 1 (PON1) genetics and serum PON1 activity in prepubertal children in Spain. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 809-13.	2.3	6
32	Factores de riesgo cardiovascular en la edad infantil. Resultados globales del estudio Cuatro Provincias. <i>Revista Espanola De Cardiologia</i> , 2007, 60, 517-524.	1.2	17
33	Cardiovascular Risk Factors in Children. Main Findings of the Four Provinces Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2007, 60, 517-524.	0.6	5
34	Dehydroepiandrosterone Sulfate and High-density Lipoprotein-cholesterol Levels in Overweight Children*. <i>Obesity</i> , 2007, 15, 1147-1154.	3.0	4
35	Dehydroepiandrosterone sulfate (DHEA-S) distribution in Spanish prepubertal children: Relationship with fasting plasma insulin concentrations and insulin resistance. <i>Clinica Chimica Acta</i> , 2006, 366, 163-167.	1.1	9
36	Insulin and HOMA in Spanish prepubertal children: Relationship with lipid profile. <i>Clinical Biochemistry</i> , 2005, 38, 920-924.	1.9	11

#	ARTICLE	IF	CITATIONS
37	Obesity in Spanish Schoolchildren: Relationship with Lipid Profile and Insulin Resistance. <i>Obesity</i> , 2005, 13, 959-963.	4.0	51
38	Influence of apolipoprotein E genotype on fat-soluble plasma antioxidants in Spanish children. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 624-632.	4.7	36
39	ε3ε4 Genotype as Risk Factor of Myocardial Infarction in Middle-Aged People in Spain. <i>Disease Markers</i> , 2005, 21, 153-156.	1.3	1
40	Consistently high plasma high-density lipoprotein-cholesterol levels in children in Spain, a country with low cardiovascular mortality. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1045-1047.	3.4	17
41	Effects of Dehydroepiandrosterone-sulfate on the Apo E Genotype Influence on Plasma Lipid Levels in Prepubertal Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3997-4000.	3.6	11
42	Influence of Birth Weight on the Apo E Genetic Determinants of Plasma Lipid Levels in Children. <i>Pediatric Research</i> , 2002, 52, 873-878.	2.3	42