Zubin Bhagwagar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2922699/zubin-bhagwagar-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73	4,724	37	68
papers	citations	h-index	g-index
78 ext. papers	5,288 ext. citations	6.3 avg, IF	5.07 L-index

#	Paper	IF	Citations
73	Inverse changes in raphe and cortical 5-HT receptor availability after acute tryptophan depletion in healthy human subjects. <i>Synapse</i> , 2020 , 74, e22159	2.4	2
72	Interpretation of chronic pain clinical trial outcomes: IMMPACT recommended considerations. <i>Pain</i> , 2020 , 161, 2446-2461	8	20
71	OCD is associated with an altered association between sensorimotor gating and cortical and subcortical 5-HT1b receptor binding. <i>Journal of Affective Disorders</i> , 2016 , 196, 87-96	6.6	21
70	Test-retest reliability of the novel 5-HT1B receptor PET radioligand [11C]P943. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 468-77	8.8	11
69	Assessment of the Efficacy and Safety of BMS-820836 in Patients With Treatment-Resistant Major Depression: Results From 2 Randomized, Double-Blind Studies. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 454-9	1.7	9
68	Reductions in brain 5-HT1B receptor availability in primarily cocaine-dependent humans. <i>Biological Psychiatry</i> , 2014 , 76, 816-22	7.9	31
67	Changes in the cholinergic system between bipolar depression and euthymia as measured with [1231]5IA single photon emission computed tomography. <i>Biological Psychiatry</i> , 2013 , 74, 768-76	7.9	41
66	Considerations for improving assay sensitivity in chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2012 , 153, 1148-1158	8	184
65	Prefrontal cortical response to emotional faces in individuals with major depressive disorder in remission. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 30-7	2.9	33
64	Increased ratio of anti-apoptotic to pro-apoptotic Bcl2 gene-family members in lithium-responders one month after treatment initiation. <i>Biology of Mood & Anxiety Disorders</i> , 2012 , 2, 15		42
63	Effects of ketamine in treatment-refractory obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2012 , 72, 964-70	7.9	98
62	Quantification of ligand PET studies using a reference region with a displaceable fraction: application to occupancy studies with [(11)C]-DASB as an example. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 70-80	7-3	28
61	Persistent 🛚 *-nicotinic acetylcholinergic receptor dysfunction in major depressive disorder. <i>American Journal of Psychiatry</i> , 2012 , 169, 851-9	11.9	82
60	Age effects on serotonin receptor 1B as assessed by PET. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 1411-4	8.9	21
59	Citalopram reduces endotoxin-induced fatigue. Brain, Behavior, and Immunity, 2011, 25, 256-9	16.6	73
58	Diminished brain 5-HT transporter binding in major depression: a positron emission tomography study with [11C]DASB. <i>Psychopharmacology</i> , 2011 , 213, 555-62	4.7	54
57	Assessing the sensitivity of [\square C]p943, a novel 5-HT1B radioligand, to endogenous serotonin release. <i>Synapse</i> , 2011 , 65, 1113-7	2.4	19

(2008-2011)

56	Time course of regional brain activity accompanying auditory verbal hallucinations in schizophrenia. <i>British Journal of Psychiatry</i> , 2011 , 198, 277-83	5.4	40
55	Association of frontal and posterior cortical gray matter volume with time to alcohol relapse: a prospective study. <i>American Journal of Psychiatry</i> , 2011 , 168, 183-92	11.9	146
54	Levetiracetam in the management of bipolar depression: a randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 744-50	4.6	31
53	The Relationship Between Mood, Stress, and Tobacco Smoking 2011 , 147-161		
52	Increased peripheral blood expression of electron transport chain genes in bipolar depression. <i>Bipolar Disorders</i> , 2010 , 12, 813-24	3.8	44
51	Antidepressant response and the serotonin transporter gene-linked polymorphic region. <i>Biological Psychiatry</i> , 2010 , 68, 536-43	7.9	101
50	Association between serotonin transporter binding, physiological and environmental factors in healthy male subjects. <i>NeuroImage</i> , 2010 , 52, S93-S94	7.9	
49	Simplified quantification of 5-HT2A receptors in the human brain with [11C]MDL 100,907 PET and non-invasive kinetic analyses. <i>NeuroImage</i> , 2010 , 50, 984-93	7.9	19
48	A sequencing-based survey of functional APAF1 alleles in a large sample of individuals with affective illness and population controls. <i>American Journal of Medical Genetics Part B:</i> Neuropsychiatric Genetics, 2010 , 153B, 332-5	3.5	
47	Neurotransmitter Systems in Bipolar Disorder 2010, 210-227		3
46	5-HT(1A) receptor binding in euthymic bipolar patients using positron emission tomography with [carbonyl-(11)C]WAY-100635. <i>Journal of Affective Disorders</i> , 2010 , 123, 77-80	6.6	27
45	Enhanced visual motion perception in major depressive disorder. <i>Journal of Neuroscience</i> , 2009 , 29, 907	2676	69
44	Brain serotonin transporter binding in former users of MDMA (Vecstasyl). <i>British Journal of Psychiatry</i> , 2009 , 194, 355-9	5.4	42
43	Enhanced negative emotion and alcohol craving, and altered physiological responses following stress and cue exposure in alcohol dependent individuals. <i>Neuropsychopharmacology</i> , 2009 , 34, 1198-20	08 ^{8.7}	330
42	Evidence for modulation of facial emotional processing bias during emotional expression decoding by serotonergic and noradrenergic antidepressants: an event-related potential (ERP) study. <i>Psychopharmacology</i> , 2009 , 202, 621-34	4.7	32
41	Lamotrigine-associated rash: to rechallenge or not to rechallenge?. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 257-65	5.8	17
41		5.87.3	17 62

38	Neural correlates of impulse control during stop signal inhibition in cocaine-dependent men. <i>Neuropsychopharmacology</i> , 2008 , 33, 1798-806	8.7	143
37	Rechallenging with clozapine following neutropenia: treatment options for refractory schizophrenia. <i>American Journal of Psychiatry</i> , 2008 , 165, 813-8	11.9	39
36	Inflammation, glutamate, and glia in depression: a literature review. CNS Spectrums, 2008, 13, 501-10	1.8	232
35	Low GABA concentrations in occipital cortex and anterior cingulate cortex in medication-free, recovered depressed patients. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 255-60	5.8	121
34	Drs. Ghaznavi and Bhagwagar Reply. American Journal of Psychiatry, 2008, 165, 1611-1612	11.9	1
33	Presentations of psychosis with violence: variations in different jurisdictions. A comparison of patients with psychosis in the high security hospitals of Scotland and England. <i>Behavioral Sciences and the Law</i> , 2008 , 26, 585-602	1.9	7
32	Reduction in occipital cortex gamma-aminobutyric acid concentrations in medication-free recovered unipolar depressed and bipolar subjects. <i>Biological Psychiatry</i> , 2007 , 61, 806-12	7.9	231
31	Validation of a tracer kinetic model for the quantification of 5-HT(2A) receptors in human brain with [(11)C]MDL 100,907. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 161-72	7.3	39
30	Bipolar disorder: the neglected psychosis. <i>Psychiatry (Abingdon, England)</i> , 2007 , 6, 389-392		
29	The effects of low doses of delta-9 tetrahydrocannabinol on reinforcement processing in the risky decision-making of young healthy adults. <i>Neuropsychopharmacology</i> , 2007 , 32, 417-28	8.7	19
28	5-HTT binding in recovered depressed patients and healthy volunteers: a positron emission tomography study with [11C]DASB. <i>American Journal of Psychiatry</i> , 2007 , 164, 1858-65	11.9	62
27	Increased 5-HT(2A) receptor binding in euthymic, medication-free patients recovered from depression: a positron emission study with [(11)C]MDL 100,907. <i>American Journal of Psychiatry</i> , 2006 , 163, 1580-7	11.9	143
26	Effects of tryptophan depletion on the performance of an iterated Prisoner's Dilemma game in healthy adults. <i>Neuropsychopharmacology</i> , 2006 , 31, 1075-84	8.7	122
25	Low doses of delta-9 tetrahydrocannabinol (THC) have divergent effects on short-term spatial memory in young, healthy adults. <i>Neuropsychopharmacology</i> , 2006 , 31, 462-70	8.7	41
24	Early onset of selective serotonin reuptake inhibitor antidepressant action: systematic review and meta-analysis. <i>Archives of General Psychiatry</i> , 2006 , 63, 1217-23		257
23	Potential of levetiracetam in mood disorders: a preliminary review. CNS Drugs, 2006, 20, 969-79	6.7	23
22	Increased salivary cortisol after waking in depression. <i>Psychopharmacology</i> , 2005 , 182, 54-7	4.7	196
21	Lamotrigine in the treatment of bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2005 , 6, 1401-8	4	18

(2000-2004)

20	Preferential 5-HT1A autoreceptor occupancy by pindolol is attenuated in depressed patients: effect of treatment or an endophenotype of depression?. <i>Neuropsychopharmacology</i> , 2004 , 29, 1688-98	8.7	31
19	Increased brain GABA concentrations following acute administration of a selective serotonin reuptake inhibitor. <i>American Journal of Psychiatry</i> , 2004 , 161, 368-70	11.9	162
18	Bipolar disorder: the neglected psychosis. <i>Psychiatry (Abingdon, England)</i> , 2004 , 3, 67-70		
17	Normalization of enhanced fear recognition by acute SSRI treatment in subjects with a previous history of depression. <i>American Journal of Psychiatry</i> , 2004 , 161, 166-8	11.9	145
16	Inositol for depressive disorders. <i>The Cochrane Library</i> , 2004 , CD004049	5.2	14
15	Tryptophan depletion alters the decision-making of healthy volunteers through altered processing of reward cues. <i>Neuropsychopharmacology</i> , 2003 , 28, 153-62	8.7	223
14	Increase in concentration of waking salivary cortisol in recovered patients with depression. <i>American Journal of Psychiatry</i> , 2003 , 160, 1890-1	11.9	130
13	Lack of effect of a single dose of hydrocortisone on serotonin(1A) receptors in recovered depressed patients measured by positron emission tomography with [11C]WAY-100635. <i>Biological Psychiatry</i> , 2003 , 54, 890-5	7.9	19
12	Risperidone augmentation decreases rapid eye movement sleep and decreases wake in treatment-resistant depressed patients. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 192-6	4.6	40
11	Cortisol modulation of 5-HT-mediated growth hormone release in recovered depressed patients. Journal of Affective Disorders, 2002 , 72, 249-55	6.6	14
10	The role of lithium in the treatment of bipolar depression. Clinical Neuroscience Research, 2002, 2, 222-2	27	25
9	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. <i>Psychopharmacology</i> , 2002 , 163, 106-10	4.7	81
8	Role of mood stabilizers in bipolar disorder. Expert Review of Neurotherapeutics, 2002, 2, 239-48	4.3	6
7	State and trait abnormalities in serotonin function in major depression. <i>British Journal of Psychiatry</i> , 2002 , 180, 24-8	5.4	98
6	Pindolol augmentation of selective serotonin reuptake inhibitors: PET evidence that the dose used in clinical trials is too low. <i>American Journal of Psychiatry</i> , 2001 , 158, 2080-2	11.9	72
5	PET measurement of the influence of corticosteroids on serotonin-1A receptor number. <i>Biological Psychiatry</i> , 2001 , 50, 668-76	7.9	24
4	Decreased sensitivity of 5-HT(1D) receptors in melancholic depression. <i>British Journal of Psychiatry</i> , 2001 , 178, 454-7	5.4	23
3	Velo-cardio-facial (Shprintzenঙ) Syndrome, violence and schizophrenia. <i>Journal of Forensic Psychiatry Psychology</i> , 2000 , 11, 449-455		

2 Financial implications of Caiman changes in psychiatry. *Psychiatric Bulletin*, **1997**, 21, 784-785

Lithium for acute mania. The Cochrane Library,

5.2 78