

Narinder Paul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2922823/publications.pdf>

Version: 2024-02-01

35
papers

1,134
citations

516561

16
h-index

395590

33
g-index

36
all docs

36
docs citations

36
times ranked

1554
citing authors

#	ARTICLE	IF	CITATIONS
1	The association between physical activity time and neuropathy in longstanding type 1 diabetes: A cross-sectional analysis of the Canadian study of longevity in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108134.	1.2	5
2	Quantitative assessment of pulmonary artery occlusion using lung dynamic perfusion CT. <i>Scientific Reports</i> , 2021, 11, 483.	1.6	2
3	3D printed CT-based abdominal structure mannequin for enabling research. <i>3D Printing in Medicine</i> , 2020, 6, 3.	1.7	10
4	Restricting motion effects in CT coronary angiography. <i>British Journal of Radiology</i> , 2019, 92, 20190384.	1.0	3
5	Elevated plasma cyclic guanosine monophosphate may explain greater efferent arteriolar tone in adults with longstanding type 1 diabetes: A brief report. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 547-549.	1.2	1
6	Estimating GFR by Serum Creatinine, Cystatin C, and \hat{I}^{2} -Microglobulin in Older Adults: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Kidney International Reports</i> , 2019, 4, 786-796.	0.4	12
7	Risk factors for diabetic kidney disease in adults with longstanding type 1 diabetes: results from the Canadian Study of Longevity in Diabetes. <i>Renal Failure</i> , 2019, 41, 427-433.	0.8	4
8	Patient Preferences for Coronary CT Angiography with Stress Perfusion, SPECT, or Invasive Coronary Angiography. <i>Radiology</i> , 2019, 291, 340-348.	3.6	10
9	Renal Hemodynamic Function and RAAS Activation Over the Natural History of Type 1 Diabetes. <i>American Journal of Kidney Diseases</i> , 2019, 73, 786-796.	2.1	15
10	Association between uric acid, renal haemodynamics and arterial stiffness over the natural history of type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1388-1398.	2.2	12
11	Lung Density Analysis Using Quantitative Chest CT for Early Prediction of Chronic Lung Allograft Dysfunction. <i>Transplantation</i> , 2019, 103, 2645-2653.	0.5	17
12	Bone mineral density in patients with longstanding type 1 diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 107324.	1.2	21
13	The relationships between markers of tubular injury and intrarenal haemodynamic function in adults with and without type 1 diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 575-583.	2.2	15
14	Quantitative chest CT for subtyping chronic lung allograft dysfunction and its association with survival. <i>Clinical Transplantation</i> , 2018, 32, e13233.	0.8	17
15	Adiposity Impacts Intrarenal Hemodynamic Function in Adults With Long-standing Type 1 Diabetes With and Without Diabetic Nephropathy: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 831-839.	4.3	13
16	Applicability and accuracy of pretest probability calculations implemented in the NICE clinical guideline for decision making about imaging in patients with chest pain of recent onset. <i>European Radiology</i> , 2018, 28, 4006-4017.	2.3	2
17	Diabetes Care Disparities in Long-standing Type 1 Diabetes in Canada and the U.S.: A Cross-sectional Comparison. <i>Diabetes Care</i> , 2018, 41, 88-95.	4.3	17
18	Atherosclerosis and Microvascular Complications: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 2570-2578.	4.3	37

#	ARTICLE	IF	CITATIONS
19	Sex differences in neuropathic pain in longstanding diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 660-664.	1.2	22
20	Renin-angiotensin-aldosterone system activation in long-standing type 1 diabetes. <i>JCI Insight</i> , 2018, 3, .	2.3	38
21	Validity of a point-of-care nerve conduction device for polyneuropathy identification in older adults with diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>PLoS ONE</i> , 2018, 13, e0196647.	1.1	13
22	Neuropathy and presence of emotional distress and depression in longstanding diabetes: Results from the Canadian study of longevity in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1318-1324.	1.2	37
23	Prognostic Value of Combined CT Angiography and Myocardial Perfusion Imaging versus Invasive Coronary Angiography and Nuclear Stress Perfusion Imaging in the Prediction of Major Adverse Cardiovascular Events: The CORE320 Multicenter Study. <i>Radiology</i> , 2017, 284, 55-65.	3.6	74
24	The role of biomechanical anatomical modeling via computed tomography for identification of restrictive allograft syndrome. <i>Clinical Transplantation</i> , 2017, 31, e13027.	0.8	5
25	Lower corneal nerve fibre length identifies diabetic neuropathy in older adults with diabetes: results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetologia</i> , 2017, 60, 2529-2531.	2.9	14
26	Prevalence of Insulin Pump Therapy and Its Association with Measures of Glycemic Control: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 298-307.	2.4	25
27	Cardiovascular disease guideline adherence and self-reported statin use in longstanding type 1 diabetes: results from the Canadian study of longevity in diabetes cohort. <i>Cardiovascular Diabetology</i> , 2016, 15, 14.	2.7	29
28	Commonly Measured Clinical Variables Are Not Associated With Burden of Complications in Long-standing Type 1 Diabetes: Results From the Canadian Study of Longevity in Diabetes. <i>Diabetes Care</i> , 2016, 39, e67-e68.	4.3	19
29	Fabrication and control of CT number through polymeric composites based on coronary plaque CT phantom applications. <i>Journal of Medical Imaging</i> , 2016, 3, 016001.	0.8	5
30	Arterial input function placement effect on computed tomography lung perfusion maps. <i>Quantitative Imaging in Medicine and Surgery</i> , 2016, 6, 25-34.	1.1	1
31	Computed tomography angiography and perfusion to assess coronary artery stenosis causing perfusion defects by single photon emission computed tomography: the CORE320 study. <i>European Heart Journal</i> , 2014, 35, 1120-1130.	1.0	385
32	Radiologic Outcomes at 5 Years After Severe ARDS. <i>Chest</i> , 2013, 143, 920-926.	0.4	62
33	Comparison of Sensitivity of Low-Dose CT Scan and Serum Galactomannan in Patients with Hematologic Malignancies and Positive Bronchoalveolar Lavage for Invasive Pulmonary Aspergillosis. <i>Blood</i> , 2012, 120, 1490-1490.	0.6	1
34	Diagnostic performance of combined noninvasive coronary angiography and myocardial perfusion imaging using 320 row detector computed tomography: design and implementation of the CORE320 multicenter, multinational diagnostic study. <i>Journal of Cardiovascular Computed Tomography</i> , 2011, 5, 370-381.	0.7	77
35	Diagnostic Performance of Combined Noninvasive Coronary Angiography and Myocardial Perfusion Imaging Using 320-MDCT: The CT Angiography and Perfusion Methods of the CORE320 Multicenter Multinational Diagnostic Study. <i>American Journal of Roentgenology</i> , 2011, 197, 829-837.	1.0	113