

Cheng-Yu Long

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2922837/publications.pdf>

Version: 2024-02-01

117
papers

2,076
citations

236833

25
h-index

276775

41
g-index

119
all docs

119
docs citations

119
times ranked

2315
citing authors

#	ARTICLE	IF	CITATIONS
1	Eugenosedin-A improves obesity-related hyperglycemia by regulating ATP-sensitive K ⁺ channels and insulin secretion in pancreatic β^2 cells. <i>Biomedicine and Pharmacotherapy</i> , 2022, 145, 112447.	2.5	1
2	Letter to the editor: An ultrasound observation study on the levator hiatus with or without diastasis recti abdominis in postpartum women?. <i>International Urogynecology Journal</i> , 2022, 33, 169-169.	0.7	0
3	The Er:YAG vaginal laser for management of women with genitourinary syndrome of menopause (GSM). <i>Lasers in Medical Science</i> , 2022, 37, 2203-2208.	1.0	5
4	High-intensity focused ultrasound treatment for large and small solitary uterine fibroids. <i>International Journal of Hyperthermia</i> , 2022, 39, 485-489.	1.1	7
5	Changes in sexual function and vaginal topography using transperineal ultrasound after vaginal laser treatment for women with stress urinary incontinence. <i>Scientific Reports</i> , 2022, 12, 3435.	1.6	5
6	Letter to the editor: Comparison of the effectiveness of sacrospinous ligament fixation and sacrocolpopexy: a meta-analysis. <i>International Urogynecology Journal</i> , 2022, , 1.	0.7	0
7	Does COVID-19 Vaccination Cause Storage Lower Urinary Tract Symptoms?. <i>Journal of Clinical Medicine</i> , 2022, 11, 2736.	1.0	3
8	Therapeutic Effect of Platelet-Rich Plasma Improves Bladder Overactivity in the Pathogenesis of Ketamine-Induced Ulcerative Cystitis in a Rat Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5771.	1.8	7
9	Impact of COVID-19 on Pregnancy. <i>International Journal of Medical Sciences</i> , 2021, 18, 763-767.	1.1	113
10	A pilot study: effectiveness of local injection of autologous platelet-rich plasma in treating women with stress urinary incontinence. <i>Scientific Reports</i> , 2021, 11, 1584.	1.6	19
11	Therapeutic effect of Low intensity Extracorporeal Shock Wave Therapy (Li-ESWT) on diabetic bladder dysfunction in a rat model. <i>International Journal of Medical Sciences</i> , 2021, 18, 1423-1431.	1.1	9
12	Which is a superior non-surgical uterine myoma treatment option?. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021, 60, 384.	0.5	0
13	Bladder Hyperactivity Induced by Oxidative Stress and Bladder Ischemia: A Review of Treatment Strategies with Antioxidants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6014.	1.8	17
14	The effects of simulated childbirth trauma on the gene expression of neurotransmitter receptors in the bladder of female rats. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1305-1313.	0.8	2
15	Low Intensity Extracorporeal Shock Wave Therapy as a Potential Treatment for Overactive Bladder Syndrome. <i>Biology</i> , 2021, 10, 540.	1.3	6
16	Letter to the editor: Single-incision slings for the treatment of stress urinary incontinence: efficacy and adverse effects at 10-year follow-up. <i>International Urogynecology Journal</i> , 2021, 32, 2885-2885.	0.7	0
17	Low-Intensity Extracorporeal Shock Wave Therapy Promotes Bladder Regeneration and Improves Overactive Bladder Induced by Ovarian Hormone Deficiency from Rat Animal Model to Human Clinical Trial. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9296.	1.8	8
18	Low Intensity Extracorporeal Shock Wave Therapy as a Novel Treatment for Stress Urinary Incontinence: A Randomized-Controlled Clinical Study. <i>Medicina (Lithuania)</i> , 2021, 57, 947.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Clinical Risk Factors for Uterine Cervical Elongation among Women with Pelvic Organ Prolapse. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9255.	1.2	2
20	Interstitial cystitis/bladder pain syndrome patient is associated with subsequent increased risks of outpatient visits and hospitalizations: A population-based study. <i>PLoS ONE</i> , 2021, 16, e0256800.	1.1	4
21	Surgical Trend and Volume Effect on the Choice of Hysterectomy Benign Gynecologic Conditions. <i>Gynecology and Minimally Invasive Therapy</i> , 2021, 10, 1-9.	0.2	0
22	Re: Vaginal Er:YAG laser application in the menopausal ewe model: a randomised estrogen and sham-controlled trial™. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, , .	1.1	1
23	Surgical trend and volume effect on the choice of hysterectomy benign gynecologic conditions. <i>Gynecology and Minimally Invasive Therapy</i> , 2021, 10, 1.	0.2	11
24	Surgical Trends and Time Frame Comparison of Surgical Types of Hysterectomy: A Nationwide, Population-based 15-year Study. <i>Journal of Minimally Invasive Gynecology</i> , 2020, 27, 65-73.e1.	0.3	10
25	Time-frame comparison of hystero-preservation in the surgical treatment of uterine prolapse: a population-based nation-wide follow-up descriptive study, 2006–2013 versus 1997–2005. <i>International Urogynecology Journal</i> , 2020, 31, 1839-1850.	0.7	4
26	Comparison of magnetic resonance-guided high-intensity focused ultrasound with uterine artery embolization for the treatment of uterine myoma: A systematic literature review and meta-analysis. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020, 59, 691-697.	0.5	11
27	Predictors of voiding dysfunction following Uphold™ mesh repair for the treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 255, 34-39.	0.5	0
28	Acute renal insufficiency and thrombocytopenia after high-intensity focused ultrasound (HIFU) ablation for uterine myomas. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020, 59, 594-597.	0.5	1
29	500 Cases of High-intensity Focused Ultrasound (HIFU) Ablated Uterine Fibroids and Adenomyosis. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020, 59, 865-871.	0.5	33
30	Low-Intensity Extracorporeal Shock Wave Therapy Ameliorates the Overactive Bladder: A Prospective Pilot Study. <i>BioMed Research International</i> , 2020, 2020, 1-9.	0.9	12
31	The clinical and urodynamic outcomes of single-incision mesh surgery using the Uphold system for the treatment of pelvic organ prolapse. <i>Scientific Reports</i> , 2020, 10, 13506.	1.6	3
32	Leptin and ghrelin concentrations and eating behaviors during the early and late luteal phase in women with premenstrual dysphoric disorder. <i>Psychoneuroendocrinology</i> , 2020, 118, 104713.	1.3	11
33	Evaluation of single-incision apical vaginal suspension for treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 247, 198-202.	0.5	2
34	Extragenital mature cystic teratoma at anterior uterine wall coexisting with a pararectal corpus luteum cyst and agenesis of left fallopian tube and left ovary. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020, 59, 154-156.	0.5	1
35	Letter to the editor: Impact of postoperative instructions on physical activity following pelvic reconstructive surgery: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2020, 31, 1711-1711.	0.7	0
36	Association between Generalized Anxiety Disorder and Premenstrual Dysphoric Disorder in a Diagnostic Interviewing Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 988.	1.2	12

#	ARTICLE	IF	CITATIONS
37	Urine retention caused by urethral prolapse mimicking uterine prolapse. Taiwanese Journal of Obstetrics and Gynecology, 2020, 59, 165-166.	0.5	1
38	Therapeutic effects of Low intensity extracorporeal low energy shock wave therapy (LiESWT) on stress urinary incontinence. Scientific Reports, 2020, 10, 5818.	1.6	12
39	Laparoscopic Long Mesh Surgery with Augmented Round Ligaments: A Novel Uterine Preservation Procedure For Apical Pelvic Organ Prolapse. Scientific Reports, 2020, 10, 6615.	1.6	3
40	Epigenetic regulation of COX ² expression by DNA hypomethylation via NF ^κ B activation in ketamine ² -induced ulcerative cystitis. International Journal of Molecular Medicine, 2019, 44, 797-812.	1.8	15
41	Risks of interstitial cystitis among patients with systemic lupus erythematosus: A population ² -based cohort study. International Journal of Urology, 2019, 26, 897-902.	0.5	20
42	Prolapse reduction deteriorates the urethral closure mechanism. International Urogynecology Journal, 2019, 30, 1599-1599.	0.7	0
43	Early- and Late-Luteal-Phase Estrogen and Progesterone Levels of Women with Premenstrual Dysphoric Disorder. International Journal of Environmental Research and Public Health, 2019, 16, 4352.	1.2	22
44	Letter to the editor: does estrogen deprivation affect pelvic floor muscle contractility?. International Urogynecology Journal, 2019, 30, 1783-1783.	0.7	0
45	CD47 promotes cell growth and motility in epithelial ovarian cancer. Biomedicine and Pharmacotherapy, 2019, 119, 109105.	2.5	27
46	Letter to the editor: The negative predictive value of preoperative urodynamics for stress urinary incontinence following prolapse surgery. International Urogynecology Journal, 2019, 30, 1019-1019.	0.7	0
47	Ultrasonographic Assessment with Three-Dimensional Mode of the Urethral Compression Effect following Sling Surgery with and without Mesh Surgery. BioMed Research International, 2019, 2019, 1-6.	0.9	1
48	Effect of Er:YAG Laser for Women with Stress Urinary Incontinence. BioMed Research International, 2019, 2019, 1-7.	0.9	28
49	Estradiol induces cell proliferation in MCF ⁷ mammospheres through HER2/COX ² . Molecular Medicine Reports, 2019, 19, 2341-2349.	1.1	5
50	Changes in Sexual Function Following Uphold Transvaginal mesh Surgery for the Treatment of Urogenital Prolapse. Scientific Reports, 2019, 9, 17047.	1.6	3
51	Predictors for de novo stress urinary incontinence following pelvic reconstruction surgery with transvaginal single-incisional mesh. Scientific Reports, 2019, 9, 19166.	1.6	4
52	Clinical outcomes on tension-releasing suture appendage on single-incision sling devices for postoperative voiding dysfunction involving undue tape tension. International Urogynecology Journal, 2019, 30, 1509-1517.	0.7	3
53	Placenta increta after high-intensity-focused ultrasound for the treatment of a uterine ² leiomyoma. American Journal of Obstetrics and Gynecology, 2018, 219, 115-116.	0.7	1
54	Re: Pregnancy outcomes in patients with uterine fibroids treated with ultrasound ² -guided high ² -intensity focused ultrasound: Is the noninvasive nature of <scp>HIFU</scp> ablation for uterine fibroids and adenomyosis setting patients up for future operative delivery?. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 762-763.	1.1	0

#	ARTICLE	IF	CITATIONS
55	Re: A comparison of the costâ€“utility of ultrasoundâ€“guided highâ€“intensity focused ultrasound and hysterectomy for adenomyosis: a retrospective study: Is the costâ€“effectiveness of HIFU for adenomyosis and fibroids feasible?. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 763-764.	1.1	3
56	Laparoscopic Organopexy with Non-mesh Genital (LONG) Suspension: A Novel Uterine Preservation Procedure for the Treatment of Apical Prolapse. Scientific Reports, 2018, 8, 4872.	1.6	6
57	Detrusor underactivity in pelvic organ prolapse. International Urogynecology Journal, 2018, 29, 773-773.	0.7	0
58	Estrogen levels, emotion regulation, and emotional symptoms of women with premenstrual dysphoric disorder: The moderating effect of estrogen receptor 1 β polymorphism. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 82, 216-223.	2.5	21
59	Voiding difficulty caused by old split scar of labia minor. Taiwanese Journal of Obstetrics and Gynecology, 2018, 57, 911.	0.5	1
60	Comparison of Uphold TM Vaginal Mesh Procedure with Hysterectomy or Uterine Preservation for the Treatment of Pelvic Organ Prolapse. Scientific Reports, 2018, 8, 9438.	1.6	14
61	â€“Long-term effects of vaginal erbium laser in the treatment of genitourinary syndrome of menopauseâ€“: pelvic organ prolapse classification issues. Climacteric, 2018, 21, 515-515.	1.1	1
62	Benzyl butyl phthalate decreases myogenic differentiation of endometrial mesenchymal stem/stromal cells through miR-137-mediated regulation of PITX2. Scientific Reports, 2017, 7, 186.	1.6	27
63	<i>KRAS</i> mutation coupled with <i>p53</i> loss is sufficient to induce ovarian carcinosarcomas in mice. International Journal of Cancer, 2017, 140, 1860-1869.	2.3	24
64	Factors Associated with Types and Intensity of Postoperative Pain following Gynecological Laparoscopic Surgery: A Cross-Sectional Study. BioMed Research International, 2017, 2017, 1-7.	0.9	9
65	Intravesical endometriosis mimicking bladder cancer. International Urogynecology Journal, 2016, 27, 1605-1606.	0.7	1
66	A novel cell-penetrating peptide suppresses breast tumorigenesis by inhibiting β -catenin/LEF-1 signaling. Scientific Reports, 2016, 6, 19156.	1.6	47
67	Tension-releasing suture appendage on single-incision sling device: A novel approach to postoperative voiding dysfunctions. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 519-524.	0.5	6
68	Transurethral resection of intravesical synthetic mesh extrusion with an electrode loop following anterior vaginal mesh surgery: a case report. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 198, 159-160.	0.5	1
69	Clinical effects of transobturator tape procedure with porcine small intestine submucosa for female stress urinary incontinence. Kaohsiung Journal of Medical Sciences, 2016, 32, 142-146.	0.8	5
70	Human umbilical cord matrix-derived stem cells expressing interferon- β gene inhibit breast cancer cells via apoptosis. Oncotarget, 2016, 7, 34172-34179.	0.8	22
71	Trends in reoperation for female stress urinary incontinence: A nationwide study. Neurourology and Urodynamics, 2015, 34, 693-698.	0.8	15
72	Comparison of Clinical Outcomes Using â€“Elevate Anteriorâ€“ versus â€“Perigeeâ€“ System Devices for the Treatment of Pelvic Organ Prolapse. BioMed Research International, 2015, 2015, 1-7.	0.9	13

#	ARTICLE	IF	CITATIONS
73	The late-luteal leptin level, caloric intake and eating behaviors among women with premenstrual dysphoric disorder. <i>Psychoneuroendocrinology</i> , 2015, 56, 52-61.	1.3	12
74	Translocation of NF- κ B and Expression of Cyclooxygenase-2 Are Enhanced by Ketamine-Induced Ulcerative Cystitis in Rat Bladder. <i>American Journal of Pathology</i> , 2015, 185, 2269-2285.	1.9	41
75	Ketamine-induced ulcerative cystitis and bladder apoptosis involve oxidative stress mediated by mitochondria and the endoplasmic reticulum. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F318-F331.	1.3	52
76	HDAC Inhibitors Target HDAC5, Upregulate MicroRNA-125a-5p, and Induce Apoptosis in Breast Cancer Cells. <i>Molecular Therapy</i> , 2015, 23, 656-666.	3.7	87
77	miR-125a-5p is a prognostic biomarker that targets HDAC4 to suppress breast tumorigenesis. <i>Oncotarget</i> , 2015, 6, 494-509.	0.8	84
78	Comparison of Low Urinary Tract Symptoms during Pregnancy between Primiparous and Multiparous Women. <i>BioMed Research International</i> , 2014, 2014, 1-5.	0.9	18
79	In vitro extracellular matrix model to evaluate stroma cell response to transvaginal mesh. <i>Neurourology and Urodynamics</i> , 2014, 33, 449-454.	0.8	2
80	Gonadotrophic hormone and reinforcement sensitivity systems in women with premenstrual dysphoric disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 785-794.	1.0	9
81	A randomised controlled trial of abdominal versus laparoscopic sacrocolpopexy for the treatment of post-hysterectomy vaginal vault prolapse: LAS study. <i>Comment. International Urogynecology Journal</i> , 2014, 25, 435-435.	0.7	1
82	The effect of serotonin 1A receptor polymorphism on the cognitive function of premenstrual dysphoric disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 729-739.	1.8	29
83	The Association Between Premenstrual Dysphoric Disorder and Internet Use Disorder. <i>Women and Health</i> , 2014, 54, 245-261.	0.4	7
84	Surgical trends for benign ovarian tumors among hospitals of different accreditation levels: An 11-year nationwide population-based descriptive study in Taiwan. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2013, 52, 498-504.	0.5	11
85	Modified prepubic TVT-obturator tape procedure versus the conventional method: a preliminary study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 171, 376-380.	0.5	2
86	Depression, Irritability, and Anxiety in Women with Premenstrual Dysphoric Disorder. <i>International Journal of Psychiatry in Medicine</i> , 2013, 46, 39-55.	0.8	27
87	Phthalates Stimulate the Epithelial to Mesenchymal Transition Through an HDAC6-Dependent Mechanism in Human Breast Epithelial Stem Cells. <i>Toxicological Sciences</i> , 2012, 128, 365-376.	1.4	49
88	Working memory deficit in premenstrual dysphoric disorder and its associations with difficulty in concentrating and irritability. <i>Comprehensive Psychiatry</i> , 2012, 53, 540-545.	1.5	30
89	Three-year outcome of transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 105-108.	0.5	20
90	Risk factors of surgical failure following transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 224-227.	0.5	19

#	ARTICLE	IF	CITATIONS
91	Anterior vaginal cyst mimicking a cystocele assessed by transperineal ultrasound. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 165, 128-129.	0.5	4
92	Pelvic floor abscess secondary to gossypiboma following a total Prolift procedure. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012, 51, 283-284.	0.5	0
93	Changing trends of surgical approaches for uterine prolapse: an 11-year population-based nationwide descriptive study. <i>International Urogynecology Journal</i> , 2012, 23, 865-872.	0.7	37
94	Changes in Female Sexual Function following Anterior with and Without Posterior Vaginal Mesh Surgery for the Treatment of Pelvic Organ Prolapse. <i>Journal of Sexual Medicine</i> , 2012, 9, 2167-2174.	0.3	15
95	Sexual dysfunction in women with ketamine cystitis: a case-control study. <i>BJU International</i> , 2012, 110, 427-431.	1.3	19
96	Green tea catechins decrease oxidative stress in surgical menopause-induced overactive bladder in a rat model. <i>BJU International</i> , 2012, 110, E236-44.	1.3	34
97	Comparative study of human eutopic and ectopic endometrial mesenchymal stem cells and the development of an in vivo endometriotic invasion model. <i>Fertility and Sterility</i> , 2011, 95, 1308-1315.e1.	0.5	131
98	Incidental diagnosis of a mesenteric cyst mimicking an ovarian cyst during laparoscopy. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2011, 50, 388-389.	0.5	6
99	Comparison of the Changes in Sexual Function of Premenopausal and Postmenopausal Women Following Transvaginal Mesh Surgery. <i>Journal of Sexual Medicine</i> , 2011, 8, 2009-2016.	0.3	13
100	Comparison of clinical outcome and urodynamic findings using the Perigee and/or Apogee versus the Prolift anterior and/or posterior system devices for the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 233-239.	0.7	39
101	Predictors of improved overactive bladder symptoms after transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 535-542.	0.7	26
102	The impact of simulated birth trauma and ovariectomy on the gene expression of detrusor muscarinic receptors in female rats. <i>International Urogynecology Journal</i> , 2010, 21, 1163-1168.	0.7	4
103	Trends in Various Types of Surgery for Hysterectomy and Distribution by Patient Age, Surgeon Age, and Hospital Accreditation: 10-Year Population-Based Study in Taiwan. <i>Journal of Minimally Invasive Gynecology</i> , 2010, 17, 612-619.	0.3	50
104	Increasing CD44+/CD24- tumor stem cells, and upregulation of COX-2 and HDAC6, as major functions of HER2 in breast tumorigenesis. <i>Molecular Cancer</i> , 2010, 9, 288.	7.9	51
105	Graft-versus-host disease following transobturator tape procedure with small intestinal submucosa (Surgisis): a case report. <i>International Urogynecology Journal</i> , 2009, 20, 1149-1151.	0.7	10
106	Comparison of tension-free vaginal tape and transobturator tape procedure for the treatment of stress urinary incontinence. <i>Current Opinion in Obstetrics and Gynecology</i> , 2009, 21, 342-347.	0.9	71
107	The distribution of different surgical types for female stress urinary incontinence among patients' age, surgeons' specialties and hospital accreditations in Taiwan: a descriptive 10-year nationwide study. <i>International Urogynecology Journal</i> , 2008, 19, 1639-1646.	0.7	16
108	Ultrasonographic assessment of tape location following tension-free vaginal tape and transobturator tape procedure. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 116-121.	1.3	39

#	ARTICLE	IF	CITATIONS
109	Clinical and Ultrasonographic Comparison of Tension-Free Vaginal Tape and Transobturator Tape Procedure for the Treatment of Stress Urinary Incontinence. <i>Journal of Minimally Invasive Gynecology</i> , 2008, 15, 425-430.	0.3	19
110	A randomized comparative study of the effects of oral and topical estrogen therapy on the lower urinary tract of hysterectomized postmenopausal women. <i>Fertility and Sterility</i> , 2006, 85, 155-160.	0.5	80
111	A randomized comparative study of the effects of oral and topical estrogen therapy on the vaginal vascularization and sexual function in hysterectomized postmenopausal women. <i>Menopause</i> , 2006, 13, 737-743.	0.8	120
112	Concomitant resection of congenital vaginal septum during the tension-free vaginal tape procedure. <i>International Urogynecology Journal</i> , 2005, 16, 311-312.	0.7	24
113	Lateral Excision of Tension-Free Vaginal Tape for the Treatment of Iatrogenic Urethral Obstruction. <i>Obstetrics and Gynecology</i> , 2004, 104, 1270-1274.	1.2	38
114	Urodynamic comparison of continent and incontinent women with severe uterovaginal prolapse. <i>Journal of reproductive medicine, The</i> , 2004, 49, 33-7.	0.2	28
115	The clinical and urodynamic effects of the tension free bladder neck sling procedure. <i>International Urogynecology Journal</i> , 2003, -1, 1-1.	0.7	1
116	Effect of laparoscopic hysterectomy on bladder neck and urinary symptoms. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2003, 43, 65-69.	0.4	15
117	Letter to the editor: absorbable versus non-absorbable sutures for vaginal mesh attachment during sacrocolpopexy: a randomized controlled trial. <i>International Urogynecology Journal</i> , 0, , .	0.7	0