

Mãrcia C Neves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/292470/publications.pdf>

Version: 2024-02-01

193
papers

8,752
citations

41258

49
h-index

53109

85
g-index

195
all docs

195
docs citations

195
times ranked

7258
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Overview on Protein Extraction and Purification Using Ionic-Liquid-Based Processes. <i>Journal of Solution Chemistry</i> , 2022, 51, 243-278. | 0.6 | 10 |
| 2 | Using aqueous solutions of ionic liquids as chlorophyll eluents in solid-phase extraction processes. <i>Chemical Engineering Journal</i> , 2022, 428, 131073. | 6.6 | 14 |
| 3 | Separation of Albumin from Bovine Serum Applying Ionic-Liquid-Based Aqueous Biphasic Systems. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 707. | 1.3 | 5 |
| 4 | Enhanced Enzyme Reuse through the Bioconjugation of L-Asparaginase and Silica-Based Supported Ionic Liquid-like Phase Materials. <i>Molecules</i> , 2022, 27, 929. | 1.7 | 5 |
| 5 | Improved Production of 5-Hydroxymethylfurfural in Acidic Deep Eutectic Solvents Using Microwave-Assisted Reactions. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1959. | 1.8 | 6 |
| 6 | Boosting antibiotics performance by new formulations with deep eutectic solvents. <i>International Journal of Pharmaceutics</i> , 2022, 616, 121566. | 2.6 | 10 |
| 7 | Supported Ionic Liquids Used as Chromatographic Matrices in Bioseparation—An Overview. <i>Molecules</i> , 2022, 27, 1618. | 1.7 | 6 |
| 8 | High Performance of Ionic-Liquid-Based Materials to Remove Insecticides. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2989. | 1.8 | 5 |
| 9 | Efficient Extraction of the RuBisCO Enzyme from Spinach Leaves Using Aqueous Solutions of Biocompatible Ionic Liquids. <i>Sustainable Chemistry</i> , 2022, 3, 1-18. | 2.2 | 6 |
| 10 | Deep Eutectic Solvent Formulations and Alginate-Based Hydrogels as a New Partnership for the Transdermal Administration of Anti-Inflammatory Drugs. <i>Pharmaceutics</i> , 2022, 14, 827. | 2.0 | 13 |
| 11 | Immobilization and Characterization of L-Asparaginase over Carbon Xerogels. <i>BioTech</i> , 2022, 11, 10. | 1.3 | 4 |
| 12 | Integrated Approach to Extract and Purify Proteins from Honey by Ionic Liquid-Based Three-Phase Partitioning. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 9275-9281. | 3.2 | 6 |
| 13 | Insights into coacervative and dispersive liquid-phase microextraction strategies with hydrophilic media — A review. <i>Analytica Chimica Acta</i> , 2021, 1143, 225-249. | 2.6 | 45 |
| 14 | Unveiling Modifications of Biomass Polysaccharides during Thermal Treatment in Cholinium Chloride:Lactic Acid Deep Eutectic Solvent. <i>ChemSusChem</i> , 2021, 14, 686-698. | 3.6 | 26 |
| 15 | Purification of green fluorescent protein using fast centrifugal partition chromatography. <i>Separation and Purification Technology</i> , 2021, 257, 117648. | 3.9 | 5 |
| 16 | Optimization of FAME production from blends of waste cooking oil and refined palm oil using biomass fly ash as a catalyst. <i>Renewable Energy</i> , 2021, 163, 1637-1647. | 4.3 | 17 |
| 17 | Nucleophilic degradation of diazinon in thermoreversible polymer-polymer aqueous biphasic systems. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 4133-4140. | 1.3 | 0 |
| 18 | One-Step Aqueous Interfacial Assembly of Robust Membranes for Long-Term Encapsulation and Culture of Adherent Stem/Stromal Cells. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100266. | 3.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Protein-olive oil-in-water nanoemulsions as encapsulation materials for curcumin acting as anticancer agent towards MDA-MB-231 cells. <i>Scientific Reports</i> , 2021, 11, 9099. | 1.6 | 21 |
| 20 | Enhancing Artemisinin Solubility in Aqueous Solutions: Searching for Hydrotropes based on Ionic Liquids. <i>Fluid Phase Equilibria</i> , 2021, 534, 112961. | 1.4 | 11 |
| 21 | Sustainable liquid supports for laccase immobilization and reuse: Degradation of dyes in aqueous biphasic systems. <i>Biotechnology and Bioengineering</i> , 2021, 118, 2514-2523. | 1.7 | 10 |
| 22 | Ionic Liquids in Drug Delivery. <i>Encyclopedia</i> , 2021, 1, 324-339. | 2.4 | 24 |
| 23 | Interferon-Based Biopharmaceuticals: Overview on the Production, Purification, and Formulation. <i>Vaccines</i> , 2021, 9, 328. | 2.1 | 19 |
| 24 | Pelletized biomass fly ash for FAME production: Optimization of a continuous process. <i>Fuel</i> , 2021, 293, 120425. | 3.4 | 7 |
| 25 | 25th Anniversary of Molecules – Recent Advances in Green Chemistry. <i>Molecules</i> , 2021, 26, 3768. | 1.7 | 0 |
| 26 | L-asparaginase production review: bioprocess design and biochemical characteristics. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 4515-4534. | 1.7 | 35 |
| 27 | Integrated Biocatalytic Platform Based on Aqueous Biphasic Systems for the Sustainable Oligomerization of Rutin. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 9941-9950. | 3.2 | 11 |
| 28 | Integrated Production and Separation of Furfural Using an Acidic-Based Aqueous Biphasic System. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 12205-12212. | 3.2 | 3 |
| 29 | L-Asparaginase-Based Biosensors. <i>Encyclopedia</i> , 2021, 1, 848-858. | 2.4 | 7 |
| 30 | Advances Achieved by Ionic-Liquid-Based Materials as Alternative Supports and Purification Platforms for Proteins and Enzymes. <i>Nanomaterials</i> , 2021, 11, 2542. | 1.9 | 8 |
| 31 | Advances Brought by Hydrophilic Ionic Liquids in Fields Involving Pharmaceuticals. <i>Materials</i> , 2021, 14, 6231. | 1.3 | 7 |
| 32 | Efficient Isolation of Bacterial RNAs Using Silica-Based Materials Modified with Ionic Liquids. <i>Life</i> , 2021, 11, 1090. | 1.1 | 4 |
| 33 | Towards the Use of Adsorption Methods for the Removal of Purines from Beer. <i>Molecules</i> , 2021, 26, 6460. | 1.7 | 7 |
| 34 | Opposite Effects Induced by Cholinium-Based Ionic Liquid Electrolytes in the Formation of Aqueous Biphasic Systems Comprising Polyethylene Glycol and Sodium Polyacrylate. <i>Molecules</i> , 2021, 26, 6612. | 1.7 | 1 |
| 35 | Superior operational stability of immobilized L-asparaginase over surface-modified carbon nanotubes. <i>Scientific Reports</i> , 2021, 11, 21529. | 1.6 | 6 |
| 36 | Enhanced Dissolution of Chitin Using Acidic Deep Eutectic Solvents: A Sustainable and Simple Approach to Extract Chitin from Crayfish shell Wastes as Alternative Feedstocks. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 16073-16081. | 3.2 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Enhanced Furfural Production in Deep Eutectic Solvents Comprising Alkali Metal Halides as Additives. <i>Molecules</i> , 2021, 26, 7374. | 1.7 | 5 |
| 38 | Chlorophylls Extraction from Spinach Leaves Using Aqueous Solutions of Surface-Active Ionic Liquids. <i>Sustainable Chemistry</i> , 2021, 2, 764-777. | 2.2 | 6 |
| 39 | Supported ionic liquids as efficient materials to remove non-steroidal anti-inflammatory drugs from aqueous media. <i>Chemical Engineering Journal</i> , 2020, 381, 122616. | 6.6 | 40 |
| 40 | Performance of tetraalkylammonium-based ionic liquids as constituents of aqueous biphasic systems in the extraction of ovalbumin and lysozyme. <i>Separation and Purification Technology</i> , 2020, 233, 116019. | 3.9 | 39 |
| 41 | Extraction of High Value Triterpenic Acids from <i>Eucalyptus globulus</i> Biomass Using Hydrophobic Deep Eutectic Solvents. <i>Molecules</i> , 2020, 25, 210. | 1.7 | 31 |
| 42 | Enhanced Conversion of Xylan into Furfural using Acidic Deep Eutectic Solvents with Dual Solvent and Catalyst Behavior. <i>ChemSusChem</i> , 2020, 13, 784-790. | 3.6 | 63 |
| 43 | Insights on the DNA Stability in Aqueous Solutions of Ionic Liquids. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 547857. | 2.0 | 16 |
| 44 | Selective Separation of Manganese, Cobalt, and Nickel in a Fully Aqueous System. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 12260-12269. | 3.2 | 18 |
| 45 | Development and characterization of a novel l-asparaginase/MWCNT nanobioconjugate. <i>RSC Advances</i> , 2020, 10, 31205-31213. | 1.7 | 20 |
| 46 | Towards the differential diagnosis of prostate cancer by the pre-treatment of human urine using ionic liquids. <i>Scientific Reports</i> , 2020, 10, 14931. | 1.6 | 11 |
| 47 | Use of Ionic Liquids and Deep Eutectic Solvents in Polysaccharides Dissolution and Extraction Processes towards Sustainable Biomass Valorization. <i>Molecules</i> , 2020, 25, 3652. | 1.7 | 99 |
| 48 | Recent Strategies and Applications for l-Asparaginase Confinement. <i>Molecules</i> , 2020, 25, 5827. | 1.7 | 47 |
| 49 | Improved ionic-liquid-functionalized macroporous supports able to purify nucleic acids in one step. <i>Materials Today Bio</i> , 2020, 8, 100086. | 2.6 | 7 |
| 50 | The Role of Ionic Liquids in the Pharmaceutical Field: An Overview of Relevant Applications. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8298. | 1.8 | 108 |
| 51 | Supported Ionic Liquids for the Efficient Removal of Acetylsalicylic Acid from Aqueous Solutions. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 2380-2389. | 1.0 | 8 |
| 52 | Aqueous solutions of deep eutectic systems as reaction media for the saccharification and fermentation of hardwood xylan into xylitol. <i>Bioresource Technology</i> , 2020, 311, 123524. | 4.8 | 32 |
| 53 | Instantaneous fibrillation of egg white proteome with ionic liquid and macromolecular crowding. <i>Communications Materials</i> , 2020, 1, . | 2.9 | 7 |
| 54 | Valorization of Expired Energy Drinks by Designed and Integrated Ionic Liquid-Based Aqueous Biphasic Systems. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5683-5692. | 3.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Non-ionic hydrophobic eutectics – versatile solvents for tailored metal separation and valorisation. <i>Green Chemistry</i> , 2020, 22, 2810-2820. | 4.6 | 67 |
| 56 | Hybrid alginate–protein cryogel beads: efficient and sustainable bio-based materials to purify immunoglobulin G antibodies. <i>Green Chemistry</i> , 2020, 22, 2225-2233. | 4.6 | 17 |
| 57 | Recovery of immunoglobulin G from rabbit serum using $\hat{\text{I}}^{\text{e}}$ -carrageenan-modified hybrid magnetic nanoparticles. <i>International Journal of Biological Macromolecules</i> , 2020, 150, 914-921. | 3.6 | 9 |
| 58 | Enhanced Extraction of Levodopa from <i>Mucuna pruriens</i> Seeds Using Aqueous Solutions of Eutectic Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 6682-6689. | 3.2 | 12 |
| 59 | Aqueous biphasic systems comprising copolymers and cholinium-based salts or ionic liquids: Insights on the mechanisms responsible for their creation. <i>Separation and Purification Technology</i> , 2020, 248, 117050. | 3.9 | 15 |
| 60 | Biomedical-related applications of functionalized nanomaterials. , 2020, , 205-230. | | 0 |
| 61 | Use of Nanomaterials in the Pretreatment of Water Samples for Environmental Analysis. <i>Advanced Structured Materials</i> , 2019, , 103-142. | 0.3 | 2 |
| 62 | Use of Ionic Liquids as Cosurfactants in Mixed Aqueous Micellar Two-Phase Systems to Improve the Simultaneous Separation of Immunoglobulin G and Human Serum Albumin from Expired Human Plasma. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15102-15113. | 3.2 | 21 |
| 63 | Design of Nonsteroidal Anti-Inflammatory Drug-Based Ionic Liquids with Improved Water Solubility and Drug Delivery. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 14126-14134. | 3.2 | 51 |
| 64 | Recovery of Syringic Acid from Industrial Food Waste with Aqueous Solutions of Ionic Liquids. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 14143-14152. | 3.2 | 17 |
| 65 | Continuous separation of cytochrome-c PEGylated conjugates by fast centrifugal partition chromatography. <i>Green Chemistry</i> , 2019, 21, 5501-5506. | 4.6 | 10 |
| 66 | Polyvinylidene fluoride–Hyaluronic acid wound dressing comprised of ionic liquids for controlled drug delivery and dual therapeutic behavior. <i>Acta Biomaterialia</i> , 2019, 100, 142-157. | 4.1 | 45 |
| 67 | Liquid–Liquid Equilibrium and Extraction Performance of Aqueous Biphasic Systems Composed of Water, Cholinium Carboxylate Ionic Liquids and K_2CO_3 . <i>Journal of Chemical & Engineering Data</i> , 2019, 64, 4946-4955. | 1.0 | 5 |
| 68 | Application of Ionic Liquids in Separation and Fractionation Processes. , 2019, , 637-665. | | 1 |
| 69 | Sustainable strategies based on glycine–betaine analogue ionic liquids for the recovery of monoclonal antibodies from cell culture supernatants. <i>Green Chemistry</i> , 2019, 21, 5671-5682. | 4.6 | 31 |
| 70 | Simultaneous Separation of Antioxidants and Carbohydrates From Food Wastes Using Aqueous Biphasic Systems Formed by Cholinium-Derived Ionic Liquids. <i>Frontiers in Chemistry</i> , 2019, 7, 459. | 1.8 | 15 |
| 71 | Laccase Activation in Deep Eutectic Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 11806-11814. | 3.2 | 95 |
| 72 | Odd–Even Effect in the Formation and Extraction Performance of Ionic-Liquid-Based Aqueous Biphasic Systems. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 8323-8331. | 1.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Integrated Extraction-Preservation Strategies for RNA Using Biobased Ionic Liquids. ACS Sustainable Chemistry and Engineering, 2019, 7, 9439-9448. | 3.2 | 20 |
| 74 | Deep eutectic solvents comprising active pharmaceutical ingredients in the development of drug delivery systems. Expert Opinion on Drug Delivery, 2019, 16, 497-506. | 2.4 | 88 |
| 75 | Enhanced biocatalytic sustainability of laccase by immobilization on functionalized carbon nanotubes/polysulfone membranes. Chemical Engineering Journal, 2019, 355, 974-985. | 6.6 | 124 |
| 76 | Solvatochromism as a new tool to distinguish structurally similar compounds. Journal of Molecular Liquids, 2019, 274, 740-745. | 2.3 | 8 |
| 77 | Binary Mixtures of Ionic Liquids in Aqueous Solution: Towards an Understanding of Their Salting-In/Salting-Out Phenomena. Journal of Solution Chemistry, 2019, 48, 983-991. | 0.6 | 6 |
| 78 | Solid catalysts obtained from wastes for FAME production using mixtures of refined palm oil and waste cooking oils. Renewable Energy, 2019, 136, 873-883. | 4.3 | 29 |
| 79 | Anti-inflammatory and antioxidant nanostructured cellulose membranes loaded with phenolic-based ionic liquids for cutaneous application. Carbohydrate Polymers, 2019, 206, 187-197. | 5.1 | 66 |
| 80 | Understanding the effect of ionic liquids as adjuvants in the partition of biomolecules in aqueous two-phase systems formed by polymers and weak salting-out agents. Biochemical Engineering Journal, 2019, 141, 239-246. | 1.8 | 40 |
| 81 | A simple approach for the determination and characterization of ternary phase diagrams of aqueous two-phase systems composed of water, polyethylene glycol and sodium carbonate. Chemical Engineering Education, 2019, 53, 112-120. | 0.2 | 1 |
| 82 | Mechanisms ruling the partition of solutes in ionic-liquid-based aqueous biphasic systems – the multiple effects of ionic liquids. Physical Chemistry Chemical Physics, 2018, 20, 8411-8422. | 1.3 | 13 |
| 83 | Economic evaluation of the primary recovery of tetracycline with traditional and novel aqueous two-phase systems. Separation and Purification Technology, 2018, 203, 178-184. | 3.9 | 17 |
| 84 | Aqueous biphasic systems in the separation of food colorants. Biochemistry and Molecular Biology Education, 2018, 46, 390-397. | 0.5 | 8 |
| 85 | Valorization of olive tree leaves: Extraction of oleanolic acid using aqueous solutions of surface-active ionic liquids. Separation and Purification Technology, 2018, 204, 30-37. | 3.9 | 37 |
| 86 | Separation of phenolic compounds by centrifugal partition chromatography. Green Chemistry, 2018, 20, 1906-1916. | 4.6 | 29 |
| 87 | Odd-even effect on the formation of aqueous biphasic systems formed by 1-alkyl-3-methylimidazolium chloride ionic liquids and salts. Journal of Chemical Physics, 2018, 148, . | 1.2 | 16 |
| 88 | Separation of immunoglobulin G using aqueous biphasic systems composed of cholinium-based ionic liquids and poly(propylene glycol). Journal of Chemical Technology and Biotechnology, 2018, 93, 1931-1939. | 1.6 | 32 |
| 89 | An integrated process for enzymatic catalysis allowing product recovery and enzyme reuse by applying thermoreversible aqueous biphasic systems. Green Chemistry, 2018, 20, 1218-1223. | 4.6 | 47 |
| 90 | Extraction of recombinant proteins from <i>Escherichia coli</i> by cell disruption with aqueous solutions of surface-active compounds. Journal of Chemical Technology and Biotechnology, 2018, 93, 1864-1870. | 1.6 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Deep Eutectic Solvent Aqueous Solutions as Efficient Media for the Solubilization of Hardwood Xylans. <i>ChemSusChem</i> , 2018, 11, 753-762. | 3.6 | 75 |
| 92 | Potential of aqueous two-phase systems for the separation of levodopa from similar biomolecules. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 1940-1947. | 1.6 | 10 |
| 93 | Extraction and recovery processes for cynaropicrin from <i>Cynara cardunculus</i> L. using aqueous solutions of surface-active ionic liquids. <i>Biophysical Reviews</i> , 2018, 10, 915-925. | 1.5 | 18 |
| 94 | Recovery of carotenoids from brown seaweeds using aqueous solutions of surface-active ionic liquids and anionic surfactants. <i>Separation and Purification Technology</i> , 2018, 196, 300-308. | 3.9 | 37 |
| 95 | Simultaneous extraction and concentration of water pollution tracers using ionic-liquid-based systems. <i>Journal of Chromatography A</i> , 2018, 1559, 69-77. | 1.8 | 27 |
| 96 | Evaluation of the effect of ionic liquids as adjuvants in polymer-based aqueous biphasic systems using biomolecules as molecular probes. <i>Separation and Purification Technology</i> , 2018, 196, 244-253. | 3.9 | 35 |
| 97 | Stimuli responsive ion gels based on polysaccharides and other polymers prepared using ionic liquids and deep eutectic solvents. <i>Carbohydrate Polymers</i> , 2018, 180, 328-336. | 5.1 | 53 |
| 98 | Enhanced photocatalytic degradation of psychoactive substances using amine-modified elongated titanate nanostructures. <i>Environmental Science: Nano</i> , 2018, 5, 350-361. | 2.2 | 16 |
| 99 | Cloud Point Extraction of Chlorophylls from Spinach Leaves Using Aqueous Solutions of Nonionic Surfactants. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 590-599. | 3.2 | 53 |
| 100 | Cholinium-Based Good's Buffers Ionic Liquids as Remarkable Stabilizers and Recyclable Preservation Media for Recombinant Small RNAs. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 16645-16656. | 3.2 | 24 |
| 101 | Enhanced separation performance of aqueous biphasic systems formed by carbohydrates and tetraalkylphosphonium- or tetraalkylammonium-based ionic liquids. <i>Green Chemistry</i> , 2018, 20, 2978-2983. | 4.6 | 33 |
| 102 | Ionic Liquids in Bioseparation Processes. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2018, 168, 1-29. | 0.6 | 1 |
| 103 | Glycine betaine ionic liquid analogues as novel phase-forming components of aqueous biphasic systems. <i>Biotechnology Progress</i> , 2018, 34, 1205-1212. | 1.3 | 16 |
| 104 | Application of Ionic Liquids in Separation and Fractionation Processes. , 2018, , 1-29. | | 2 |
| 105 | Effective separation of aromatic and aliphatic amino acid mixtures using ionic-liquid-based aqueous biphasic systems. <i>Green Chemistry</i> , 2017, 19, 1850-1854. | 4.6 | 43 |
| 106 | Removal of Nonsteroidal Anti-Inflammatory Drugs from Aqueous Environments with Reusable Ionic-Liquid-Based Systems. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2428-2436. | 3.2 | 50 |
| 107 | Ionic-Liquid-Mediated Extraction and Separation Processes for Bioactive Compounds: Past, Present, and Future Trends. <i>Chemical Reviews</i> , 2017, 117, 6984-7052. | 23.0 | 689 |
| 108 | Good's buffer ionic liquids as relevant phase-forming components of self-buffered aqueous biphasic systems. <i>Journal of Chemical Technology and Biotechnology</i> , 2017, 92, 2287-2299. | 1.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Enhanced extraction and biological activity of 7-hydroxymatairesinol obtained from Norway spruce knots using aqueous solutions of ionic liquids. <i>Green Chemistry</i> , 2017, 19, 2626-2635. | 4.6 | 30 |
| 110 | Temperature dependency of aqueous biphasic systems: an alternative approach for exploring the differences between Coulombic-dominated salts and ionic liquids. <i>Chemical Communications</i> , 2017, 53, 7298-7301. | 2.2 | 28 |
| 111 | Switchable (pH-driven) aqueous biphasic systems formed by ionic liquids as integrated production-separation platforms. <i>Green Chemistry</i> , 2017, 19, 2768-2773. | 4.6 | 31 |
| 112 | Solvatochromic parameters of deep eutectic solvents formed by ammonium-based salts and carboxylic acids. <i>Fluid Phase Equilibria</i> , 2017, 448, 15-21. | 1.4 | 105 |
| 113 | Toward an Understanding of the Mechanisms behind the Formation of Liquid-Liquid Systems formed by Two Ionic Liquids. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 3015-3019. | 2.1 | 17 |
| 114 | A Triple Salting-Out Effect is Required for the Formation of Ionic-Liquid-Based Aqueous Multiphase Systems. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 15058-15062. | 7.2 | 14 |
| 115 | Improved monitoring of aqueous samples by the preconcentration of active pharmaceutical ingredients using ionic-liquid-based systems. <i>Green Chemistry</i> , 2017, 19, 4651-4659. | 4.6 | 28 |
| 116 | Designing the thermal behaviour of aqueous biphasic systems composed of ammonium-based zwitterions. <i>Green Chemistry</i> , 2017, 19, 4012-4016. | 4.6 | 23 |
| 117 | Aqueous Solutions of Surface-Active Ionic Liquids: Remarkable Alternative Solvents To Improve the Solubility of Triterpenic Acids and Their Extraction from Biomass. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 7344-7351. | 3.2 | 54 |
| 118 | Single-step extraction of carotenoids from brown macroalgae using non-ionic surfactants. <i>Separation and Purification Technology</i> , 2017, 172, 268-276. | 3.9 | 34 |
| 119 | Deep Eutectic Solvents as Efficient Media for the Extraction and Recovery of Cynaropicrin from <i>Cynara cardunculus</i> L. Leaves. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2276. | 1.8 | 35 |
| 120 | A Triple Salting-Out Effect is Required for the Formation of Ionic-Liquid-Based Aqueous Multiphase Systems. <i>Angewandte Chemie</i> , 2017, 129, 15254-15258. | 1.6 | 2 |
| 121 | Ionic liquids in chromatographic and electrophoretic techniques: toward additional improvements in the separation of natural compounds. <i>Green Chemistry</i> , 2016, 18, 4582-4604. | 4.6 | 52 |
| 122 | Are Aqueous Biphasic Systems Composed of Deep Eutectic Solvents Ternary or Quaternary Systems?. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2881-2886. | 3.2 | 177 |
| 123 | Improving the extraction and purification of immunoglobulin G by the use of ionic liquids as adjuvants in aqueous biphasic systems. <i>Journal of Biotechnology</i> , 2016, 236, 166-175. | 1.9 | 65 |
| 124 | Introduction to Ionic-Liquid-Based Aqueous Biphasic Systems (ABS). <i>Green Chemistry and Sustainable Technology</i> , 2016, , 1-25. | 0.4 | 6 |
| 125 | Novel one-pot synthesis and sensitisation of new BiOCl ₂ S ₃ nanostructures from DES medium displaying high photocatalytic activity. <i>RSC Advances</i> , 2016, 6, 77329-77339. | 1.7 | 21 |
| 126 | Suitability of bio-based ionic liquids for the extraction and purification of IgG antibodies. <i>Green Chemistry</i> , 2016, 18, 6071-6081. | 4.6 | 74 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Thermoreversible (Ionic-Liquid-Based) Aqueous Biphasic Systems. <i>Scientific Reports</i> , 2016, 6, 20276. | 1.6 | 72 |
| 128 | Influence of Nanosegregation on the Surface Tension of Fluorinated Ionic Liquids. <i>Langmuir</i> , 2016, 32, 6130-6139. | 1.6 | 38 |
| 129 | Solubility and solvation of monosaccharides in ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 19722-19730. | 1.3 | 18 |
| 130 | Aqueous biphasic systems composed of ionic liquids and polypropylene glycol: insights into their liquid-liquid demixing mechanisms. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 20571-20582. | 1.3 | 51 |
| 131 | Densities, viscosities and derived thermophysical properties of water-saturated imidazolium-based ionic liquids. <i>Fluid Phase Equilibria</i> , 2016, 407, 188-196. | 1.4 | 67 |
| 132 | Improved extraction of fluoroquinolones with recyclable ionic-liquid-based aqueous biphasic systems. <i>Green Chemistry</i> , 2016, 18, 2717-2725. | 4.6 | 25 |
| 133 | Structural insights into the effect of cholinium-based ionic liquids on the critical micellization temperature of aqueous triblock copolymers. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 8342-8351. | 1.3 | 32 |
| 134 | Alkaloids as Alternative Probes To Characterize the Relative Hydrophobicity of Aqueous Biphasic Systems. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 1512-1520. | 3.2 | 48 |
| 135 | Single-step purification of ovalbumin from egg white using aqueous biphasic systems. <i>Process Biochemistry</i> , 2016, 51, 781-791. | 1.8 | 42 |
| 136 | Surface tensions of ionic liquids: Non-regular trend along the number of cyano groups. <i>Fluid Phase Equilibria</i> , 2016, 409, 458-465. | 1.4 | 24 |
| 137 | Enhanced tunability afforded by aqueous biphasic systems formed by fluorinated ionic liquids and carbohydrates. <i>Green Chemistry</i> , 2016, 18, 1070-1079. | 4.6 | 37 |
| 138 | The magic of aqueous solutions of ionic liquids: ionic liquids as a powerful class of cationic hydrotropes. <i>Green Chemistry</i> , 2015, 17, 3948-3963. | 4.6 | 156 |
| 139 | Novel Biocompatible and Self-buffering Ionic Liquids for Biopharmaceutical Applications. <i>Chemistry - A European Journal</i> , 2015, 21, 4781-4788. | 1.7 | 96 |
| 140 | One-step extraction and concentration of estrogens for an adequate monitoring of wastewater using ionic-liquid-based aqueous biphasic systems. <i>Green Chemistry</i> , 2015, 17, 2570-2579. | 4.6 | 46 |
| 141 | Effect of the Methylation and N-H Acidic Group on the Physicochemical Properties of Imidazolium-Based Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2015, 119, 8781-8792. | 1.2 | 23 |
| 142 | Enhanced extraction of proteins using cholinium-based ionic liquids as phase-forming components of aqueous biphasic systems. <i>Biotechnology Journal</i> , 2015, 10, 1457-1466. | 1.8 | 92 |
| 143 | Extraction and stability of bovine serum albumin (BSA) using cholinium-based Good's buffers ionic liquids. <i>Process Biochemistry</i> , 2015, 50, 1158-1166. | 1.8 | 65 |
| 144 | Enhanced extraction of bovine serum albumin with aqueous biphasic systems of phosphonium- and ammonium-based ionic liquids. <i>Journal of Biotechnology</i> , 2015, 206, 17-25. | 1.9 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Good's buffers as novel phase-forming components of ionic-liquid-based aqueous biphasic systems. <i>Biochemical Engineering Journal</i> , 2015, 101, 142-149. | 1.8 | 22 |
| 146 | Thermophysical properties of phosphonium-based ionic liquids. <i>Fluid Phase Equilibria</i> , 2015, 400, 103-113. | 1.4 | 67 |
| 147 | Aqueous Biphasic Systems Composed of Ionic Liquids and Acetate-Based Salts: Phase Diagrams, Densities, and Viscosities. <i>Journal of Chemical & Engineering Data</i> , 2015, 60, 1674-1682. | 1.0 | 36 |
| 148 | Controlling the Formation of Ionic-Liquid-Based Aqueous Biphasic Systems by Changing the Hydrogen-Bonding Ability of Polyethylene Glycol End Groups. <i>ChemPhysChem</i> , 2015, 16, 2219-2225. | 1.0 | 41 |
| 149 | Contact angles and wettability of ionic liquids on polar and non-polar surfaces. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 31653-31661. | 1.3 | 77 |
| 150 | Enhancing the Antioxidant Characteristics of Phenolic Acids by Their Conversion into Cholinium Salts. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 2558-2565. | 3.2 | 54 |
| 151 | Effect of salts on the solubility of ionic liquids in water: experimental and electrolyte Perturbed-Chain Statistical Associating Fluid Theory. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 32044-32052. | 1.3 | 22 |
| 152 | Ionic liquids as additives to enhance the extraction of antioxidants in aqueous two-phase systems. <i>Separation and Purification Technology</i> , 2014, 128, 1-10. | 3.9 | 116 |
| 153 | Vapor-Liquid Equilibria of Water + Alkylimidazolium-Based Ionic Liquids: Measurements and Perturbed-Chain Statistical Associating Fluid Theory Modeling. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 3737-3748. | 1.8 | 82 |
| 154 | Good's buffers as a basis for developing self-buffering and biocompatible ionic liquids for biological research. <i>Green Chemistry</i> , 2014, 16, 3149-3159. | 4.6 | 94 |
| 155 | Development of back-extraction and recyclability routes for ionic-liquid-based aqueous two-phase systems. <i>Green Chemistry</i> , 2014, 16, 259-268. | 4.6 | 89 |
| 156 | Ionic liquid solutions as extractive solvents for value-added compounds from biomass. <i>Green Chemistry</i> , 2014, 16, 4786-4815. | 4.6 | 357 |
| 157 | Molecular interactions in aqueous biphasic systems composed of polyethylene glycol and crystalline vs. liquid cholinium-based salts. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 5723. | 1.3 | 90 |
| 158 | Evidence for the Interactions Occurring Between Ionic Liquids and Tetraethylene Glycol in Binary Mixtures and Aqueous Biphasic Systems. <i>Journal of Physical Chemistry B</i> , 2014, 118, 4615-4629. | 1.2 | 18 |
| 159 | Extraction of tetracycline from fermentation broth using aqueous two-phase systems composed of polyethylene glycol and cholinium-based salts. <i>Process Biochemistry</i> , 2013, 48, 716-722. | 1.8 | 101 |
| 160 | Aqueous biphasic systems: a benign route using cholinium-based ionic liquids. <i>RSC Advances</i> , 2013, 3, 1835-1843. | 1.7 | 138 |
| 161 | Enhanced extraction of caffeine from guaraná seeds using aqueous solutions of ionic liquids. <i>Green Chemistry</i> , 2013, 15, 2002. | 4.6 | 127 |
| 162 | Cellulose/iron oxide hybrids as multifunctional pigments in thermoplastic starch based materials. <i>Cellulose</i> , 2013, 20, 861-871. | 2.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Eco-Friendly Hybrid Pigments Made of Cellulose and Iron Oxides. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 6817-6821. | 0.9 | 4 |
| 164 | Optimization of the gallic acid extraction using ionic-liquid-based aqueous two-phase systems. <i>Separation and Purification Technology</i> , 2012, 97, 142-149. | 3.9 | 108 |
| 165 | Growth and Chemical Stability of Copper Nanostructures on Cellulosic Fibers. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 5043-5049. | 1.0 | 37 |
| 166 | Aqueous biphasic systems: a boost brought about by using ionic liquids. <i>Chemical Society Reviews</i> , 2012, 41, 4966. | 18.7 | 726 |
| 167 | Influence of the sodium/proton replacement on the structural, morphological and photocatalytic properties of titanate nanotubes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2012, 232, 50-56. | 2.0 | 52 |
| 168 | Evaluation of Cation ⁺ Anion Interaction Strength in Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2011, 115, 4033-4041. | 1.2 | 227 |
| 169 | Influence of calcination parameters on the TiO ₂ photocatalytic properties. <i>Materials Chemistry and Physics</i> , 2011, 125, 20-25. | 2.0 | 83 |
| 170 | Extraction of vanillin using ionic-liquid-based aqueous two-phase systems. <i>Separation and Purification Technology</i> , 2010, 75, 39-47. | 3.9 | 180 |
| 171 | Photocatalytic decolorization of methylene blue in the presence of TiO ₂ /ZnS nanocomposites. <i>Journal of Hazardous Materials</i> , 2009, 161, 545-550. | 6.5 | 187 |
| 172 | Photosensitization of TiO ₂ by Ag ₂ S and its catalytic activity on phenol photodegradation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009, 204, 168-173. | 2.0 | 107 |
| 173 | Anti-fungal activity of SiO ₂ /Ag ₂ S nanocomposites against <i>Aspergillus niger</i> . <i>Colloids and Surfaces B: Biointerfaces</i> , 2009, 74, 304-308. | 2.5 | 29 |
| 174 | From Single-Molecule Precursors to Coupled Ag ₂ S/TiO ₂ Nanocomposites. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4380-4386. | 1.0 | 27 |
| 175 | Adsorption and catalytic properties of SiO ₂ /Bi ₂ S ₃ nanocomposites on the methylene blue photodecolorization process. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008, 328, 107-113. | 2.3 | 36 |
| 176 | Photoluminescent, transparent and flexible di-ureasil hybrids containing CdSe/ZnS quantum dots. <i>Nanotechnology</i> , 2008, 19, 155601. | 1.3 | 35 |
| 177 | Biofunctionalized ferromagnetic CoPt ₃ /polymer nanocomposites. <i>Nanotechnology</i> , 2007, 18, 215609. | 1.3 | 18 |
| 178 | Layer-by-Layer Deposition of Organically Capped Quantum Dots. <i>Materials Science Forum</i> , 2006, 514-516, 1111-1115. | 0.3 | 10 |
| 179 | Size and Shape-Tuned Overgrowth on Au Nanorods Regulated by Polyallylamine. <i>Journal of Nanoscience and Nanotechnology</i> , 2006, 6, 3373-3375. | 0.9 | 3 |
| 180 | Controlled Synthesis of Morphological Well-Defined BiVO ₄ Pigment Particles Supported on Glass Substrates. <i>Materials Science Forum</i> , 2006, 514-516, 1211-1215. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Growth of cadmium selenide nanocrystals on submicron silica. <i>Journal of Crystal Growth</i> , 2005, 279, 433-438. | 0.7 | 9 |
| 182 | Photoluminescence of zinc oxide supported on submicron silica particles. <i>Materials Science and Engineering C</i> , 2005, 25, 654-657. | 3.8 | 6 |
| 183 | Growth of BiVO ₄ particles in cellulosic fibres by in situ reaction. <i>Dyes and Pigments</i> , 2005, 65, 125-127. | 2.0 | 39 |
| 184 | Zinc Sulfide Nanocoating of Silica Submicron Spheres Using a Single-source Method. <i>Journal of Nanoscience and Nanotechnology</i> , 2004, 4, 146-150. | 0.9 | 20 |
| 185 | Preparation of hollow shells of zinc oxide/bismuth(III) vanadate. <i>Materials Research Bulletin</i> , 2003, 38, 1013-1020. | 2.7 | 6 |
| 186 | Synthesis and assembly of SiO ₂ -coated Bi ₂ S ₃ nanofibers. <i>Journal of Colloid and Interface Science</i> , 2003, 264, 391-395. | 5.0 | 11 |
| 187 | The first dinuclear zinc(II) dithiocarbamate complex with butyl substituent groups. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m1067-m1069. | 0.2 | 7 |
| 188 | Chemical bath deposition of cerium doped BiVO ₄ . <i>Dyes and Pigments</i> , 2003, 59, 181-184. | 2.0 | 41 |
| 189 | Deposition/Detachment of Particles on Plasma Treated Polymer Surfaces. <i>Materials Science Forum</i> , 2003, 426-432, 2533-2538. | 0.3 | 14 |
| 190 | Chemical bath deposition of BiVO ₄ . <i>Thin Solid Films</i> , 2002, 406, 93-97. | 0.8 | 89 |
| 191 | Langmuir-Blodgett manipulation of capped cadmium sulfide quantum dots. <i>Thin Solid Films</i> , 2001, 389, 272-277. | 0.8 | 17 |
| 192 | Synthetic hollow zinc oxide microparticles. <i>Materials Research Bulletin</i> , 2001, 36, 1099-1108. | 2.7 | 60 |
| 193 | Preparation and optical properties of CdSe/polymer nanocomposites. <i>Scripta Materialia</i> , 2000, 43, 567-571. | 2.6 | 34 |