## Rosa Puertollano

## List of Publications by Citations

Source: https://exaly.com/author-pdf/2924928/rosa-puertollano-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 13,403 44 114 g-index

114 15,286 9.8 6.32 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
82	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , <b>2016</b> , 12, 1-222	10.2	3838
81	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-	5 <b>46</b> .2	2783
80	MTORC1 functions as a transcriptional regulator of autophagy by preventing nuclear transport of TFEB. <i>Autophagy</i> , <b>2012</b> , 8, 903-14	10.2	696
79	Transcriptional activation of lysosomal exocytosis promotes cellular clearance. <i>Developmental Cell</i> , <b>2011</b> , 21, 421-30	10.2	458
78	The nutrient-responsive transcription factor TFE3 promotes autophagy, lysosomal biogenesis, and clearance of cellular debris. <i>Science Signaling</i> , <b>2014</b> , 7, ra9	8.8	359
77	GGAs: a family of ADP ribosylation factor-binding proteins related to adaptors and associated with the Golgi complex. <i>Journal of Cell Biology</i> , <b>2000</b> , 149, 81-94	7.3	337
76	Autophagy in lysosomal storage disorders. <i>Autophagy</i> , <b>2012</b> , 8, 719-30	10.2	288
75	The GGAs promote ARF-dependent recruitment of clathrin to the TGN. Cell, 2001, 105, 93-102	56.2	227
74	Transcription factor EB (TFEB) is a new therapeutic target for Pompe disease. <i>EMBO Molecular Medicine</i> , <b>2013</b> , 5, 691-706	12	224
73	TFEB and TFE3: Linking Lysosomes to Cellular Adaptation to Stress. <i>Annual Review of Cell and Developmental Biology</i> , <b>2016</b> , 32, 255-278	12.6	215
7 <sup>2</sup>	Rag GTPases mediate amino acid-dependent recruitment of TFEB and MITF to lysosomes. <i>Journal of Cell Biology</i> , <b>2013</b> , 200, 475-91	7-3	204
71	Interactions of GGA3 with the ubiquitin sorting machinery. Nature Cell Biology, 2004, 6, 244-51	23.4	196
70	The complex relationship between TFEB transcription factor phosphorylation and subcellular localization. <i>EMBO Journal</i> , <b>2018</b> , 37,	13	193
69	Enthoprotin: a novel clathrin-associated protein identified through subcellular proteomics. <i>Journal of Cell Biology</i> , <b>2002</b> , 158, 855-62	7.3	173
68	Structural basis for acidic-cluster-dileucine sorting-signal recognition by VHS domains. <i>Nature</i> , <b>2002</b> , 415, 933-7	50.4	155
67	The MAL proteolipid is necessary for normal apical transport and accurate sorting of the influenza virus hemagglutinin in Madin-Darby canine kidney cells. <i>Journal of Cell Biology</i> , <b>1999</b> , 145, 141-51	7.3	154
66	TFEB and TFE3 are novel components of the integrated stress response. <i>EMBO Journal</i> , <b>2016</b> , 35, 479-9	513	151

## (2008-2016)

65	TFEB and TFE3 cooperate in the regulation of the innate immune response in activated macrophages. <i>Autophagy</i> , <b>2016</b> , 12, 1240-58	10.2	150
64	Two di-leucine motifs regulate trafficking of mucolipin-1 to lysosomes. <i>Traffic</i> , <b>2006</b> , 7, 337-53	5.7	137
63	Autophagic dysfunction in mucolipidosis type IV patients. <i>Human Molecular Genetics</i> , <b>2008</b> , 17, 2723-37	5.6	136
62	Novel roles for the MiTF/TFE family of transcription factors in organelle biogenesis, nutrient sensing, and energy homeostasis. <i>Cellular and Molecular Life Sciences</i> , <b>2014</b> , 71, 2483-97	10.3	111
61	Morphology and dynamics of clathrin/GGA1-coated carriers budding from the trans-Golgi network. <i>Molecular Biology of the Cell</i> , <b>2003</b> , 14, 1545-57	3.5	107
60	TRPMLs: in sickness and in health. <i>American Journal of Physiology - Renal Physiology</i> , <b>2009</b> , 296, F1245-5	44.3	89
59	TFEB regulates lysosomal positioning by modulating TMEM55B expression and JIP4 recruitment to lysosomes. <i>Nature Communications</i> , <b>2017</b> , 8, 1580	17.4	86
58	mTOR and lysosome regulation. <i>F1000prime Reports</i> , <b>2014</b> , 6, 52		78
57	Activation of p38 mitogen-activated protein kinase promotes epidermal growth factor receptor internalization. <i>Traffic</i> , <b>2006</b> , 7, 686-98	5.7	75
56	The calcium channel mucolipin-3 is a novel regulator of trafficking along the endosomal pathway. <i>Traffic</i> , <b>2009</b> , 10, 1143-56	5.7	73
55	The tumor suppressor FLCN mediates an alternate mTOR pathway to regulate browning of adipose tissue. <i>Genes and Development</i> , <b>2016</b> , 30, 2551-2564	12.6	71
54	Identification of the penta-EF-hand protein ALG-2 as a Ca2+-dependent interactor of mucolipin-1. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 36357-36366	5.4	69
53	Pompe Disease: From Basic Science to Therapy. <i>Neurotherapeutics</i> , <b>2018</b> , 15, 928-942	6.4	68
52	Mucolipin-2 localizes to the Arf6-associated pathway and regulates recycling of GPI-APs. <i>Traffic</i> , <b>2007</b> , 8, 1404-14	5.7	68
51	Emerging roles for TFEB in the immune response and inflammation. <i>Autophagy</i> , <b>2018</b> , 14, 181-189	10.2	64
50	Protein phosphatase 2A stimulates activation of TFEB and TFE3 transcription factors in response to oxidative stress. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 12525-12534	5.4	63
49	Interactions of TOM1L1 with the multivesicular body sorting machinery. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 9258-64	5.4	63
48	An essential role for the MAL protein in targeting Lck to the plasma membrane of human T lymphocytes. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 3201-13	16.6	61

47	Lysosome enlargement during inhibition of the lipid kinase PIKfyve proceeds through lysosome coalescence. <i>Journal of Cell Science</i> , <b>2018</b> , 131,	5.3	58
46	Mucolipin-3 regulates luminal calcium, acidification, and membrane fusion in the endosomal pathway. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 9826-32	5.4	58
45	Modulation of mTOR signaling as a strategy for the treatment of Pompe disease. <i>EMBO Molecular Medicine</i> , <b>2017</b> , 9, 353-370	12	57
44	The Transcription Factors TFEB and TFE3 Link the FLCN-AMPK Signaling Axis to Innate Immune Response and Pathogen Resistance. <i>Cell Reports</i> , <b>2019</b> , 26, 3613-3628.e6	10.6	56
43	Role of TRP channels in the regulation of the endosomal pathway. <i>Physiology</i> , <b>2011</b> , 26, 14-22	9.8	55
42	Novel Role of TRPML2 in the Regulation of the Innate Immune Response. <i>Journal of Immunology</i> , <b>2015</b> , 195, 4922-32	5.3	47
41	Recombinant expression of the MAL proteolipid, a component of glycolipid-enriched membrane microdomains, induces the formation of vesicular structures in insect cells. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 18311-5	5.4	47
40	Selective agonist of TRPML2 reveals direct role in chemokine release from innate immune cells. <i>ELife</i> , <b>2018</b> , 7,	8.9	46
39	LAPTMs regulate lysosomal function and interact with mucolipin 1: new clues for understanding mucolipidosis type IV. <i>Journal of Cell Science</i> , <b>2011</b> , 124, 459-68	5.3	45
38	The transcription factors TFE3 and TFEB amplify p53 dependent transcriptional programs in response to DNA damage. <i>ELife</i> , <b>2018</b> , 7,	8.9	44
37	Structural and biochemical similarities reveal a family of proteins related to the MAL proteolipid, a component of detergent-insoluble membrane microdomains. <i>Biochemical and Biophysical Research Communications</i> , <b>1997</b> , 232, 618-21	3.4	41
36	Caveolin and MAL, two protein components of internal detergent-insoluble membranes, are in distinct lipid microenvironments in MDCK cells. <i>Biochemical and Biophysical Research Communications</i> , <b>1997</b> , 233, 707-12	3.4	41
35	Phosphoregulation of sorting signal-VHS domain interactions by a direct electrostatic mechanism. <i>Nature Structural Biology</i> , <b>2002</b> , 9, 532-6		40
34	How Lysosomes Sense, Integrate, and Cope with Stress. <i>Trends in Biochemical Sciences</i> , <b>2021</b> , 46, 97-112	2 10.3	38
33	BENE, a novel raft-associated protein of the MAL proteolipid family, interacts with caveolin-1 in human endothelial-like ECV304 cells. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 23009-17	5.4	37
32	Dynamic MTORC1-TFEB feedback signaling regulates hepatic autophagy, steatosis and liver injury in long-term nutrient oversupply. <i>Autophagy</i> , <b>2018</b> , 14, 1779-1795	10.2	32
31	Improved efficacy of a next-generation ERT in murine Pompe disease. JCI Insight, 2019, 4,	9.9	32
30	The trihelical bundle subdomain of the GGA proteins interacts with multiple partners through overlapping but distinct sites. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 31409-18	5.4	30

## (2021-2008)

29	Mucolipidosis type IV: the importance of functional lysosomes for efficient autophagy. <i>Autophagy</i> , <b>2008</b> , 4, 832-4	10.2	29	
28	What else is in store for autophagy? Exocytosis of autolysosomes as a mechanism of TFEB-mediated cellular clearance in Pompe disease. <i>Autophagy</i> , <b>2013</b> , 9, 1117-8	10.2	28	
27	Therapeutic Benefit of Autophagy Modulation in Pompe Disease. <i>Molecular Therapy</i> , <b>2018</b> , 26, 1783-17	9 <b>6</b> 1.7	26	
26	A short peptide motif at the carboxyl terminus is required for incorporation of the integral membrane MAL protein to glycolipid-enriched membranes. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 12740-5	5.4	25	
25	Dynamics of MAL2 during glycosylphosphatidylinositol-anchored protein transcytotic transport to the apical surface of hepatoma HepG2 cells. <i>Traffic</i> , <b>2006</b> , 7, 61-73	5.7	22	
24	Arf regulates interaction of GGA with mannose-6-phosphate receptor. <i>Traffic</i> , <b>2003</b> , 4, 26-35	5.7	22	
23	The amino acid transporter SLC36A4 regulates the amino acid pool in retinal pigmented epithelial cells and mediates the mechanistic target of rapamycin, complex 1 signaling. <i>Aging Cell</i> , <b>2017</b> , 16, 349-3	1 <b>59</b> 9	21	
22	TFEB and TFE3: The art of multi-tasking under stress conditions. <i>Transcription</i> , <b>2017</b> , 8, 48-54	4.8	21	
21	STAM adaptor proteins interact with COPII complexes and function in ER-to-Golgi trafficking. <i>Traffic</i> , <b>2009</b> , 10, 201-17	5.7	18	
20	Disruption of the murine Ap2II gene causes nonsyndromic cleft palate. <i>Cleft Palate-Craniofacial Journal</i> , <b>2010</b> , 47, 566-73	1.9	18	
19	RRAG GTPases link nutrient availability to gene expression, autophagy and lysosomal biogenesis. <i>Autophagy</i> , <b>2013</b> , 9, 928-30	10.2	16	
18	Targeting of MAL, a putative element of the apical sorting machinery, to glycolipid-enriched membranes requires a pre-golgi sorting event. <i>Biochemical and Biophysical Research Communications</i> , <b>1999</b> , 254, 689-92	3.4	14	
17	TRPML2 is an osmo/mechanosensitive cation channel in endolysosomal organelles. <i>Science Advances</i> , <b>2020</b> , 6,	14.3	14	
16	Novel degenerative and developmental defects in a zebrafish model of mucolipidosis type IV. <i>Human Molecular Genetics</i> , <b>2017</b> , 26, 2701-2718	5.6	11	
15	-(1-Benzyl-3,5-dimethyl-1-pyrazol-4-yl)benzamides: Antiproliferative Activity and Effects on mTORC1 and Autophagy. <i>ACS Medicinal Chemistry Letters</i> , <b>2017</b> , 8, 90-95	4.3	10	
14	Enzyme Replacement Therapy Can Reverse Pathogenic Cascade in Pompe Disease. <i>Molecular Therapy - Methods and Clinical Development</i> , <b>2020</b> , 18, 199-214	6.4	10	
13	Incorporation of MAL, an integral protein element of the machinery for the glycolipid and cholesterol-mediated apical pathway of transport, into artificial membranes requires neither of these lipid species. <i>Biochemical and Biophysical Research Communications</i> , <b>1999</b> , 266, 330-3	3.4	9	
12	Impaired autophagy: The collateral damage of lysosomal storage disorders. <i>EBioMedicine</i> , <b>2021</b> , 63, 103	3 18686	9	

11	Atg5-Derived Autophagy-Deficient Model of Pompe Disease: Does It Tell the Whole Story?. <i>Molecular Therapy - Methods and Clinical Development</i> , <b>2017</b> , 7, 11-14	6.4	8
10	SnapShot: Lysosomal Storage Diseases. <i>Cell</i> , <b>2020</b> , 180, 602-602.e1	56.2	6
9	Rags to riches: Amino acid sensing by the Rag GTPases in health and disease. <i>Small GTPases</i> , <b>2016</b> , 7, 197-206	2.7	6
8	Substitution of the two carboxyl-terminal serines by alanine causes retention of MAL, a component of the apical sorting machinery, in the endoplasmic reticulum. <i>Biochemical and Biophysical Research Communications</i> , <b>1999</b> , 260, 188-92	3.4	6
7	A conserved cysteine-based redox mechanism sustains TFEB/HLH-30 activity under persistent stress. <i>EMBO Journal</i> , <b>2021</b> , 40, e105793	13	2
6	Author response: Selective agonist of TRPML2 reveals direct role in chemokine release from innate immune cells <b>2018</b> ,		2
5	GPCRs join the mTORC1 regulatory network. <i>Nature Cell Biology</i> , <b>2019</b> , 21, 538-539	23.4	1
4	Editorial for focused issue "Pompe disease: from basics to current and emerging therapies". <i>Annals of Translational Medicine</i> , <b>2019</b> , 7, 275	3.2	1
3	Chemoenzymatic glycan-selective remodeling of a therapeutic lysosomal enzyme with high-affinity M6P-glycan ligands. Enzyme substrate specificity is the name of the game. <i>Chemical Science</i> , <b>2021</b> , 12, 12451-12462	9.4	1
2	The FACT complex facilitates expression of lysosomal and antioxidant genes through binding to TFEB and TFE3 <i>Autophagy</i> , <b>2022</b> , 1-17	10.2	0
1	New therapies for Pompe disease: are we closer to a cure?. <i>Lancet Neurology, The</i> , <b>2021</b> , 20, 973-975	24.1	