Roberto Salgado

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2926758/publications.pdf

Version: 2024-02-01

88 papers 16,224 citations

57758 44 h-index 85 g-index

90 all docs 90 docs citations

times ranked

90

17864 citing authors

#	Article	IF	CITATIONS
1	The evaluation of tumor-infiltrating lymphocytes (TILs) in breast cancer: recommendations by an International TILs Working Group 2014. Annals of Oncology, 2015, 26, 259-271.	1.2	2,122
2	Prognostic and Predictive Value of Tumor-Infiltrating Lymphocytes in a Phase III Randomized Adjuvant Breast Cancer Trial in Node-Positive Breast Cancer Comparing the Addition of Docetaxel to Doxorubicin With Doxorubicin-Based Chemotherapy: BIG 02-98. Journal of Clinical Oncology, 2013, 31, 860-867.	1.6	1,342
3	Tumor infiltrating lymphocytes are prognostic in triple negative breast cancer and predictive for trastuzumab benefit in early breast cancer: results from the FinHER trial. Annals of Oncology, 2014, 25, 1544-1550.	1.2	1,022
4	CD4+ follicular helper T cell infiltration predicts breast cancer survival. Journal of Clinical Investigation, 2013, 123, 2873-2892.	8.2	813
5	Insertion-and-deletion-derived tumour-specific neoantigens and the immunogenic phenotype: a pan-cancer analysis. Lancet Oncology, The, 2017, 18, 1009-1021.	10.7	716
6	Single-cell profiling of breast cancer T cells reveals a tissue-resident memory subset associated with improved prognosis. Nature Medicine, 2018, 24, 986-993.	30.7	689
7	Clinical relevance of host immunity in breast cancer: from TILs to the clinic. Nature Reviews Clinical Oncology, 2016, 13, 228-241.	27.6	679
8	Neoantigen-directed immune escape in lung cancer evolution. Nature, 2019, 567, 479-485.	27.8	639
9	Immune induction strategies in metastatic triple-negative breast cancer to enhance the sensitivity to PD-1 blockade: the TONIC trial. Nature Medicine, 2019, 25, 920-928.	30.7	589
10	Tumor-Infiltrating Lymphocytes and Prognosis: A Pooled Individual Patient Analysis of Early-Stage Triple-Negative Breast Cancers. Journal of Clinical Oncology, 2019, 37, 559-569.	1.6	505
11	Tumor-Infiltrating Lymphocytes and Associations With Pathological Complete Response and Event-Free Survival in HER2-Positive Early-Stage Breast Cancer Treated With Lapatinib and Trastuzumab. JAMA Oncology, 2015, 1, 448.	7.1	482
12	Assessing Tumor-infiltrating Lymphocytes in Solid Tumors: A Practical Review for Pathologists and Proposal for a Standardized Method From the International Immunooncology Biomarkers Working Group: Part 1: Assessing the Host Immune Response, TILs in Invasive Breast Carcinoma and Ductal Carcinoma In Situ, Metastatic Tumor Deposits and Areas for Further Research. Advances in Anatomic	4.3	469
13	Pathology, 2017, 24, 235-251. Melanoma-specific MHC-II expression represents a tumour-autonomous phenotype and predicts response to anti-PD-1/PD-L1 therapy. Nature Communications, 2016, 7, 10582.	12.8	412
14	The 2019 World Health Organization classification of tumours of the breast. Histopathology, 2020, 77, 181-185.	2.9	395
15	Assessment of Ki67 in Breast Cancer: Updated Recommendations From the International Ki67 in Breast Cancer Working Group. Journal of the National Cancer Institute, 2021, 113, 808-819.	6. 3	319
16	Update on tumor-infiltrating lymphocytes (TILs) in breast cancer, including recommendations to assess TILs in residual disease after neoadjuvant therapy and in carcinoma in situ: A report of the International Immuno-Oncology Biomarker Working Group on Breast Cancer. Seminars in Cancer Biology, 2018, 52, 16-25.	9.6	303
17	Spatially distinct tumor immune microenvironments stratify triple-negative breast cancers. Journal of Clinical Investigation, 2019, 129, 1785-1800.	8.2	266
18	Pembrolizumab plus chemotherapy as neoadjuvant treatment of high-risk, early-stage triple-negative breast cancer: results from the phase 1b open-label, multicohort KEYNOTE-173 study. Annals of Oncology, 2020, 31, 569-581.	1.2	253

#	Article	IF	Citations
19	Safety and Antitumor Activity of Pembrolizumab in Patients with Estrogen Receptor–Positive/Human Epidermal Growth Factor Receptor 2–Negative Advanced Breast Cancer. Clinical Cancer Research, 2018, 24, 2804-2811.	7.0	249
20	Standardized evaluation of tumor-infiltrating lymphocytes in breast cancer: results of the ring studies of the international immuno-oncology biomarker working group. Modern Pathology, 2016, 29, 1155-1164.	5.5	230
21	Tumour-infiltrating lymphocytes in advanced HER2-positive breast cancer treated with pertuzumab or placebo in addition to trastuzumab and docetaxel: a retrospective analysis of the CLEOPATRA study. Lancet Oncology, The, 2017, 18, 52-62.	10.7	225
22	Trastuzumab emtansine plus atezolizumab versus trastuzumab emtansine plus placebo in previously treated, HER2-positive advanced breast cancer (KATE2): a phase 2, multicentre, randomised, double-blind trial. Lancet Oncology, The, 2020, 21, 1283-1295.	10.7	213
23	An international study to increase concordance in Ki67 scoring. Modern Pathology, 2015, 28, 778-786.	5.5	195
24	The genomic landscape of breast cancer and its interaction with host immunity. Breast, 2016, 29, 241-250.	2.2	194
25	Geospatial immune variability illuminates differential evolution of lung adenocarcinoma. Nature Medicine, 2020, 26, 1054-1062.	30.7	181
26	Prognostic value of tumor-infiltrating lymphocytes in patients with early-stage triple-negative breast cancers (TNBC) who did not receive adjuvant chemotherapy. Annals of Oncology, 2019, 30, 1941-1949.	1.2	155
27	The path to a better biomarker: application of a risk management framework for the implementation of PDâ€1 and TILs as immunoâ€oncology biomarkers in breast cancer clinical trials and daily practice. Journal of Pathology, 2020, 250, 667-684.	4.5	142
28	Determinants of anti-PD-1 response and resistance in clear cell renal cell carcinoma. Cancer Cell, 2021, 39, 1497-1518.e11.	16.8	126
29	Prognostic implications of residual disease tumor-infiltrating lymphocytes and residual cancer burden in triple-negative breast cancer patients after neoadjuvant chemotherapy. Annals of Oncology, 2019, 30, 236-242.	1.2	123
30	Breast cancer genome and transcriptome integration implicates specific mutational signatures with immune cell infiltration. Nature Communications, 2016, 7, 12910.	12.8	119
31	Relationship between tumor infiltrating lymphocyte (TIL) levels and response to pembrolizumab (pembro) in metastatic triple-negative breast cancer (mTNBC): Results from KEYNOTE-086. Annals of Oncology, 2017, 28, v608.	1.2	117
32	The tale of TILs in breast cancer: A report from The International Immuno-Oncology Biomarker Working Group. Npj Breast Cancer, 2021, 7, 150.	5.2	112
33	The journey of tumor-infiltrating lymphocytes as a biomarker in breast cancer: clinical utility in an era of checkpoint inhibition. Annals of Oncology, 2021, 32, 1236-1244.	1.2	109
34	Scoring of tumor-infiltrating lymphocytes: From visual estimation to machine learning. Seminars in Cancer Biology, 2018, 52, 151-157.	9.6	108
35	Pitfalls in assessing stromal tumor infiltrating lymphocytes (sTILs) in breast cancer. Npj Breast Cancer, 2020, 6, 17.	5.2	106
36	Spatial immunophenotypes predict response to anti-PD1 treatment and capture distinct paths of T cell evasion in triple negative breast cancer. Nature Communications, 2021, 12, 5668.	12.8	91

#	Article	IF	Citations
37	Report on computational assessment of Tumor Infiltrating Lymphocytes from the International Immuno-Oncology Biomarker Working Group. Npj Breast Cancer, 2020, 6, 16.	5.2	90
38	Agonist immunotherapy restores T cell function following MEK inhibition improving efficacy in breast cancer. Nature Communications, 2017, 8, 606.	12.8	89
39	Aligning tumor mutational burden (TMB) quantification across diagnostic platforms: phase II of the Friends of Cancer Research TMB Harmonization Project. Annals of Oncology, 2021, 32, 1626-1636.	1.2	86
40	ESMO / ASCO Recommendations for a Global Curriculum in Medical Oncology Edition 2016. ESMO Open, 2016, 1, e000097.	4.5	82
41	Immune Infiltration in Invasive Lobular Breast Cancer. Journal of the National Cancer Institute, 2018, 110, 768-776.	6.3	76
42	Tumor-infiltrating lymphocytes in patients with HER2-positive breast cancer treated with neoadjuvant chemotherapy plus trastuzumab, lapatinib or their combination: A meta-analysis of randomized controlled trials. Cancer Treatment Reviews, 2017, 57, 8-15.	7.7	75
43	The prevalence and clinical relevance of tumor-infiltrating lymphocytes (TILs) in ductal carcinoma in situ of the breast. Annals of Oncology, 2017, 28, 321-328.	1.2	72
44	Daily caloric restriction limits tumor growth more effectively than caloric cycling regardless of dietary composition. Nature Communications, 2021, 12, 6201.	12.8	57
45	Inhibition of RANK signaling in breast cancer induces an anti-tumor immune response orchestrated by CD8+ T cells. Nature Communications, 2020, 11, 6335.	12.8	46
46	Prognostic Value of Stromal Tumor-Infiltrating Lymphocytes in Young, Node-Negative, Triple-Negative Breast Cancer Patients Who Did Not Receive (neo)Adjuvant Systemic Therapy. Journal of Clinical Oncology, 2022, 40, 2361-2374.	1.6	45
47	Stromal Tumor-infiltrating Lymphocytes in NRG Oncology/NSABP B-31 Adjuvant Trial for Early-Stage HER2-Positive Breast Cancer. Journal of the National Cancer Institute, 2019, 111, 867-871.	6.3	41
48	Steps forward for cancer precision medicine. Nature Reviews Drug Discovery, 2018, 17, 1-2.	46.4	37
49	Changes in Peripheral and Local Tumor Immunity after Neoadjuvant Chemotherapy Reshape Clinical Outcomes in Patients with Breast Cancer. Clinical Cancer Research, 2020, 26, 5668-5681.	7.0	37
50	Using DNA sequencing data to quantify T cell fraction and therapy response. Nature, 2021, 597, 555-560.	27.8	36
51	Genomic correlates of response to adjuvant trastuzumab (H) and pertuzumab (P) in HER2+ breast cancer (BC): Biomarker analysis of the APHINITY trial Journal of Clinical Oncology, 2019, 37, 1012-1012.	1.6	35
52	Evolving paradigms in multifocal breast cancer. Seminars in Cancer Biology, 2015, 31, 111-118.	9.6	34
53	Transcriptomic and genomic features of invasive lobular breast cancer. Seminars in Cancer Biology, 2017, 44, 98-105.	9.6	34
54	How current assay approval policies are leading to unintended imprecision medicine. Lancet Oncology, The, 2020, 21, 1399-1401.	10.7	34

#	Article	IF	CITATIONS
55	Abstract PD5-03: Relationship between tumor-infiltrating lymphocytes (TILs) and outcomes in the KEYNOTE-119 study of pembrolizumab vs chemotherapy for previously treated metastatic triple-negative breast cancer (mTNBC). Cancer Research, 2020, 80, PD5-03-PD5-03.	0.9	34
56	Tumor infiltrating lymphocyte stratification of prognostic staging of early-stage triple negative breast cancer. Npj Breast Cancer, 2022, 8, 3.	5.2	33
57	A risk-management approach for effective integration of biomarkers in clinical trials: perspectives of an NCI, NCRI, and EORTC working group. Lancet Oncology, The, 2014, 15, e184-e193.	10.7	30
58	Tumour infiltrating lymphocytes in breast cancer: increasing clinical relevance. Lancet Oncology, The, 2018, 19, 3-5.	10.7	30
59	Comprehensive evaluation of methods to assess overall and cell-specific immune infiltrates in breast cancer. Breast Cancer Research, 2019, 21, 151.	5.0	30
60	Systematically higher Ki67 scores on core biopsy samples compared to corresponding resection specimen in breast cancer: a multi-operator and multi-institutional study. Modern Pathology, 2022, 35, 1362-1369.	5.5	18
61	A Pathologist-Annotated Dataset for Validating Artificial Intelligence: A Project Description and Pilot Study. Journal of Pathology Informatics, 2021, 12, 45.	1.7	17
62	Application of a risk-management framework for integration of stromal tumor-infiltrating lymphocytes in clinical trials. Npj Breast Cancer, 2020, 6, 15.	5.2	16
63	The Future of Pathology: What can we Learn from the COVID-19 Pandemic?. Journal of Pathology Informatics, 2020, 11, 15.	1.7	15
64	Integrative proteomic and gene expression analysis identify potential biomarkers for adjuvant trastuzumab resistance: analysis from the Fin-her phase III randomized trial. Oncotarget, 2015, 6, 30306-30316.	1.8	14
65	Tumor-Infiltrating Lymphocyctes in Triple-Negative Breast Cancer. Cancer Journal (Sudbury, Mass), 2021, 27, 25-31.	2.0	12
66	Six-year absolute invasive disease-free survival benefit of adding adjuvant pertuzumab to trastuzumab and chemotherapy for patients with early HER2-positive breast cancer: A Subpopulation Treatment Effect Pattern Plot (STEPP) analysis of the APHINITY (BIG 4-11) trial. European Journal of Cancer, 2022, 166, 219-228.	2.8	12
67	National Maintenance Cost for Precision Diagnostics Under the Verifying Accurate Leading-Edge In Vitro Clinical Test Development (VALID) Act of 2020. JCO Oncology Practice, 2021, 17, e1763-e1773.	2.9	11
68	Seeing the forest and the tree: TILs and PD-L1 as immune biomarkers. Breast Cancer Research and Treatment, 2021, 189, 599-606.	2.5	11
69	Tumour-infiltrating lymphocytes in non-invasive breast cancer: A systematic review and meta-analysis. Breast, 2021, 59, 183-192.	2.2	10
70	Network science in clinical trials: A patient-centered approach. Seminars in Cancer Biology, 2018, 52, 135-150.	9.6	9
71	Abstract PD14-07: Association between biomarkers and response to pembrolizumab in patients with metastatic triple-negative breast cancer (mTNBC): Exploratory analysis from KEYNOTE-086., 2021, , .		9
72	Systemic immune reaction in axillary lymph nodes adds to tumor-infiltrating lymphocytes in triple-negative breast cancer prognostication. Npj Breast Cancer, 2021, 7, 86.	5.2	9

#	Article	IF	CITATIONS
73	Incorporation of TILs in daily breast cancer care: how much evidence can we bear?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480, 147-162.	2.8	9
74	Addressing the dichotomy between individual and societal approaches to personalised medicine in oncology. European Journal of Cancer, 2019, 114, 128-136.	2.8	8
75	Heparanase: a potential marker of worse prognosis in estrogen receptor-positive breast cancer. Npj Breast Cancer, 2021, 7, 67.	5.2	8
76	What do we still need to learn on digitally assessed biomarkers?. EBioMedicine, 2021, 70, 103520.	6.1	8
77	Tumor Banks: A Quality Control Scheme Proposal. Frontiers in Medicine, 2019, 6, 225.	2.6	7
78	A transatlantic perspective on the integration of immuno-oncology prognostic and predictive biomarkers in innovative clinical trial design. Seminars in Cancer Biology, 2018, 52, 158-165.	9.6	4
79	Gene expression signatures for tailoring adjuvant chemotherapy of luminal breast cancer: the pathologists' perspective. Annals of Oncology, 2021, 32, 1316-1321.	1.2	4
80	Improving access to molecularly defined clinical trials for patients with colorectal cancer: The EORTC SPECTAcolor platform Journal of Clinical Oncology, 2015, 33, 575-575.	1.6	4
81	Genomic-adjusted radiation dose to personalise radiotherapy. Lancet Oncology, The, 2021, 22, 1200-1201.	10.7	3
82	Spatial interplay of lymphocytes and fibroblasts in estrogen receptor-positive HER2-negative breast cancer. Npj Breast Cancer, 2022, 8, 56.	5.2	3
83	Quantity of Immune Cells Predict Response to Immunotherapy in Cancer. EClinicalMedicine, 2021, 41, 101170.	7.1	2
84	Tumour infiltrating lymphocytes and ductal carcinoma in situ: The art of thinking counterintuitively. European Journal of Cancer, 2022, 168, 138-140.	2.8	2
85	In the beginning, there was chaos: A perspective on the development of immuno-oncological biomarkers. Seminars in Cancer Biology, 2018, 52, v-vi.	9.6	1
86	Use of mutational profiling of metastatic ER+/HER2- breast cancers and the coexistence of KRAS, MET, BRAF, and FGFR3 with PIK3CA mutations Journal of Clinical Oncology, 2013, 31, 11003-11003.	1.6	0
87	Evaluation of PI3K-pathway–activation status in matched primary (P) and metastatic (M) ER+/HER2-breast cancer (BC) lesions according to PIK3CA-mutation status. Journal of Clinical Oncology, 2014, 32, 11060-11060.	1.6	0
88	What's in a name? That which we call Immune Cells by any other name would all smell as sweet. Clinical Cancer Research, 2022, , .	7.0	0