

# Xianghui Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/292682/publications.pdf>

Version: 2024-02-01

25  
papers

765  
citations

687363

13  
h-index

610901

24  
g-index

34  
all docs

34  
docs citations

34  
times ranked

717  
citing authors

#	ARTICLE	IF	CITATIONS
1	Provenance of Mesozoic sandstones from the northwestern Gulf of Suez, Egypt: new evidence from petrography and whole-rock geochemistry. <i>Arabian Journal of Geosciences</i> , 2022, 15, .	1.3	2
2	Comparing the Upper Triassic Deep-sea Flysch of the Shannan Terrane with the Coeval Shallow Shelf Sediments of the Tethys Himalaya, Southern Tibet. <i>Acta Geologica Sinica</i> , 2021, 95, 348-354.	1.4	3
3	Cretaceous forearc basin remnant sediments in the eastern Yarlung Zangbo suture zone, near the eastern Himalaya syntaxis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 580, 110620.	2.3	4
4	The embryonic Himalayan foreland basin revealed in the eastern Yarlung Zangbo suture zone, southeastern Tibet. <i>Sedimentary Geology</i> , 2020, 407, 105743.	2.1	3
5	Discovery of Vestige Sedimentary Archives of the India-Asia Collision in the Eastern Yarlung Zangbo Suture Zone. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB018192.	3.4	6
6	Early Jurassic climate and atmospheric CO <sub>2</sub> concentration in the Sichuan paleobasin, southwestern China. <i>Climate of the Past</i> , 2020, 16, 2055-2074.	3.4	15
7	Temporospatial variation in the late Mesozoic volcanism in southeast China. <i>Solid Earth</i> , 2019, 10, 2089-2101.	2.8	4
8	Refined chronostratigraphy of the late Mesozoic terrestrial strata in South China and its tectono-stratigraphic evolution. <i>Gondwana Research</i> , 2019, 66, 143-167.	6.0	20
9	Composition and sediment dispersal pattern of the Upper Triassic flysch in the eastern Himalayas, China: significance to provenance and basin analysis. <i>International Journal of Earth Sciences</i> , 2017, 106, 1257-1276.	1.8	13
10	Carbon isotope records of the early Albian oceanic anoxic event (OAE) 1b from eastern Tethys (southern Tibet, China). <i>Cretaceous Research</i> , 2016, 62, 109-121.	1.4	41
11	Multiple sources of the Upper Triassic flysch in the eastern Himalaya Orogen, Tibet, China: Implications to palaeogeography and palaeotectonic evolution. <i>Tectonophysics</i> , 2016, 666, 12-22.	2.2	36
12	Deposystem architectures and lithofacies of a submarine fan-dominated deep sea succession in an orogen: A case study from the Upper Triassic Langjiexue Group of southern Tibet. <i>Journal of Asian Earth Sciences</i> , 2015, 111, 222-243.	2.3	33
13	Carbon isotope signatures of pedogenic carbonates from SE China: rapid atmospheric CO <sub>2</sub> changes during middle-late Early Cretaceous time. <i>Geological Magazine</i> , 2014, 151, 830-849.	1.5	37
14	Climatic and environmental indications of carbon and oxygen isotopes from the Lower Cretaceous calcareous and lacustrine carbonates in Southeast and Northwest China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 385, 171-189.	2.3	72
15	Revision of the Cretaceous-Paleogene stratigraphic framework, facies architecture and provenance of the Xigaze forearc basin along the Yarlung Zangbo suture zone. <i>Gondwana Research</i> , 2012, 22, 415-433.	6.0	121
16	Quaternary primary productivity in Porcupine Seabight, NE North Atlantic. <i>Science China Earth Sciences</i> , 2012, 55, 306-314.	5.2	0
17	Pleistocene geochemical stratigraphy of the borehole 1317E (IODP Expedition 307) in Porcupine Seabight, SW of Ireland: applications to palaeoceanography and palaeoclimate of the coral mound development. <i>Journal of Quaternary Science</i> , 2011, 26, 178-189.	2.1	3
18	Nannofossil biostratigraphy of the Lower Cretaceous Shadui Formation (Northern Tethyan Himalayas), Tj ETQq0 0 0, rgBT /Ovrlock 10 T	0.7	3

#	ARTICLE	IF	CITATIONS
19	Paleosols of the Mid-Cretaceous: A Report from Zhejiang and Fujian, SE China. <i>Earth Science Frontiers</i> , 2009, 16, 63-70.	0.6	16
20	Age constraints on the origin and growth history of a deep-water coral mound in the northeast Atlantic drilled during Integrated Ocean Drilling Program Expedition 307. <i>Geology</i> , 2007, 35, 1051.	4.4	124
21	Cold-water coral mounds revealed. <i>Eos</i> , 2006, 87, 525.	0.1	36
22	Upper Cretaceous oceanic red beds in southern Tibet: Lithofacies, environments and colour origin. <i>Science in China Series D: Earth Sciences</i> , 2006, 49, 785-795.	0.9	29
23	Stratigraphy of deep-water Cretaceous deposits in Gyangze, southern Tibet, China. <i>Cretaceous Research</i> , 2005, 26, 33-41.	1.4	41
24	Latest marine horizon north of Qomolangma (Mt Everest): implications for closure of Tethys seaway and collision tectonics. <i>Terra Nova</i> , 2002, 14, 114-120.	2.1	96
25	The Cenomanian-Turonian anoxic event in southern Tibet: A study of organic geochemistry. <i>Diqiu Huaxue</i> , 2001, 20, 289-295.	0.5	7