

Ali Rashidy-pour

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2927/ali-rashidy-pour-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

2,455
citations

30
h-index

44
g-index

115
ext. papers

2,889
ext. citations

3.5
avg, IF

5.34
L-index

#	Paper	IF	Citations
110	Effects of different intensities of treadmill exercise on cued fear extinction failure, hippocampal BDNF decline, and Bax/Bcl-2 ratio alteration in chronic-morphine treated male rats.. <i>Behavioural Brain Research</i> , 2022 , 421, 113732	3.4	
109	Oxytocin in dorsal hippocampus facilitates auditory fear memory extinction in rats. <i>Neuropharmacology</i> , 2022 , 202, 108844	5.5	1
108	Prior short-term exercise prevents behavioral and biochemical abnormalities induced by single prolonged stress in a rat model of posttraumatic stress disorder.. <i>Behavioural Brain Research</i> , 2022 , 113864	3.4	0
107	Kombucha ameliorates experimental autoimmune encephalomyelitis through activation of Treg and Th2 cells. <i>Acta Neurologica Belgica</i> , 2021 , 121, 1685-1692	1.5	6
106	Exercise and crocin prevent adolescent-stress induced impairment of spatial navigation and dendritic retraction in the hippocampal CA3 area in adult male rats. <i>Brain Research</i> , 2021 , 1754, 147274	3.7	1
105	Temporary inactivation of the infralimbic cortex impairs while the blockade of its dopamine D2 receptors enhances auditory fear extinction in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2021 , 203, 173131	3.9	1
104	CAR T-cells profiling in carcinogenesis and tumorigenesis: An overview of CAR T-cells cancer therapy. <i>International Immunopharmacology</i> , 2021 , 90, 107201	5.8	3
103	Association between chronic stress and Alzheimer's disease: Therapeutic effects of Saffron. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 133, 110995	7.5	13
102	Cannabidiol attenuated the maintenance and reinstatement of extinguished methylphenidate-induced conditioned place preference in rats. <i>Brain Research Bulletin</i> , 2021 , 166, 118-127	3.9	8
101	GLP-1 mimetics and cognition. <i>Life Sciences</i> , 2021 , 264, 118645	6.8	11
100	Microinjection of the BDNF receptor antagonist ANA-12 into the nucleus accumbens and medial-prefrontal cortex attenuates morphine-induced reward memory, and alterations of BDNF levels and apoptotic cells in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2021 , 201, 173111	3.9	1
99	Protective effects of morphine in a rat model of post-traumatic stress disorder: Role of hypothalamic-pituitary-adrenal axis and beta- adrenergic system. <i>Behavioural Brain Research</i> , 2020 , 395, 112867	3.4	1
98	Role of Cannabinoid Receptors in Crocin -Induced Hypoalgesia in Neuropathic Pain in Rats. <i>Journal of Experimental Pharmacology</i> , 2020 , 12, 97-106	3	3
97	Adult weight gain and the risk of cardiovascular disease: a systematic review and dose-response meta-analysis of prospective cohort studies. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1263-1275	5.2	13
96	Therapeutic Effects of Against Adolescent Stress-Induced Oxidative Stress, Brain-Derived Neurotrophic Factor Alterations and Morphological Remodeling in the Amygdala of Adult Female Rats. <i>Journal of Experimental Pharmacology</i> , 2020 , 12, 75-85	3	9
95	Role of Hippocampal 5-HT6 Receptors in Glucocorticoid-Induced Enhancement of Memory Consolidation in Rats. <i>Basic and Clinical Neuroscience</i> , 2020 , 11, 507-516	1.4	
94	Effects of forced exercise on object location memory and anxiety behaviour in morphine dependent ovariectomized rats. <i>Koomesh</i> , 2020 , 22, 704-710	0.3	

93	Interaction between 5-HT6 receptors and acute stress and corticosterone on fear memory reconsolidation in mice. <i>Koomesh, 2020, 22, 185-191</i>	0.3	1
92	Impact of different intensities of forced exercise on deficits of spatial and aversive memory, anxiety-like behavior, and hippocampal BDNF during morphine abstinence period in male rats. <i>Metabolic Brain Disease, 2020, 35, 135-147</i>	3.9	7
91	Corticosterone impairs contextual fear recall after reactivation in the ovariectomized rat model of menopause. <i>Behavioural Brain Research, 2020, 394, 112817</i>	3.4	1
90	Mechanisms of cancer stem cell therapy. <i>Clinica Chimica Acta, 2020, 510, 581-592</i>	6.2	10
89	Neuronal Nitric Oxide Inhibitor 7-Nitroindazole Improved Brain-Derived Neurotrophic Factor and Attenuated Brain Tissues Oxidative Damage and Learning and Memory Impairments of Hypothyroid Juvenile Rats. <i>Neurochemical Research, 2020, 45, 2775-2785</i>	4.6	6
88	Effects of treadmill exercise and sex hormones on learning, memory and hippocampal brain-derived neurotrophic factor levels in transient congenital hypothyroid rats. <i>Behavioural Pharmacology, 2020, 31, 641-651</i>	2.4	2
87	Protective Effects of , Voluntary Exercise and Environmental Interventions Against Adolescent Stress-Induced Anxiety and Depressive-Like Symptoms, Oxidative Stress and Alterations of BDNF and 5HT-3 Receptors of the Prefrontal Cortex in Female Rats. <i>Neuropsychiatric Disease and Treatment, 2020, 16, 1777-1794</i>	3.1	2
86	Dietary approaches to stop hypertension, mediterranean dietary pattern, and diabetic nephropathy in women with type 2 diabetes: A case-control study. <i>Clinical Nutrition ESPEN, 2019, 33, 164-170</i>	1.3	3
85	Beneficial effects of Spirulina platensis, voluntary exercise and environmental enrichment against adolescent stress induced deficits in cognitive functions, hippocampal BDNF and morphological remodeling in adult female rats. <i>Hormones and Behavior, 2019, 112, 20-31</i>	3.7	13
84	Mesolimbic dopamine system and its modulation by vitamin D in a chronic mild stress model of depression in the rat. <i>Behavioural Brain Research, 2019, 356, 156-169</i>	3.4	20
83	Voluntary exercise and estradiol reverse ovariectomy-induced spatial learning and memory deficits and reduction in hippocampal brain-derived neurotrophic factor in rats. <i>Pharmacology Biochemistry and Behavior, 2019, 187, 172819</i>	3.9	11
82	Interactive Effects of Exercise, Sex Hormones, and Transient Congenital Hypothyroidism on Long-Term Potentiation in Hippocampal Slices of Rat Offspring. <i>Basic and Clinical Neuroscience, 2019, 10, 119-135</i>	1.4	0
81	Time-dependent protective effects of morphine against behavioral and morphological deficits in an animal model of posttraumatic stress disorder. <i>Behavioural Brain Research, 2019, 364, 19-28</i>	3.4	12
80	Fluctuations of epigenetic regulations in human gastric Adenocarcinoma: How does it affect?. <i>Biomedicine and Pharmacotherapy, 2019, 109, 144-156</i>	7.5	18
79	Beneficial Effects of Physical Activity and Crocin Against Adolescent Stress Induced Anxiety or Depressive-Like Symptoms and Dendritic Morphology Remodeling in Prefrontal Cortex in Adult Male Rats. <i>Neurochemical Research, 2019, 44, 917-929</i>	4.6	17
78	Dietary and circulating vitamin C, vitamin E, Ecarotene and risk of total cardiovascular mortality: a systematic review and dose-response meta-analysis of prospective observational studies. <i>Public Health Nutrition, 2019, 22, 1872-1887</i>	3.3	22
77	Regulatory Fluctuation of WNT16 Gene Expression Is Associated with Human Gastric Adenocarcinoma. <i>Journal of Gastrointestinal Cancer, 2019, 50, 42-47</i>	1.6	15
76	Vitamin D status and risk of dementia and Alzheimer's disease: A meta-analysis of dose-response. <i>Nutritional Neuroscience, 2019, 22, 750-759</i>	3.6	41

75	Body mass index, abdominal adiposity, weight gain and risk of developing hypertension: a systematic review and dose-response meta-analysis of more than 2.3 million participants. <i>Obesity Reviews</i> , 2018 , 19, 654-667	10.6	63
74	Infralimbic dopamine D2 receptors mediate glucocorticoid-induced facilitation of auditory fear memory extinction in rats. <i>Brain Research</i> , 2018 , 1682, 84-92	3.7	4
73	Effects of BDNF receptor antagonist on the severity of physical and psychological dependence, morphine-induced locomotor sensitization and the ventral tegmental area-nucleus accumbens BDNF levels in morphine- dependent and withdrawn rats. <i>Neuroscience Letters</i> , 2018 , 668, 7-12	3.3	10
72	Bombesin-induced enhancement of memory consolidation in male and female rat pups: Role of glutamatergic and dopaminergic systems. <i>Neuropeptides</i> , 2018 , 70, 101-106	3.3	2
71	Autologous T cells expressing the oncogenic transcription factor KLF6-SV1 prevent apoptosis of chronic lymphocytic leukemia cells. <i>PLoS ONE</i> , 2018 , 13, e0192839	3.7	2
70	Deleterious effects of prenatal exposure to morphine on the spatial learning and hippocampal BDNF and long-term potentiation in juvenile rats: Beneficial influences of postnatal treadmill exercise and enriched environment. <i>Neurobiology of Learning and Memory</i> , 2018 , 147, 54-64	3.1	26
69	Cancer signaling pathways with a therapeutic approach: An overview in epigenetic regulations of cancer stem cells. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 108, 590-599	7.5	20
68	Dietary Antioxidants, Circulating Antioxidant Concentrations, Total Antioxidant Capacity, and Risk of All-Cause Mortality: A Systematic Review and Dose-Response Meta-Analysis of Prospective Observational Studies. <i>Advances in Nutrition</i> , 2018 , 9, 701-716	10	53
67	Oxytocin receptor antagonist atosiban impairs consolidation, but not reconsolidation of contextual fear memory in rats. <i>Brain Research</i> , 2018 , 1695, 31-36	3.7	10
66	Effects of treadmill exercise on methadone withdrawal-induced locomotor sensitization and the ventral pallidum and ventral tegmental area BDNF levels in morphine withdrawn rats receiving methadone maintenance treatment. <i>Neuroscience Letters</i> , 2018 , 683, 33-37	3.3	5
65	Effects of moderate treadmill exercise and fluoxetine on behavioural and cognitive deficits, hypothalamic-pituitary-adrenal axis dysfunction and alternations in hippocampal BDNF and mRNA expression of apoptosis - related proteins in a rat model of post-traumatic stress disorder. <i>Neurobiology of Learning and Memory</i> , 2017 , 139, 165-178	3.1	48
64	Low- and high-intensity treadmill exercise attenuates chronic morphine-induced angiogenesis and memory impairment but not reductions in hippocampal BDNF in female rats. <i>Brain Research</i> , 2017 , 1663, 20-28	3.7	22
63	Effects of the combined treatment of bone marrow stromal cells with mild exercise and thyroid hormone on brain damage and apoptosis in a mouse focal cerebral ischemia model. <i>Metabolic Brain Disease</i> , 2017 , 32, 1267-1277	3.9	15
62	Effects of extremely low frequency magnetic field on the development of tolerance to the analgesic effect of morphine in rats. <i>Bioelectromagnetics</i> , 2017 , 38, 618-625	1.6	3
61	Building Bridges through Science. <i>Neuron</i> , 2017 , 96, 730-735	13.9	2
60	Protective Effects of Enriched Environment Against Transient Cerebral Ischemia-Induced Impairment of Passive Avoidance Memory and Long-Term Potentiation in Rats. <i>Basic and Clinical Neuroscience</i> , 2017 , 8, 443-452	1.4	2
59	Effect of WIN55-212-2 and Consequences of Extinction Training on Conditioned Fear Memory in PTSD Male Rats. <i>Basic and Clinical Neuroscience</i> , 2017 , 8, 493-502	1.4	4
58	Effects of Saffron (<i>Crocus sativus</i> L.) Stigma Extract and its Active Constituent Crocin on Neuropathic Pain Responses in a Rat Model of Chronic Constriction Injury. <i>Iranian Journal of Pharmaceutical Research</i> , 2016 , 15, 253-61	1.1	12

57	Acute stress does not affect the impairing effect of chronic stress on memory retrieval. <i>Iranian Journal of Basic Medical Sciences</i> , 2016 , 19, 763-71	1.8	3
56	Effects of maternal hypothyroidism during pregnancy on learning, memory and hippocampal BDNF in rat pups: Beneficial effects of exercise. <i>Neuroscience</i> , 2016 , 329, 151-61	3.9	26
55	Glucocorticoid-induced impairment of long-term memory retrieval in female rats: influences of estrous cycle and estrogen. <i>Neurobiology of Learning and Memory</i> , 2015 , 118, 209-15	3.1	8
54	Effects of environmental enrichment on behavioral deficits and alterations in hippocampal BDNF induced by prenatal exposure to morphine in juvenile rats. <i>Neuroscience</i> , 2015 , 305, 372-83	3.9	43
53	Effects of treadmill running exercise during the adolescent period of life on behavioral deficits in juvenile rats induced by prenatal morphine exposure. <i>Physiology and Behavior</i> , 2015 , 139, 26-33	3.5	15
52	Role of intra-hippocampal orexin 1 and orexin 2 receptors in conditioned place preference induced by chemical stimulation of the lateral hypothalamus. <i>Behavioural Brain Research</i> , 2015 , 279, 106-11	3.4	22
51	Enhancing Hippocampal Neuronal Numbers in Morphine-Dependent Rats by Voluntary Exercise Through a Brain-Derived Neurotrophic Factor-Mediated Mechanism. <i>Middle East Journal of Rehabilitation and Health Studies</i> , 2015 , 2,	1.4	3
50	Glucocorticoids Interact with Cholinergic System in Impairing Memory Reconsolidation of an Inhibitory Avoidance Task in Mice. <i>Basic and Clinical Neuroscience</i> , 2015 , 6, 155-62	1.4	8
49	Protective Effects of Water Extract of Propolis on Dopaminergic Neurons, Brain Derived Neurotrophic Factor and Stress Oxidative Factors in the Rat Model of Parkinson's Disease. <i>International Journal of Pharmacology</i> , 2015 , 11, 300-308	0.7	8
48	Effects of progesterone on neuropathic pain responses in an experimental animal model for peripheral neuropathy in the rat: a behavioral and electrophysiological study. <i>Neuroscience</i> , 2014 , 256, 403-11	3.9	24
47	Effects of corticosterone on contextual fear consolidation in intact and ovariectomized female rats. <i>Neurobiology of Learning and Memory</i> , 2014 , 114, 236-41	3.1	7
46	Effects of voluntary and treadmill exercise on spontaneous withdrawal signs, cognitive deficits and alterations in apoptosis-associated proteins in morphine-dependent rats. <i>Behavioural Brain Research</i> , 2014 , 271, 160-70	3.4	31
45	Effects of voluntary exercise on hippocampal long-term potentiation in morphine-dependent rats. <i>Neuroscience</i> , 2014 , 256, 83-90	3.9	15
44	Propranolol-induced Impairment of Contextual Fear Memory Reconsolidation in Rats: A similar Effect on Weak and Strong Recent and Remote Memories. <i>Basic and Clinical Neuroscience</i> , 2014 , 5, 231-9 ^{1.4}	1.4	17
43	Protective Effects of Crocus Sativus L. Extract and Crocin against Chronic-Stress Induced Oxidative Damage of Brain, Liver and Kidneys in Rats. <i>Advanced Pharmaceutical Bulletin</i> , 2014 , 4, 493-9	4.5	62
42	Involvement of CB1 receptors in the ventral tegmental area in the potentiation of morphine rewarding properties in acquisition but not expression in the conditioned place preference model. <i>Behavioural Brain Research</i> , 2013 , 247, 259-67	3.4	23
41	Voluntary exercise does not ameliorate spatial learning and memory deficits induced by chronic administration of nandrolone decanoate in rats. <i>Hormones and Behavior</i> , 2013 , 63, 158-65	3.7	25
40	Systemic administrations of 17 β -estradiol alleviate both conditioned and sensitized fear responses in an ovariectomized rat model of post-traumatic stress disorder. <i>Neurobiology of Learning and Memory</i> , 2013 , 102, 12-9	3.1	7

39	Involvement of dopaminergic receptors of the rat nucleus accumbens in decreasing the conditioned place preference induced by lateral hypothalamus stimulation. <i>Neuroscience Letters</i> , 2013 , 556, 10-4	3.3	14
38	Maternal Voluntary Exercise during Pregnancy Enhances the Spatial Learning Acquisition but not the Retention of Memory in Rat Pups via a TrkB-mediated Mechanism: The Role of Hippocampal BDNF Expression. <i>Iranian Journal of Basic Medical Sciences</i> , 2013 , 16, 955-61	1.8	25
37	Effects of systemic administration of oxytocin on contextual fear extinction in a rat model of post-traumatic stress disorder. <i>Basic and Clinical Neuroscience</i> , 2013 , 4, 315-22	1.4	31
36	Anxiety profile in morphine-dependent and withdrawn rats: effect of voluntary exercise. <i>Physiology and Behavior</i> , 2012 , 105, 195-202	3.5	64
35	Orexin A in the ventral tegmental area induces conditioned place preference in a dose-dependent manner: involvement of D1/D2 receptors in the nucleus accumbens. <i>Peptides</i> , 2012 , 37, 225-32	3.8	36
34	The glucocorticoid system is required for the voluntary exercise-induced enhancement of learning and memory in rats. <i>Behavioural Brain Research</i> , 2011 , 219, 75-81	3.4	34
33	Voluntary exercise ameliorates cognitive deficits in morphine dependent rats: the role of hippocampal brain-derived neurotrophic factor. <i>Neurobiology of Learning and Memory</i> , 2011 , 96, 479-91	3.1	58
32	Protective effects of saffron extract and its active constituent crocin against oxidative stress and spatial learning and memory deficits induced by chronic stress in rats. <i>European Journal of Pharmacology</i> , 2011 , 667, 222-9	5.3	191
31	Pentoxifylline attenuates TNF- α protein levels and brain edema following temporary focal cerebral ischemia in rats. <i>Brain Research</i> , 2011 , 1377, 119-25	3.7	52
30	Systemic and intrahippocampal administrations of the glucocorticoid receptor antagonist RU38486 impairs fear memory reconsolidation in rats. <i>Stress</i> , 2011 , 14, 459-64	3	37
29	Central beta-adrenergic receptors play an important role in the enhancing effect of voluntary exercise on learning and memory in rat. <i>Behavioural Brain Research</i> , 2010 , 208, 189-93	3.4	23
28	Obesity in the Iranian population. <i>Obesity Reviews</i> , 2009 , 10, 2-6	10.6	31
27	Verapamil enhances acute stress or glucocorticoid-induced deficits in retrieval of long-term memory in rats. <i>Behavioural Brain Research</i> , 2009 , 203, 76-80	3.4	13
26	Post-training administration of corticosterone enhances consolidation of contextual fear memory and hippocampal long-term potentiation in rats. <i>Neurobiology of Learning and Memory</i> , 2009 , 91, 260-5	3.1	45
25	Hippocampal angiotensin II receptors play an important role in mediating the effect of voluntary exercise on learning and memory in rat. <i>Brain Research</i> , 2008 , 1232, 132-8	3.7	16
24	Serotonergic and noradrenergic lesions suppress the enhancing effect of maternal exercise during pregnancy on learning and memory in rat pups. <i>Neuroscience</i> , 2008 , 151, 1173-83	3.9	69
23	Administration of corticosterone after memory reactivation disrupts subsequent retrieval of a contextual conditioned fear memory: dependence upon training intensity. <i>Neurobiology of Learning and Memory</i> , 2008 , 89, 178-84	3.1	94
22	Effects of morphine dependence on the performance of rats in reference and working versions of the water maze. <i>Physiology and Behavior</i> , 2008 , 93, 622-7	3.5	38

21	Peripheral injection of dexamethasone modulates anxiety related behaviors in mice: an interaction with opioidergic neurons. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2008 , 21, 285-9	0.4	12
20	Blocking effects of intra-hippocampal naltrexone microinjections on glucocorticoid-induced impairment of spatial memory retrieval in rats. <i>Neuropharmacology</i> , 2007 , 52, 347-54	5.5	34
19	Central mineralocorticoid receptors are indispensable for corticosterone-induced impairment of memory retrieval in rats. <i>Neuroscience</i> , 2007 , 149, 729-38	3.9	48
18	Microinjections of the dopamine D2 receptor antagonist sulpiride into the medial prefrontal cortex attenuate glucocorticoid-induced impairment of long-term memory retrieval in rats. <i>Neurobiology of Learning and Memory</i> , 2007 , 87, 385-90	3.1	21
17	Post-training reversible inactivation of the rat's basolateral amygdala interferes with hippocampus-dependent place avoidance memory in a time-dependent manner. <i>Neurobiology of Learning and Memory</i> , 2007 , 88, 87-93	3.1	21
16	Acute exposure to a 50 Hz magnetic field impairs consolidation of spatial memory in rats. <i>Neurobiology of Learning and Memory</i> , 2007 , 88, 387-92	3.1	48
15	Intra-hippocampal microinjections of anisomycin did not block glucocorticoid-induced impairment of memory retrieval in rats: an evidence for non-genomic effects of glucocorticoids. <i>Behavioural Brain Research</i> , 2006 , 173, 158-62	3.4	41
14	Glucocorticoid-induced impairment of long-term memory retrieval in rats: an interaction with dopamine D2 receptors. <i>Neurobiology of Learning and Memory</i> , 2006 , 85, 300-6	3.1	30
13	Ultrasound and laser therapy in the treatment of carpal tunnel syndrome. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 147-51		93
12	The effects of acute restraint stress and dexamethasone on retrieval of long-term memory in rats: an interaction with opiate system. <i>Behavioural Brain Research</i> , 2004 , 154, 193-8	3.4	56
11	Reversible lesion of the rat's orbitofrontal cortex interferes with hippocampus-dependent spatial memory. <i>Behavioural Brain Research</i> , 2004 , 149, 61-8	3.4	39
10	Effects of lidocaine reversible inactivation of the median raphe nucleus on long-term potentiation and recurrent inhibition in the dentate gyrus of rat hippocampus. <i>Brain Research</i> , 2003 , 962, 159-68	3.7	7
9	ATP-sensitive potassium channels mediate the effects of a peripheral injection of glucose on memory storage in an inhibitory avoidance task. <i>Behavioural Brain Research</i> , 2001 , 126, 43-8	3.4	25
8	Lidocaine reversible inactivation of the median raphe nucleus has no effect on reference memory but enhances working memory versions of the Morris water maze task. <i>Behavioural Brain Research</i> , 2000 , 114, 1-9	3.4	33
7	Reversible inactivation of the median raphe nucleus enhances consolidation and retrieval but not acquisition of passive avoidance learning in rats. <i>Brain Research</i> , 1999 , 817, 59-66	3.7	11
6	Unilateral reversible inactivations of the nucleus tractus solitarius and amygdala attenuate the effects of bombesin on memory storage. <i>Brain Research</i> , 1998 , 814, 127-32	3.7	31
5	Effects of reversible inactivations of the medial septal area on reference and working memory versions of the Morris water maze. <i>Brain Research</i> , 1996 , 709, 131-40	3.7	41
4	Tolerance to ketamine-induced blockade of cortical spreading depression transfers to MK-801 but not to AP5 in rats. <i>Brain Research</i> , 1995 , 693, 64-9	3.7	21

- | | | | |
|---|---|-----|----|
| 3 | Reversible inactivation of the medial septal area impairs consolidation but not retrieval of passive avoidance learning in rats. <i>Behavioural Brain Research</i> , 1995 , 72, 185-8 | 3-4 | 19 |
| 2 | Morphine inhibits dopaminergic and cholinergic induced ejaculation in rats. <i>General Pharmacology</i> , 1994 , 25, 803-8 | | 18 |
| 1 | Bombesin-induced anorexia requires central bombesin receptor activation: independence from interaction with central catecholaminergic systems. <i>Psychopharmacology</i> , 1993 , 110, 193-7 | 4-7 | 10 |